

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
BAY OF FUNDY, N.S.							
163 <i>H4032</i>	Apple River	On Cape Capstan, N. entrance. 45 28 24 64 51 22.9	LFI W 12s	20.8	9	White square tower. 11.2	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4010
164 <i>H3928</i>	Île Haute	On highest point. 45 15 03.3 65 00 19.8	Fl W 4s	112.0	7	Square skeleton tower. 13.0	Visibility of light may be obscured when the navigator is less than 2.5 nautical miles from light. Operates at night only. Year round. Chart:4010 Edn 06/12 (F12-014)
165	<i>Advocate Harbour light and bell buoy MM</i>	<i>At entrance to harbour. 45 19 10.3 064 48 00.8</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "MM".</i>	<i>Seasonal (in place year round).</i> Chart:4010 Edn 03/17 (F17-004)
166 <i>H3934</i>	Advocate Harbour	On S. side of entrance. 45 19 07.1 064 46 59.9	Fl R 4s	4	Square skeleton tower, three red and white rectangular daymarks.	Flash 1 s; eclipse 3 s. Year round. Chart:4010 Edn 03/17 (F16-068)
167 <i>H3938</i>	Cape d'Or	On extreme point. 45 17 27 64 46 27.5	Fl W 9s	20.3	13	White square tower, red upper portion. 10.7	Flash 1 s; eclipse 8 s. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 240°. Chart:4010
Minas Basin							
171 <i>H3950</i>	Cape Sharp	On S. extremity of cape. 45 21 52.2 64 23 31.5	Oc W 10s	17.4	12	White square tower, red upper portion. 11.7	Flash 7 s; eclipse 3 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 250°. Chart:4399
172 <i>H3952</i>	Parrsboro	At entrance to harbour. 45 23 12.8 64 18 59.5	LFI G 6s	8.4	7	White square tower. 8.5	Flash 2 s; eclipse 4 s Year round. Horn - Blast 3 s; sil. 27 s. Horn points 170°. Chart:4399 Edn 04/10 (F10-010)
173 <i>H3954</i>	Parrsboro Wharf	SE. corner of wharf. 45 23 24.1 64 19 06.6	Fl R 4s	5.1	3	Pipe swing pole. 3.7	Operates at night only. Year round. Chart:4399 Edn 06/09 (F09-014) Edn 04/10 (F10-009) Edn 04/11 (F11-046)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
BAY OF FUNDY, N.S.							
189.5 <i>H3957</i>	Upper Pereau	45 12 04.5 64 22 41.3	Fl R 4s	4.1	4	Triangular skeleton tower. 4.1	Radar reflector. Operates at night only. Seasonal. Chart:4140
191 <i>H3956</i>	Minas Basin	On outer SW. corner of wharf at Delhaven. 45 12 07.6 64 22 47.7	F R	7.1	7	Triangular skeleton tower. 7.1	Operates at night only. Year round. Chart:4140
192 <i>H3942</i>	Halls Harbour	On end of wharf. 45 12 06.6 64 37 11.8	Fl R 4s	5.8	7	Cylindrical mast, red and white triangular daymark, red triangle in centre. 5.6	Operates at night only. Year round. Chart:4010 Edn 06/09 (F09-015) Edn 04/11 (F11-044)
193 <i>H3932</i>	Black Rock	S. shore Minas channel. 45 10 13.2 64 45 42.6	Fl(2) W 12s	15.9	12	White cylindrical tower, red horizontal bands. 10.4	Flash 1 s; eclipse 2 s; flash 1 s; eclipse 8 s. Operates at night only. Year round. Chart:4010
194 <i>H3930</i>	Harbourville	Near outer end of W. pier. 45 09 09.3 64 48 42.2	Fl R 4s	9.8	5	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 6.5	Operates at night only. Year round. Chart:4010 Edn 09/11 (F11-083)
195 <i>H3926</i>	Margaretsville	On extremity of point, S. of breakwater. 45 03 00.3 65 03 57.8	Oc(2) W 20s	11.2	10	Square tower, white and black horizontal bands. 9.7	Flash 10 s; eclipse 3 s; flash 4 s; eclipse 3 s Visible from 095° through S. to 236°. Operates at night only. Year round. Chart:4010
197.3	Port Lorne breakwater	S. shore. 44 56 57.7 065 15 55.7	Fl R 4s	3	2	Aluminum pipe swing pole, red triangular daymark 3	Year round. Chart: 4010 Edn 03/16 (F16-004)
198 <i>H3918</i>	Hampton	E. of W. breakwater at Chute Cove. 44 54 20 65 21 10	F W	21.0	11	White tower. 10.1	Privately operated. Operates at night only. Year round. Chart:4010
199 <i>H3916</i>	Parkers Cove	On end of E. breakwater. 44 48 51.1 65 32 18.1	LFl G 12s	8.0	2	Cylindrical mast. 8.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4010
199.5 <i>H3914</i>	Delap Cove Wharf	E. of Digby Gut. 44 46 11.8 65 38 11.7	Fl W 4s	6.0	3	Mast. 6.8	Operates at night only. Seasonal. Chart:4010

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
BAY OF FUNDY, N.S.								
201 H3890	Prim Point	Digby Gut, W. point of entrance to Annapolis Basin. 44 41 28 65 47 10.8	Iso W 6s	24.8	12	White rectangular tower, red vertical stripes. 13.9	Year round. Chart:4396 Edn 04/15 (F15-009)	
202 H3892	Digby Gut	E. side of entrance to Digby Gut. 44 41 17.4 065 45 35.1	LFI G 6s	20	Square skeleton tower, three green and white daymarks facing 181°T, 212°T and 002°T.	Flash 2 s; eclipse. 4s. Chart:4396 Edn 12/14 (F14-032) Edn 05/15 (F15-011)	
203.5	Battery Point warf	44 40 29.3 065 45 12.4	Fl G 4s	17	Square skeleton tower, three green and white daymarks facing 160°, 250°, and 340°, true. 7.6	Year round. Chart 4396 Edn 05/15 (F15-007)	
204	<i>Bear Island light buoy V1</i>	<i>E. of Fannan Ledge. 44 38 57.9 65 44 48.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "V1".</i>	<i>Year round.</i> Chart:4396	
205	<i>The Raquette light buoy V2</i>	<i>44 37 55.4 65 45 05.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "V2".</i>	<i>Year round.</i> Chart:4396	
206.2	Digby Breakwater Light	44 37 33.0 65 45 2.1	Fl R 4s	15.5	4	Pipe swing pole. 3	Year round. Chart:4396 Edn 03/15 (F15-001)	
209.1	<i>Port Wade Light Buoy VE1</i>	<i>44 39 36.0 65 42 05.4</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green lighted marked "VE1"</i>	<i>Year round.</i> Chart:4396 Edn. 02/15 (F14-042) Edn. 11/15 (F15-027)	
209.3	<i>Black Point light buoy VE3</i>	<i>44 40 57.4 65 39 07.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "VE3".</i>	<i>Year round.</i> Chart:4396	
209.8	<i>Goat Island light buoy VE4</i>	<i>NW. of island. 44 42 18.9 65 37 16.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "VE4".</i>	<i>Year round.</i> Chart:4396	
Annapolis River								
210 H3906	Schafner Point	On N. side of Annapolis River. 44 42 35.5 65 37 08.6	F W	13.2	10	White square tower, red upper portion. 11.1	Indicates Goat Island Shoals. Operates at night only. Year round. Chart:4396 Edn 09/15
210.3	<i>Marsh Point light buoy VE5</i>	<i>Off point. 44 42 47.6 65 34 42.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "VE5".</i>	<i>Year round.</i> Chart:4396	
211 H3908	Annapolis	NE. of pier. 44 44 39.6 65 31 11.8	F R	9.1	8	White square tower, red upper portion. 8.5	

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
BAY OF FUNDY, N.S.							
212 H3889	Broad Cove Wharf	On inner end of wharf. 44 39 55.7 65 49 56.9	F G	5.2	7 3.5	Square skeleton tower. Operates at night only. Year round. Chart:4396
213	Centreville light buoy MA	Trout Cove entrance. 44 33 20 66 02 40	Mo(A) W	6s	Red and white vertical stripes, marked "MA". Year round. Chart:4011
214 H3888	Centreville Breakwater	On W. side of cove. 44 33 05.5 66 02 02.6	Fl G	4s	13.6	8 7.7	Square skeleton tower, red and white rectangular daymark, green square in center. Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4011 Edn 09/11 (F11-165) Edn 11/11 (F11-185)
215 H3887	Whale Cove Wharf	On outer end of wharf. 44 26 08.1 66 10 30.6	Fl G	4s	5.5	4 5.2	Cylindrical mast, green, white and black square daymark. Operates at night only. Year round. Chart:4118 Edn 06/09 (F09-008) Edn 05/11 (F11-103)
216 H3884	Boars Head	On W. side of N. entrance to Petit Passage. 44 24 14.5 66 12 55	Fl W	5s	28.0	16 11.6	White square tower, red upper portion. Flash 1 s; eclipse 4 s. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 315°. Chart:4118
217 H3885	Tiverton	Near outer end of breakwater. 44 23 47 66 12 45	Fl Y	4s	5.0	5 3.5	Triangular skeleton tower. Operates at night only. Year round. Chart:4118
220	Northwest Ledge light buoy M4	Off Beatson Rocks. 44 18 17 66 25 55	Fl R	4s	Red, marked "M4". Year round. Chart:4118
221 H3874	Grand Passage	N. point of Brier Island. 44 17 13 66 20 31.2	Fl W	10s	14.3	21 8.6	White rectangular tower, red upper portion. Flash 0.3 s; eclipse 9.7 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 333°. Chart:4118
222	Cow Ledge Shoal light buoy HA4	E. of North Point. 44 17 11 66 20 03	Fl R	4s	Red, marked "HA4". Year round. Chart:4118

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
BAY OF FUNDY, N.S.							
223 H3872	Brier Island	On W. point of island. 44 14 55 66 23 32	Fl(3) W	18s	22.2	14	White octagonal tower, 3 red horizontal bands. 16.7 Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 270° and 315°. Horns sound in unison. Chart:4118
224	Gull Rock light buoy HA1	S. of rock. 44 12 08 66 23 11	Fl G	4s	Green, marked "HA1". Year round. Chart:4118
225	Southwest Ledge (Brier Island) light buoy M2	Off W. end of ledge. 44 10 09 66 27 12	Fl R	4s	Red, marked "M2". Year round. Chart:4118 Edn 05/12 (F12-008)
226	Dartmouth Point light buoy HA2	Grand Passage. 44 14 45 66 19 57	Fl R	4s	Red, marked "HA2". Year round. Chart:4118
227 H3878	Peter Island	S. entrance to Grand Passage. 44 15 25.7 066 20 13.1	LFl G	6s	6	Square skeleton tower, three red rectangular daymarks, white band, green square in center. Flash 2 s; eclipse 4 s. Year round. Horn - Blast 2 s; sil. 18 s. Chart:4118 Edn 05/16 (F08-025) Edn 03/17 (F16-055)
227.5	Peter Island North	Grand Passage N.S. 44 15 37.4 066 20 15.3	Q G	1s	Green cylindrical mast 6.4 Operates at night only. Year round. Carte:4118 Edn. 04/15 (F15-008)
228 H3880	Westport	On outer end of public wharf. 44 15 53.2 66 20 51.9	Fl G	4s	8.3	2	Cylindrical skeleton mast. 6.6 Operates at night only. Year round. Chart:4118
228.5 H3875	Freeport South Breakwater	On breakwater. 44 16 00.4 66 19 44.5	Fl W	4s	4.4	6	Triangular skeleton tower. 3.5 Operates at night only. Year round. Chart:4118
229 H3876	Freeport	On outer end of public wharf. 44 16 27.8 66 20 08.5	F R	8.7	7	Pipe swing pole. 6.7 Operates at night only. Year round. Chart:4118 Edn 09/09 (F09-058) Edn 05/11 (F11-105)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
BAY OF FUNDY, N.S.							
St. Marys Bay							
230 H3864	Little River	On outer end of wharf. 44 26 37.4 66 07 44.6	LFI G	6s	7.5	4 Cylindrical mast, green, white and green square daymark. 6.7	Flash 2s; eclipse 4 s. Operates at night only. Year round. Chart:4118 Edn 06/09 (F09-018) Edn 04/11 (F11-055)
230.2 H3864.5	East Sandy Cove	On outer end of wharf. 44 29 10.8 66 05 04.3	Fl R	4s	4.3	4 Pipe swing pole, red and white triangular daymark, red triangle in centre. 3.7	Operates at night only. Year round. Chart:4118 Edn 04/11 (F11-057) Edn 09/11 (F11-095)
232.1	Sissiboo Outer light buoy HJ1	44 26 54.6 66 01 15.9	Fl G	4s Green spar, marked "HJ1".	Year round. Chart:4118
234 H3859	Belliveau Cove	44 23 20.3 66 03 49.1	Iso W	5s	6.1 Red square tower. 6.4	Privately operated. Operates at night only. Year round. Chart:4118
234.3	East Sandy Cove light buoy HK3	44 28 48.5 66 04 39	Fl G	4s Green spar, marked "HK3".	Year round. Chart:4118
236.5 H3858	Comeauville Wharf	On wharf. 44 17 31.2 66 07 56.3	Fl R	4s	5.4	4 Triangular skeleton tower. 3.5	Operates at night only. Year round. Chart:4118
237	Saulnierville light buoy HE	Approach to Saulnierville wharf. 44 16 00 66 09 24	Mo(A) W	6s Red and white vertical stripes, marked "HE".	Year round. Chart:4118
237.5 H3855	Saulnierville Breakwater.	Near end of breakwater. 44 15 51.2 66 08 18.3	Fl R	4s	8.5	7 Square skeleton tower, 2 red and white triangular daymarks. 8.6	Operates at night only. Chart:4118 Edn 06/14 (F14-010) Edn 05/15 (F15-013)
238 H3852	Meteghan River	At inner end of breakwater. 44 13 11.8 66 08 37.2	Fl W	4s	7.5	6 Triangular skeleton tower. 5.6	Operates at night only. Year round. Chart:4118
239	Meteghan light buoy HC2	NW. of Meteghan breakwater. 44 11 43 66 12 00	Fl R	4s Red, marked "HC2".	Year round. Chart:4118
239.3	Meteghan Outer light buoy HC3	44 11 51 66 10 54	Fl G	4s Green spar, marked "HC3".	Year round. Chart:4118
239.4	Meteghan Inner light buoy HC4	44 11 50 66 10 12	Fl R	4s Red spar, marked "HC4".	Year round. Chart:4118

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
BAY OF FUNDY, N.S.							
239.5 H3851	Meteghan Breakwater	On outer end of breakwater. 44 11 44.1 66 10 00.1	LFI R 6s 4			Square skeleton tower 2 Red and white rectangular daymarks Daymarks facing 312° and 132° 4.8	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4118 Ed 11/13 (F13-034)
241 H3848	Cape St. Marys	E. side of bay. 44 05 09.2 66 12 39.6	FI W 5s 31.8 13			White rectangular tower, red upper portion. 8.7	Flash 0.5 s; eclipse 4.5 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 251°30'. Chart:4118
242	Cape St. Marys light buoy NV	S. of cape. 44 04 10.3 66 12 35	Mo(A) W 6s			Red and white vertical stripes, marked "NV".	Year round. Chart:4243
243 H3846	Cape St. Marys Breakwater	On rubble breakwater. 44 05 03.5 066 12 15	FI G 4s 8 4			Aluminum pipe swing pole. Two port hand daymarks facing 180° and 220° true.	Operates at night only. Year round. Chart:4118 Edn 03/16 (F16-002)
245	Trinity Ledge bifurcation light buoy NP	S. of ledge. 43 58 47.3 66 18 26	FI R (2+1) 6s			Red, green and red, marked "NP".	Year round. Chart:4243
246	Port Maitland light buoy NU	N. of Port Maitland breakwater. 43 59 36.3 66 10 18	Mo(A) W 6s			Spar, red and white vertical stripes, marked "NU".	Year round. Chart:4243
247 H3840	Port Maitland Wharf	43 59 09.5 66 09 32.9	LFI G 6s 6.1 5			Square skeleton tower, green and white rectangular daymark. 6.8	Daymark facing 337°(T). Flash 2 s; eclipse 4 s Radar reflector. Operates at night only. Year round. Chart:4243 Edn 11/11 (F11-178)
250.1	Port Maitland West Breakwater light	43 59 09.6 66 09 39.6	FI R 4s 4			Cylindrical mast 3.0	Year round. Chart: 4243 Edn 03/15 (F15-005)
251	Lurcher Shoal bifurcation light buoy NM Racon -- (K) X Band	W. of Southwest Shoal. 43 48 57.2 66 29 58	FI R (2+1) 6s			Red, green and red, marked "NM".	Operates at night only. Year round. Chart:4243 Edn 04/11 (F11-020)
251.5	Lurcher Northeast Shoal light buoy N9	43 53 00.3 66 26 10	FI G 4s			Green, marked "N9".	Year round. Chart:4243
252	Sandford light buoy NT2	Off Sandford. 43 55 50.8 66 10 53	FI R 4s			Red, marked "NT2".	Year round. Chart:4243

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
BAY OF FUNDY, N.S.							
253 H3838	Sandford Sector	43 55 07.6 66 09 14.6	Iso R W G	2s 8.3	12	Square skeleton tower, white rectangular daymark, red horizontal bands. 6.9	Red from 090°57' to 134°57'; white from 134°57' to 136°57'; green from 136°57' to 180°57'. White sector indicates preferred channel. Year round. Chart:4243 Edn 05/11 (F11-108)
255.7 H3837	Cheggoggin Point Breakwater	On end of breakwater. 43 51 09.5 66 09 40.2	Fl G	4s	7	Square skeleton tower, green and white rectangular daymark. 6.1	Daymark facing 180°(T). Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4243 Edn 01/12 (F11-186)
256	<i>Cheggoggin Point light buoy NQ1</i>	<i>Off SW. extreme of Cheggoggin Point. 43 50 35.2 66 10 38.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>Green, marked "NQ1".</i>	<i>Year round.</i> Chart:4245
Yarmouth Harbour and Approaches							
257 H3834	Yarmouth Bar Breakwater	On northerly side of bridge. 43 48 56.3 66 09 09	F G 6.5	7	Cylindrical mast. 3.1	Operates at night only. Year round. Chart:4245
259	<i>Cat Rock light buoy Y3</i>	<i>S. of Cape Forchu. 43 46 57.3 66 09 29.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>Green, marked "Y3".</i>	<i>Year round.</i> Chart:4245
260 H3820	Cape Forchu Racon -... (B) X Band	E. Cape, S. point, Yarmouth Sound. 43 47 38.8 66 09 19.3	LFl W	12s 34.5	12	Hexagonal tower, red and white vertical stripes. 23.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4245 Edn 08/11 (F11-102)
260.5	<i>Johns Cove light buoy Y5</i>	<i>43 47 50.3 66 08 44.9</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "Y5".</i>	<i>Year round.</i> Chart:4245
261 H3822	Ships Stern	On N. end of Ships Stern. 43 48 31.7 066 08 45.9	Fl W	4s	4	Pipe swing pole. 3.5	Year round. Chart:4245 Edn 09/16 (F16-044)
262	<i>Privateer Rock light buoy Y12</i>	<i>E. of Ships Stern. 43 48 34 66 08 38.8</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>Red spar, marked "Y12".</i>	<i>Year round.</i> Chart:4245
263 H3826	Bunker Island	SW. point of island. 43 48 44.6 66 08 36.2	Iso R	4s 9.8	8	White square tower, red vertical stripe. 9.1	Operates at night only. Emergency light. Year round. Chart:4245 Edn 04/10 (F10-007)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

BAY OF FUNDY, N.S.

264	Sollows Rock light buoy Y17	SE. of rock. 43 48 50.2 66 08 40.1	Q G	1s	Green spar, marked "Y17".	Year round. <div style="text-align: right;">Chart:4245 Edn 07/09 (F09-036)</div>
265	Yarmouth Main Channel light buoy Y24	S. of Elders Head. 43 49 33.7 66 07 54.2	Fl R	4s	Red spar, marked "Y24".	Year round. <div style="text-align: right;">Chart:4245</div>
266	Yarmouth South Channel light buoy Y26	43 49 51.6 66 07 38.8	Fl R	4s	Red spar, marked "Y26".	Year round. <div style="text-align: right;">Chart:4245</div>
267	Hen and Chickens light buoy Y4	On W. side of shoal. 43 47 41.5 66 08 36.4	Fl R	4s	Red, marked "Y4".	Year round. <div style="text-align: right;">Chart:4245</div>
268	Roaring Bull light buoy Y2	43 45 10.3 66 09 41	Fl R	4s	Red, marked "Y2".	Year round. <div style="text-align: right;">Chart:4245</div>