

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### SAGUENAY RIVER

1773 H2106	<b>Haut-fond Prince</b>	On shoal. 48 06 29.6 69 36 51.7	FI W	2.5s	24.6	18	Cylindrical tower. 25.3	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Year round.	<p><b>Horns(3)</b> - Blast 2 s; sil. 18 s.</p> <p>Horns point 045°, 180° and 288°.</p> <p>The operation of the fog signal will be made remotely on channel 69 (156,475 MHz). Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second interval on channel 69. The signal will be in operation for 60 minutes. After this delay, the same operation must be repeated.</p> <p>The fog signal can be deactivated by pressing the button of the VHF radio 7 times.</p> <p>Horns sound alternately.</p> <p style="text-align: right;"><b>Chart:1203</b></p>
1774	<i>Haut-fond Prince light and bell buoy SAGUE</i>	<i>NE. of shoal. 48 07 08.8 69 36 05.5</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "SAGUE".</i>	<i>Seasonal.</i>	<b>Chart:1203</b>
1774.3	<i>Rochers du Saguenay light buoy K54</i>	<i>S. of rocks. 48 07 48.6 69 35 56.9</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K54".</i>	<i>Seasonal.</i>	<b>Chart:1203</b>
1774.5	<i>Saguenay River Entrance light buoy S3</i>	<i>At river entrance. 48 06 47.1 69 37 50.2</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S3".</i>	<i>Seasonal.</i>	<b>Chart:1203</b>
1775	<i>Batture aux Vaches light and bell buoy S4</i>	<i>On S. side of shoal. 48 07 24.1 69 37 58.2</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "S4".</i>	<i>Winter spar. Year round.</i>	<b>Chart:1203</b>
1776	<i>Récif Bar light and bell buoy S5</i>	<i>On N. side of reef. 48 06 59.9 69 39 15.8</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S5".</i>	<i>Seasonal.</i>	<b>Chart:1203</b>
1777	<i>Batture de la Pointe aux Vaches light buoy S8</i>	<i>48 07 30.1 69 40 17.2</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "S8".</i>	<i>Seasonal.</i>	<b>Chart:1203</b>
1778	<i>Îlet aux Alouettes light buoy S7</i>	<i>48 07 11.1 69 40 30.2</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S7".</i>	<i>Seasonal.</i>	<b>Chart:1203</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>SAGUENAY RIVER</b>								
1779 H2112		On E. extremity of point. 48 07 23.9 69 43 00.4	F W	.....	29.1	20	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  11.4	Visible in line of range. Emergency light. Year round.
1779.1	<b>Pointe Noire, Saguenay range</b>		F G	.....	28.8	6	11.0	Visible from 077° through E. and S. to 257°.
1780 H2112.1		On the flank of the mountain. 273°05' 427.4m from front.	F W	.....	43.5	20	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  9.1	Visible in line of range. Emergency light. Year round.
								<b>Chart:1203 Edn 03/11 (Q11-003, 004, 005) Edn 04/11 Edn 11/11 (Q11-106, 107)</b>
1781 H2108	Baie Sainte-Catherine	West side of the landing of Baie Sainte-Catherine ferry. 48 06 56.8 69 43 14	Fl G	6s	9.3	6	Red rectangular tower. 1.3	Flash 1 s; eclipse 5 s. Operates at night only Year round.
								<b>Chart:1203</b>
1783 H2115	Pte de l'Islet	At point. 48 08 07.3 69 42 59.4	Fl W	6s	12.0	8	Skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
								<b>Chart:1203</b>
1784 H2118	Anse à l'Eau	On outer end of wharf. 48 08 19.1 69 43 38.9	F G	.....	10.8	6	Skeleton tower. 6.5	Operates at night only. Radar reflector. Year round.
								<b>Chart:1203</b>
1784.5 H2113	Anse du Portage	On outer end of wharf. 48 07 36.6 69 43 49.6	F Y	.....	9.9	8	Skeleton tower. 6.9	Operates at night only. Year round.
								<b>Chart:1203</b>
1785 H2122	Cap de la Boule	On S. side of point. 48 08 52.7 69 48 13.1	Fl W	6s	18.0	5	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
								<b>Chart:1203 Edn 03/12 (Q11-174)</b>
1786 H2124	Anse de Sable	W. of cove. 48 09 05.6 69 51 18.8	Fl W	6s	6.8	5	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
								<b>Chart:1203 Edn 03/12 (Q11-175)</b>
1787 H2130	Anse à Pierrot	NW. of cove. 48 14 01.7 69 53 41.8	Fl W	6s	13.1	5	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
								<b>Chart:1203 Edn 03/12 (Q11-176)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1788 H2126	Pointe aux Crêpes	On point. 48 13 01.2 69 53 41.4	FI G	6s	12.9	5	Square skeleton tower. 8.0 Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1203 Edn 03/12 (Q11-177)</b>
1789 H2128	Anse-de-Roche	On wharf on N. shore. 48 13 05.7 69 52 30.6	Iso R	2s	6.6	7	Skeleton tower. 6.4 Operates at night only. Privately maintained by Municipalité de Sacré-Coeur. Seasonal.
							<b>Chart:1203</b>
1790 H2131	Île Saint-Louis	On N. side of island. 48 15 03.3 70 01 08.6	FI W	6s	39.6	5	Square skeleton tower. 9.5 Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1203 Edn 03/12 (Q11-178)</b>
1791 H2133	Pointe Claveau	On point. 48 15 37.7 70 06 52.4	FI W	6s	15.3	5	Square skeleton tower. 9.5 Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1203 Edn 03/12 (Q11-179)</b>
1793 H2136	Anse de Tabatière	NW. of Pointe au Boeuf. 48 16 19.5 70 12 08.1	FI W	6s	15.0	5	Square skeleton tower. 4.9 Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1203 Edn 03/12 (Q11-180)</b>
1794 H2138	Baie Trinité	On point opposite La Niche. 48 21 13.5 70 20 40.5	FI W	6s	16.3	8	Skeleton tower, orange rectangular daymark. 9.5 Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1202</b>
1795 H2140	Cap Rouge	48 22 28.2 70 32 06.7	FI W	6s	14.8	5	Square skeleton tower. 8.0 Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1202 Edn 03/12 (Q11-181)</b>
1798 H2142	Cap à l'Est	On S. extremity of cape. 48 22 33.2 70 42 20.4	FI W	6s	17.0	5	White octagonal tower, red upper portion. 8.1 Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1202 Edn 03/12 (Q11-182)</b>
<b>Baie des Ha! Ha! Harbour</b>							
1799	<i>Baie des Ha!Ha! light buoy SH9</i>	<i>NE. of Pte. du Fort. 48 21 24.1 70 45 42.3</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "SH9". Seasonal.</i>
							<b>Chart:1202</b>

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>SAGUENAY RIVER</b>								
1799.2 H2142.3	Port-Alfred range	48 20 04.2 70 52 27	F R	.....	15.0	.....	On building, orange trapezoidal daymark, black vertical stripe.	Visible in line of range. Privately maintained by Rio Tinto Alcan. Year round.
1799.3 H2142.31		261°46' 122.4m from front.	F R	.....	26.1	.....	On building, orange trapezoidal daymark, black vertical stripe.	Visible in line of range. Privately maintained by Rio Tinto Alcan. Year round.
1799.4 H2142.2	Bagotville Wharf	48 20 35 70 52 33	Iso R	2s	10.7	6	Pipe Swing Pole. 8.1	Operates at night only. Year round.
<b>Chart:1202 Edn 07/11 (Q11-067, 068)</b>								
<b>Chicoutimi Harbour</b>								
1799.5 H2142.8	Pointe aux Pins	W. side of the point. 48 25 08.2 70 49 52.8	FI Y	6s	10.9	5	Square skeleton tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
<b>Chart:1202 Edn 03/12 (Q11-183)</b>								
1800.5	Light buoy S30	48 25 20.7 70 52 49.1	FI R	4s	.....	.....	Red, marked "S30".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>								
1801 H2143	Poste-Saint-Martin range	48 26 36.7 70 59 00.6	F W	.....	24.0	15	Square tower, orange trapezoidal daymark, black vertical stripe.	Visible in line of range. Seasonal.
1802 H2143.1		287°18' 3322.3m from front.	F W	.....	54.1	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 18.9	Visible in line of range. Seasonal.
<b>Chart:1201 Edn 10/11 (Q11-114) Edn 10/14 (Q14-061)</b>								
1802.4	Light buoy S32	48 25 29.7 70 53 32.3	FI R	4s	.....	.....	Red, marked "S32".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>								
1802.6	Light buoy S34	48 25 38.8 70 54 15.7	FI R	4s	.....	.....	Red, marked "S34".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>								
1803	Light buoy S36	Off Poste-Saint-Martin. 48 25 47.9 70 54 59.2	FI R	4s	.....	.....	Red, marked "S36".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>								
1803.5	Light buoy S37	48 25 55 70 55 45.6	FI G	4s	.....	.....	Green, marked "S37".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>								
1804	Light buoy S38	On N. side of dredged channel. 48 26 04.2 70 56 17.8	Q R	1s	.....	.....	Red, marked "S38".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>								

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>SAGUENAY RIVER</b>								
1804.3	Light buoy S39	48 26 05 70 56 34	Fl G 4s	.....	.....	Green, marked "S39".	Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>	
1804.5	Light buoy S40	48 26 14.1 70 56 42.8	Q R 1s	.....	.....	Red, marked "S40".	Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>	
1804.7	Light buoy S42	48 26 30.7 70 57 08.6	Fl R 4s	.....	.....	Red, marked "S42".	Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>	
1805 H2143.3	<b>Rivière Valin range</b>	E. of river mouth. 48 27 36.7 70 58 53.7	F W	.....	27.3	15	Skeleton tower, two orange trapezoidal daymarks, black vertical stripe.  26.1	Visible in line of range. Seasonal.
1806 H2143.31		314°01' 1027.4 m from front.	F W	.....	4.3	15	Skeleton tower, orange trapezoidal daymark, black vertical stripe.  8.0	Visible in line of range. Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>
1806.5	Light buoy S44	48 26 45.2 70 57 31	Fl R 4s	.....	.....	Red, marked "S44".	Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>	
1808 H2143.4	<b>Rivière du Caribou range</b>	On N. side of Rivière Saguenay. 48 27 23.2 71 00 35.5	F W	.....	13.2	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  12.6	Visible in line of range. Seasonal.
1809 H2143.5		283°34' 229m from front.	F W	.....	19.2	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  9.6	Visible in line of range. Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>
1810	Light buoy S46	48 26 57.9 70 57 50.8	Fl R 4s	.....	.....	Red, marked "S46".	Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>	
1811 H2143.6	<b>Simard range</b>	On N. side of Rivière Saguenay. 48 26 59 71 01 16.7	F G	.....	8.8	6	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  8.0	Visible in line of range. Seasonal.
1812 H2143.7		256°15' 212.9m from front.	F G	.....	13.9	16	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  12.4	Visible in line of range. Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>
1813	<i>Courbe de Caribou light buoy S47</i>	48 26 57.9 70 58 06	Q G 1s	.....	.....	Green, marked "S47".	Seasonal.  <b>Chart:1201 Edn10/14 (Q14-061)</b>	

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1813.8	Light buoy S50	48 27 06.7 70 58 47.3	Fl R 4s	.....	.....	Red, marked "S50".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1814 H2143.9	Rivière-du-Moulin Lower range	N. of river. 48 26 07.4 71 01 31.1	F G	.....	10.6	16 Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 9.4	Visible in line of range. Seasonal.
1815 H2143.91		214°46' 197.1m from front.	F G	.....	17.6	16 Square skeleton tower, two orange trapezoidal daymarks, black vertical stripe. 7.9	Visible in line of range. Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1817 H2144	Rivière-du-Moulin Upper range	E. of river mouth. 48 26 01.6 71 01 42.9	F G	.....	9.6	16 Skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Seasonal.
1818 H2144.1		081°38' 132.1m from front.	F G	.....	17.6	16 Skeleton tower, two orange daymarks, black vertical stripe. 7.9	Visible in line of range. Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1820	Quai Maltais light buoy S53	48 27 08.5 70 59 11.8	Q G 1s	.....	.....	Green, marked "S53".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1820.2	Light buoy S56	48 27 16.1 70 59 43.2	Fl R 4s	.....	.....	Red, marked" "S56".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1820.5	Alignement Simard light buoy S59	48 27 07.7 71 00 12.9	Q G 1s	.....	.....	Green, marked "S59".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1820.6	Light buoy S60	48 27 08.5 71 00 28.3	Fl R 4s	.....	.....	Red, marked "S60".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1820.7	Light buoy S61	48 26 54.9 71 00 39.2	Q G 1s	.....	.....	Green, marked "S61".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1820.9	Light buoy S63	48 26 29.2 71 01 06.2	Fl G 4s	.....	.....	Green, marked "S63".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)
1821.1	Light buoy S65	48 26 13.2 71 01 37.2	Fl G 4s	.....	.....	Green, marked "S65".	Seasonal.  Chart:1201 Edn10/14 (Q14-061)

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

#### SAGUENAY RIVER

1821.3	Light buoy S67	48 25 57.1 71 02 08.3	FI G 4s	.....	.....	Green, marked "S67".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>							
1822	Monument Price Sector	48 25 45.8 71 02 34.9	F Al RW Al GW	R W G	..... 13.0	13	Rectangular skeleton tower.  Visible over an arc of 005°. Red from 229°30' to 231°30'; Al RW from 231°30' to 231°50'; white from 231°50' to 232°10'; Al GW from 232°10' to 232° 30'; green from 232°30' to 234°30'. Year round.
<b>Chart:1201 Edn10/14 (Q14-061)</b>							
1823.3	Light buoy S71	48 25 52.9 71 02 56.7	FI G 4s	.....	.....	Green, marked "S71".	Seasonal.
<b>Chart:1201 Edn10/14 (Q14-061)</b>							