

Atlantic Coast 2009 - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NEWFOUNDLAND							
Cape Race to St-Shotts							
Nfld Light 1 <i>H444</i>	Cape Race	On the cape. 46 39 30.9 53 04 25	FI W 7.5s	51.8	27	White cylindrical tower, red upper portion. 12.2	Flash 0.25 s; eclipse 7.25 s. Year round. Horn - Blast 3 s; sil. 3 s; blast 3s; sil. 51 s. Horn points 135°. Chart:4844
Nfld Light 6 <i>H440</i>	Cape Pine	On the cape. 46 37 01.1 53 31 53.1	FI W 5s	95.7	16	Cylindrical tower, red and white horizontal bands. 18.4	Flash 0.5 s; eclipse 4.5 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 159°. Chart:4842
St. Mary's Bay							
Nfld Light 14 <i>H432</i>	Cape St. Mary's	46 49 23 54 11 45.6	FI W 5s	118.9	21	White octagonal tower. 12.0	Flash every 5 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 220°. Chart:4842
Placentia Bay							
Nfld Light 68 <i>H368</i>	Dodding Head	On Burin Island, NW. of the head. 47 00 14.7 55 09 05.2	FI W 6s	97.5	6	Square skeleton tower, red and white rectangular daymark. 3.9	Flash 1 s; eclipse 5 s. Year round. Chart:4616
Southwest Coast							
Nfld Light 141	Northwest Head	On Northwest Island. 47 30 44.9 57 24 31.5	FI W 3s	38.1	14	White cylindrical tower, white and red spiral bands. 7.3	Flash 0.06 s; eclipse 2.94 s Year round. Horn - Blast 3 s; sil. 27 s. Horn points 237°06'. Chart:4825
Nfld Light 144	Boar Island	E. extremity of Burgeo Islands. 47 36 25.2 57 35 12.2	FI W 5s	63.1	15	Skeleton tower. 10.0	Flash 0.2 s; eclipse 4.8 s. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 140°12'. Chart:4625
Nfld Light 160 <i>H222</i>	Channel Head Racon ---(C) X & S Band	On island, W. side of entrance to Port aux Basques. 47 33 57 59 07 24.6	FI W 10s	29.0	17	White cylindrical tower.	Flash 1 s; eclipse 9 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 178°. Chart:4641

Atlantic Coast 2009 - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
West Coast							
Nfld Light 173 H220	Cape Ray	On W. side of cape. 47 37 16 59 18 14.1	FI W 15s	36.0	17	White octagonal tower, red daymark, white horizontal band. 17.7	Flash 1 s; eclipse 14 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 224°. Chart:4823
Nfld Light 175 H218	Cape Anguille	N. of Shoal Point. 47 54 02 59 24 40.5	FI W 5s	24.7	15	Red and white octagonal tower. 17.8	Flash 0.1 s; eclipse 4.9 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 289°. Chart:4682
Nfld Light 184 H202	Red Island	Off Cape St. George. 48 33 52 59 13 45	FI W 3s	65.0	7	Skeleton tower, white daymark. 6.6	Flash 0.5 s; eclipse 2.5 s. Year round. Chart:4021
Nfld Light 196 H194	Little Port Head	N. end of head. 49 06 31 58 25 44	FI W 6s	67.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 5 s. Seasonal. Chart:4653
Strait of Belle Isle							
Nfld Light 211 H154	Pointe Riche	On W. coast. 50 41 54.6 57 24 36.8	FI W 5s	29.3	15	Red and white octagonal tower 19.8	Flash 0.5 s; eclipse 4.5 s. Seasonal. Chart:4679
Nfld Light 220 H148	New Férolle Peninsula	NE., of Férolle Point. 51 01 22.1 57 05 44.5	FI(4) W 7.5s	27.7	20	White octagonal tower, red upper portion. 19.2	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 4.25 s. Seasonal. Horn - Blast 4 s; sil. 56 s. Horn points 314°30'. Chart:4665
Nfld Light 222 H142	Nameless Point	NW. coast. 51 18 44.5 56 44 30	FI W 10s	15.9	15	Skeleton tower. 12.2	Flash 1 s; eclipse 9 s. Seasonal. Chart:4667
Nfld Light 223 H140	Cape Norman	On the cliff, W. of cape. 51 38 04 55 54 37.5	FI(3) W 30s	38.7	21	White octagonal tower. 15.2	Flash 0.5 s; eclipse 5.5 s; flash 0.5 s; eclipse 5.5 s; flash 0.5 s; eclipse 17.5 s. Year round. Horns(2) - Blast 3 s; sil. 27 s. Horns point 325° to 045°. Chart:4509

Atlantic Coast 2009 - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light			Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.	Characteristics					Height in meters above ground	Fog Signals
Nfld Light 225 H132	Cape Bauld	N. point of Quirpon Island. 51 38 24 55 25 40	Fl W 15s	53.9	17		Red hexagonal tower. 14.6	Flash 0.5 s; eclipse 14.5 s. Emergency light. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 009°.	Chart:4512
Nfld Light 227 H114	Amour Point	SE. side of Forteau Bay. 51 27 37.7 56 51 29.3	Oc W 20s	46.3	24		White cylindrical tower, black horizontal band. 33.3	Flash 16 s; eclipse 4 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Horn points 156°.	Chart:4670
Strait of Belle Isle									
Nfld Light 232 H96	Belle Isle, North End	On Northeast Point. 52 00 49.1 55 16 49.3	Fl W 10s	39.1	17		White cylindrical tower, red upper portion. 17.4	Flash 0.2 s; eclipse 9.8 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Horn points 061°.	Chart:4020
Nfld Light 233 H102	Belle Isle, South End (Upper)	Summit of extreme S. point of island. 51 52 48.1 55 22 54.4	Fl W 20s	137.1	18		Square skeleton tower, red daymark, white horizontal stripe.	Flash 1 s; eclipse 19 s. Visible from 240° through W., N. and E. to 110°30'. Seasonal. Delete fog alarm.	Chart:4020 Edn 05/15(N15-030)
Nfld Light 234 H104	Belle Isle, South End (Lower)	SW. from main light. 51 52 38 55 23 03	Fl W 20s	49.7	18		Red cylindrical structure. 7.0	Flash 1 s; eclipse 19 s. Seasonal.	Chart:4020
White Bay									
Nfld Light 240 H730	Fox Point (Fishing Point)	Entrance to St. Anthony Bight. 51 21 22 55 33 18.3	Fl W 10s	26.8	17		White square tower, red horizontal bands. 9.3	Flash 0.3 s; eclipse 9.7 s. Seasonal. Horn - Blast 4 s; sil. 56 s. Horn points 115°18'.	Chart:4514
Notre Dame Bay									
Nfld Light 326	Gull Island (Cape St. John)	On apex of island. 49 59 48.3 55 21 54.4	Fl W 10s	160.0	17		Red and white cylindrical tower, red daymark, white vertical stripes. 5.2	Flash 0.2 s; eclipse 9.8 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Omnidirectional.	Chart:4821
Nfld Light 363 H636	Bacalhao Island	S. side of island. 49 41 12.8 54 33 24.6	Fl W 10s	106.1	17		Cylindrical tower, red and white spiral bands. 10.7	Flash 0.2 s; eclipse 9.8 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 331°48'.	Chart:4862

Atlantic Coast 2009 - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		----- Latitude N. Longitude W.				----- Height in meters above ground	
Nfld Light 364	Little Fogo Islands	On N. extremity of largest island. 49 49 12.2 54 05 37.1	FI W 4s	48.2	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Chart:4820
Nfld Light 395 <i>H586</i>	Peckford Island	SE. point of island. 49 31 49.6 53 51 04.8	FI W 10s	15.5	17	Building, black and white vertical stripes. 6.6	Flash 0.2s; eclipse 9.8s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 112°54'. Chart:4530
Bonavista Bay							
Nfld Light 396	Offer Wadham Island	NE. end of island. 49 35 36.3 53 45 46.1	FI W 3s	30.5	5	Square skeleton tower, red and white rectangular daymark. 7.1	Flash every 3 s. Seasonal. Chart:4530
Nfld Light 406 <i>H576</i>	Cabot Islands (Bonavista Bay)	On largest island. 49 10 28.1 53 22 03.3	FI W 10s	22.6	17	Octagonal tower, red and white horizontal bands. 15.5	Flash 0.2s; eclipse 9.8 s. Seasonal. Horns(2) - Blast 4 s; sil. 56 s. Horns point 191° and 341°. Chart:4857
Nfld Light 449 <i>H536</i>	Cape Bonavista	E. side of cape. 48 42 05.8 53 05 07.4	FI W 10s	50.3	17	Skeleton tower, red and white rectangular daymark. 12.7	Flash 1 s; eclipse 9 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn point 355°. Chart:4854
Conception Bay							
Nfld Light 472 <i>H498</i>	Baccalieu Island (Northeast End)	48 08 59.7 52 47 53.3	FI W 6s	176.0	7	Square skeleton tower, red and white rectangular daymark. 19.2	Flash 1 s; eclipse 5 s. The light is often obscured by fog when the lower part of the island is clear. Year round. Chart:4853
Nfld Light 499 <i>H468</i>	Cape St. Francis	On cape. 47 48 31.4 52 47 11.7	FI W 5s	29.0	15	Structure. 3.3	Flash every 5 s. Visible from 084° through E., S. and W. to 316°. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 066°. Chart:4847

Atlantic Coast 2009 - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

Cape St. Francis to Renewes

Nfld Light 507 <i>H454</i>	Cape Spear	E. side of cape. 47 31 16.2 52 37 20.3	FI(3) W 15s	71.0	20	White hexagonal tower. 13.7	Flash 0.4 s; eclipse 2.6 s; flash 0.4 s; eclipse 2.6 s; flash 0.4 s; eclipse 8.6 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 109°.
							Chart:4846

Nfld Light 509	Ferryland Head	On eastern end of head. 47 01 00.4 52 51 26.7	FI W 10s	57.9	15	Red and white cylindrical tower. 10.3	Flash 0.2 s; eclipse 9.8 s. Year round.
							Chart:4845