

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**LAKE WINNIPEG**

1562	Red River range	At mouth of Red River. 50 23 41.6 096 48 38	F G .....	9.4	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.5	Visible in line of range. Seasonal.
1563		163°05' 602.7m from front.	F W .....	19.9	....	Structure, white daymark, orange vertical stripe.	Seasonal.  <b>Chart:6242</b>
1563.2	Red River Mouth Upper light buoy X19	50 23 45.4 096 48 37.3	Fl G 4s	.....	.....	Green spar, marked "X19".	Seasonal.  <b>Chart:6242 Edn 04/16 (A16-004)</b>
1563.3	Red River Mouth West Breakwater	Outer end. 50 24 04.3 096 48 51.3	Fl R 4s	6.4	.....	Cylindrical mast red and white rectangular daymark. 5.0	Seasonal.  <b>Chart:6242</b>
1563.7	Red River mouth light buoy X6	W. side entrance to channel. 50 24 54 096 49 14	Fl R 4s	.....	.....	Red spar, marked "X6".	Seasonal.  <b>Chart:6242 Edn 04/16 (A16-005)</b>
1564	Red River Fairway light buoy X	Red river Mouth. 50 25 31.9 096 49 30.8	Mo(A) W 6s	.....	.....	Red and white vertical striped spar, marked "X".	Seasonal.  <b>Chart:6242 Edn 04/16 (A16-001)</b>
1565	Winnipeg Beach Breakwater	On outer end of breakwater. 50 30 21.1 096 57 48.4	Fl R 4s	10.8	.....	Cylindrical mast, red and white rectangular daymark. 6.4	Seasonal.  <b>Chart:6251</b>
1565.5	Winnipeg Beach Inner range	Boundary Creek entrance. 50 30 30 096 58 00	F R .....	5.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 3.3	Visible in line of range. Seasonal.
1565.6		320° 144.8m from front.	F R .....	8.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.4	Visible in line of range. Seasonal.  <b>Chart:6251</b>
1566	Winnipeg Beach range	On shore at Winnipeg Beach. 50 30 22 096 58 03	F G .....	6	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.0	Visible in line of range. Seasonal.
1567		301°30' 89m from front.	F G .....	8.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.5	Visible in line of range. Seasonal.  <b>Chart:6251</b>
1568	Willow Point	Eastern extremity of point. 50 35 52.1 096 56 29.2	Fl W 4s	7.7	.....	Cylindrical mast, red and white rectangular daymark. 5.0	Seasonal.  <b>Chart:6251</b>
1569	Gimli	On outer end of breakwater. 50 37 44.9 096 58 51.1	Fl R 4s	12.8	.....	Square skeleton mast, red and white rectangular daymark. 9.8	Seasonal.  <b>Chart:6251</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1570	Gimli Harbour	On outer end of breakwater. 50 37 45.5 096 58 53.5	Fl G 4s	2.7	.....	Cylindrical mast.	Privately maintained by the Town of Gimli. Seasonal.  <b>Chart:6251</b>
1571.5	Silver Harbour (Arnes Breakwater)	On outer end of breakwater. 50 48 32 096 57 27	Fl R 4s	6	.....	Cylindrical mast, red and white rectangular daymark. 5.0	Seasonal.  <b>Chart:6251</b>
1572	Hnausa	On outer end of wharf. 50 54 38 096 58 43	Fl R 4s	6.1	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6251</b>
1573	Ironwood Point	On point. 50 39 41.6 096 36 10.3	Fl W 4s	7	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6251</b>
1573.5	Balsam Bay Breakwater	On outer end of breakwater. 50 28 27 096 34 56	Fl R 4s	6.6	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6251</b>
1574	Victoria Beach	On outer end of wharf. 50 41 43 096 33 37	Fl R 4s	7.3	.....	Cylindrical mast, red and white rectangular daymark. 5.8	Seasonal.  <b>Chart:6251</b>
1574.1	Elk Island	N. end of island. 50 46 50 096 31 40	Fl W 4s	18.7	6	Cylindrical mast, red and white rectangular daymark. 5.1	Seasonal.  <b>Chart:6251 Edn 07/12 (D12-001)</b>
1574.11	Devil Island	E. side of Traverse Bay, off Birch Point. 50 43 50 096 25 05	Fl W 4s	10.0	6	Cylindrical mast, red and white rectangular daymark. 5.2	Seasonal.  <b>Chart:6251 Edn 06/13 (A13-003)</b>
1574.5	Winnipeg River light buoy T4	NW. of Robinson Rock. 50 38 58 096 21 44	Fl R 4s	.....	.....	Red spar, marked "T4".	Seasonal.  <b>Chart:6243</b>
1575	Pearson Reef light buoy D12	SE. of reef. 50 57 38 096 41 48	Fl R 4s	.....	.....	Red spar, marked "D12".	Seasonal.  <b>Chart:6249</b>
1575.01	Lake Winnipeg South Basin ODAS light buoy 45140	50 47 39 096 44 00	Fl(5) Y 20s	.....	.....	Yellow, marked "45140".	Maintained by Environment Canada. Seasonal.  <b>Chart:6240</b>
1575.5	Hnausa Reef light buoy DD2	50 56 30 096 46 33	Fl R 4s	.....	.....	Red spar, marked "DD2".	Seasonal.  <b>Chart:6249</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>									
1576	Icelandic River range	River entrance. 51 01 45.8 096 57 43.6	F	R	.....	8.2	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.0	Visible in line of range. Seasonal.
1577		285°30' 1320m from front.	F	G	.....	10.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 8.0	Visible in line of range. Seasonal.  <b>Chart:6249</b>
1578	Hecla Island range	S. end of island. 51 00 28 096 45 09	F	W	.....	7.3	14	Cylindrical mast, white daymark, orange vertical stripe. 6.1	Visible in line of range. Seasonal.
1579		001° 248.4m from front.	F	W	.....	15.2	14	Skeleton tower, white daymark, orange vertical stripe. 14.3	Visible in line of range. Seasonal.  <b>Chart:6249 Edn 07/12 (D12-001)</b>
1579.1	Hecla Island	S. end of island. 51 00 23 096 45 10	Fl	W	4s	5.8	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6249</b>
1579.5	Observation Point light buoy DH1	NW. of point. 51 05 01 096 30 40.5	Fl	G	4s	.....	.....	Green spar, marked "DH1".	Seasonal.  <b>Chart:6248</b>
1580	Hecla Breakwater	Near outer end of breakwater. 51 08 00 096 39 45	Fl	G	4s	7.9	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:6249</b>
1581	Red Rock Island	On island at mouth of Manigotagan River. 51 08 02 096 23 21	Fl	W	4s	7.6	.....	Cylindrical mast, red and white rectangular daymark. 6.4	Seasonal.  <b>Chart:6248</b>
1582	Clements Point	Extreme westerly end of point. 51 09 23 096 24 33	Fl	W	4s	10.9	5	Cylindrical mast, red and white rectangular daymark. 6.6	Seasonal.  <b>Chart:6248</b>
1582.5	Black Island light buoy D9	Off SW. end of island. 51 09 59 096 36 20	Fl	G	4s	.....	.....	Green spar, marked "D9".	Seasonal.  <b>Chart:6249</b>
1583	Gull Harbour	NE. end of Hecla Island. 51 11 36 096 36 18	Fl	W	5s	27.4	7	Red skeleton tower, white upper portion.	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:6249 Edn 06/11 (D11-010)</b>
1583.1	Gull Harbour Wharf	On outer end of wharf. 51 11 50 096 37 02	Fl	R	4s	6.7	3	Cylindrical mast, red and white rectangular daymark. 4.8	Seasonal.  <b>Chart:6249</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>									
1583.5	Deer Island	SW. end of island. 51 15 39 096 37 03	Fl	W	4s	7.6	5	Cylindrical mast, red and white rectangular daymark. 6.9	Seasonal.  <b>Chart:6248</b>
1584	Grindstone Point	SW. end of point. 51 20 45 096 36 17	Fl	W	4s	15.2	7	Skeleton tower.	Seasonal.  <b>Chart:6248 Edn 0712 (D12-001)</b>
1585	Loon Straits Entrance Channel range	On rock. 51 31 54 096 35 48	F	W	.....	5.4	.....	Cylindrical mast, white daymark, orange vertical stripe. 4.9	Seasonal.
1586		075° 137.2m from front.	F	W	.....	9.1	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.2	Seasonal.  <b>Chart:6267</b>
1586.5	Monkman Island light buoy D7	Off reef. 51 34 06 096 39 50	Fl	G	4s	.....	.....	Green spar, marked "D7".	Seasonal.  <b>Chart:6267</b>
1586.7	Calders Dock	On outer end of wharf. 51 34 22 096 43 54	Fl	G	4s	5.1	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6267</b>
1587	Bullhead	S. entrance to The Narrows. 51 36 14 096 43 38	Fl	W	4s	6.3	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6267</b>
1588	Pine Dock	On end of wharf. 51 38 24 096 48 08	Fl	R	4s	7	.....	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.  <b>Chart:6267</b>
1589.1	Matheson Island Landing North Breakwater Light	51 43 21.8 096 54 57.2	Fl	G	4s	6.6	2	Mast.	Seasonal. Position in NAD83.  <b>Chart:6267 Edn 06/17 (A16-015)</b>
1589.2	Matheson Island Landing South Breakwater Light	51 43 20.5 096 54 57.7	Fl	R	4s	6.6	2	Mast.	Seasonal. Position in NAD83.  <b>Chart:6267 Edn 06/17 (A16-016)</b>
1590	West Doghead Point	W. side of The Narrows. 51 44 18 096 50 12	Fl	W	4s	7.2	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6267</b>
1591	Matheson Island	On breakwater. 51 44 32 096 55 09	Fl	G	4s	8.2	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:6267</b>



**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1597.8	Catfish Creek range 3	52 07 56 097 01 02	F R .....	5.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.0	Seasonal.
1597.9		016° 103m from front.	F R .....	7.1	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.1	Seasonal.  <b>Chart:6267</b>
1598	<i>Crowduck Reef light buoy DM4</i>	<i>NE. of Stoney Point. 52 01 55 097 16 45</i>	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "DM4".</i>	<i>Seasonal.</i>  <b>Chart:6267</b>
1598.2	Willow Point range	52 02 54 097 21 38	F W .....	8.8	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.6	Visible in line of range. Seasonal.
1598.3		288° 68.4m from front.	F W .....	16.5	.....	Skeleton tower, white daymark, orange vertical stripe. 15.5	Visible in line of range. Seasonal.  Visible from all points of marine approach.  <b>Chart:6267</b>
1598.5	McBeth Point range	W. shore, Lake Winnipeg. 52 07 36 097 29 54	F W .....	7.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.1	Visible in line of range. Seasonal.
1598.6		305° 121.9m from front.	F W .....	9.8	.....	Square skeleton tower, white daymark, orange vertical stripe. 7.6	Visible in line of range. Seasonal.  <b>Chart:6267</b>
1599	McBeth Point	On N. end of point. 52 07 54 097 29 24	Fl W 4s	11.6	.....	Square skeleton mast. 6.7	Seasonal.  <b>Chart:6267</b>
1599.5	<i>Pigeon Point light buoy C59</i>	<i>Off Pigeon Point reef. 52 15 28 097 10 50</i>	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "C59".</i>	<i>Seasonal.</i>  <b>Chart:6267</b>
1600	Cox Reef	On the reef, E. of Berens Island. 52 19 18 097 13 01	Fl W 4s	15.2	.....	Skeleton tower, white daymark, facing S. and red and white daymark facing E.	Seasonal.  <b>Chart:6268</b>
1601	Pelican Island	N. end of island. 52 20 13 097 25 18	Fl W 4s	5.8	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6267</b>
1602	Berens Island	NE. extremity of island. 52 22 03 097 15 29	Fl W 4s	14.0	.....	Skeleton tower. 13.3	Seasonal.  <b>Chart:6268</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1603	Barrel Rock	On rock at mouth of Berens River. 52 22 50 097 07 13	Q W 1s	7.8	.....	Cylindrical mast, white daymark, orange vertical stripe. 4.9	Seasonal.  <b>Chart:6268</b>
1603.5	<i>Berens River Entrance light buoy CK</i>	<i>Off Kemp Rock. 52 23 03 097 06 58</i>	<i>Mo(A) W 6s</i>	.....	.....	<i>Red and white vertically striped spar, marked "CK".</i>	<i>Seasonal.</i>  <b>Chart:6268</b>
1604	Berens River South Side range	On shoal W. of Sheep Island. 52 22 07 097 04 59	F W .....	4.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.2	Visible in line of range. Seasonal.
1605		127° 3940m from front.	F W .....	15.4	.....	Skeleton tower, white daymark, orange vertical stripe. 14.3	Visible in line of range. Seasonal.  <b>Chart:6268</b>
1606	Berens River North Side range	On small island, N. of Sigurdsson Island. 52 21 45 097 03 26	F G .....	5.5	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.2	Visible in line of range. Seasonal.
1607		109° 1585m from front.	F G .....	7.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.7	Visible in line of range. Seasonal.  <b>Chart:6268</b>
1608	George Island	On E. extremity of island. 52 49 11 097 36 50	Fl W 5s	20.1	9	Red rectangular skeleton tower. 15.5	Visible from all points of marine approach, except in the line of islands and shoals extending NW. from George Island. Seasonal.  <b>Chart:6241 Edn 05/13 (A13-006)</b>
1609	George Island range	SE. side of George Island. 52 49 04 097 38 10	F W .....	7.3	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.2	Visible in line of range. Seasonal.
1610		357° 36.6m from front.	F W .....	7.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.5	Visible in line of range. Seasonal.  <b>Chart:6241</b>
1611	Poplar Point Reef	On reef, E. side of Lake Winnipeg. 53 00 05 097 40 29	Fl W 4s	12.1	.....	Square tower, red and white rectangular daymark. 11.0	Radar reflector. Seasonal.  <b>Chart:6241</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1611.2	Poplar River range	53 00 18	F W .....	6.2	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 5.0	Visible in line of range. Visible from all points of marine approach. Seasonal.
		097 23 30	Q G 1s	6.3	.....		
1611.3		105°30' 5510m from front.	F W .....	7	.....	Cylindrical mast, red and white rectangular daymark. 6.4	Visible in line of range. Seasonal.
1611.5	Poplar River Entrance light buoy CJ3	Off river mouth. 53 02 30 097 32 45	Fl G 4s	.....	.....	Green spar, marked "CJ3".	Seasonal.
<b>Chart:6241</b>							
1612	Little Sandy Island	On centre of NW. island of Sandy Islands. 52 59 00 098 00 20	Fl W 4s	27.1	.....	Skeleton tower. 18.9	Seasonal.
<b>Chart:6241</b>							
1612.3	Wicked Point light buoy CL3	S. of Long Point. 52 48 30 098 48 00	Fl G 4s	.....	.....	Green spar, marked "CL3".	Seasonal.
<b>Chart:6241</b>							
1612.4	Gull Bay light buoy CL4	S. of Long Point. 52 55 00 098 52 25	Fl R 4s	.....	.....	Red spar, marked "CL4".	Seasonal.
<b>Chart:6241</b>							
1613	Long Point	At end of point. 53 02 45 098 26 15	Fl W 4s	17.1	6	Skeleton tower, red and white rectangular daymark. 15.5	Seasonal.
<b>Chart:6241</b>							
1615	Mission Point	NW. side of Lake Winnipeg. 53 11 59 099 13 30	Fl W 4s	17.1	5	Red and white square skeleton mast, red and white rectangular daymark. 15.5	Seasonal.
<b>Chart:6241</b>							
1616.5	Eating Point	On point. 53 15 50 099 14 15	Fl W 4s	6.6	6	Cylindrical mast, red and white rectangular daymark. 6.3	Seasonal.
<b>Chart:6241</b>							
1617	Horse Island Harbour	On S. end of breakwater. 53 21 50 099 07 05	Fl W 4s	6.9	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
<b>Chart:6241</b>							
1617.2	Horse Island North End	N. end of island. 53 22 10 099 05 30	Fl W 4s	7.9	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
<b>Chart:6241</b>							
1619.01	Lake Winnipeg North ODAS light buoy 45144	53 23 00 098 29 00	Fl(5) Y 20s	.....	.....	Yellow, marked "45144".	Maintained by Environment Canada. Seasonal.
<b>Chart:6241</b>							



INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1619.3	Spider Islands	53 29 15 097 44 45	Fl W 4s	7.4	5	Cylindrical mast, red and white rectangular daymark. 4.9	Year round.  <b>Chart:6241</b>
1619.7	Purvis Island range	Nelson River entrance. 53 42 21.8 097 51 22	F G .....	9.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.1	Visible in line of range. Seasonal.
1619.8		026° 165m from front.	F G .....	12.4	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.4	Visible in line of range. Seasonal.  <b>Chart:6258 Edn 02/14 (A13-028, 029)</b>
1620	Warren Landing Lower range	On SW. end of Purvis Island, head of Nelson River. 53 42 01.5 097 50 58	F W .....	7.5	.....	White square tower, white daymark, black vertical stripe. 5.9	Visible in line of range. Seasonal.
1621		033°30' 780m from front.	F W .....	17.0	.....	Square skeleton tower, white daymark, red vertical stripe. 13.8	Visible in line of range. Seasonal.  <b>Chart:6258</b>
1621.5	Warren Landing Wharf	S. end of wharf. 53 41 50 097 52 09	Fl R 4s	7.5	3	Cylindrical mast red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6258</b>
1622	Warren Landing Upper range	W. side of entrance to Nelson River. 53 41 40 097 52 12	F W .....	9.0	.....	White square tower, orange vertical stripe. 5.9	Visible in line of range. Seasonal.
1623		003°30' 240m from front.	F W .....	15.0	.....	Square skeleton tower, white daymark, orange vertical stripe. 14.0	Visible in line of range. Seasonal.  <b>Chart:6258</b>
1623.5	Warren Landing light buoy C35	Warren Landing entrance. 53 37 10 097 56 17.4	Fl G 4s	.....	.....	Green spar, marked "C35".	Seasonal.  <b>Chart:6258 Edn 04/16 (A16-002)</b>
1625	Big Mossy Point	53 45 09.5 098 04 28.9	Fl W 4s	24.0	.....	Square skeleton tower, red and white rectangular daymark.	Seasonal.  <b>Chart:6241 Edn 09/13 (A13-015)</b>