

## INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2545 <i>H34</i>	Bear Island	On E. side of entrance to Coral Harbour. 64 00 30 83 13 01	FI W	5s	20.1	7 Square tower, orange rectangular daymark. 11.8	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5410</b> <b>Edn 08/11(A11-018)</b>
2546 <i>H35</i>	Munn Bay (Coral Harbour)	W. of harbour, Southampton Island. 64 07 33 83 15 13	FI W	5s	21.0	7 Square tower, orange rectangular daymark. 11.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5410</b> <b>Edn 08/11(A11-018)</b>
2547 <i>H33.4</i>	Walrus Island (Fisher Strait)	Centre of island. 63 13 30 83 39 00	FI W	6s	54.9	8 Skeleton tower, orange rectangular daymark, black vertical stripe. 9.8	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5449</b> <b>Edn 09/11(A11-018)</b>
2548 <i>H33</i>	Cape Pembroke	NE. end of Coats Island. 62 54 30 81 53 30	FI W	5s	16.5	8 Square tower, orange rectangular daymark. 10.9	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5449</b> <b>Edn 08/11(A11-018)</b>
2549 <i>H32</i>	Coats Island <b>Racon - - - (C)</b> <b>X &amp; S Bands</b>	On Carys Swan Nest, SE. point of island. 62 10 20 83 08 00	FI W	6s	12.5	8 Red and white skeleton tower, orange rectangular daymark. 11.2	Flash 1 s; eclipse 5 s. Shoal water surrounds this point and should not be approached nearer than 5 miles. Radar reflector. Seasonal.  <b>Chart:5449</b> <b>Edn 09/11(A11-018)</b>
2550 <i>H36</i>	Mansel Island <b>Racon - - - (K)</b> <b>X &amp; S Bands</b>	N. extremity of island. 62 25 00 79 36 30	FI W	5s	18.6	8 Square tower, orange rectangular daymark. 15.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5449</b> <b>Edn 08/11(A11-018)</b>
2551 <i>H36.1</i>	Cape Acadia (Mansel Island)	S. extremity of island. 61 35 00 79 48 30	FI W	5s	23.5	8 Square tower, orange rectangular daymark. 19.2	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5449</b> <b>Edn 08/11(A11-018)</b>
2552 <i>H36.4</i>	Broomfield Island <b>Racon - - (N)</b> <b>X &amp; S Bands</b>	55 40 24 79 14 18	FI R	6s	44	8 Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5707</b>
2553 <i>H38</i>	Digges Islet	On NW. islet of the Digges Islands. 62 35 14 78 06 36.8	FI W	6s	27.7	8 Square tower, orange square daymark. 7.9	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5412</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**HUDSON STRAIT AND BAY**

2554 <i>H40</i>	Nottingham Island  <b>Racon - . (N) X &amp; S Bands</b>	On S. extremity of island. 63 05 10 77 57 00	FI W	6s	27.7	8  12.4	Square tower, orange rectangular daymark, black vertical stripe.  Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5449</b>	
2554.4	Salluit Breakwater (Starboard Entrance)	62 12 34.8 75 39 04.6	FI R	4s	3.2	2  1.4	Black mast.  Maintained by the Community of Inuit Salluit. Seasonal.	<b>Chart:5458</b>	
2554.6	Salluit Breakwater (Porthand Entrance)	62 12 34.4 75 38 58.7	FI G	4s	3.5	2  1.3	Black cylindrical mast.  Maintained by the Community of Inuit Salluit. Seasonal.	<b>Chart:5458</b>	
2555 <i>H41</i>	Arctic Island	On centre of island. 62 14 28 74 45 44	FI W	6s	29.6	8  6.7	Square tower, orange rectangular daymark.  Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:5457</b>	
2556 <i>H42</i>	Charles Island West End	62 42 30 74 40 00	FI W	6s	20.7	8  16.1	Square tower, orange rectangular daymark.  Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5450</b>	
2558 <i>H48</i>	Wales Island	E. extremity of island. 61 51 38 71 58 00	FI W	6s	83.2	8  6.7	Square mast, orange rectangular daymark.  Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5390</b>	
2560 <i>H52</i>	Cape Hopes Advance	61 04 41.8 69 33 28.4	FI W	6s	.....	8	Square skeleton tower, orange rectangular daymark.  Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	<b>Chart:5452</b>	
<b>Iqaluit (Frobisher Bay)</b>									
2566 <i>H53.4</i>	Cape Poillon range	63 07 55.9 67 52 14.8	Iso W	2s	84.0	14	Square tower, orange daymark, black vertical stripe.  Visible in line of range. Seasonal.	<b>Chart:7125</b>	
2567 <i>H53.41</i>		149°28' 3427.9m from front.	Iso W	2s	203.5	14	Square tower, orange daymark.  Visible in line of range. Seasonal.		
2568 <i>H53.5</i>	Cape Poillon West	Pike Resor Channel. 63 08 49.8 67 55 00.8	FI Y	6s	38.9	8	Square tower, orange rectangular daymark.  Flash 1 s; eclipse 5 s. Seasonal.		<b>Chart:7125</b>
2569 <i>H54</i>	Basset Point	On Pike Island. 63 12 43.5 67 57 47.2	FI R	5s	18.3	8	Square tower, orange rectangular daymark.  Flash 1 s; eclipse 4 s. Seasonal.	<b>Chart:7125</b>	

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**HUDSON STRAIT AND BAY**

2570 H54.2	Pike Island range 1	Pike Resor Channel. 63 13 47.4 67 59 54.3	Iso	W	2s	28.0	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
2571 H54.21		329°28' 385.4m from front.	Iso	W	2s	44.4	8	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
<b>Chart:7125</b>									
2572 H54.3	Pike Island No. 2 range	63 15 04.1 68 01 46.8	Iso	W	2s	20.9	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
2573 H54.31		146°04' 2463.2m from front.	Iso	W	2s	52.0	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
<b>Chart:7125</b>									
2574 H54.4	Quadrifid Island	Pike Resor Channel, on Quadrafid Island. 63 18 13.8 68 07 47.2	FI	G	5s	33.6	6	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.
<b>Chart:7125</b>									
2575 H54.6	Lapointe Rock	63 21 35.9 68 14 23.5	FI	W	6s	14.0	8	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:7125</b>									
2576 H56.4	Monument Island	On summit of island. 63 41 54.3 68 30 11.4	FI	R	6s	41.4	8	Square tower, orange rectangular daymark. 9.5	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:7127</b>									
2577	White Top Ledge light buoy N22	SW. of ledge. 63 42 50.2 68 30 07.7	FI	R	4s	.....	.....	Red, marked "N22".	Seasonal.
<b>Chart:7127</b>									
2578	Inuit light buoy N23	E. of reef. 63 43 01.2 68 30 42.5	FI	G	4s	.....	.....	Green, marked "N23".	Seasonal.
<b>Chart:7127</b>									
2579	Polaris Reef light buoy N26	S. of reef. 63 43 19.3 68 30 46.4	FI	R	4s	.....	.....	Red, marked "N26".	Seasonal.
<b>Chart:7127</b>									
2580 H55	Long Island	Koojesse Inlet. 63 43 31.1 68 30 05.1	FI	W	6s	14.2	8	Square tower, orange rectangular daymark. 5.4	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:7127</b>									
2581	Black Ledge light buoy N30	W. of ledge. 63 43 40.1 68 31 08.3	FI	R	4s	.....	.....	Red, marked "N30".	Seasonal.
<b>Chart:7127</b>									

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**HUDSON STRAIT AND BAY**

2582 <i>H55.5</i>	Frobisher Bay (Iqaluit) range	W. of the bay. 63 43 39.1 68 31 50.5	Iso	R	2s	18.6	14	Square tower, orange daymark, black vertical stripe.  16.6	Visible in line of range. Seasonal.
2583 <i>H55.51</i>		229°58' 576.1m from front.	Iso	R	2s	55.8	14	Square tower, orange daymark, black vertical stripe.  8.3	Visible in line of range. Seasonal.
2584 <i>H56</i>	Frobisher Landing	Koojesse Inlet. 63 44 16.3 68 31 34.8	Fl	Y	6s	5.0	7	Square tower, orange rectangular daymark.  5.2	Flash 1 s; eclipse 5 s. Seasonal.
2585 <i>H56.2</i>	Koojesse Inlet range	Center of the city. 63 44 43.9 68 31 24.3	F	G	.....	13.1	17	Square tower, orange daymark.  13.2	Visible in line of range. Seasonal.
2586 <i>H56.21</i>		344°01' 419.5m from front.	F	G	.....	30.3	17	Square tower, orange daymark.  16.4	Visible in line of range. Seasonal. (In place Year round.)
2591 <i>H58</i>	Koksoak River range	Kuujuaq. 58 27 37.2 68 12 26.9	F	G	.....	18.0	10	Square skeleton tower, orange daymark, black vertical stripe.  7.9	Operates at night only. Seasonal.
2592 <i>H58.1</i>		197°38' 613.6m from front.	F	G	.....	39.6	13	Square tower, orange daymark, black vertical stripe.  24.4	Visible in line of range. Operates at night only. Seasonal.
2593 <i>H58.4</i>	Koksoak River East range	Kuujuaq. 58 29 42 68 10 20.2	Iso	W	2s	19.7	16	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
2594 <i>H58.41</i>		189°36' 651.4m from front.	Iso	W	2s	35.0	16	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
2595 <i>H59</i>	Beacon Point (Inukshuktuyuk) range	Koksoak River. 58 33 04.2 68 11 32.6	F	W	.....	17.4	15	Square tower, orange daymark, black vertical stripe.	Operates at night only. Seasonal.
2596 <i>H59.1</i>		219°49' 1025.2m from front.	F	W	.....	44.0	15	Square tower, orange daymark, black vertical stripe.  7.9	Visible in line of range. Operates at night only. Seasonal.

**Chart:7127**

**Chart:7127**

**Chart:7127**

**Chart:5338  
Edn 11/12(Q11-186,187)**

**Chart:5338  
Edn 11/12(Q11-188,189)**

**Chart:5338  
Edn 11/12(Q11-190,191)**

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2597	Stic range	Koksoak river. Kuujjuaq 58 16 32.1 68 16 45.3	Iso R 2s	18.3	14	Square skeleton tower, orange daymark, black vertical stripe. 14.2	Visible in line of range. Operates at night only. Seasonal.
2597.1		202°30' 285.8m from front.	Iso R 2s	28.6	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
2597.2	Tent range	West shore Koksoak river. Kuujjuaq 58 18 41.7 68 15 54.9	F G ....	24.3	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
2597.3		353° 21' 1468.5m from front.	F G ....	61.3	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
2597.4	Chapel range	East shore Koksoak river. Kuujjuaq 58 12 27 68 17 13.1	F G ....	24.7	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
2597.5		195° 46' 1429.3m from front.	F G ....	42.1	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
2597.6	Whale range	West shore Koksoak river. Kuujjuaq 58 11 10.6 68 19 35.2	F R ....	38.7	14	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
2597.7		209° 06' 1441.2m from front.	F R ....	70	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
2597.8	Paint range	West shore Koksoak river. Kuujjuaq 58 14 19 68 18 28.4	Iso G 2s	24.5	16	Square skeleton tower, orange daymark, black vertical stripe. 15.6	Visible in line of range. Operates at night only. Seasonal.
2597.9		359° 41' 1787.3m from front.	Iso G 2s	48.9	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.

**Chart:5338  
Edn 11/14 (Q14-047,048)**

**Chart:5338  
Edn 11/14 (Q14-049, 050)**

**Chart:5338  
Edn 11/14 (Q14-051, 052)**

**Chart:5338  
Edn 11/14 (Q14-053, 054)**

**Chart:5338  
Edn 11/14 (Q14-055, 056)**

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
2600 H35.4	Mission Lake	Chesterfield Inlet. 63 20 36.8 90 41 14	FI	W	6s	30.0	8	Square mast, orange rectangular daymark. 9.7	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5620</b>
2601 H24	Dunne Foxe Island	On Easternmost Island. 62 15 42 91 59 20	FI	W	6s	21.7	8	Square skeleton mast. 10.0	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5630</b>
2602 H25	Walrus Island <b>Racon -- (Y) X &amp; S Bands</b>	Mistake Bay. 61 57 59.4 92 28 41.1	FI	W	6s	28.5	8	Square skeleton mast, orange rectangular daymark. 11.0	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5642</b>
2603 H25.5	Sentry Island (Arviat, NWT) <b>Racon -- (C) X &amp; S Bands</b>	61 09 35.6 93 52 14.6	FI	W	6s	35.4	8	Square skeleton mast. 18.4	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5641</b>
<b>Churchill Harbour</b>									
2605.01	Hudson Bay Southwest ODAS light buoy 45158	59 00 00 94 00 00	Fl(5)	Y	20s	.....	.....	Yellow, marked "45158".	Maintained by Environment Canada. Seasonal.  <b>Chart:5400</b>
2606	Merry Rock light buoy C1	58 47 31.5 94 12 23	Q	G	1s	.....	.....	Green, marked "C1".	Maintained by the Port of Churchill. Seasonal.  <b>Chart:5640</b>
2607	Merry Rock light buoy C2	58 47 40.8 94 12 23.5	Q	R	1s	.....	.....	Red, marked "C2".	Maintained by the Port of Churchill. Seasonal.  <b>Chart:5640</b>
2608 H28	<b>Fort Prince of Wales range</b>	58 47 39.3 94 12 55.8	F	W	.....	7.9	15	Skeleton tower, orange daymark, black vertical stripe.	Seasonal.
2609 H28.1		343°49' 385.2m from front.	F	W	.....	10.9	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.  <b>Chart:5640 Edn 06/11(D11-015)</b>
2610 H29	<b>Ship Point range</b>	58 47 28.1 94 13 22.8	F	W	.....	9.1	15	Square skeleton mast, orange daymark, black vertical stripe. 6.1	Seasonal.
2611 H29.1		317°37' 196.4m from front.	F	W	.....	13.3	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.  <b>Chart:5640 Edn 06/11(D11-015)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
2612 H27	<b>Churchill range</b>	58 47 00.9 94 13 59.2	F	W	.....	23.0	15	Tripod skeleton tower, orange daymark.	Seasonal.
2613 H27.1		236°25' 1632.8m from front.	F	W	.....	47.1	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.
	<b>Racon --. (G) X &amp; S Bands</b>								<b>Chart:5640</b>
2614	Merry Rock light buoy C4	58 47 22.8 94 12 57	Fl	R	4s	.....	.....	Red, marked "C4".	Maintained by the Port of Churchill. Seasonal.
									<b>Chart:5640</b>
2615	Cape Merry light buoy C3	58 47 16.4 94 12 34.7	Fl	G	4s	.....	.....	Green, marked "C3".	Maintained by the Port of Churchill. Seasonal.
									<b>Chart:5640</b>
2616	Cape Merry light buoy C5	58 47 09.8 94 12 33	Fl	G	4s	.....	.....	Green, marked "C5".	Maintained by the Port of Churchill. Seasonal.
									<b>Chart:5640</b>
2617	Cape Merry light buoy C6	58 47 01.3 94 12 43	Fl	R	4s	.....	.....	Red, marked "C6".	Maintained by the Port of Churchill. Seasonal.
									<b>Chart:5640</b>
2618	Churchill Wharf Approach light buoy C7	58 46 50.8 94 12 12.9	Fl	G	4s	.....	.....	Green, marked "C7".	Maintained by the Port of Churchill. Seasonal.
									<b>Chart:5640</b>
2620	Churchill Wharf light buoy C8	58 46 44.6 94 12 15.2	Fl	R	4s	.....	.....	Red, marked "C8".	Maintained by the Port of Churchill. Seasonal.
									<b>Chart:5640</b>
2621	Churchill Wharf light buoy C10	S. end of wharf. 58 46 16.8 94 11 40	Fl	R	4s	.....	.....	Red, marked "C10".	Maintained by the Port of Churchill. Seasonal.
									<b>Chart:5640</b>

Buoys are placed by local knowledge to mark changing channel and may not be in the position shown.