

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER							
731.2	<i>St. Clair Cutoff light buoy A14</i>	42 33 09 82 35 10	Fl R 4s	Red, marked "A14".	Winter spar. Seasonal. Chart:14853(U.S.)
732	Squirrel Island range	42 33 11.7 82 34 57.7	Iso Y 2s	9.1	15	White square skeleton tower, orange triangular daymark, black vertical stripe. 8.3	Visible in line of range. Year round.
733		064°15' 1068.6m from front.	F Y	25.7	15	White square skeleton tower, orange triangular daymark, black vertical stripe. 24.3
St. Clair Flats Channel							
734	Maybury Highway 10	On S. side of channel opposite highway. 42 33 17.1 82 38 15.3	Fl R 4s	7.2	4	White square tower, red trim, marked "10". 5.6	Year round. (Not maintained over winter.) Chart:14853(U.S.)
734.5	Light 13 (U.S.)	42 33 28.2 82 37 21.9	F G	7.3	6	Mast, green square daymark, green border, marked "13". Chart:14853(U.S.)
736	Southeast Band 16	42 33 00 82 36 50	Fl R 4s	8.0	4	White square tower, red trim, marked "16". 5.4	Year round. (Not maintained over winter.) Chart:14853(U.S.)
736.5	Light 17 (U.S.)	42 33 02.1 82 36 28.8	Fl G 4s	8.2	4	On 1-pile dolphin, green, white and black square daymark, marked "17". Chart:14853(U.S.)	
736.6	<i>Light buoy 15 (U.S.)</i>	42 33 23 82 35 09.3	Fl G 4s	Green, marked "15".	Seasonal. Chart:14853(U.S.)
736.7	<i>Light buoy 16 (U.S.)</i>	42 33 20.4 82 35 01.3	Fl R 4s	Red, marked "16".	Winter spar. Seasonal. Chart:14853(U.S.)
736.8	<i>Light buoy 17 (U.S.)</i>	42 33 54.3 82 34 55.1	Fl G 4s	Green, marked "17".	Seasonal. Chart:14853(U.S.)
737	South Channel A20	S. side of Squirrel Island. 42 33 50.3 82 34 44.6	Q R 1s	10.0	4	White cylindrical tower, red upper portion, marked "A20". 6.5	Year round. (Not maintained over winter.) Chart:14853(U.S.)
737.5	<i>Light buoy A22</i>	<i>Off Squirrel Island.</i> 42 34 06.5 82 34 29.2	Fl R 4s	Red, marked "A22".	Winter spar. Seasonal. Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER									
737.6	Harsens Island range (U.S.)	42 34 20.4	F	G	8.2	8	White cylindrical tower. 7.9	Year round.
737.7		82 34 32.9	F	G	9.5	Cylindrical tower.	Year round.
		023°30' 160m from front.							Chart:14853(U.S.)
737.8	Grande Pointe 23 (U.S.)	42 35 07.1 82 33 23.5	F	G	8.5	5	On 1-pile dolphin, green square daymark, green border, marked "23".	Year round.
									Chart:14853(U.S.)
738	South Channel light buoy A24	<i>E. side of channel.</i> 42 34 45.1 82 33 32	Fl	R	4s	Red, marked "A24".	Winter spar. Seasonal.
									Chart:14853(U.S.)
739	Light A26	42 35 29.1 82 32 43.3	Q	R	1s	12.0	4	White cylindrical tower, red upper portion, marked "A26". 6.4	Year round. (Not maintained over winter.)
									Chart:14853(U.S.)
739.2	Grande Pointe light buoy 27(U.S.)	42 35 42.6 82 32 43.5	Fl	G	4s	Green, marked "27".	Winter spar. Seasonal.
									Chart:14853(U.S.)
740	Walpole Island light buoy A30	42 36 13.7 82 31 33.1	Fl	R	4s	Red, marked "A30".	Winter spar. Seasonal.
									Chart:14853(U.S.)
740.2	Russell Island (U.S.)	42 36 36.1 82 31 26.3	F	W	8.5	10	Mast, green square daymark, green border.	Green visible from 057° to 237°. Year round.
			F	G		Chart:14853(U.S.)
741	Walpole Island	42 36 15.8 82 31 23.3	F	R	9.9	11	White cylindrical tower, red upper portion. 8.8	Year round.
									Chart:14853(U.S.)
742	Walpole Island, Lower A32	Off NW. corner of wharf. 42 36 42.1 82 31 03.3	Iso	R	4s	10.4	9	White tower, red trim, marked "A32". 9.8	Year round. (Not maintained over winter.)
									Chart:14853(U.S.)
742.5	Russell Island 33 (U.S.)	42 36 48.7 82 31 17.7	F	G	7.9	5	Mast, green square daymark, green border, marked "33".	Year round.
									Chart:14853(U.S.)
743	Walpole Island Ferry Breakwater	Off W. end of breakwater. 42 36 55.5 82 30 56.8	Fl	R	4s	3.4	4	White block structure.	Year round. (Not maintained over winter.)
									Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER							
743.5	Russell Island Shoal light buoy (U.S.)	W. end of shoal. 42 37 20.4 82 31 03.4	Fl (2+1) G	6s	Green, red and green.	Winter spar. Seasonal.
							Chart:14853(U.S.)
744	Walpole Island Upper A34	On E. side of channel. 42 37 19.9 82 30 41.5	Fl R	4s	8.1 4	White square tower, red trim, marked "A34". 5.4	Year round. (Not maintained over winter.)
							Chart:14853(U.S.)
745	Chenal Ecarté Shoal light buoy A36	42 38 12.8 82 30 35.4	Fl R	4s	Red, marked "A36".	Winter spar. Seasonal.
							Chart:14853(U.S.)
746	Chenal Ecarté range	On Walpole Island, southeastward of N. extremity. 42 38 10.1 82 30 07.6	F R	6.9 11	White cylindrical tower, orange triangular daymark, black vertical stripe. 4.7	Visible in line of range. Year round.
747		138°20' 61 m from front.	F R	9.2 11	White cylindrical tower, orange triangular daymark, black vertical stripe. 7.0	Visible in line of range. Year round.
							Chart:14853(U.S.)
747.2	Willow Point (U.S.)	On W. bank of river. 42 38 38.5 82 30 45.7	F G	9.5 8	Mast, green square daymark, green border.	Year round.
							Chart:14853(U.S.)
747.5	Roberts Landing light buoy 37 (U.S.)	42 39 47.2 82 30 48.2	Fl G	4s	Green, marked "37".	Seasonal.
							Chart:14853(U.S.)
747.6	Fawn Island light buoy 38 (U.S.)	42 40 55.9 82 30 11.7	Fl R	4s	Red, marked "38".	Winter spar. Seasonal.
							Chart:14853(U.S.)
748	Marine City Salt Dock (U.S.)	S. of Marine City. 42 41 16.7 82 30 20.6	F G	8.5 8	Mast, green square daymark, green border.	Year round.
							Chart:14853(U.S.)
748.2	Marine City Shoal light buoy 40 (U.S.)	42 42 03.7 82 29 44.9	Fl R	4s	Red, marked "40".	Winter spar. Seasonal.
							Chart:14853(U.S.)
748.3	Fawn Island Upper End light buoy 42 (U.S.)	42 43 12.2 82 29 05.2	Q R	1s	Red, marked "42".	Winter spar. Seasonal.
							Chart:14853(U.S.)
749.1	Stokes Point light buoy A42/2	42 44 05 82 28 47	Fl R	4s	Red, marked "A42/2".	Winter spar. Seasonal.
							Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER									
750	Kessel Point	At mouth of Clay Creek. 42 45 06.7 82 27 56.3	F	Y	10.4	6	White cylindrical ,mast, orange triangular daymark. 8.0	Year round. Chart:14853(U.S.)
751	Recors Point light buoy A44	E. of point. 42 45 41.3 82 27 54.5	Fl	R	4s	Red, marked "A44".	Winter spar. Seasonal. Chart:14853(U.S.)
752	Bowens Creek	Off Recors Point. 42 46 09.5 82 27 49.8	F	Y	9.2	6	White cylindrical tower, red upper portion. 8.6	Year round. Chart:14853(U.S.)
752.2	Harts Landing (U.S.)	42 47 02.7 82 28 27.2	F	G	7.9	8	On 1-pile dolphin, green square daymark, green border.	Year round. Chart:14853(U.S.)
752.5	Harts Landing light buoy A46	E. side of channel. 42 47 15.1 82 28 14.9	Fl	R	4s	Red, marked "A46".	Winter spar. Seasonal. Chart:14853(U.S.)
753	Courtright	On E. side of channel, below Courtright. 42 48 23.1 82 28 42.8	F	Y	6.3	9	Dolphin, white mast on white skeleton structure. 5.1	Year round. (Not maintained over winter.) Chart:14853(U.S.)
753.2	St. Clair Middle Ground light buoy 48 (U.S.)	42 48 51.2 82 28 51.5	Q	R	1s	Red, marked "48".	Winter spar. Seasonal. Chart:14853(U.S.)
753.5	St. Clair Middle Ground light buoy 50 (U.S.)	42 49 25.2 82 28 53.5	Fl	R	4s	Red, marked "50".	Winter spar. Seasonal. Chart:14853(U.S.)
754	St. Clair Middle Ground light buoy 52 (U.S.)	S. end of shoal. 42 49 40 82 28 49.5	Q	R	1s	Red, marked "52".	Winter spar. Seasonal. Chart:14853(U.S.)
756	Mooretown	Near NW. corner of wharf. 42 50 23.8 82 28 02.3	Fl	Y	4s	9.3	8	White cylindrical tower, red upper portion. 8.2	Year round. Chart:14853(U.S.)
757	Middle Ground light buoy A54	42 50 30 82 28 15.5	Q	R	1s	Red, marked "A54".	Winter spar. Seasonal. Chart:14853(U.S.)
757.5	Stag Island Lower light buoy 55 (U.S.)	42 51 10.6 82 28 17.1	Fl	G	4s	Green, marked "55".	Seasonal. Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER							
758	Stag Island light buoy AMB	42 51 23 82 28 03.7	Fl R (2+1)	6s	Red, green and red, marked "AMB".	Winter spar. Seasonal. Chart:14853(U.S.)
759	Stag Island Shoal	On S. end of shoal. 42 51 53.3 82 27 59.1	Fl W	4s	7.9	4	White cylindrical tower. 6.9 Year round. (Not maintained over winter.) Chart:14853(U.S. Edn 12/10(B10-031)
760	Stag Island Shoal light buoy 56 (U.S.)	42 52 20.2 82 28 13.9	Fl R	4s	Red, marked "56".	Winter spar. Seasonal. Chart:14853(U.S.)
760.5	Stag Island Middle (U.S.)	42 53 09.4 82 28 31	Oc G	4s	4.9	8	Skeleton tower, green square daymark, green border. Flash 3 s; eclipse 1 s. Increased intensity on a bearing upstream. Year round. Chart:14853(U.S.)
760.6	Light buoy 58 (U.S.)	42 53 19.9 82 28 14	Fl R	4s	Red, marked "58".	Winter spar. Seasonal. Chart:14853(U.S.)
Stag Island East Channel							
763	Stag Island North End light buoy AM3	W. side of channel. 42 53 45 82 27 33.5	Fl G	4s	Green, marked "AM3".	Winter spar. Seasonal. Chart:14853(U.S.)
764	Stag Island North Cardinal light buoy AM	42 54 19.8 82 27 44	Q W	1s	Black and yellow, marked "AM".	Winter spar. Seasonal. Chart:14853(U.S.)
764.5	Stag Island Upper (U.S.)	42 54 25.1 82 27 57.7	Fl G	2.5s	7.9	7	Mast, green square daymark, green border. Flash every 2.5 s. Year round. Chart:14853(U.S.)
765	St. Clair River light buoy A60	E. side of channel. 42 55 12.5 82 27 22.5	Fl R	4s	Red, marked "A60".	Winter spar. Seasonal. Chart:14853(U.S.)
Sarnia Bay							
765.2	Sarnia Breakwater light buoy AHB	42 58 31 82 24 36.2	Fl R (2+1)	6s	Red, green and red, marked "AHB".	Winter spar. Seasonal. Chart:14853(U.S.)
765.5	Sarnia Breakwater	Outer end of breakwater. 42 58 45.5 82 24 33.2	Fl G	4s	5.5	4	White cylindrical tower, green upper portion. 3.4 Seasonal. Chart:14853(U.S.)
766	Bay Point light buoy A66	NW. of point. 42 59 21.5 82 25 19.5	Fl R	4s	Red, marked "A66".	Winter spar. Seasonal. Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

ST. CLAIR RIVER

766.4	Fort Gratiot front range(U.S.)	42 59 36.1 82 25 38.4	F G	13.0	White cylindrical tower, red rectangular daymark, white vertical stripe. 13.4	Increased intensity on a bearing 326°. Year round.
766.45	Fort Gratiot range Passing light (U.S.)	42 59 36.1 82 25 38.4	F G	13.0	9	White cylindrical tower. 13.4	Year round.
766.5	Fort Gratiot rear range(U.S.)	207°18' 193.5m from front.	F G	15.9	Octagonal tower, red 17.7	Year round.
766.8	Light buoy A68	42 59 35 82 25 25.2	Q R	1s	Red, marked "A68".	<p align="right">Chart:14853(U.S.) Edn 10/14(B14-015; 016) Edn 11/14(B14018, 020)</p> <p>Winter spar. Seasonal.</p> <p align="right">Chart:14853(U.S.)</p>