

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
SOUTHWEST COAST								
121	Coomb's Cove	On Bull Point. 47 27 22.5 55 37 52.4	FI G	4s	10.0 5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Chart:4830	
121.3	Coomb's Cove Wharf	47 27 27 55 37 25.9	FI G	4s	Cylindrical mast.	Year round. Chart:4830	
122	Wreck Cove Wharf	47 29 51 55 36 28	FI R	4s	4.4 4	Cylindrical mast. 2.6	Year round. Chart:4830	
122.5	Inner Shoal light buoy VW3	47 29 59.9 55 36 43.1	FI G	4s	Green spar, marked "VW3"	Year round. Chart:4830	
122.6	Bufford Cove South Cardinal light buoy VW	Great Bay de l'Eau. 47 31 01.4 55 35 42.6	Q(6) +LFI	W	15s	Yellow and black, marked "VW".	Year round. Chart:4830 Edn 10/11 (N11-074)
123	Shag Rock Sunker light and bell buoy VS2	47 26 57.5 55 40 02.5	FI R	4s	Red, marked "VS2".	Year round. Chart:4830	
124	Rocky Point (Harbour Breton)	On point. 47 28 46.3 55 47 34.4	FI W	4s	16.2 9	Red and white cylindrical tower, red and white daymark. 7.6	Year round. Chart:4830	
125	Harbour Rock light buoy VB1	N. of rock. 47 29 02.9 55 47 56	FI G	4s	Green, marked "VB1".	Year round. Chart:4830	
126	Southwest Arm light buoy VB3	47 28 53.4 55 48 18	FI G	4s	Green, marked "VB3".	Year round. Chart:4830	
126.1	Harbour Breton Wharf	47 28 43.9 55 48 40	FI R	4s	Cylindrical mast. 2.1	Year round. Chart:4830	
127.35	Virgin Rock light buoy VH1	47 34 05.9 55 57 10.1	FI G	4s	Green spar, marked "VH1".	Year round. Chart:4644	
127.4	Hermitage Wharf	47 33 37.3 55 55 40	FI R	4s	4.3 2	Cylindrical mast. 2.6	Year round. Chart:4644	
127.5	Hermitage light buoy VH3	47 33 27.9 55 55 27.1	FI G	4s	Green, marked "VH3".	Year round. Chart:4644	
127.7	Little Fox Island	On E. end of Island. 47 34 49.4 55 55 26.3	FI R	4s	6.4 4	Mast. 2.6	Year round. Chart:4644 Edn 01/11 (N10-066)	

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
SOUTHWEST COAST								
127.8	Black Rock	On rock. 47 34 28.4 55 56 54.3	FI R 6s	11.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 5 s. Year round. Chart:4644	
128	Fox Island (Hermitage Bay)	47 33 55.1 55 58 23.2	FI W 4s	22.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Chart:4644	
129	Pass Island	47 29 24.3 56 11 46.7	FI W 10s FI R 4s	85.6	12 4	White skeleton tower. 9.4	Flash 1 s; eclipse 9 s. Visible 257° through N. to 118°. Obscured from 77° (in a clockwise direction) through E,S and W to 298° Year round. Chart:4644 Edn 08/14 (N14-041)	
130	Pass Island Fog Signal	SW. end of island. 47 28 56.3 56 11 52.8	Skeleton tower, white rectangular daymark, black horizontal stripe.	Horn - Blast 3 s; sil. 27 s. Horn points 259°06'. Year round. Chart:4644 Edn 05/11 (N11-020)	
130.31	<i>Net Rocks light buoy V23</i>	<i>Seal Cove, Fortune Bay ...47 28 35.2 56 02 22.2</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "V23".</i>	<i>Year round.</i> Chart:4827 Edn 01/10 Edn 12/14 (N14-074) Edn 02/15 (N14-077)	
130.32	<i>Sunker Rock light buoy V30</i>	<i>Seal Cove, Fortune Bay 47 28 52 56 01 58.3</i>	<i>Q R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "V30".</i>	<i>Year round.</i> Chart:4827 Edn 12/09 (N09-049) Edn 12/14 (N14-075)	
130.33	<i>Divers Shoal light buoy V25</i>	<i>47 28 59 56 02 31.8</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "V25".</i>	<i>Year round.</i> Chart:4827 Edn 12/14 (N14-078)	
130.34	Sunken Rock light buoy VSC	Seal Cove, South Coast ...47...28 57.4 56...01 23.8	Q (6) +LFI	W	15s	Yellow – black, marked "VSC"	Year round Chart:4827 Edn 12/14 (N14-068) Edn 11/15 (N15-051)
130.4	Seal Cove Breakwater	47 29 16.2 56 02 54	FI G 4s	5.0	4	Mast. 3.1	Year round. Chart:4827	
130.8	<i>Goose Rock light buoy VU2</i>	<i>Off rock. 47 36 19.8 55 53 59.9</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "VU2".</i>	<i>Year round.</i> Chart:4644	
130.82	<i>Gaultois light buoy VU4</i>	<i>47 36 26.7 55 54 03.4</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "VU4".</i>	<i>Year round.</i> Chart:4644	

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	--	------------------	--	---------------------------------

SOUTHWEST COAST

131	Gaultois Harbour	On rock awash near West Head. 47 36 17.8 55 54 03.1	FI	G	3s	5.5	5	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Year round.	Chart:4644
131.5	Gaultois Dolphin	47 36 23.7 55 54 07.1	FI	G	4s	5	Mast. 2.6	Year round.	Chart:4644 Edn 01/11 (N10-066)
132	Little Bay (Tinker Rock)	S. entrance of bay. 47 36 49.7 56 03 08.1	FI	W	4s	14.6	5	Square skeleton tower, red and white rectangular daymark. 4.6	Year round.	Chart:4644
132.5	St. Alban's Wharf	On wharf. 47 51 46.9 55 50 06.2	FI	G	4s	4.0	6	Cylindrical mast. 2.5	Year round.	Chart:4644
132.51	Conne River Wharf	47 51 44.2 55 46 20.2	FI	R	4s	3.2	2	Cylindrical mast.	Year round.	Chart:4644
133	Roti Point (Bay D'Espoir)	NE. of point. 47 47 26.8 55 50 28.9	FI	G	6s	6.7	4	Square skeleton tower, green and white rectangular daymark. 4.3	Flash 1 s; eclipse 5 s. Year round.	Chart:4644
133.1	Margery Rock light buoy VG	Little passage South Coast 47 36 44.1 55 52 43	Q	G	1s	Green spar, marked "VG".	Year round.	Chart:4644 Edn 12/14 (N14-057)
133.11	Roti Bay light buoy VR1	47 47 12.4 55 51 46.1	FI	G	4s	Green spar, marked "VR1".	Privately maintained. Year round.	Chart:4644
133.12	Roti Bay light buoy VR2	47 47 29.5 55 51 39.7	FI	R	4s	Red spar, marked "VR2".	Privately maintained. Year round.	Chart:4644
133.13	Roti Bay light buoy VR3	47 47 35.3 55 52 07.4	FI	G	4s	Green spar, marked "VR3".	Privately maintained. Year round.	Chart:4644
133.14	Roti Bay light buoy VR4	47 47 47.5 55 52 22.4	FI	R	4s	Red spar, marked "VR4".	Privately maintained. Year round.	Chart:4644
133.15	Roti Bay light buoy VR5	47 47 43 55 52 25	FI	G	4s	Green spar, marked "VR5".	Privately maintained. Year round.	Chart:4644
133.16	Roti Bay light buoy VR7	47 47 59.1 55 52 50.1	FI	G	4s	Green spar, marked "VR7".	Privately maintained. Year round.	Chart:4644

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
SOUTHWEST COAST								
133.17	Roti Bay light buoy VR6	47 48 11 55 53 07.1	FI R	4s	Red spar, marked "VR6".	Privately maintained. Year round. Chart:4644	
133.19	Roti Bay light buoy VR9	47 48 19.7 55 53 34.7	FI G	4s	Green spar, marked "VR9".	Privately maintained. Year round. Chart:4644	
133.2	Cape Mark	On point. 47 44 32 55 52 06.9	FI R	4s	7.9	4	Square skeleton tower, red and white square daymark. 4.3	Year round. Chart:4644
133.3	Gimlet Point light buoy VG3	Little passage South side 47 37 55.14 55 54 05.3	FI G	4s	Green spar, marked "VG3".	Year round Chart:4644 Edn 11/14 (N14-053)	
133.4	Day Point	On point. 47 41 20.9 55 55 21	FI W	4s	10.1	5	Square skeleton tower, red and white square daymark. 6.6	Year round. Chart:4644
133.44	Deer Cove Shoal Light Buoy VG4	Deer Cove, Little passage, South coast 47 40 37.1 55 55 50.2	FI R	4s	Red spar Marqued "VG4"	Year round. Chart:4644 Edn 12/14 (N14-061)	
133.5	Cold Hr. Shoal Light buoy VG5	Little passage South coast 47 40 19.6 55 55 56.6	FI G	4s	Green spar Marqued "VG5"	Year round. Chart:4644 Edn 12/14 (N14-055)	
133.6	Little Island	On Island. 47 39 34.9 55 56 04	FI R	4s	10.4	4	Square skeleton tower, red and white square daymark. 6.6	Year round. Chart:4644
133.66	Riches Island Light buoy VG6	Dawson's Point South coast 47 46 43.9 55 50 55.7	Q R	1s	Red, marked "VG6"	Year round. Chart:4644 Edn 12/14 (N14-065)	
133.78	Pigeon Island Shoal light buoy Q22	47 38 06 56 09 18	FI R	4s	Red spar, marked "Q22".	Year round. Chart:4644	
133.8	McCallum (Whale Rock) light and whistle buoy Q23	47 36 38.9 56 12 07.1	FI G	4s	Green, marked "Q23".	Year round. Chart:4644	
134	Dawson's Point	On point. 47 38 35.9 56 08 57.6	FI W	5s	16.8	16	Square skeleton tower, red and white rectangular daymark.	Flash every 5 s. Year round. Chart:4644 Edn 04/14 (N14-022)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
SOUTHWEST COAST							
135	Salmon Point	47 37 02.9 56 12 01.4	FI W 4s	21.9	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Chart:4644
136	New Harbour Island	47 35 55.7 56 39 41.2	FI G 6s	27.8	5	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4826 Edn 05/11 (N11-020)
136.9	<i>François Entrance light and bell buoy QL4</i>	47 33 47 56 43 23.4	FI R 4s	Red, marked "QL4".	Year round. Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020)
137	West Point	François Bay Entrance. 47 33 35.7 56 44 02.1	FI G 5s	46.0	12	White square tower, green band on top, attached to building. 4.7	Flash 0.1 s; eclipse 4.9 s. Year round. Chart:4826 Edn 05/11 (N11-020)
137.23	<i>Lower Rock South Cardinal light buoy QLC</i>	S. of New Harbour. 47 34 50.4 56 38 57.8	Q (6) + LFI	W 15s	Yellow and black spar, marked "QLC". Year round. Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020)
138	Cape La Hune	On W. side of island. 47 37 44.8 56 51 47	FI R 6s	25	4	Square skeleton tower, red and white square daymark. 4.6	Flash 1 s; eclipse 5 s. Year round. Chart:4826 Edn 05/11 (N11-020)
138.5	<i>Watch Rock North Cardinal light and whistle buoy QLB</i>	E. of Penguin Islands. 47 23 23.9 56 50 06	Q W 1s	Black and yellow, marked "QLB". Year round. Chart:4826 Edn 05/11 (N11-020)	
139 H266	Harbour Island	E. side of island. 47 23 00.6 56 58 39.1	FI W 10s	21.9	17	Square skeleton tower, red square daymark, white horizontal stripe 5.8	Flash 0.2 s; eclipse 9.8 s. Year round. Chart:4826 Edn 05/11 (N11-020)
139.1	<i>Penguin Island North Cardinal light and whistle buoy QLE</i>	47 23 41.4 56 56 55.6	Q W 1s	Black and yellow, marked "QLE". Year round. Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020)	
139.2	<i>Penguin Island West Cardinal light and whistle buoy QLW</i>	E. of island. 47 23 03.3 57 00 53.9	Q(9) W 15s	Yellow, black and yellow, marked "QLW". Year round. Chart:4826 Edn 05/11 (N11-020)	
139.21	<i>Grey River Rocks North Cardinal light and whistle buoy QGR</i>	47 28 26.4 57 05 35.4	Q W 1s	Black and yellow, marked "QGR". Year round. Chart:4826 Edn 12/09 (N09-051) Edn 12/13 (N13-038) Edn 02/14 (N14-001)	

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
SOUTHWEST COAST							
139.3	Grey River light and bell buoy QJ	SW. of Grey River Point. 47 33 51.5 57 06 43.7	Mo(A) W	6s	Red and white vertical stripes, marked "QJ".	Year round. Chart:4826 Edn 06/10 (N10-016) Edn 05/11 (N11-020)
139.5	Grey River Point	W. side of entrance. 47 34 24.9 57 06 47.4	Q G	1s	27.1	4 Square skeleton tower, green and white rectangular daymark. 4.3	Year round. Chart:4826 Edn 05/11 (N11-020)
139.51	Grey River Wharf	47 35 20 57 06 05.3	FI G	4s	2 Mast. 2.6	Year round. Chart:4826 Edn 05/11 (N11-020)
139.7	Eastern Passage light and whistle buoy QA	47 32 04.8 57 22 13.1	FI G (2+1)	6s Green, red and green, marked "QA".	Year round. Chart:4825
139.8	Ramea (Browns Rock)	47 31 32.2 57 22 38.4	FI R	4s	3.7	4 Cylindrical mast. 2.6	Year round. Chart:4825
139.82	Art Coley's Rock light buoy QA2	47 31 27.2 57 22 43.2	FI R	4s Red spar, marked "QA2".	Year round. Chart:4825
139.84	Ship Cove Ferry Wharf	47 31 16.7 57 23 06.5	FI R	4s	3.9 Cylindrical mast. 2.6	Year round. Chart:4825
139.85	Ship Cove Wharf	Ramea Harbour. 47 31 15.2 57 23 12.7	FI G	4s	4.3	2 Cylindrical mast.	Year round. Chart:4825 Edn 10/11 (N11-060)
140.5	Bad Rock light buoy QQ2	Off Ramea Islands. 47 29 55.7 57 21 48.1	FI R	4s Red spar, marked "QQ2".	Year round. Chart:4825
140.51	Turnip Island Rock light buoy QR2	47 30 46.2 57 22 32.5	FI R	4s Red spar, marked "QR2".	Year round. Chart:4825
140.52	Ramea South Bank light buoy QR3	47 25 53.4 57 19 34.8	FI G	4s Green, marked "QR3".	Year round. Chart:4826 Edn 05/11 (N11-020)
140.53	Shoal Northwest light buoy QR5	47 31 22.2 57 22 38.9	FI G	4s Green spar, marked "QR5".	Year round. Chart:4825
140.54	Ramea Inner light buoy QR5/1	47 31 19.4 57 22 50.6	FI G	4s Green spar, marked "QR5/1".	Year round. Chart:4825
140.6	Bengy light buoy QQ4	47 29 06 57 26 15	FI R	4s Red, marked "QQ4".	Year round. Chart:4825
140.7	Southwest Rock light buoy QS2	47 30 16.8 57 25 04.1	FI R	4s Red spar, marked "QS2".	Year round. Chart:4825

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		----- Latitude N. Longitude W.				----- Height in meters above ground	

SOUTHWEST COAST

141	Northwest Head	On Northwest Island. 47 30 44.9 57 24 31.5	FI W 3s	38.1	14	White cylindrical tower, white and red spiral bands. 7.3	Flash 0.06 s; eclipse 2.94 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 237°06'.	Chart:4825
142	West Flat Island	Burgeo Islands. 47 34 53 57 42 22.5	FI W 4s	10.7	6	Square skeleton tower, red and white rectangular daymark. 4.5	Year round.	Chart:4825
142.5	Bay de Loup Point	47 37 31.1 57 33 05.1	FI W 4s	22.7	7	Square skeleton tower, red and white rectangular daymark. 4.9	Year round.	Chart:4825
143	<i>Boar Rock light and bell buoy QG2</i>	<i>S. of rock</i> 47 35 32.5 57 33 42.5	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "QG2".</i>	<i>Year round.</i>	Chart:4825
143.5	<i>Fish Island Rock light and bell buoy QG3</i>	<i>E. of Fish Island.</i> 47 37 03.7 57 35 06.9	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "QG3".</i>	<i>Year round.</i>	Chart:4825
143.7	<i>Short Reach light buoy QG5</i>	47 37 10.8 57 35 29.9	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "QG5".</i>	<i>Year round.</i>	Chart:4825
143.71	<i>Shoal Short Reach light buoy QG5.1</i>	47 37 01.1 57 36 25.1	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "QG5.1".</i>	<i>Year round.</i>	Chart:4825
143.72	<i>Short Reach light buoy QG6</i>	47 37 09 57 37 57	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "QG6".</i>	<i>Year round.</i>	Chart:4825
144	Boar Island	E. extremity of Burgeo Islands. 47 36 23.2 57 35 12.2	FI W 5s	63.1	15	Skeleton tower. 10.0	Flash 0.2 s; eclipse 4.8 s. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 140°12'.	Chart:4825
144.512	<i>Stern Rock light buoy QV2.2</i>	47 35 17.2 57 40 17.3	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "QV2.2".</i>	<i>Year round.</i>	Chart:4825
144.52	<i>Marchand Rock light buoy QV2.4</i>	47 35 28 57 39 35	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "QV2.4".</i>	<i>Year round.</i>	Chart:4825
144.53	<i>Sandbanks # 1 light buoy QV2.6</i>	47 35 48 57 38 58.2	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "QV2.6".</i>	<i>Year round.</i>	Chart:4825
144.54	<i>Sandbanks # 2 light buoy QV3.7</i>	47 35 56 57 39 00	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked, "QV3.7".</i>	<i>Year round.</i>	Chart:4825
144.55	<i>North of Douglas light buoy QV2.8</i>	47 36 03 57 37 42.1	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "QV2.8".</i>	<i>Year round.</i>	Chart:4825

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
SOUTHWEST COAST							
144.56	Indian Hole Tickle light buoy QV4	47 36 16.8 57 36 48.3	Fl R	4s	Red spar, marked "QV4".	Year round. Chart:4825
144.57	Indian Hole Tickle light buoy QV5	47 36 23.6 57 36 37.9	Fl G	4s	Green spar, marked "QV5."	Year round. Chart:4825
144.58	Cuttail Island #1 light buoy QV7	Burgeo. 47 36 24.6 57 35 41.4	Fl G	4s	Green, marked "QV7".	Year round. Chart:4825 Edn 10/11 (N11-077)
144.59	Cuttail Island #2 light buoy QV8	Burgeo. 47 36 24.6 57 35 37.2	Fl R	4s	Red, marked "QV8".	Year round. Chart:4825 Edn 10/11 (N11-078)
144.6	Cuttail Island #3 light buoy QV9	Burgeo. 47 36 15.5 57 35 23.5	Fl G	4s	Green, marked "QV9".	Year round. Chart:4825 Edn 10/11 (N11-076)
144.8	Rencontre Island	47 35 13 57 36 29.3	Fl W	4s	57.3	6 Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Chart:4825
145	Burgeo Ferry Wharf	47 36 30.6 57 36 31.8	Fl R	4s	4.0	4 Cylindrical mast. 2.4	Year round. Chart:4825
145.8	La Poile Approach light and whistle buoy QE2	SW. of Ireland Island. 47 37 36.9 58 23 10.7	Fl R	4s	Red, marked "QE2".	Year round. Chart:4824
145.81	Offer Seal Island West Rock light buoy QE2.2	47 37 13.7 58 35 55.1	Q R	1s	Red spar, marked "QE2.2".	Year round. Chart:4824 Edn 11/12 (N12-027)
145.82	Cox Rock light buoy QE3	47 37 53.4 58 25 50.4	Fl G	4s	Green, marked "QE3".	Year round. Chart:4824
145.83	Lapole North Shore light buoy QE4	47 41 01.4 58 23 23	Fl R	4s	Red spar, marked "QE4".	Year round. Chart:4824 Edn 07/12 (N12-018)
145.84	Seal Rocks light buoy QE5	47 40 57 58 23 20.6	Fl G	4s	Green spar, marked "QE5".	Year round. Chart:4824
145.85	Tooth Rock light buoy QE4.2	La Poile Harbour. 47 40 56.7 58 22 45.6	Fl R	4s	Red spar, marked "QE4.2".	Year round. Chart:4824 Edn 11/12 (N12-028)
145.86	Naked Man North Cardinal light buoy QEN	47 38 42.6 58 22 37	Q W	1s	Black and yellow, marked "QEN".	Year round. Chart:4824

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
SOUTHWEST COAST							
145.88	South East Shoal East Cardinal light buoy QES	47 37 58.5 58 20 44.8	Q(3) W	10s	Black, yellow and black, marked "QES".	Year round. Chart:4824
145.9	Reubans Rock light buoy QF2	47 36 33.6 57 36 17	Fl R	4s	Red, marked "QF2".	Year round. Chart:4825
146	Ireland Island	On E. side of entrance to La Poile Bay. 47 38 00.3 58 22 10.7	Fl W	6s	18.6	7 Square skeleton tower, red and white rectangular daymark. 7.1	Flash 1 s; eclipse 5 s. Year round. Chart:4824
147	Grand Bruit	On Offer Island. 47 38 31.9 58 13 29.3	Fl W	3s	11.0	6 Square skeleton tower, red and white rectangular daymark. 4.6	Flash every 3 s. Year round. Chart:4824
148	Little Harbour (La Poile)	On Christmas Head. 47 40 40 58 23 14	Q G	1s	12.1	4 Square skeleton tower, green and white rectangular daymark. 4.6	Flash 0.3 s; eclipse 0.7 s. Year round. Chart:4824
148.4	Lapoile Wharf	47 41 02.2 58 23 43.6	Fl R	4s	Cylindrical mast.	Year round. Chart:4824
148.9	Rose Blanche light and whistle buoy QRB	47 35 28.1 58 41 42.8	Mo(A) W	6s	Red and white vertical stripes, marked "QRB".	Year round. Chart:4639
149.09	Rose Blanche Shoal light buoy QR1/1	47 35 44 58 42 07.2	Fl G	4s	Green, marked "QR1/1".	Year round. Chart:4639
149.2	Harbour Le Cou Breakwater	47 37 28 58 40 55	Fl G	2.5s	3.5 Cylindrical mast. 2.3	Flash every 2.5 s. Year round. Chart:4639
149.3	Calapose Rock light buoy QT8	47 37 24.2 58 40 29.3	Fl R	4s	Red spar, marked "QT8".	Seasonal. Chart:4639
149.7	Petites light and whistle buoy QT2	E. of Rose Blanche Point light. 47 36 10 58 39 15.2	Fl R	4s	Red, marked "QT2".	Year round. Chart:4639
150	Rose Blanche East Wharf	47 36 35 58 41 37.2	Fl R	3s	3.2	4 Cylindrical mast. 2.6	Flash every 3 s. Year round. Chart:4639
150.1	Rose Blanche Ferry Wharf	47 36 53 58 41 58.5	Fl R	4s	4.2 Cylindrical mast. 2.4	Year round. Chart:4639

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
SOUTHWEST COAST							
150.19	Rose Blanche	47 36 06.7 58 41 40.9	Fl R	10s	29.0 13	Tower.	Flash 0.5 s; eclipse 9.5 s. Year round. Chart:4823
150.2	Burnt Islands Deep Water Wharf	47 35 45.3 58 53 16.2	Fl R	4s	2.9	Cylindrical mast. 2.3	Year round. Chart:4823
150.3	Burnt Islands West Wharf	47 35 50.2 58 53 13.5	Fl R	4s	2.4 2	Cylindrical mast. 2.3	Year round. Chart:4823
151.07	Cain's Island light and fog signal	47 36 08.1 58 42 05.4	Fl R	6s	1.9 3	Mast.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4639 Edn 11/12 (N12-032) Edn 04/14 (N14-023)
151.2	Rose Blanche light buoy QR6	47 36 33.3 58 41 38.5	Fl R	4s	Red spar, marked "QR6".	Year round. Chart:4639
151.4	North Shoal Shag Rock light buoy QH2	47 35 46.7 58 43 57.1	Fl R	4s	Red spar, marked "QH2".	Seasonal. Chart:4639
151.5	Green Island Sunker light buoy QH1	47 35 27.7 58 44 31.1	Fl G	4s	Green spar, marked "QH1".	Seasonal. Chart:4823
151.6	Diamond Cove (Rose Blanche) light buoy QD2	47 36 31.9 58 42 07.2	Fl R	4s	Red spar, marked "QD2".	Year round. Chart:4639
152	Goose Island light buoy QD3	Off Goose Island. 47 36 31.1 58 42 10.4	Fl G	4s	Green spar, marked "QD3".	Year round. Chart:4639 Edn 03/15 (N15-010)
153	Cuff Island light buoy QD5	Off Island. 47 36 42.1 58 42 06.7	Fl G	4s	Green spar, marked "QD5".	Year round. Chart:4639
153.6	Burnt Islands light and bell buoy QB1	47 35 01.9 58 54 33.3	Fl G	4s	Green, marked "QB1".	Year round. Chart:4823
154	Burnt Islands range	On Stickland Point. 47 35 51.4 58 53 32.4	F R	16.2 13	Skeleton tower, white daymark, red vertical stripe. 4.5	Visible in line of range. Year round.
155		034°25' 37.5m from front.	F R	20.4 13	Skeleton tower, white daymark, red vertical stripe. 4.5	Visible in line of range. Year round. Chart:4823

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.					Height in meters above ground	

SOUTHWEST COAST

156	Colombier Islands	On island, entrance to Burnt Island. 47 35 30.9 58 53 50.3	FI	W	5s	18.3	15	Square skeleton tower. 11.3	Flash 0.5 s; eclipse 4.5 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 186°.	Chart:4823 Edn 01/11 (N10-066)
156.2	<i>Burnt Islands light buoy QB3</i>	47 35 40.9 58 53 27.9	FI	G	4s	<i>Green spar, marked "QB3".</i>	<i>Seasonal.</i>	Chart:4823
156.3	<i>Bad Neighbour light and bell buoy Q34</i>	<i>S. of the rock.</i> 47 34 29.4 58 54 15.6	FI	R	4s	<i>Red, marked "Q34".</i>	<i>Year round.</i>	Chart:4823
156.8	Isle aux Morts Wharf	S. corner of wharf. 47 34 56 58 58 42.4	FI	G	3s	3.8	4	Square mast. 2.6	Flash every 3 s. Year round.	Chart:4640
157	Isle aux Morts	NW. end of Pitman's Island. 47 34 48.4 58 58 49	FI	W	3s	9.1	6	Square skeleton tower, red and white rectangular daymark. 5.5	Flash every 3 s. Year round.	Chart:4640
157.5	<i>Fish Point light buoy QX2</i>	<i>SW. of point.</i> 47 34 23 58 58 37.5	FI	R	4s	<i>Red, marked "QX2".</i>	<i>Year round.</i>	Chart:4640
158	<i>Isle aux Morts light and whistle buoy QX</i>	<i>Eastern Passage Entrance.</i> 47 34 02.7 58 58 26.5	Mo(A)	W	6s	<i>Red and white vertical stripes, marked "QX".</i>	<i>Year round.</i>	Chart:4640
158.3	<i>Harry's Rock light buoy QX8</i>	<i>W. of rock.</i> 47 34 54 58 58 58.5	FI	R	4s	<i>Red, marked "QX8".</i>	<i>Year round.</i>	Chart:4640
158.4	<i>White Sunkers Inner light buoy QX5</i>	<i>NE. of White Sunkers.</i> 47 34 38.5 58 58 52.6	FI	G	4s	<i>Green, marked "QX5".</i>	<i>Year round.</i>	Chart:4640
158.41	<i>Pittmans Island Inner light buoy QX6</i>	47 34 43.5 58 58 51.2	FI	R	4s	<i>Red spar, marked "QX6".</i>	<i>Year round.</i>	Chart:4640
158.42	<i>Isle aux Morts light buoy QX7</i>	47 34 53.2 58 58 46.3	FI	G	4s	<i>Green spar, marked "QX7".</i>	<i>Year round.</i>	Chart:4640
158.71	<i>Two Foot Shoal light buoy QW4</i>	47 34 37 59 00 24.6	FI	R	4s	<i>Red spar, marked "QW4".</i>	<i>Year round.</i>	Chart:4640
158.72	<i>Five Foot Shoal light buoy QW2</i>	47 34 03 59 01 57	FI	R	4s	<i>Red spar, marked "QW2".</i>	<i>Year round.</i>	Chart:4640

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

SOUTHWEST COAST

158.721	Dead Head Shoal light buoy QW3	47 34 32.6 59 00 46.2	Fl G	4s	Green spar, marked "QW3".	Year round. Chart:4640
158.74	Little Grave Island Rock light buoy QW5	47 34 43.4 59 00 12.9	Fl G	4s	Green spar, marked "QW5".	Year round. Chart:4640
158.75	Isle aux Morts North Wharf	47 35 18 58 58 47	Fl R	4s	3.1 2	Mast. 2.2	Year round. Chart:4640 Edn 01/11 (N10-066)
158.76	Big Sunkers Outer light buoy QX1	47 34 20.3 58 58 44.8	Fl G	4s	Green spar, marked "QX1".	Year round. Chart:4640
158.77	Middle Sunker light buoy QX3	47 34 29.9 58 58 51.4	Fl G	4s	Green spar, marked "QX3".	Year round. Chart:4640
159.1	Black Rock Shoal light buoy QM2.2	47 33 57 59 04 02	Fl R	4s	Red spar, marked "QM2.2".	Seasonal. Chart:4640
159.11	Net Shoal light buoy QM1	47 33 44.7 59 04 06.1	Fl G	4s	Green, marked "QM1".	Year round. Chart:4640
159.12	Shag Rock light buoy QM2.4	47 34 13.8 59 03 51.5	Fl R	4s	Red spar, marked "QM2.4".	Seasonal. Chart:4640
159.13	Margaree Harbour light buoy QM4	47 34 17.2 59 03 49.3	Fl R	4s	Red spar, marked "QM4".	Seasonal. Chart:4640
159.14	Margaree Wharf	47 34 24.9 59 03 48.8	Fl R	4s	2.9 2	Mast. 2.2	Year round. Chart:4640 Edn 01/11 (N10-066)
159.2	Flat Islands light buoy QM2	47 34 07 59 04 00.5	Fl R	4s	Red spar, marked "QM2".	Seasonal. Chart:4640
159.3	Western Island light buoy QM3	47 34 15 59 03 50.1	Fl G	4s	Green spar, marked "QM3".	Seasonal. Chart:4640 Edn 02/10 (N10-005)
159.42	Margaree Ruin light buoy QM6	47 34 23.6 59 03 49.1	Fl R	4s	Red spar, marked "QM6".	Seasonal. Chart:4640
159.5	Margaree Point	47 34 13 59 04 01.4	Fl W	4s	6.4 6	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Chart:4641
160 H222	Channel Head Racon --. (C) X & S Bands	On island, W. side of entrance to Port aux Basques. 47 33 57 59 07 24.6	Fl W	10s	29.0 17	White cylindrical tower.	Flash 1 s; eclipse 9 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 178°. Chart:4641

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
SOUTHWEST COAST							
160.1	Motherlake Bay West light buoy QK2	47 33 42.8 59 08 37.2	Fl R	4s	Red spar, marked "QK2".	Seasonal. Chart:4641
160.2	Channel Gut Five Foot Rock light buoy QG1	47 33 51.8 59 08 15	Fl G	4s	Green spar, marked "QG1".	Seasonal. Chart:4641
160.3	4 Foot Shoal light buoy QK4	47 33 50 59 08 36.7	Fl R	4s	Red spar, marked "QK4".	Seasonal. Chart:4641
160.7	Channel Gut Wharf	47 33 57.6 59 07 34.6	Fl R	4s	3.6	2 Mast. 2.4	Year round. Chart:4641 Edn 01/11 (N10-066)
161	East Baldwin Rock light and bell buoy QP2	47 34 23.5 59 07 32	Fl R	4s	Red, marked "QP2".	Year round. Chart:4641
162	Graveyard Point Breakwater	On outer end of breakwater. 47 34 23.5 59 07 45.2	Fl W	4s	9.5	5 Cylindrical mast. 2.5	Outer end of breakwater is floodlit. Year round. Chart:4641
162.5	Graveyard Point Breakwater light buoy QP3	Port Aux Basques. 47 34 25.2 59 07 46.8	Fl G	4s	Green, marked "QP3".	Year round. Chart:4641 Edn 03/11 (N11-004)
163	Vardys Island (Rhode Island)	On SW. point of island. 47 34 37.6 59 08 12.3	Fl R	4s	5.8	7 Square skeleton tower, red and white rectangular daymark. 4.4	Year round. Chart:4641
164	Vardys Island light buoy QP10	Off W. side of island. 47 34 39 59 08 14.8	Fl R	4s	Red, marked "QP10".	Year round. Chart:4641
165	Pikes Island West light buoy QP12	W. of island. 47 34 47.5 59 08 02.8	Fl R	4s	Red spar, marked "QP12".	Year round. Chart:4641
166 H223	Port aux Basques range	W. side of harbour. 47 34 45.8 59 08 32.9	F G	38.8	14 Square skeleton tower, red daymark, white vertical stripe. 6.1	Visible in line of range. Year round.
167 H223.1		300°43' 202m from front.	F G	67.5	14 Square skeleton tower, red daymark, white vertical stripe. 6.1	Visible in line of range. Year round. Chart:4641
168	Channel Head light and whistle buoy QP	E. of Channel Head light. 47 33 55.5 59 06 35.9	Fl (2+1)	R 6s	Red, green and red, marked "QP".	Year round. Chart:4641

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

SOUTHWEST COAST

169	<i>Middle Baldwin light and bell buoy QP4</i>	47 34 27.5 59 07 41.7	Fl R	4s	Red, marked "QP4". Year round.	Chart:4641
170	Pikes Island Breakwater	On outer end of breakwater. 47 34 32.7 59 07 55.7	Fl R	4s	17.0	5	Triangular mast, red and white rectangular daymark. 10.0 Year round.	Chart:4641
170.5	<i>Pikes Island Breakwater light buoy QP6</i>	47 34 31.8 59 07 56	Fl R	4s	Red, marked "QP6". Year round.	Chart:4641 Edn12/13 (N13-018)
171	<i>Point Pleasant light buoy QP7</i>	Off point. 47 34 30.9 59 08 10.4	Fl G	4s	Green spar, marked "QP7". Year round.	Chart:4641
172	<i>Pancake Rock light buoy QP9</i>	Off rock. 47 34 35 59 08 20.5	Fl G	4s	Green, marked "QP9". Year round.	Chart:4641