

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
14.4	St. Brides light buoy PSB2	46 54 52 54 11 04	Fl R	4s	Red, marked "PSB2."	Seasonal. Chart:4841
14.5	St. Brides Port Entrance light buoy PSB3	Port Entrance. 46 55 07 54 10 41	Fl G	4s	Green spar, marked "PSB3".	Seasonal. Chart:4841
14.56	St. Brides Floating Wharf	46 55 02.4 54 10 36.8	Fl G	4s	2 Cylindrical mast. 2.1	Seasonal. Chart:4841
14.6	St. Brides Breakwater	46 55 05 54 10 40	Fl W	3s	7.9	3 Mast. 2.6	Flash 0.5 s; eclipse 2.5 s. Visible from 245° to 330°. Seasonal. Chart:4841 Edn 01/11 (N10-066)
14.8	St. Brides	46 55 05.4 54 10 37	Fl R	3s	3.4	3 Mast. 2.5	Flash 0.5 s; eclipse 2.5 s. Seasonal. Chart:4841 Edn 01/11 (N10-066)
14.81	St. Brides Inner Wharf	46 55 06 54 10 35	Fl G	4s	2 Cylindrical mast.	Year round. Chart:4841
15	St. Brides Fog Signal	46 54 55.5 54 10 43	Square skeleton tower. Whistle - Blast 3 s; sil. 27 s. In operation 0400 to 2200 hours (approx.) each day during foggy weather; later if required by fishermen. Seasonal. Chart:4841
15.5	Gibraltar Rock light buoy PX2	47 13 41.4 54 02 51.3	Fl R	4s	Red, marked "PX2". Year round. Chart:4841
16	Point Verde	47 14 15.9 54 00 56.7	Fl W	5s	29.9	16 Square skeleton tower, red and white square daymark. 11.3	Flash every 5 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 254°. Chart:4841
17	Placentia Harbour range	47 14 50.2 53 57 51.3	F R	6.0	13 Square skeleton tower, white daymark, red vertical stripe. 4.3	Year round.
18		091°06' 59.1m from front.	F R	8.7	13 Square skeleton tower, white daymark, red vertical stripe. 7.0	Year round. Chart:4841
18.2	Placentia Gut Outer light buoy PX4	47 14 55.1 53 58 00	Fl R	4s	Red spar, marked "PX4". Year round. Chart:4841

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
18.4	Jerseyside Wharf	47 15 14.3 53 57 34.7	Fl G	4s 2	Cylindrical mast. 2.1	Year round. Chart:4841
19	<i>Come by Chance light and whistle buoy PCC</i> Racon .- (A) X & S Bands	47 19 29.4 54 07 26.3	Mo(A) W	6s	<i>Red and white vertical stripes, marked "PCC".</i>	Year round. Chart:4622
Argentia							
20	Argentia light buoy A2	47 20 14.4 54 00 36.3	Fl R	4s	Red, marked "A2".	Year round. Chart:4841
22	Red Island Shoal West Cardinal light and whistle buoy EDD	47 24 03 54 03 20	Q(9) W	15s	Yellow, black and yellow, marked "EDD".	Year round. Chart:4622
23	Argentia light buoy A4	S. of Fox Island. 47 20 09.4 53 59 08.3	Fl R	4s	Red, marked "A4".	Year round. Chart:4841
26	Argentia light buoy A6	47 19 34.4 53 58 10.3	Fl R	4s	Red, marked "A6".	Year round. Chart:4841
26.5	Argentia light buoy A8	W. of Virgin Point. 47 18 53.4 53 57 56.3	Fl R	4s	Red, marked "A8".	Year round. Chart:4841
28	Argentia Harbour light buoy A10	47 18 03.4 53 58 19.3	Fl R	4s	Red, marked "A10".	Year round. Chart:4841
28.1	Argentia Harbour light buoy A11	47 17 33.5 53 58 51	Fl G	4s	Green spar, marked "A11".	Year round. Chart:4841
28.2	Argentia Fleet Dock Wharf	47 17 52.2 53 58 57.5	Fl Y	4s 3	Cylindrical mast. 2.1	Privately maintained. Year round. Chart:4841
29 H410	Argentia Harbour range	On shore, SW. end of Sandy Cove. 47 17 11.1 53 59 36.5	F G	8.6 14	Square skeleton tower, red daymark, white vertical stripe. 6.4	Year round.
30 H410.1		228° 233.8m from front.	F G	15.6 14	Square skeleton tower, red daymark, white vertical stripe. 12.4	Year round. Chart:4841
36	Fox Harbour Outer light buoy AF2	47 19 12.1 53 55 20.6	Fl R	4s	Red spar, marked "AF2".	Year round. Chart:4841

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
36.2	<i>Fox Harbour Inner light buoy AF4</i>	47 19 11.4 53 55 17.9	Fl R	4s	Red spar, marked "AF4".	Year round. Chart:4841
36.3	<i>Fox Harbour light buoy AF5</i>	47 19 11 53 55 14.4	Fl G	4s	Green spar, marked "AF5".	Year round. Chart:4841
37.4	<i>Fish Rocks South Cardinal light buoy ELH</i>	47 22 26.2 54 00 54.8	Q(6) +LFl	W	15s	Yellow and black, marked "ELH". Chart:4622 Edn 04/10 (N10-015)
37.5	Shag Rocks	47 24 38.5 53 54 45.9	Fl W	4s	12.8	5 Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Chart:4617
37.51	<i>Chance Rock Fairhaven light buoy PFH3</i>	47 31 43.2 53 54 06.6	Fl G	4s	Green spar, marked "PFH3".	Year round. Chart:4617 Edn 03/15 (N15-002)
37.52	Fairhaven Breakwater	47 31 54.9 53 53 55.8	Fl G	4s	Cylindrical mast.	Year round. Chart:4617
37.509	Mount Arlington Wharf	47 25 39.3 53 51 44	Fl G	4s	2 Cylindrical mast.	Year round. Chart:4617 Edn 11/09 (N09-042)
37.6	<i>Coopers Ledge light buoy PFH1</i>	47 31 28.3 53 56 02.8	Fl G	4s	Green, marked "PFH1".	Year round. Chart:4617
37.7	<i>Big Shoal light buoy PFH2</i>	47 31 24 53 56 21	Fl R	4s	Red, marked "PFH2".	Year round. Chart:4617
38	<i>Little Harbour East light and bell buoy EE1</i>	47 38 21.6 53 57 40.3	Fl G	4s	Green, marked "EE1".	Year round. Chart:4839 Edn 07/09 (N09-013)
38.08	<i>Little Harbour East Outer light buoy EE3</i>	47 38 20.2 53 56 17.2	Fl G	4s	Green spar, marked "EE3".	Year round. Chart:4839 Edn 07/09 (N09-011)
38.09	<i>Little Harbour East Inner light buoy EE4</i>	47 38 29.5 53 56 09.3	Fl R	4s	Red spar, marked "EE4".	Year round. Chart:4839
38.1	Little Harbour East Wharf	47 38 32.8 53 56 10.6	Fl G	4s	Cylindrical mast.	Year round. Chart:4839
38.2	<i>Barachois Head light buoy EC1</i>	47 48 15 54 00 40.5	Fl G	4s	Green spar, marked "EC1".	Year round. Chart:4839

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
38.5	Southern Harbour light and bell buoy ES	SE. of Winging Rocks. 47 41 52.5 53 58 37	Mo(A) W	6s	Red and white vertical stripes, marked "ES".	Year round. Chart:4839
38.55	Southern Harbour Shoal West Cardinal light buoy EGS	47 43 39 53 58 20	VQ(9) W	10s	Yellow, black and yellow spar, marked "EGS".	Year round. Chart:4839
38.56	Little Southern Harbour Breakwater	47 43 07.8 53 57 46.3	Fl G	4s	2 Mast. 2.6	Year round. Chart:4839 Edn 01/11 (N10-066)
38.62	Williams Rock light and bell buoy EW1	NW. of Bread Island. 47 43 33 54 06 57	Fl G	4s	Green, marked "EW1".	Year round. Chart:4839 Edn 06/11 (N11-031)
38.7 H396	Arnolds Cove Wharf	Centre of wharf. 47 45 31 53 59 24.5	Fl R	4s	4.5	4 Cylindrical mast. 2.4	Year round. Chart:4839
38.8	Arnolds Cove light buoy EA	47 44 47 54 00 50	Mo(A) W	6s	Red and white vertical stripes, marked "EA".	Year round. Chart:4839
39 H394	Bordeaux Island	On SW. side of island. 47 44 29.6 54 01 53.4	Fl W	6s	26.5	5 Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4839
39.1	Big Shoal light and bell buoy E9	NW. of Bordeaux Island. 47 45 21.5 54 04 15.6	Fl G	4s	Green, marked "E9".	Year round. Chart:4839 Edn 03/11 (N10-16)
39.2	Whiffen Head light buoy E10	47 46 10 54 02 02.5	Fl R	4s	Red, marked "E10".	Year round. Chart:4839 Edn 02/15 (N14-071)
39.3	Come By Chance light and bell buoy E11	47 46 54 54 03 05	Fl G	4s	Green, marked "E11".	Year round. Chart:4839
39.31	The Ground (Come by Chance) light buoy E14	W. of Long Beach. 47 47 39.7 54 01 02.5	Fl R	4s	Red, marked "E14".	Year round. Chart:4839
39.4	Fox Head light buoy E12	Come by Chance. 47 47 24.7 54 01 31.7	Q R	1s	Red, marked "E12".	Year round. Chart:4839 Edn 04/10 (N10-014)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY									
39.41 <i>H394.5</i>	Come By Chance Harbour range	47 48 44 54 00 27.1	F	W	29.9	27	Skeleton tower, red daymark, white vertical stripe. 20.0	Year round.
39.42 <i>H394.51</i>		039°57' 484.3m from front.	F	W	61.6	27	Square skeleton tower, red daymark, white vertical stripe. 20.0	Year round. Chart:4839
39.7	North Harbour Wharf	47 50 45.3 54 05 47.9	Fl	G	4s	4.9	4	Mast. 2.4	Year round. Chart:4839 Edn 12/11 (N11-084)
40	North Harbour Point	47 49 14 54 05 52.7	Fl	W	3s	11.8	5	Square skeleton tower, red and white square daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Year round. Chart:4839
40.5	Garden Cove Wharf	47 51 03 54 09 31	Fl	R	4s	Cylindrical mast.	Year round. Chart:4839
41	Swift Current Wharf	On outer end of wharf. 47 52 42.8 54 12 03	Fl	R	4s	3.0	2	Cylindrical mast. 2.1	Year round. Chart:4839
42 <i>H388</i>	Sound Island Point	S. extremity of point. 47 47 21 54 10 01.7	Fl	W	4s	10.4	5	Skeleton tower, red and white rectangular daymark. 5.8	Year round. Chart:4839
43	<i>Bread Island Shoal light and bell buoy E7</i>	47 43 41.2 54 04 08.8	Q	G	1s	<i>Green, marked "E7".</i>	Year round. Chart:4839 Edn 04/10 (N10-013)
43.5	<i>Coombes Rock light and whistle buoy E6</i>	47 42 38.8 54 02 19.8	Fl	R	4s	<i>Red, marked "E6".</i>	Year round. Chart:4839
43.7	Haystack Point	47 38 53.4 54 03 25.8	Fl	W	6s	18.7	5	Square skeleton tower, red and white rectangular daymark.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4839 Edn 08/10 (N10-039)
44 <i>H397</i>	Long Island Point	On northern extremity of Long Island. 47 41 42 54 04 50	Fl	W	4s	15.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Chart:4839
44.1	Tobin's Point	47 42 48 54 12 24	Fl	W	3s	6.6	5	Square mast, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Year round. Chart:4839

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
44.4	<i>La Plante Sunker West Cardinal light buoy PLS</i>	47 45 15.5 54 13 33.1	Q(9) W	15s	Yellow, black and yellow spar, marked "PLS".	Year round. Chart:4839 Edn 06/10 (N10-016)
44.5	<i>Haystack Bank light and whistle buoy E4</i>	47 36 59.7 54 00 53.2	Fl R	4s	Red, marked "E4".	Year round. Chart:4839
44.8	<i>Buffett Bank light and bell buoy E3</i>	E. of harbour. 47 31 56.5 54 01 45.7	Fl G	4s	Green, marked "E3".	Year round. Chart:4617 Edn 03/11 (N10-016)
45 H398	Harbour Buffet	On Buffett Island. 47 31 35 54 03 02	Fl W	3s	14.6	5 Square skeleton tower, red and white rectangular daymark. 4.9	Flash every 3 s. Year round. Chart:4617
45.2 H399	Ironskull Rock	E. of Great Seal Island. 47 27 28 54 04 32	Fl G	6s	10.4	4 Square skeleton tower. 7.6	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4617 Edn 01/11 (N10-066)
49	Red Island	On Herring Point. 47 23 58 54 08 44	Fl W	3s	16.1	5 Square skeleton tower, red and white rectangular daymark. 4.3	Flash every 3 s. Year round. Chart:4617
49.1	<i>Red Island Inner light buoy ER5</i>	47 23 56.5 054 09 02.5	Fl G	4s	Green spar, marked "ER5".	Year round. Chart:4617 Edn. 11/15 (N15-073)
49.12	<i>Red Island Middle light buoy ER3</i>	47 23 51.6 054 08 51.6	Fl G	4s	Green spar, marked "ER3".	Year round. Chart:4617 Edn. 12/15 (N15-064)
49.2	West Head	47 24 09.8 54 21 48.8	Fl W	4s	18.6	5 Cylindrical mast. 2.4	Year round. Chart:4619
49.3	<i>Red Island Outer light buoy ER1</i>	47 23 45 54 08 47	Fl G	4s	Green spar, marked "ER1".	Year round. Chart:4617
49.4	<i>Merasheen Harbour Outer light buoy PH2</i>	47 24 22.2 54 21 23	Fl R	4s	Red spar, marked "PH2".	Year round. Chart:4619
49.41	<i>Isle Valen light buoy PV1</i>	47 28 21 54 23 33.6	Fl G	4s	Green spar, marked "PV1".	Year round. Chart:4619
49.42	<i>Isle Valen light buoy PV2</i>	47 28 18.9 54 23 28.8	Fl R	4s	Red spar, marked "PV2".	Year round. Chart:4617
49.44	<i>Merasheen Harbour Inner light buoy PH4</i>	47 24 28.3 54 21 21.2	Fl R	4s	Red spar, marked "PH4".	Year round. Chart:4619 Edn 08/11 (N11-047)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
49.5	<i>Merashen Harbour light and whistle buoy PH</i>	47 23 25.8 54 22 15.5	Mo(A) W	6s	Red and white vertical stripes marked "PH".	Year round. Chart:4619
49.8	Little Paradise Point	47 21 05 54 34 50	Fl W	6s	8.8	5 Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s, eclipse 5.5 s. Year round. Chart:4622
50	Marticot Island	On southeasterly side of island. 47 19 36.8 54 34 52.8	Fl W	15s	27.4	17 Square skeleton tower. 11.3	Flash 1 s; eclipse 14 s. Visible from 227° through W. and N. to 075°. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 121°. Chart:4622
51	<i>Bingham Shoal light and whistle buoy PT</i>	<i>Off Jude Island.</i> 47 14 36 54 44 54	Fl (2+1) G	6s Green, red and green, marked "PT".	Year round. Chart:4624
51.5	Church Yard Gut	47 20 50.2 54 35 58.7	Fl G	4s	5.8	4 Square skeleton tower, green and white rectangular daymark. 4.9	Year round. Chart:4622
51.6	Graveyard Point	47 20 52.6 54 35 55.6	Fl R	4s	3.7	4 Cylindrical mast. 2.4	Year round. Chart:4622
51.65	<i>Wharf Rock light buoy PS2</i>	47 23 43.3 54 34 40.1	Fl R	4s Red spar, marked "PS2".	Year round. Chart:4619
51.66	<i>Monkstown light buoy PQ3</i>	47 34 52 54 25 56	Fl G	4s Green spar, marked "PQ3".	Year round. Chart:4619 Edn 06/12 (N12-010)
51.69	Southeast Bight Point	47 23 43 54 35 15	Q R	1s	25.0	4 Square skeleton tower, red and white rectangular daymark. 3.7	Year round. Chart:4619
51.7	Southeast Bight Wharf	47 23 41.5 54 34 39.7	Fl R	4s	4.0	4 Cylindrical mast. 2.6	Year round. Chart:4622
52	Long Island	At SW. end of island. 47 17 53.1 54 42 14.5	Fl W	5s	72.7	5 Skeleton tower. 8.5	Year round. Chart:4615
53	Petit Forte	At Eastern Head. 47 23 09.5 54 39 27.8	Fl W	3s	11.5	7 Red and white cylindrical tower, red and white daymark. 4.6	Flash 0.5 s; eclipse 2.5 s. Year round. Chart:4615

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks	
		Latitude N.	Longitude W.							Height in meters above ground
PLACENTIA BAY										
53.29	Petit Forte Outer light buoy PE5	47 22 57.5 54 38 58.3	FI	G	4s	Green spar, marked "PE5".	Year round.	Chart:4615
53.3	Petit Forte Outer light buoy PE	47 23 23.4 54 39 39.6	FI	G	6s	Green, red and green spar, marked "PE".	Year round.	Chart:4615 Edn 10/11 (N11-075)
53.4	Petit Forte light buoy PE7	47 23 46.1 54 39 51.7	Q	G	1s	Green spar, marked "PE7".	Year round.	Chart:4615 Edn 03/11 (N10-016)
53.5	Petit Forte Wharf	47 23 48.7 54 40 03.3	FI	R	4s	2.7	4	Cylindrical mast. 2.6	Year round.	Chart:4615
53.9	Chimmleys light buoy PD2	47 17 36 54 49 30.2	FI	R	4s	Red spar, marked "PD2".	Year round.	Chart:4615
53.91	Oderin Harbour Middle light buoy PD4	47 17 37.5 54 48 55.9	FI	R	4s	Red spar, marked "PD4".	Year round.	Chart:4615
53.92	Oderin Harbour Inner light buoy PD6	47 17 37.5 54 48 26.5	FI	R	4s	Red spar, marked "PD6".	Year round.	Chart:4615
53.93	Washball Rock light buoy PD8	47 18 41.8 54 47 45.5	FI	R	4s	Red spar, marked "PD8".	Year round.	Chart:4615
54	Oderin Harbour Entrance	47 17 39.9 54 49 17.6	FI	W	6s	11.9	5	Square skeleton tower, red and white rectangular daymark. 3.8	Flash 0.5 s; eclipse 5.5 s. Year round.	Chart:4615
55	Steering Rock	On the rock. 47 21 20 54 53 18.6	FI	G	4s	5.5	4	Square skeleton tower, green and white rectangular daymark. 3.8	Year round.	Chart:4615
55.11	Lance Cove Outer light buoy PJJ1	47 17 59.3 54 48 01.5	FI	G	4s	Green spar, marked "PJJ1".	Seasonal.	Chart:4615
55.12	Lance Cove Inner light buoy PJJ2	47 18 03.7 54 48 02.6	FI	R	4s	Red spar, marked "PJJ2".	Seasonal.	Chart:4615
55.16	Fish Rock light buoy PJF2	47 15 54 54 50 46.2	FI	R	4s	Red spar, marked "PJF2".	Seasonal.	Chart:4624
55.19	Parker's Cove light buoy PJP2	47 23 34.8 54 51 10.6	FI	R	4s	Red spar, marked "PJP2".	Year round.	Chart:4615
55.2	Baine Harbour light buoy PJ2	47 21 30.6 54 53 18	FI	R	4s	Red, marked "PJ2".	Year round.	Chart:4615

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
55.3	Baine Harbour light buoy PJ5	47 21 38.8 54 53 27.5	Fl G	4s	Green spar, marked "PJ5".	Year round. Chart:4615
55.4	Baine Harbour light buoy PJ4	47 21 38.4 54 53 26	Fl R	4s	Red spar, marked "PJ4".	Seasonal. Chart:4615
55.41	Baine Harbour Wharf	47 21 37.6 54 53 46.9	Fl G	4s	2 Cylindrical mast.	Year round. Chart:4615
55.42	Baine Harbour Floating Dock	47 21 49.3 54 53 53.5	Fl R	4s	2.1	2 Cylindrical mast.	Year round. Chart:4615
55.5	Steering Rock light buoy PJ6	47 21 46.4 54 53 44.8	Fl R	4s	Red spar, marked "PJ6".	Seasonal. Chart:4615
55.77	Rushoon # 1 light buoy PR5	47 20 36 54 54 49.6	Fl G	4s	Green spar, marked "PR5".	Year round. Chart:4615
55.8	Rushoon Breakwater	47 20 52 54 55 01.6	Fl R	4s	2 Cylindrical mast. 2.5	Year round. Chart:4615
56	Davis Island East Cardinal light buoy PFD	47 15 50.5 54 55 26.9	VQ(3) W	5s	Black, yellow and black spar, marked "PFD".	Year round. Chart:4624 Edn 07/10 (N10-036)
56.21	Davis Island Inner light buoy PFD3	47 15 11.3 54 55 13	Fl G	4s	Green spar, marked "PFD3".	Year round. Chart:4624
60	Davis Island	Off NW. side of island. 47 15 54 54 56 43	Fl W	4s	11.9	7 Square skeleton tower, red and white rectangular daymark. 4.2	Year round. Chart:4624
60.2	Duck Rock light buoy PF2	47 16 13 54 57 23	Fl R	4s	Red spar, marked "PF2".	Year round. Chart:4624
62	Red Harbour Head	47 16 42 54 58 49.6	Fl R	4s	18.3	4 Square skeleton tower, red and white rectangular daymark. 4.5	Year round. Chart:4624
62.1	Red Harbour Breakwater	47 17 30 54 59 36.6	Fl G	4s	5.0	2 Cylindrical mast. 2.3	Year round. Chart:4624 Edn 09/11 (N11-043)
62.93	Woody Island light buoy PW2.2	47 46 30 54 12 32.9	Fl R	4s	Red spar, marked "PW2.2".	Year round. Chart:4839
63	Stanley Rocks light and bell buoy PS1	E. of Red Land Cove. 47 14 47.5 54 59 04.8	Fl G	4s	Green, marked "PS1".	Year round. Chart:4624 Edn 03/11 (N10-016)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
63.51	Rolf Rock light buoy PM9	47 09 58.9 55 08 30	Fl G	4s	Green spar, marked "PM9".	Year round. Chart:4587
63.52	Jones Rock light buoy PM6	47 10 28 55 08 02.9	Fl R	4s	Red spar, marked "PM6".	Year round. Chart:4587
63.53	Seal Rock light buoy PM5	47 10 21.8 55 06 50.5	Fl G	4s	Green spar, marked "PM5".	Year round. Chart:4587
63.535	Little Bay Cautionary light buoy PML	Marystown. 47 09 40.2 055 06 38.0	Fl Y	4s	Yellow spar, marked "PML".	Year round. Operates 24hrs. Chart:4587 Edn 12/16 (N16-051)
63.54	Noeling Cove light buoy PM7	47 10 05.6 55 07 59.5	Fl G	4s	Green spar, marked "PM7".	Year round. Chart:4587
63.7	Cow Head light buoy PY	47 11 33.2 55 06 13.2	Fl R (2+1)	6s	Red, green and red, marked "PY".	Year round. Chart:4587
64 H373	Go By Point	Beau Bois.Cove 47 08 23.3 55 05 18.8	Fl G	4s	25.9	4 White and green cylindrical tower. 4.7	Year round. Chart:4587
64.8 H372.4	Duck Rock	N. side of rock. 47 08 33.5 55 04 45.9	Fl R	4s	6.7	4 Pipe Swing Pole 3	Year round. Chart:4587 Edn 10/15 (N15-074)
64.81	Pick Ledge light and bell buoy PM4	47 08 10.1 55 04 41.8	Fl R	4s	Red, marked "PM4".	Year round. Chart:4587
64.82	Blow Me Down light and bell buoy PM3	47 07 42.1 55 04 43.3	Fl G	4s	Green, marked "PM3".	Year round. Chart:4587
64.83	Thomas Rocks light and bell buoy PM2	47 07 40 55 03 55	Fl R	4s	Red, marked "PM2".	Year round. Chart:4587
64.84	Mortier Bay light and whistle buoy PM	47 07 06 55 03 09.1	Fl R (2+1)	6s	Red, green and red, marked "PM".	Year round. Chart:4587
65 H372	Tides Cove Point	47 06 21.8 55 04 19.8	Fl W	6s	33.5	16 Square skeleton tower. 11.3	Flash 0.4 s; eclipse 5.6 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 096°. Chart:4587 Edn 08/10
66	Galloper Rock light and whistle buoy PR1	47 02 31.5 55 05 58.6	Fl G	4s	Green, marked "PR1".	Year round. Chart:4616

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
66.5	Gregory Rock light buoy PR3	47 02 00.4 55 07 16.8	Fl G	4s	Green, marked "PR3".	Year round. Chart:4616
67	Iron Island	Entrance to Burin. 47 02 23.2 55 07 16.5	Fl R	4s	36.0	4 Skeleton tower, red and white square daymark. 4.3	Year round. Chart:4616
67.4	Little Burin Harbour Entrance light buoy PB8	47 02 28.8 55 09 21.5	Fl R	4s	Red, marked "PB8".	Year round. Chart:4616
67.5	Jersey Island light buoy PB10	NW. of island. 47 02 32.7 55 09 30.7	Fl R	4s	Red, marked "PB10".	Year round. Chart:4616
67.6	Little Burin Harbour light buoy PB12	NW. of Simmons Island. 47 02 29.8 55 09 43.9	Fl R	4s	Red, marked "PB12".	Year round. Chart:4616
67.7	Stag Rock	On rock. 47 01 38.2 55 11 09.5	Fl R	4s	3.7	4 Skeleton tower. 3.0	Year round. Chart:4616
68 H368	Dodding Head	On Burin Island, NW. of the head. 47 00 14.7 55 09 05.2	Fl W	6s	97.5	6 Square skeleton tower, red and white rectangular daymark. 3.9	Flash 1 s; eclipse 5 s. Year round. Chart:4616
68.5	Burin Passage light buoy PB4	47 01 01 55 09 50.9	Fl R	4s	Red, marked "PB4".	Year round. Chart:4616
68.55	Burin Breakwater	47 01 53.1 55 10 20.2	Fl G	4s	5.1	2 Cylindrical mast.	Year round. Chart:4616 Edn 05/11 (N11-016)
69	Shalloway Island	Near N. end of island. 47 00 14 55 10 11.6	Fl R	6s	27.1	4 Square skeleton tower, red and white rectangular daymark. 4.5	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4616
69.1	Great Burin Harbour Outer light buoy PU1	47 00 11.4 55 09 59.4	Fl G	4s	Green spar, marked "PU1".	Year round. Chart:4616
69.2	Great Burin Harbour Outer light buoy PU2	47 00 09.7 55 09 56.4	Fl R	4s	Red spar, marked "PU2".	Year round. Chart:4616
69.3	Great Burin Harbour Inner light buoy PU3	47 00 10.1 55 09 52.3	Fl G	4s	Green spar, marked "PU3".	Year round. Chart:4616

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
69.4	Great Burin Harbour Inner light buoy PU4	47 00 09.7 055 09 52.5	Fl R	4s	Red spar, marked "PU4".	Year round. Chart:4616 Edn. 12/15 (N15-061)
70	Shalloway Island, Burin light buoy PB2	46 59 49.2 55 10 59.8	Fl R	4s	Red, marked "PB2".	Year round. Chart:4616 Edn 03/11 (N10-016)
71	Little Burin Island	At eastern end of island. 46 58 48.6 55 11 26.6	Fl W	10s	25.9	17 Skeleton tower, black and white rectangular daymark.	Flash 0.2 s; eclipse 9.8 s. Visible from 122° through S., W. and N. to 040°. Year round. Horn – Blast 3 s; sil. 27s. Horn points 096°. Chart:4616
71.4	Cockle Rock light buoy PBB2	46 59 05.3 55 09 34.9	Fl R	4s	Red, marked "PBB2".	Year round. Chart:4616
71.5	Burin Fairway light and bell buoy PB	E. of Little Burin Island. 46 58 52.7 55 10 01.8	Mo(A) W	6s	Red and white vertical stripes, marked "PB".	Year round. Chart:4616 Edn 06/10 (N10-016)
72	Corbin	At end of Long Point. 46 57 15 55 14 02.7	Fl R	6s	25.9	5 Square skeleton tower, red and white rectangular daymark. 5.2	Flash 1 s; eclipse 5 s. Year round. Chart:4616
72.8	Brandies South Cardinal light buoy PBR	47 02 51.8 55 06 50.7	Q(6) +LFI	W 15s	Yellow and black spar, marked "PBR".	Year round. Chart:4616
72.9	Sauker Rock South Cardinal light and whistle buoy PBD	46 53 42.3 55 17 54.6	Q(6) +LFI	W 15s	Yellow and black, marked "PBD".	Year round. Chart:4624
73	Middle Head	At Middle Head. 46 53 52.8 55 20 51.2	Fl W	15s	26.8	17 Square skeleton tower. 9.9	Flash 1 s; eclipse 14 s. Year round. Horn – Blast 3 s; sil. 27 s. Horn points 162°. Chart:4642
73.1	St. Lawrence Wharf	46 54 59.1 55 23 20.8	Fl R	4s	2.7	4 Cylindrical mast. 2.6	Year round. Chart:4642
73.2	Harbour Rock light buoy PW2	46 55 06.8 55 21 35.2	Fl R	4s	Red spar, marked "PW2".	Year round. Chart:4642
73.3	Little St. Lawrence Wharf	46 55 39.8 55 21 46	Fl R	4s	2.1	2 Cylindrical mast. 2.1	Year round. Chart:4642 Edn 02/10 (N09-043)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
73.6	Ragged Rock light buoy PK1	46 53 58.8 55 33 33.9	Fl G	4s	Green spar, marked "PK1".	Year round. Chart:4625
73.7	Drunkards Point light buoy PK2	46 54 08 55 31 15	Fl R	4s	Red, marked "PK2".	Year round. Chart:4625 Edn 11/11 (N11-063)
73.8	Vestal Rock light and bell buoy PK4	Great Lawn. 46 54 32.9 55 32 38	Fl R	4s	Red, marked "PK4".	Year round. Chart:4625 Edn 11/11 (N11-064)
73.81	2 Fathom Shoal light buoy PK3	46 56 12.5 55 32 35.2	Fl G	4s	Green spar, marked "PK3".	Year round. Chart:4625
73.82	Murphy's Rock light buoy PK6	46 56 12.4 55 32 31.7	Fl R	4s	Red spar, marked "PK6".	Year round. Chart:4625
73.83	East Point	46 56 28.3 55 32 25.4	Fl R	4s	5.5	Cylindrical mast. Year round. Chart:4625
73.84	Lawn West Breakwater	46 56 30.3 55 32 26.8	Fl G	4s	3.5	Cylindrical mast. Year round. Chart:4625
74	Black Head	46 54 18 55 33 39	Fl W	3s	57.9	5	Red and white cylindrical tower, red and white daymark. 4.6 Year round. Chart:4625
74.4	Southwest Rocks light buoy PSW2	46 50 52.9 55 38 15.2	Fl R	4s	Red spar, marked "PSW2". Seasonal. Chart:4625
74.6	Lord's Cove light buoy PC2	46 52 17.5 55 39 52	Fl R	4s	Red, marked "PC2". Year round. Chart:4625 Edn 06/10(N10-016)
74.61	Lord's Cove Inner light buoy PC4	46 52 38.4 055 40 03.0	Fl R	4s	Red spar, marked "PC4". Seasonal. Chart:4625 Edn 11/16 (N16-050)
75	Lord's Cove Fog Signal	On point W. side of cove. 46 52 26 55 40 16	Skeleton tower. 3.0 Horn - Blast 5 s; sil. 55 s. In operation during fishing season (May to November) during foggy weather or until all fishermen have returned to port. Seasonal. Chart:4625
75.1	Lord's Cove Wharf	46 52 42 55 40 09	Fl G	4s	4.2	2	Mast. 2.2 Year round. Chart:4625 Edn 01/11 (N10-066)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PLACENTIA BAY							
75.5	Granny Head Fog Signal	46 51 27.3 55 44 36.2	Skeleton tower. 2.1	Horn - Blast 3 s; sil. 27 s. In operation from 0400 to 2200 hours (approx) during foggy weather and later if required by fishermen. Seasonal. Chart:4642
75.51	Lamaline Wharf	46 51 59 55 47 42	Fl R	4s	3.0	2 Mast. 2.2	Year round. Chart:4625 Edn 01/11 (N10-066)
75.52	Allans Island Wharf	46 51 22.4 55 48 16.8	Fl R	4s	3.1	2 Mast. 2.6	Year round. Chart:4642 Edn 11/09 (N09-006)
75.53	<i>Sally Rock light buoy PAG3</i>	46 50 56.8 55 44 23.2	Fl G	4s <i>Green spar, marked "PAG3".</i>	<i>Seasonal.</i> Chart:4642
75.54	<i>East Sunker light buoy PAG1</i>	46 50 28.4 55 44 36.2	Q G	1s <i>Green spar, marked "PAG1".</i>	<i>Year round.</i> Chart:4642
76	Lamaline (Allans Island) Fog signal	46 50 48 55 47 51.5	Fl W	4s	19.5 Square skeleton tower. 11.3	Horn - Blast 3 s; sil. 27 s. Year Round Chart:4642 Edn. 04/14 (N14-020) Edn. 12/14 (N14-079)
76.1	<i>Allan Rock light buoy PL7</i>	46 51 35.1 55 48 13.3	Fl G	4s <i>Green spar, marked "PL7".</i>	<i>Seasonal.</i> Chart:4642 Edn 11/09 (N09-045)
77	Lamaline range	On shore. 46 52 10.8 55 47 59.6	F R	3.9	13 Skeleton tower, white daymark, red vertical stripe. 3.7	Visible in line of range. Year round.
78		341°30' 146.3m from front.	F R	9.1	13 Skeleton tower, white daymark, red vertical stripe. 7.9	Visible in line of range. Year round. Chart:4642
78.1	<i>East Mark Rock light buoy PL2</i>	46 51 07.8 55 47 25.2	Fl R	4s <i>Red spar, marked "PL2".</i>	<i>Seasonal.</i> Chart:4642
78.12	<i>West Mark Rock light buoy PL1</i>	46 51 07.9 55 47 31.8	Fl G	4s <i>Green spar, marked "PL1".</i>	<i>Seasonal.</i> Chart:4642
78.13	<i>Lamaline Inner light buoy PL5</i>	46 51 42.5 55 47 53.1	Fl G	4s <i>Green spar, marked "PL5".</i>	<i>Seasonal.</i> Chart:4642 Edn 11/09 (N09-044)
78.18	<i>Black Rock light buoy PL4</i>	46 51 32.3 55 47 39.9	Fl R	4s <i>Red spar, marked "PL4".</i>	<i>Seasonal.</i> Chart:4642 Edn 11/09 (N09-046)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

PLACENTIA BAY

78.19	<i>Pigeon Island light buoy PL3</i>	46 51 27.8 55 47 41.1	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "PL3".</i>	<i>Seasonal.</i>	Chart:4642 Edn 11/09 (N09-047)
78.2	<i>Lamaline Road light buoy PN1</i>	46 50 37.4 55 48 45.7	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "PN1".</i>	<i>Seasonal.</i>	Chart:4642
78.3	<i>Lamaline light buoy PG4</i>	46 51 21.2 55 49 55	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "PG4".</i>	<i>Seasonal.</i>	Chart:4642
78.35	<i>Little Green Island light buoy PG3</i>	46 51 24.3 55 50 00.3	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "PG3".</i>	<i>Seasonal.</i>	Chart:4642
78.5	<i>Little Green Island light and bell buoy PG2</i>	<i>NW. of island.</i> 46 51 03.7 55 50 13.9	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "PG2".</i>	<i>Seasonal.</i>	Chart:4642
79	<i>Cock Bank light and whistle buoy P20</i>	<i>Off the bank.</i> 46 50 24 55 59 11	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "P20".</i>	<i>Year round.</i>	Chart:4625