

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
173 H220	<b>Cape Ray</b>	On W. side of cape. 47 37 16 59 18 14.1	FI W	15s	36.0	17 White octagonal tower, red daymark, white horizontal band. 17.7	Flash 1 s; eclipse 14 s. Year round.  <b>Horn</b> - Blast 4 s; sil. 56 s. Horn points 224°.
							<b>Chart:4823</b>
173.1	<i>Brandies Rock West Cardinal light buoy QBR</i>	<i>W. of Cape Ray. 47 37 12.2 59 20 11.8</i>	<i>Q(9) W</i>	<i>15s</i>	<i>.....</i>	<i>.....</i> <i>Yellow, black and yellow, marked "QBR".</i>	<i>Seasonal.</i>
							<b>Chart:4823 Edn 01/10</b>
173.12	<i>Halibut Rocks West Cardinal light buoy QHR</i>	<i>SE. of Cape Ray. 47 34 59.5 59 15 39.6</i>	<i>VQ(9) W</i>	<i>10s</i>	<i>.....</i>	<i>.....</i> <i>Yellow, black and yellow, marked "QHR".</i>	<i>Seasonal.</i>
							<b>Chart:4823 Edn 01/10</b>
173.5	<i>Codroy light buoy XY</i>	<i>47 52 03 59 23 25.5</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i> <i>Red and white vertical stripes, marked "XY".</i>	<i>Seasonal.</i>
							<b>Chart:4682</b>
174	Codroy	At S. end of Codroy Island. 47 52 14.2 59 24 06.3	FI G	6s	7.1	4 Square skeleton tower, green and white rectangular daymark. 4.9	Flash 1 s; eclipse 5 s. Year round.
							<b>Chart:4682</b>
174.1	<i>Codroy Island Outer light buoy XY1</i>	<i>47 52 24.5 59 23 37.8</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Green spar, marked "XY1".</i>	<i>Seasonal.</i>
							<b>Chart:4682</b>
174.12	<i>Codroy light buoy XY3</i>	<i>47 52 37.2 59 23 44.4</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Green spar, marked "XY3".</i>	<i>Seasonal.</i>
							<b>Chart:4682</b>
174.2	<i>Codroy Outer light buoy XY2</i>	<i>47 52 27.5 59 23 28.1</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Red spar, marked "XY2".</i>	<i>Seasonal.</i>
							<b>Chart:4682</b>
174.3	<i>Beach Point light buoy XY4</i>	<i>47 52 38.8 59 23 40.8</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Red spar, marked "XY4".</i>	<i>Seasonal.</i>
							<b>Chart:4682</b>
174.5	Codroy Breakwater	On breakwater. 47 52 46.5 59 23 55	FI R	4s	4.0	4 Cylindrical mast. 2.5	Year round.
							<b>Chart:4682</b>
174.6	Codroy Outer Breakwater Light	47 52 45 59 23 48.1	FI R	4s		2 Cylindrical mast 2.3	FI 1s Ec 3s Year round
							<b>Chart: 4862 Edn 12/13 (N13-034)</b>
175 H218	<b>Cape Anguille</b>	N. of Shoal Point. 47 54 02 59 24 40.5	FI W	5s	24.7	15 White octagonal tower. 17.8	Flash 0.1 s; eclipse 4.9 s. Year round.  <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 289°.
							<b>Chart:4682</b>
175.98	<i>Fischeels Entrance Outer light buoy XE2</i>	<i>48 19 21.4 58 42 20.9</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Red spar, marked "XE2".</i>	<i>Seasonal.</i>
							<b>Chart:4022 Edn 07/09(N09-017)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
175.99	Fischeels Entrance Inner light buoy XE1	48 19 21.6 58 42 20.2	Fl G	4s	.....	Green spar, marked "XE1".	Seasonal.  Chart:4022 Edn 07/09(N09-018)
176	Crabbes River Entrance light buoy XD2	48 13 14.4 58 52 54.6	Fl R	4s	.....	Red spar, marked "XD2".	Seasonal.  Chart:4022 Edn 09/11(N11-041)
176.1	Crabbes River Harbour light buoy XD5	48 13 12.2 058 51 50.4	Fl G	4s	.....	Green spar, marked "XD5".	Seasonal.  Chart:4022 Edn 03/16 (N16-001)
176.11	Crabbes River light buoy XD3	48 13 12.3 58 51 53.4	Fl G	4s	.....	Green spar, marked "XD3".	Seasonal.  Chart:4022 Edn 06/11(N11-034)
176.12	Crabbes River Channel #2 light buoy XD1	48 13 13.2 58 52 07.2	Fl G	4s	.....	Green spar, marked "XD1".	Seasonal.  Chart:4022 Edn 09/11(N11-042)
176.2	Crabbes River Harbour light buoy XD4	48 13 10.2 58 51 59.2	Fl R	4s	.....	Red spar, marked "XD4".	Seasonal.  Chart:4022
176.3	Crabbes River Channel light buoy XD6	48 13 08.9 58 51 48	Fl R	4s	.....	Red spar, marked "XD6".	Seasonal.  Chart:4022 Edn 06/11(N11-033)
176.4	Crabbes River Inner Cautionary light buoy X	48 13 00 58 51 34.8	Fl Y	4s	.....	Yellow spar, marked "X".	Seasonal.  Chart:4022
178	Harbour Point	St. George's Harbour. 48 27 26 58 29 20.4	Fl W	6s	10.7	6 Cylindrical tower, red and white horizontal bands. 10.2	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4885
178.12	St. George's Harbour Outer light buoy XG1	48 26 06.5 58 29 16.4	Fl G	4s	.....	Green spar, marked "XG1".	Seasonal.  Chart:4885
178.13	St. George's Harbour Outer light buoy XG2	48 26 06.5 58 29 21.4	Fl R	4s	.....	Red spar, marked "XG2".	Seasonal.  Chart:4885
178.14	St. George's Harbour Inner light buoy XG3	48 25 54 58 29 17.4	Fl G	4s	.....	Green spar, marked "XG3".	Seasonal.  Chart:4885
178.15	St. George's Harbour Inner light buoy XG4	48 25 54 58 29 20.9	Fl R	4s	.....	Red spar, marked "XG4".	Seasonal.  Chart:4885

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>WEST COAST</b>								
179.3 H206	<b>Port Harmon range</b>	48 32 00.1 58 31 23.1	F G	.....	42.8	14	Square skeleton mast, red daymark white vertical stripe. 27.1	Visible in line of range. Year round.
179.4 H206.1		024° 243.6m from front.	F G	.....	55.7	15	Square skeleton mast, red daymark, white vertical stripe. 27.1	Visible in line of range. Year round.
179.5	Port Harmon light buoy XS	48 29 44 58 32 52.4	Mo(A) W	6s	.....	.....	Red and white vertical stripes, marked "XS".	Seasonal.
180	Port Harmon Entrance light buoy XS1	S. side of breakwater. 48 30 20.5 58 32 32.4	Fl G	4s	.....	.....	Green spar, marked "XS1".	Year round.
180.1	Port Harmon Breakwater	On outer end of breakwater. 48 30 27 58 32 30.4	Fl W	3s	5.2	5	Cylindrical mast. 2.5	Flash every 3 s. Year round.
180.12	Port Harmon Southwest Breakwater	48 30 29.3 58 32 17	Fl R	4s	4.0	4	Cylindrical mast. 2.6	Year round.
180.2	Port Harmon Channel light buoy XS2	48 30 30.4 58 32 21.4	Fl R	4s	.....	.....	Red spar, marked "XS2".	Year round.
180.3	Port Harmon Channel	W. side of channel. 48 30 38.5 58 32 21.9	Fl G	6s	5.2	4	Cylindrical mast. 2.6	Flash 0.5 s; eclipse 5.5 s. Year round.
180.51	Port Harmon Channel light buoy XS3	48 30 34.7 58 32 22.9	Fl G	4s	.....	.....	Green spar, marked "XS3".	Year round.
180.52	Port Harmon Inner light buoy XS5	48 30 44.8 58 32 15.9	Fl G	4s	.....	.....	Green spar, marked "XS5".	Year round.
180.53	Port Harmon Channel light buoy XS6	48 30 46 58 32 10.9	Fl R	4s	.....	.....	Red spar, marked "XS6".	Year round.
180.54	Port Harmon Channel light buoy XS7	48 31 15 58 31 55.4	Fl G	4s	.....	.....	Green spar, marked "XS7".	Year round.
180.55	Port Harmon Channel light buoy XS8	48 31 16 58 31 50.4	Fl R	4s	.....	.....	Red spar, marked "XS8".	Year round.

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

Chart:4885

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
180.6	Port Harmon Turning Basin West light buoy XS9	48 31 30.5 58 31 45.4	Fl G	4s	.....	Green spar, marked "XS9".	Year round.  <b>Chart:4885</b>
180.61	Port Harmon East Turning Basin light buoy XS10	48 31 34 58 31 32.9	Fl R	4s	.....	Red spar, marked "XS10".	Year round.  <b>Chart:4885</b>
180.62	Port Harmon West Turning Basin light buoy XS11	48 31 44 58 31 48.4	Fl G	4s	.....	Green spar, marked "XS11".	Year round.  <b>Chart:4885</b>
183	St. George's Wharf	At head of wharf. 48 25 52 58 29 09.3	Fl G	6s	3.0	2 Mast. 2.6	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4885</b> <b>Edn 01/11(N10-066)</b>
183.1	St. George's Breakwater	48 26 06 58 29 37	F G	.....	3.5	..... Square tower, yellow and red horizontal bands. 1.4	Privately maintained. Year round.  <b>Chart:4885</b>
183.2	St. George's Breakwater North	48 26 15 58 29 57.4	Fl R	3s	5.1	..... Square tower, yellow and red horizontal bands. 1.4	Flash every 3 s. Privately maintained. Seasonal.  <b>Chart:4885</b>
183.5	Flintkote Wharf	On N. end of wharf. 48 26 35.5 58 28 32.4	Fl G	4s	6.4	4 Skeleton tower.	Privately maintained. Seasonal.  <b>Chart:4885</b>
183.7	Lower Cove Isolated Danger light buoy XLC	48 30 57.4 59 01 21.6	Fl(2) W	5s	.....	..... Black, red and black, marked "XLC".	Seasonal.  <b>Chart:4021</b>
183.82	Rouzes Brook West Breakwater	48 28 36.2 59 11 58.8	Fl G	4s	.....	..... Cylindrical mast.	Year round.  <b>Chart:4021</b>
184 H202	Red Island	Off Cape St. George. 48 33 52 59 13 45	Fl W	3s	65.0	7 Skeleton tower, white daymark. 6.6	Flash 0.5 s; eclipse 2.5 s. Year round.  <b>Chart:4021</b>
184.83	Rouzes Brook East Breakwater	48 28 37.6 59 11 57.7	Fl R	4s	.....	..... Cylindrical mast.	Year round.  <b>Chart:4021</b>
185	Long Point	Port au Port Bay Entrance. 48 46 52.5 58 46 22	Fl W	6s	14.6	5 Skeleton tower, red slatwork daymark. 11.0	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:4659</b>
185.2	Beach Point Breakwater	48 45 52 58 47 20	Fl R	4s	4.4	4 Cylindrical mast. 2.6	Year round.  <b>Chart:4659</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
185.3	Beach Point South	48 45 49 58 47 26.5	FI G	4s	4.3 4	Cylindrical mast. 2.6	Year round.  <b>Chart:4659</b>
185.5	Shoal Point light buoy XU3	Off point. 48 40 43 58 50 49	FI G	4s	..... ..	Green, marked "XU3".	Seasonal.  <b>Chart:4659</b>
185.7	Head Harbour Wharf (Pic à Denis Harbour)	On outer end of wharf. 48 34 35.8 58 54 06.1	FI R	4s	3.0 4	Cylindrical mast. 2.6	Seasonal.  <b>Chart:4659</b>
185.8	Fox Brook South Wharf	48 41 42.6 58 40 51.6	FI R	3s	3.1 2	Cylindrical mast.	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:4659</b> <b>Edn 12/10(N10-060)</b>
185.9 H201	Fox Brook	48 41 44 58 40 53.1	FI G	3s	2.0 3	Cylindrical mast. 2.6	Flash 0.5 s; eclipse 2.5 s. Year round.  <b>Chart:4659</b>
188	Broad Cove	On point, Port au Port Bay. 48 45 41 58 37 57	FI W	4s	42.7 7	Square skeleton tower, red and white rectangular daymark. 5.8	Seasonal.  <b>Chart:4659</b>
189	Shag Island	On island. 48 52 18 58 35 25	FI W	4s	31.7 6	Square skeleton tower, red rectangular daymark, white vertical stripe. 3.7	Seasonal.  <b>Chart:4659</b> <b>Edn 02/10(N09-058)</b>
190	Eagle Island (Bay of Islands)	N. of Middle Arm Pt. 49 09 42.1 58 08 47.1	FI W	6s	33.2 6	Square skeleton tower, red rectangular daymark, white vertical stripe. 3.7	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4653</b> <b>Edn 02/10(N09-059)</b>
191	Middle Arm Point	On edge of cliff. 49 07 54.1 58 08 45.1	FI W	4s	21.9 6	Square skeleton tower, red and white rectangular daymark. 4.2	Seasonal.  <b>Chart:4653</b>
192 H192	South Head	Entrance to Bay of Islands. 49 08 48.1 58 22 11.1	FI W	4s	34.5 6	Cylindrical tower, red with white bands. 10.9	Year round.  <b>Chart:4653</b> <b>Edn 09/10(N10-044)</b>
193 H190	White Point	Entrance to Bay of Islands. 49 08 32.1 58 21 09.1	FI W	6s	30.5 6	Skeleton tower, white daymark. 5.3	Flash 1 s; eclipse 5 s. Year round.  <b>Chart:4653</b>
193.4	Lark Harbour Entrance light buoy XL1	49 06 23.2 58 20 36.1	Q G	1s	..... ..	Green spar, marked "XL1".	Year round.  <b>Chart:4654</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>WEST COAST</b>								
193.5	Lark Harbour Spit light buoy XL2	49 05 51.7 58 22 16.5	Fl R	4s	.....	Red spar, marked "XL2".	Seasonal.  Chart:4654 Edn 11/09(N09-040)	
194.5	Allen's light buoy XCB2	48 57 57.7 58 01 12.6	Fl R	4s	.....	Red spar, marked "XCB2".	Seasonal.  Chart:4652 Edn 10/09	
194.6	Corner Brook Breakwater West	48 57 55.7 58 01 13.6	Fl R	4s	.....	2 Cylindrical mast.	Year round.  Chart:4653	
194.7	Corner Brook Breakwater East	48 57 54.5 58 01 11.9	Fl G	4s	.....	Cylindrical mast.	Year round.  Chart:4653	
195 H180	Meadows Point	In Humber Arm. 48 59 32.6 58 03 38.1	Fl G	3s	20.4	5 Square skeleton tower, green and white rectangular daymark. 9.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:4652	
196 H194	Little Port Head	N. end of head. 49 06 31 58 25 44	Fl W	6s	67.4	5 Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4653	
197 H0188	Woods Island Light	Bay of Islands. 49 05 40.1 058 13 19.1	Iso W	4s	11.0	6 Square skeleton tower, red rectangular daymark, white band. 4.6	Year round.  Chart:4653 Edn 06/17 (N16-061, N17-010)	
197.5	Peter Point Shoal South Cardinal light buoy XWC	Woods Island. 49 04 48.4 58 09 46.4	Q(6) +LFI	W	15s	.....	Yellow and black, marked "XWC".	Seasonal.  Chart:4653
198 H186	Frenchman's Head	Entrance to Humber Arm. 49 03 27.1 58 09 28.1	Fl W	6s	82.6	7 Rectangular skeleton tower, red and white rectangular daymark. 9.8	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:4653	
199	Trout River	W. side of river mouth. 49 28 50 58 07 53	Fl W	6s	24.3	6 Red and white square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4661	
199.1	Trout River Point Rock light buoy XT2	49 28 57.1 58 07 52.8	Fl R	4s	.....	Red spar, marked "XT2".	Seasonal.  Chart:4661	
199.2	Trout River Bay Shoal light buoy XT3	49 28 56.2 58 07 52	Fl G	4s	.....	Green spar, marked "XT3".	Seasonal.  Chart:4661	

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
199.4	Trout River Wharf	49 28 51.8 58 07 55.5	FI G	4s	2.6	2 Mast. 2.2	Year round.  Chart:4661 Éd. 12/13(N13-036)
200	Woody Point	Entrance to South Arm. 49 30 17.5 57 54 46.4	FI R	4s	13.7	4 White structure. 7.3	Year round.  Chart:4658
200.2	Rocky Harbour Entrance light buoy XR2	49 35 34.8 57 56 42.6	FI R	4s	.....	..... Red spar, marked "XR2".	Seasonal.  Chart:4658
200.3	Rocky Harbour Wharf	49 35 28.2 57 55 10.5	FI G	4s	.....	..... Cylindrical mast.	Year round.  Chart:4658
201	Lobster Cove Head (Bonne Bay)	W. end of head. 49 36 10 57 57 24	Iso W	4s	35.0	12 White cylindrical tower. 8.4	Year round.  Chart:4658
202.2	Cow Head Wharf	E., SE. corner of wharf. 49 55 23.3 57 48 14	FI R	4s	4.6	4 Cylindrical mast. 2.6	Seasonal.  Chart:4663
202.3	Harbour Rock light buoy XW2	49 55 30.2 57 47 28.2	FI R	4s	.....	..... Red spar, marked "XW2".	Seasonal.  Chart:4663
202.4	Cow Head Harbour light buoy XW3	49 55 31.1 57 47 11.8	FI G	4s	.....	..... Green spar, marked "XW3".	Seasonal.  Chart:4663
202.5	Cow Head Outer light buoy XW4	49 55 29.5 57 47 13.3	Q R	1s	.....	..... Red spar, marked "XW4".	Seasonal.  Chart:4663
202.6	Cow Head Harbour Outer light buoy XW1	49 55 32 57 47 20.5	FI G	4s	.....	..... Green spar, marked "XW1".	Seasonal.  Chart:4663
203.1	Parson's Pond Entrance #2 light buoy XPP2	50 02 01.4 57 42 51.2	FI R	4s	.....	..... Red spar, marked "XPP2".	Seasonal.  Chart:4663
203.2	Parson's Pond Entrance #1 light buoy XPP1	50 02 02.5 57 42 50.9	FI G	4s	.....	..... Green spar, marked "XPP1".	Seasonal.  Chart:4663
204	Norris Point	On point. 49 30 55.2 57 52 39.8	FI G	4s	7.6	5 Skeleton tower, white rectangular daymark, red vertical stripe. 5.6	Seasonal.  Chart:4658 Edn 12/13 (N13-035)
205	Gadds Point	S. side of The Tickle. 49 30 41 57 52 34.9	FI W	4s	14.3	5 Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.  Chart:4658

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>WEST COAST</b>								
207.2	<i>Daniel's Harbour light buoy XDH2</i>	50 14 33.6 57 35 16.3	FI	R	4s	..... .....	<i>Red spar, marked "XDH2".</i>	Seasonal.
							<b>Chart:4663 Edn 06/12(N12-009)</b>	
207.5	River of Ponds Breakwater	50 31 42.6 57 23 46.2	FI	R	4s	5.0    2	Mast  2.3	Seasonal.
							<b>Chart:4021 Edn 09/10(N10-048)</b>	
208 H156	<b>Keppel Island</b>	NW. side of island. 50 37 58.9 57 19 19.9	FI	W	15s	36.5 <b>17</b>	Square skeleton tower, red daymark, white horizontal band.  11.3	Flash 1 s; eclipse 14 s. <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 143°. Seasonal.
							<b>Chart:4679</b>	
208.05	<i>Cotton Shoal light buoy XPS2</i>	50 38 28.3 57 16 38.8	FI	R	4s	..... .....	<i>Red spar, marked "XPS2".</i>	Seasonal.
							<b>Chart:4679</b>	
208.06 H155	Port Saunders Wharf	50 38 43 57 16 26.9	FI	G	4s	2.1    .....	Cylindrical mast.	Year round.
							<b>Chart:4679</b>	
208.2 H156.1	Keppel Island Fog Signal	NW. side of island. 50 37 58.6 57 19 19.8	.....	.....	.....	.....	.....	<b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 143°. Year round.
							<b>Chart:4679</b>	