

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
211 <i>H154</i>	<b>Pointe Riche</b>	50 41 54.6 57 24 36.8	Fl W	5s	29.3	15  White octagonal tower, red upper portion.  19.8	Flash 0.2 s; eclipse 4.8 s. Seasonal.       <b>Chart:4679 Edn 07/10</b>
211.1	<i>Little Port aux Choix Light buoy XLP1</i>	<i>Northern peninsula 50 43 07.1 57 22 22.5</i>	Q G	1s	.....	.....  <i>Green Spar Marked XLP1</i>	<i>Seasonal       <b>Carte 4679) Edn 011/15 (N15-045)</b></i>
211.2	<i>Port aux choix Light buoy XP2.2</i>	50 43 10.2 57 20 12.5	FL R	4s	.....	.....  <i>Red conical lighted spar XP2.2</i>	<i>Seasonal       <b>Chart 4679 Edn 02/15 (N14-073)</b></i>
211.3	<i>Querre Island light buoy XP1</i>	50 43 17.9 57 19 55	Q G	1s	.....	.....  <i>Red marked "XP1"</i>	<i>Seasonal       <b>Chart 4679 Edn 02/15 (N14-072)</b></i>
211.5	<i>Port au Choix light buoy XP2</i>	<i>NE. of Barbace Point. 50 44 15.5 57 19 56.8</i>	Fl R	4s	.....	.....  <i>Red spar, marked "XP2".</i>	<i>Seasonal.       <b>Chart:4679</b></i>
211.6	<i>Querre Island Shoal light buoy XP3</i>	50 43 06.5 57 20 10.3	Fl G	4s	.....	.....  <i>Green spar, marked "XP3".</i>	<i>Seasonal.       <b>Chart:4679 Edn 01/14(N13-031)</b></i>
211.7	<i>Ardent Rock light buoy XP4</i>	50 43 17 57 20 02.8	Fl R	4s	.....	.....  <i>Red spar, marked "XP4".</i>	<i>Seasonal.       <b>Chart:4679</b></i>
211.74	<i>Back Arm light buoy XP6</i>	50 42 37.8 57 20 58.9	Fl R	4s	.....	.....  <i>Red spar, marked "XP6".</i>	<i>Seasonal.       <b>Chart:4679</b></i>
211.81	Marine Service Wharf	50 42 27.7 57 20 55.2	Fl G	4s	3.5	.....  Cylindrical mast.	Seasonal.       <b>Chart:4679</b>
211.82	Fisherman's Wharf	50 42 19.5 57 21 07	Fl R	4s	3.5	.....  Cylindrical mast.	Seasonal.       <b>Chart:4679</b>
211.83	Old FPI Wharf	50 42 27.4 57 21 23.2	Fl R	4s	3.5	.....  Cylindrical mast.	Seasonal.       <b>Chart:4679</b>
212 <i>H152</i>	Port au Choix	On Querre Island. 50 43 13.6 57 19 58.6	Fl W	6s	8.5	6  Square skeleton tower, red and white rectangular daymark.  4.9	Flash 1 s; eclipse 5 s. Seasonal.       <b>Chart:4679</b>
212.1	Port au Choix range	50 42 13 57 21 32.5	F R	.....	20.6	13  Skeleton tower, red daymark, white vertical stripe.  8.8	Seasonal.
212.2		224°30' 233m from front.	F R	.....	25.1	13  Skeleton tower, red daymark, white vertical stripe.  9.3	Seasonal.       <b>Chart:4679</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>STRAIT OF BELLE ISLE</b>								
212.5	Flowers Cove light buoy XF	51 17 55.3 56 46 27	Mo(A) W	6s	.....	Red and white vertical stripes, marked "XF".	Seasonal.  Chart:4667	
212.54	Capstan Point light buoy XF3	51 17 45 56 45 17	Fl G	4s	.....	Green spar, marked "XF3".	Seasonal.  Chart:4667	
212.55	Seal Ledges light buoy XF2	51 17 37 56 45 31	Fl R	4s	.....	Red spar, marked "XF2".	Seasonal.  Chart:4667	
213	Flowers Cove	Centre of Rocky Island. 51 17 41.5 56 44 42	Fl G	3s	5.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash every 3 s. Seasonal.  Chart:4667
213.51	Flowers Cove Outer light buoy XF6	51 17 48.6 56 44 23	Fl R	4s	.....	Red spar, marked "XF6".	Seasonal.  Chart:4667	
213.58	Flowers Cove Inner light buoy XF8	51 17 52.8 56 44 15	Fl R	4s	.....	Red spar, marked "XF8".	Seasonal.  Chart:4667	
213.59	Flowers Cove Wharf	51 17 57.8 56 44 09.1	Fl G	4s	.....	Cylindrical mast.	Seasonal.  Chart:4667	
214	Flowers Cove range	On shore, S. side of harbour. 51 17 34.7 56 44 32	F R	....	4.9	13	Skeleton tower, orange daymark, black vertical stripe. 4.0	Seasonal.
215		107° 114.3m from front.	F R	.....	7.9	13	Skeleton tower, orange daymark, black vertical stripe. 5.8	Seasonal.  Chart:4667
215.1	Savage Cove Wharf	On outer end of wharf. 51 19 52 56 42 08.6	Fl G	4s	3.6	4	Mast. 2.6	Seasonal.  Chart:4667 Edn 02/10 Edn 01/11(N10-066)
215.3	Anchor Cove	51 13 58.8 56 47 54	Fl R	6s	7.0	3	Cylindrical mast. 2.5	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4667
215.4	Anchor Point	51 13 59.3 56 47 55.8	Fl G	4s	7.0	3	Mast. 2.6	Seasonal.  Chart:4667 Edn 02/10
215.41	Anchor Point light buoy XA2	51 13 48.7 56 48 01.1	Fl R	4s	.....	Red spar, marked "XA2".	Seasonal.  Chart:4667 Edn 02/10 Edn 01/14(N13-028)	

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**STRAIT OF BELLE ISLE**

215.42	Anchor Point Inner light buoy XA3	51 13 51.9 56 48 11.1	Q	G	1s	.....	.....	Green spar, marked "XA3".	Seasonal.	Chart:4667 Edn 02/10 Edn 01/14(N14-032)
215.43	Anchor Point Outer light buoy XA1	51 13 40.6 56 48 32.9	Fl	G	4s	.....	.....	Green spar, marked "XA1".	Seasonal.	Chart:4667 Edn 02/10 Edn 01/14(N14-033)
215.8	St. Barbe range	51 12 30 56 46 03	F	G	.....	9.0	11	Square skeleton tower, white daymark, black vertical stripe. 6.4	Seasonal.	
215.9		105° 140m from front.	F	G	.....	13.0	11	Square skeleton tower, white daymark, black vertical stripe. 3.7	Seasonal.	Chart:4667 Edn 02/10(N09-060,061)
215.99	Bird Cove Wharf	51 03 10.2 56 56 06.5	Fl	G	4s	4.0	2	Mast. 2.3	Seasonal.	Chart:4665 Edn 12/10(N10-065)
216	Harbour Point	On point. 51 12 22.8 56 46 33.2	Fl	R	4s	6.1	4	Skeleton tower, orange daymark. 5.2	Seasonal.	Chart:4667
216.09	St. Barbe Outer light buoy XB1	51 12 50.5 56 46 56.8	Q	G	1s	.....	.....	Green, marked "XB1".	Seasonal.	Chart:4667 Edn 02/10
216.1	St. Barbe light buoy XB2	51 12 37.2 56 46 57.1	Fl	R	4s	.....	.....	Red, marked "XB2".	Seasonal.	Chart:4667 Edn 02/10
216.12	St. Barbe Inner light buoy XB3	51 12 27.8 56 46 17.5	Fl	G	4s	.....	.....	Green spar, marked "XB3".	Year round.	Chart:4667 Edn 02/10 Edn 03/11(N10-016)
216.13	Harbour Point light buoy XB4	51 12 24.5 56 46 24.2	Fl	R	4s	.....	.....	Red spar, marked "XB4".	Year round.	Chart:4667 Edn 02/10
216.3	St. Barbe Harbour	On seaward end of wharf. 51 12 15.3 56 46 22	Fl	R	6s	3.4	4	Mast. 2.6	Flash 1 s; eclipse 5 s. Seasonal.	Chart:4667 Edn 01/11(N10-066)
216.35 H0146.5	Black Duck Cove Wharf Light	51 11 50.1 056 47 55.3	F	R	.....	.....	2	Mast. 3.0	Seasonal.	Chart:4667 Edn 01/17 (N16-059)
216.4	Black Duck Cove light buoy XK3	51 11 51.7 56 47 53.5	Fl	G	4s	.....	.....	Green spar, marked "XK3".	Seasonal.	Chart:4667

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
216.5	West Shoal light buoy XK2	Approaches to Black Duck Cove. 51 11 52.6 56 48 03.4	FI R 4s	.....	.....	Red spar, marked "XK2".	Seasonal.  <b>Chart:4667 Edn 02/10</b>
216.6	East Shoal light buoy XK1	Approaches to Black Duck Cove. 51 11 56 56 47 58.1	FI G 4s	.....	.....	Green spar, marked "XK1".	Seasonal.  <b>Chart:4667 Edn 02/10</b>
216.9	Old Ferolle Entrance light buoy XFF1	51 04 21 56 54 26.4	FI G 4s	.....	.....	Green spar, marked "XFF1".	Seasonal.  <b>Chart:4666</b>
219	Schooner Island	NE. end of island. 51 36 46 55 50 42.5	FI W 6s	10.4	6	Square skeleton tower, red and white rectangular daymark. 4.9	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4509</b>
219.5	Raleigh Wharf	51 34 10 55 44 18	FI G 4s	4.5	.....	Cylindrical mast. 2.4	Seasonal.  <b>Chart:4509</b>
220 H148	<b>New Férolle Peninsula</b>	NE., of Férolle Point. 51 01 22.1 57 05 44.5	FI(4) W 7.5s	27.7	<b>20</b>	White octagonal tower, red upper portion. 19.2	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 4.25 s. Seasonal.  <b>Horn - Blast 4 s; sil. 56 s. Horn points 314°30'.</b>  <b>Chart:4665</b>
221	White Island	Approaches to Bartletts Harbour. 50 55 52.8 57 01 21.8	FI W 6s	9.4	7	Square skeleton tower, red rectangular daymark white vertical stripe. 6.7	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4680 Edn 01/11(N10-066)</b>
221.31	Bartletts Cove Wharf	50 56 28.5 56 59 29.2	FI G 4s	3.5	.....	Cylindrical skeleton mast.	Year round.  <b>Chart:4680</b>
221.32	Castor's River North Wharf	50 55 54 56 56 36	FI G 4s	4.0	2	Mast. 2.3	Seasonal.  <b>Chart:4680 Edn 10/10(N10-047)</b>
222 H142	<b>Nameless Point</b>	NW. coast. 51 18 44.5 56 44 30	FI W 10s	15.9	<b>15</b>	Skeleton tower. 12.2	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:4667</b>
222.1	Sandy Cove Wharf	On wharf 51 20 35.8 56 40 36.8	FI R 4s	3.6	3	Mast. 2.6	Seasonal.  <b>Chart:4667 Edn 02/10</b>
222.12	Savage Cove light buoy XV2	51 19 55 56 42 17.8	FI R 4s	.....	.....	Red spar, marked "XV2".	Seasonal.  <b>Chart:4667 Edn 02/10(N10-002)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
223 <i>H140</i>	<b>Cape Norman</b>	On the cliff, W. of Cape. 51 38 04.0 55 54 37.5	FI(3) W	30s	38.7	21	White octagonal tower. 15.2 Flash 0.5 s; eclipse 5.5 s; Flash 0.5 s; eclipse 5.5 s; Flash 0.5 s; eclipse 17.5 s. Year round.  <b>Chart:4509</b> <b>Edn 04/14 (N14-024)</b>
225 <i>H132</i>	<b>Cape Bauld</b>	N. point of Quirpon Island. 51 38 24.2 55 25 35.9	FI W	15s	53.9	17	Red hexagonal tower. 14.6 Flash 0.5 s; eclipse 14.5 s. Year round.  <b>Chart:4512</b> <b>Edn 09/09</b> <b>Edn 04/14 (N14-026)</b>
226.3	Green Island Cove Wharf	51 23 03 56 34 44.2	FI R	6s	3.4	4	Cylindrical tower. 2.6 Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4668</b>
226.5	L'Anse au Clair Wharf	51 25 24 57 04 01	FI G	4s	4.9	4	Mast. 2.6 Seasonal.  <b>Chart:4470</b> <b>Edn 01/11(N10-066)</b> <b>Edn 10/12(N12-022)</b>
226.6	<i>L'Anse au Clair light buoy NPC2</i>	51 24 43.9 57 03 33	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NPC2".</i> Seasonal.  <b>Chart:4470</b> <b>Edn 08/10(N10-016)</b>
226.8	Green Island Brook Wharf	51 24 00.2 56 31 20.4	FI R	4s	5.5	3	Cylindrical mast. 3.1 Seasonal.  <b>Chart:4020</b>
227 <i>H0114</i>	<b>Amour Point</b>	Amour Point Labrador 51 27 37.7 056 51 29.3	Oc W	20s	46.3	24	White cylindrical tower, black horizontal band. 33.3 Flash 16 s; eclipse 4 s. Seasonal.  <b>Chart:4670</b> <b>Edn. 05/16 (N16-002)</b>
228	Forteau Wharf	51 28 09.9 56 57 11.9	FI R	4s	5.0	4	Cylindrical mast. 2.6 Seasonal.  <b>Chart:4670</b>
229.1	<i>Soldiers Rock light buoy NPW2</i>	51 37 30.6 56 37 01	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NPW2".</i> Seasonal.  <b>Chart:4668</b>
229.6	<i>Saddle Island light buoy NR6</i>	51 43 41.8 56 26 04.6	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NR6".</i> Seasonal.  <b>Chart:4669</b>
229.8	<i>The Louse light buoy NR3</i>	51 42 20.8 56 26 20.6	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "NR3".</i> Seasonal.  <b>Chart:4669</b>
230	<b>Red Bay</b>	On Saddle Island. 51 43 28.6 56 26 09.0	FI W	5s	36.0	15	Square skeleton tower. 6.7 Flash every 5 s. Seasonal.  <b>Chart:4669</b> <b>Edn 04/14 (N14-025)</b>
230.1	<i>Scab Rock light buoy NR4</i>	51 43 08.3 56 25 28.3	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NR4".</i> Seasonal.  <b>Chart:4669</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position			Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.							Height in meters above ground	Fog Signals	
230.2	Thistle Rock South Cardinal light buoy NR	51 43 10.1 56 23 43.6	Q(6) +LFI	W	15s	.....	.....	.....	.....	Yellow and black, marked "NR".	Seasonal.	Chart:4669
230.35	L'Anse-au-Diable light buoy ND1	51 33 25.1 56 45 01	Fl	G	4s	.....	.....	.....	.....	Green spar, marked "ND1".	Seasonal.	Chart:4020
230.4	L'Anse au Loup Inner Wharf	51 31 20 56 49 44	Fl	R	4s	.....	2	Mast.	2.4		Year round.	Chart:4668 Edn 02/11(N11-001)
230.5	L'Anse au Diable light buoy ND2	51 33 25.2 56 45 35.5	Fl	R	4s	.....	.....	.....	.....	Red spar, marked "ND2".	Seasonal.	Chart:4020 Edn 03/11(N10-016)
231	L'Anse au Loup Outer Wharf	51 31 03.8 56 49 43	Fl	G	4s	5.1	2	Mast.	2.6		Year round.	Chart:4668 Edn 02/11(N11-002)
231.52	West St. Modeste light buoy NPM2	51 35 44.4 56 42 12.7	Fl	R	4s	.....	.....	.....	.....	Red spar, marked "NPM2".	Seasonal.	Chart:4668
232 H96	<b>Belle Isle, North End</b>	On Northeast Point. 52 00 49.1 055 16 49.3	Fl	W	10s	39.1	17	White cylindrical tower, red upper portion.	17.4		Flash 0.2 s; eclipse 9.8 s. Seasonal.	Chart:4020 Edn 11/15 (N15-051)
232.22	Cooks Harbour light buoy XC7	51 36 17.6 55 51 44.5	Fl	G	4s	.....	.....	.....	.....	Green spar, marked "XC7".	Seasonal.	Chart:4509 Edn 11/10(N10-016)
233 H102	<b>Belle Isle, South End (Upper)</b>	Summit of extreme S. point of island. 51 52 48.1 055 22 54.4	Fl	W	20s	137.1	18	White cylindrical tower, red upper portion.	18.7		Flash 1 s; eclipse 19 s. Visible from 240° through W., N. and E. to 110°30'. Seasonal.	Chart:4020 Edn 11/15 (N15-050)
233.17	Cooks Harbour Outer light buoy XC4	51 36 23.5 55 50 58.5	Fl	R	4s	.....	.....	.....	.....	Red spar, marked "XC4".	Seasonal.	Chart:4509 Edn 11/10(N10-016)
233.18	Cooks Harbour Outer light buoy XC2	51 36 26.8 55 50 46.5	Fl	R	4s	.....	.....	.....	.....	Red spar, marked "XC2".	Seasonal.	Chart:4509 Edn 10/10(N10-016)
233.2	Green Island light buoy XC1	51 37 07 55 49 55	Fl	G	4s	.....	.....	.....	.....	Green spar, marked "XC1".	Seasonal.	Chart:4509
233.21	Cooks Harbour Middle light buoy XC5	51 36 19.5 55 51 30.8	Fl	G	4s	.....	.....	.....	.....	Green spar, marked "XC5".	Seasonal.	Chart:4509 Edn 10/10(N10-016)
234 H104	<b>Belle Isle, South End (Lower)</b>	SW. from main light. 51 52 38 55 23 03	Fl	W	20s	49.7	18	Red cylindrical structure.			Flash 1 s; eclipse 19 s. Seasonal.	Chart:4020