

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.				Height in meters above ground	

**NEWFOUNDLAND - LABRADOR COAST**

269.99	<i>Twelve Foot Rock (Henely Hr.), West Cardinal light buoy NJT</i>	<i>W. of Chateau. 51 58 52.8 55 51 48</i>	<i>VQ (9)</i>	<i>W</i>	<i>10s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, black and yellow spar, marked "NJT".</i>	<i>Seasonal.</i>	<b>Chart:5030 Edn 02/10 (N10-003)</b>
270	Henley Harbour (Château Point)	Near S. end of Castle Island. 51 58 19.9 55 51 11.3	FI	W	6s	20.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.	<b>Chart:5030</b>
270.01	<i>Flat Island Rock light buoy NJ1</i>	<i>Henley Hr Entrance 51 59 14.9 055 51 58.6</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NJ1".</i>	<i>Seasonal.</i>	<b>Chart:5030 Edn 09/15 Edn 12/15 (N15-065)</b>
270.02	<i>Freezer Rock light buoy NJ2</i>	<i>51 59 37.7 55 51 57</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NJ2".</i>	<i>Seasonal.</i>	<b>Chart:5030</b>
270.03	<i>Allen Shoal East Cardinal light buoy NP</i>	<i>52 03 58.2 55 38 52.8</i>	<i>Q(3)</i>	<i>W</i>	<i>10s</i>	<i>.....</i>	<i>.....</i>	<i>Black, yellow and black, marked "NP".</i>	<i>Seasonal.</i>	<b>Chart:5030</b>
270.1	Cape St. Francis	E. of Granby Island. 52 33 51 55 42 13.8	FI	W	6s	39.4	2	Red mast, white vertical stripe. 2.9	Flash 0.5 s; eclipse 5.5 s. Seasonal.	<b>Chart:5179 Edn 01/11 (N10-066)</b>
270.2	<i>Williams Harbour light buoy NW5</i>	<i>52 33 14.8 55 46 17.2</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "NW5".</i>	<i>Seasonal.</i>	<b>Chart:5179 Edn 08/10 (N10-016)</b>
270.23	<i>Leg Island light buoy NW6</i>	<i>Williams Harbour Run. 52 34 11.4 55 51 00.2</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NW6".</i>	<i>Seasonal.</i>	<b>Chart:5179 Edn 07/10 (N10-016)</b>
270.25	<i>Main Tickle Shoal light buoy NW7</i>	<i>52 33 48.8 055 52 54.6</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NW7".</i>	<i>Seasonal.</i>	<b>Chart:5179 Edn 09/15 (N15-066)</b>
270.3	<i>Shinney Rock light buoy NW3</i>	<i>Williams Harbour entrance. 52 32 19.9 55 44 39.2</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NW3".</i>	<i>Seasonal</i>	<b>Chart:5179 Edn 07/10 (N10-016)</b>
270.4	<i>Red Point Bank light buoy NW1</i>	<i>On E. side of bank. 52 31 21.7 55 44 21.7</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NW1".</i>	<i>Seasonal.</i>	<b>Chart:5179</b>
270.45	<i>Mad Moll Rocks North Cardinal light buoy NA</i>	<i>52 30 28.8 55 43 51</i>	<i>Q</i>	<i>W</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Black and yellow, marked "NA".</i>	<i>Seasonal.</i>	<b>Chart: 5179</b>
270.5	Bobbs Island	On S. side of island. 52 30 47 55 45 54	FI	R	3s	19.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5179</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

270.7	Gull Rock light buoy NA1	52 31 42.6 55 51 26	FI G 4s	.....	.....	Green spar, marked "NA1".	Seasonal.	Chart:5179
270.9	Northern Ship light buoy NA3	52 32 11.5 055 59 37.2	FI G 4s	.....	.....	Green spar, marked "NA3".	Seasonal.	Chart:5179 Edn 11/15 (N15-067)
270.92	Brandies Shoal light buoy NA5	Northern Ships Run. 52 32 40.2 56 02 19.2	FI G 4s	.....	.....	Green spar, marked "NA5".	Seasonal.	Chart:5179 Edn 03/11 (N10-016)
270.93	Groves Island Tickle light buoy NA7	52 32 22.2 56 09 15	FI G 4s	.....	.....	Green spar, marked "NA7".	Seasonal.	Chart:5179
271	Groves Island Tickle North light buoy NA8	E. of island. 52 32 24 56 09 20.8	FI R 4s	.....	.....	Red, marked "NA8".	Seasonal.	Chart:5179
271.5	Groves Island Tickle light buoy NA10	52 32 11.8 56 10 46	FI R 4s	.....	.....	Red spar, marked "NA10".	Seasonal.	Chart:5179
272	Groves Island Tickle South light buoy NA9	SE. of island. 52 32 07 56 09 33.3	FI G 4s	.....	.....	Green, marked "NA9".	Seasonal.	Chart:5179
273	Groves Island, East-West range	On S. shore. 52 31 56.4 56 09 32	Iso R 4s	9.1	11	Skeleton tower, white daymark, red vertical stripe. 6.2	Seasonal. Visible in line of range.	
274		106°26' 269.1m from front.	Iso R 4s	17.7	11	Skeleton tower, white daymark, red vertical stripe. 4.8	Seasonal.	Chart:5179
275		On S. shore. 52 31 49.4 56 09 56	Iso R 4s	8.8	11	Skeleton tower, white daymark, red vertical stripe. 7.6	Seasonal.	
276	Groves Island, North-South range	216°13' 134.7m from front.	Iso R 4s	14.0	11	Skeleton tower, white daymark, red vertical stripe. 5.7	Seasonal.	Chart:5179
276.2		Spear Point	52 26 41.5 55 37 48.3	FI W 3s	39.1	5	Cylindrical mast, red and white daymark. 2.4	Flash 0.5 s, eclipse 2.5 s. Seasonal.
276.4	Fox Harbour light buoy NF2	52 21 35.7 55 41 41.4	FI R 4s	.....	.....	Red, marked "NF2".	Seasonal.	Chart:5031
276.5	Fox Harbour light buoy NF3	52 21 55 55 41 04.5	FI G 4s	.....	.....	Green, marked "NF3".	Seasonal.	Chart:5031

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

276.7	Captain Jacks light buoy NMS1	52 19 47.4 55 46 48.6	FI G	4s	.....	.....	Green, marked "NMS1".	Seasonal.	Chart:5031
276.75	Duck Island Shoal light buoy NS2	52 18 10.2 55 46 42	FI R	4s	.....	.....	Red spar, marked "NS2".	Seasonal.	Chart:5031
276.77	Burnt Point Shoal light buoy NMH2	52 18 48.0 055 49 0.5	FI R	4s	.....	.....	Red spar, marked "NMH2".	Seasonal.	Chart:5031 Edn 09/15 (N15-068) Edn 01/16 (N15-068)
276.771	Mary's Harbour (Inner Harbour) light buoy NMH4	52 18 37 55 50 02.9	FI R	4s	.....	.....	Red spar, marked "NMH4".	Seasonal.	Chart:5031
276.772	Mary's Harbour (Inner Harbour) light buoy NMH5	52 18 35.5 55 50 11.4	FI G	4s	.....	.....	Green spar, marked "NMH5".	Seasonal.	Chart:5031
276.78	Mary's Harbour (Inner Harbour) light buoy NMH3	52 18 35.1 055 50 01.8	FI G	4s	.....	.....	Green spar, marked "NMH3".	Seasonal.	Chart:5031 Edn 09/15 (N15-069)
276.8	Marley Rocks light buoy NS1	52 17 43.8 55 45 44.4	FI G	4s	.....	.....	Green, marked "NS1".	Seasonal.	Chart:5031
276.81	Cape St. Lewis	52 22 04.8 55 37 48	FI W	4s	40.7	5	Square skeleton tower, red and white rectangular daymark, white horizontal band. 4.7	Seasonal.	Chart:5031
276.85	Killick Island	Entrance to Battle Harbour. 52 16 40 55 35 33	FI G	4s	6.3	4	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal.	Chart:5031 Edn 09/11
276.87	Green Island	52 17 38 55 41 02	FI W	4s	13.7	5	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal.	Chart:5031
276.89	Tilcey Island	St. Charles Channel. 52 16 42 55 35 58	FI R	4s	11.3	2	Mast. 2.4	Seasonal.	Chart:5031 Edn 01/11 (N10-066)
276.9	Nimrod Shoal light buoy NS	52 16 30.5 55 42 59	FI(2) W	5s	.....	.....	Black, red and black, marked "NS".	Seasonal.	Chart:5031
277 H90	Copper Island	SE. end of island 52 15 50.1 55 40 11.6	FI W	3s	9.1	7	Red and white cylindrical tower, red daymark, white horizontal band. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:5031

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

277.2	<i>Caribou Run South light buoy NU2</i>	52 14 51.4 055 38 57.9	FI R	4s	.....	.....	Red spar, marked "NU2".	Seasonal.	Chart:5031 Edn 09/15
277.3	<i>Caribou Run Inner light buoy NU1</i>	52 14 50 55 39 01.5	FI G	4s	.....	.....	Green spar, marked "NU1".	Seasonal.	Chart:5031
277.4	<i>Caribou Run North light buoy NU4</i>	52 15 32.3 55 39 51	FI R	4s	.....	.....	Red spar, marked "NU4".	Seasonal.	Chart:5031
277.5	Walls Island Point	52 13 10.2 55 36 48.4	FI G	4s	30.6	4	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal.	Chart:5030
277.56	<i>Caribou Run Mid Rock light buoy NU6</i>	52 15 55.2 55 39 49.2	FI R	4s	.....	.....	Red spar, marked "NU6".	Seasonal.	Chart:5031
277.6	<i>St. Charles Inner light buoy NUC2</i>	52 13 13.2 55 36 17.4	FI R	4s	.....	.....	Red, marked "NUC2".	Seasonal.	Chart:5031
278 H92	<b>Double Island</b>	On island. 52 15 18 55 33 16.4	FI W	6s	38.4	7	White cylindrical tower, black and white horizontal bands. 9.1	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5031
279 H94	<b>Camp Islands</b>	E. side of island. 52 10 00.7 55 38 24.8	FI W	5s	41.3	15	White octagonal tower, red upper portion. 9.9	Flash 0.2 s; eclipse 4.8 s. Seasonal.  Horn - Blast 4 s; sil. 56 s. Horn points 103°.	Chart:5030
279.282	<i>Long Island light buoy NMP2</i>	52 42 08.2 55 51 02.6	FI R	4s	.....	.....	Red spar, marked "NMP2".	Seasonal.	Chart:5032
279.283	<i>Pinsent's Arm light buoy NMP1</i>	52 42 06.3 55 50 06.8	FI G	4s	.....	.....	Green spar, marked "NMP1".	Seasonal.	Chart:5032
279.285	<i>Pinsent's Arm Entrance light buoy NMP4</i>	52 41 18 55 53 03.3	FI R	4s	.....	.....	Red spar, marked "NMP4".	Seasonal.	Chart:5032
279.286	<i>Pinsent's Arm Outer light buoy NMP3</i>	52 41 14.4 55 53 04.2	FI G	4s	.....	.....	Green spar, marked "NMP3".	Seasonal.	Chart:5032
279.29	<i>Mad Moll Rock light buoy NM2</i>	St. Michaels Bay. 52 42 45 55 48 00.5	FI R	4s	.....	.....	Red, marked "NM2".	Seasonal.	Chart:5032 Edn 08/10 (N10-041)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position			Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.						Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

279.3	Twin Island	52 40 18 55 44 50	FI	W	4s	30.8	5	Cylindrical mast, red daymark, white horizontal band. 3.0	Seasonal.	<b>Chart:5032</b>
279.31	Pigeon Island	52 43 01.7 55 51 25.1	FI	G	4s	11.5	4	Square skeleton tower, green and white rectangular daymark. 5.9	Seasonal.	<b>Chart:5032</b>
279.4	Deepwater Island	NW. of Long Island. 52 43 34 55 53 50.9	FI	W	4s	7.6	6	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal.	<b>Chart:5032</b>
279.45	St. Michaels Bay light buoy NM5	52 44 01.2 055 54 53.4	FI	G	4s	.....	.....	Green spar, marked "NM5".	Year round.	<b>Chart:5032 Edn 09/15 (N06-034) Edn 05/17 (N17-002)</b>
279.5	St. Michaels Bay light buoy NM6	52 44 11.3 55 55 21	FI	R	4s	.....	.....	Red spar, marked "NM6".	Year round.	<b>Chart:5032</b>
279.58	Curlew Island North light buoy NM9	52 44 28.5 55 56 04.5	FI	G	4s	.....	.....	Green spar, marked "NM9".	Year round.	<b>Chart:5032</b>
279.59	Narrows Island South light buoy NM8	52 44 30.9 55 55 56	FI	R	4s	.....	.....	Red spar, marked "NM8".	Year round.	<b>Chart:5032</b>
279.6	St. Michaels Bay North light buoy NM7	52 44 19.8 55 55 36	FI	G	4s	.....	.....	Green spar, marked "NM7".	Year round.	<b>Chart:5032</b>
279.62	Narrows Island light buoy NM10	52 44 38.6 55 56 09.5	FI	R	4s	.....	.....	Red spar, marked "NM10".	Year round.	<b>Chart:5032</b>
279.65	Charlottetown Inner light buoy NM12	52 46 34.7 056 06 56	FI	R	4s	.....	.....	Red spar, marked "NM12".	Seasonal.	<b>Chart:5032 Edn 11/15 (N15-070)</b>
279.7	Goose Island	NW. end of White Bear Arm. 52 47 36 56 06 09	FI	W	4s	7.6	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.	<b>Chart:5032</b>
279.72	Barr Tickle Shoal West Cardinal light buoy NM	52 46 34.8 55 54 14.4	VQ(9)	W	10s	.....	.....	Yellow, black and yellow spar, marked "NM".	Year round.	<b>Chart:5032 Edn 09/10 (N10-040)</b>
279.73	Square Island South Cardinal light buoy NMS	52 46 14.4 55 54 22.2	Q(6) +LFI	W	15s	.....	.....	Yellow and black spar, marked "NMS".	Year round.	<b>Chart:5032 Edn 01/10</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.				Height in meters above ground	

**NEWFOUNDLAND - LABRADOR COAST**

279.74	Barr Tickle	52 46 45 55 54 20	FI R	4s	15.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal.	Chart:5032
279.8	Cape Bluff	N. of St. Michaels Bay. 52 50 13.2 55 48 24	FI W	6s	54.7	4	Red mast, red daymark, white horizontal band. 2.9	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5032 Edn 02/11 (N10-066)
279.809	Gull and Matthews Rock West Cardinal light buoy NGM	NNE. of Cape Bluff. 52 51 34.8 55 47 14.9	Q(9) W	15s	.....	.....	Yellow, black and yellow, marked "NGM".	Seasonal.	Chart:5033
279.81	Lady Arm Shoal light buoy NG2	52 56 18.4 55 53 35.8	FI R	4s	.....	.....	Red spar, marked "NG2".	Seasonal.	Chart:5033
279.83	The Sisters light buoy NM4	53 43 03.7 55 49 16.7	FI R	4s	.....	.....	Red spar, marked "NM4".	Seasonal.	Chart:5032
279.84	Whales Back Shoal light buoy NE1	52 56 42.6 55 49 38.2	FI G	4s	.....	.....	Green, marked "NE1".	Seasonal.	Chart:5033
280	Red Island	SW. side of island. 53 00 37.6 055 45 36.7	FI W	3s	28.0	6	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:4712 Edn 09/15
280.01	Squasho North light buoy NE3	53 04 46.5 55 52 14.8	FI G	4s	.....	.....	Green spar, marked "NE3".	Seasonal.	Chart:5033
280.011	Deer Pass light buoy NE2	53 04 43.9 55 52 11.7	FI R	4s	.....	.....	Red spar, marked "NE2".	Seasonal.	Chart:5033
280.012	Squasho South North Cardinal light buoy NE	53 05 42 055 51 28.9	Q W	1s	.....	.....	Black and yellow spar, marked "NE".	Seasonal.	Chart:5033 Edn 09/15 (N06-058)
280.02	The Feather Bed North Cardinal light buoy NKF	N. of Big Island. 53 07 35.7 55 45 40.7	Q W	1s	.....	.....	Black and yellow, marked "NKF".	Seasonal.	Chart:4702
280.03	Old King East Cardinal light buoy NK	53 07 46.1 55 43 12.9	Q(3) W	10s	.....	.....	Black, yellow and black, marked "NK".	Seasonal.	Chart:4702
280.04	Pippies South Cardinal light buoy NLP	53 11 35 55 41 34	Q(6) W +LFI	15s	.....	.....	Yellow and black, marked "NLP".	Seasonal.	Chart:4702

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

280.05	Fish Island	53 12 42 55 43 12	FI W	6s	17.7	6	Skeleton tower, red daymark, white horizontal band. 4.8	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:4702
280.1	Bradbury Island South Cardinal light buoy NL	53 15 27.8 55 41 22.1	Q(6) +LFI	W	15s	.....	Yellow and black, marked "NL".	Seasonal.	Chart:4702 Edn 07/10 (N10-016)
280.13	Walker Island West Cardinal light buoy NLW	53 18 50.2 55 45 06.7	VQ(9)	W	10s	.....	Yellow, black, yellow, marked "NLW".	Seasonal.	Chart:4703 Edn 07/10 (N10-016)
280.15	Gushue Rock East Cardinal light buoy NLG	53 20 56.6 55 43 42.4	Q(3)	W	10s	.....	Black, yellow and black, marked "NLG".	Seasonal.	Chart:4745 Edn 07/10 (N10-016)
280.16	Toole Rock light buoy NB2	53 23 45.8 55 45 20.5	FI	R	4s	.....	Red, marked "NB2".	Seasonal.	Chart:4703
280.4	Punchbowl Channel light buoy NL5	53 15 09.5 55 45 06	FI	G	4s	.....	Green spar, marked "NL5".	Seasonal.	Chart:5080
280.79	Spotted Islands Harbour light buoy NSP2	53 29 21.1 55 45 37.5	FI	R	4s	.....	Red spar, marked "NSP2".	Seasonal.	Chart:4744 Edn 02/10 (N10-004)
280.8	Roundhill Island	N. point of island. 53 26 07.4 55 36 41	FI	W	3s	66.5	5 Skeleton tower, red daymark, white horizontal band. 7.1	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:4744
280.85	Saddle Bank South Cardinal light buoy NBT	53 25 06.1 55 42 43.5	Q(6) +LFI	W	15s	.....	Yellow and black, marked "NBT".	Seasonal.	Chart:4744
280.9	Cod Bag Islets	53 25 58.9 55 44 39.5	FI	W	4s	32.6	6 Skeleton tower, red daymark, white horizontal band. 4.3	Seasonal.	Chart:4744
280.91	Black Tickle light buoy NBT1	53 27 07.2 55 45 49.5	FI	G	4s	.....	Green spar, marked "NBT1".	Seasonal.	Chart:4745
280.95	Black Tickle Wharf	53 27 21.7 55 45 50.5	FI	G	4s	.....	2 Cylindrical mast. 2.1	Seasonal.	Chart:4744
281 H0084	Domino Point  Racon --- (Y) X & S Bands	Centre of island. 53 27 42.4 55 44 31	FI	W	6s	38.7	7 Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:4745
281.7	Indian Tickle South light buoy N12	53 33 02.2 55 58 35.6	FI	R	4s	.....	Red spar, marked "N12".	Seasonal.	Chart:4745

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position			Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

281.8	<i>Indian Tickle North light buoy N14</i>	53 33 35.3 55 59 23.5		FI R	4s	.....	.....	Red spar, marked "N14".	Seasonal.	Chart:4745 Edn 07/10 (N10-016)
281.9	<i>White Rowsel Shoal light buoy N15</i>	53 33 32.3 55 59 42.6		FI G	4s	.....	.....	Green spar, marked "N15".	Seasonal.	Chart:4745
282	White Point	Entrance to Indian Tickle. 53 34 38.4 56 01 31		FI W	6s	20.9	7	Square skeleton tower, red and white rectangular daymark. 4.6	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:4745
283	South Wolf Island	NE. end of island. 53 41 06.4 55 54 12.3		FI W	6s	88.1	6	Skeleton tower. 14.0	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5133
284	Cape North	NE. side of point. 53 47 10.4 56 28 35.3		FI W	6s	72.5	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:5133
284.1	<i>Tinker Rock South Cardinal light buoy NCT</i>	53 48 33 56 34 54		VQ(6) W +LFI	10s	.....	.....	Yellow and black, marked "NCT".	Seasonal.	Chart:5134
284.3	<i>Hare Rock light buoy NC1</i>	N. of Hare Rock. 53 46 10 56 48 42.9		FI G	4s	.....	.....	Green, marked "NC1".	Seasonal.	Chart:5138 Edn 07/10 (N10-016)
284.35	Leading Mark Island	53 45 31.2 57 03 56.4		FI G	4s	8.9	4	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal.	Chart:5134
284.351	<i>Packs Harbour Approaches light buoy NX2</i>	53 51 12.9 56 59 11.5		FI R	4s	.....	.....	Red spar, marked "NX2".	Seasonal.	Chart:5134 Edn 03/11 (N10-016)
284.352	<i>Packs Harbour Approaches light buoy NX1</i>	53 51 18.9 56 59 18.5		FI G	4s	.....	.....	Green spar, marked "NX1".	Seasonal.	Chart:5134 Edn 12/15 (N15-075)
284.4	<i>Crab Head light buoy NC2</i>	53 44 51.6 56 55 01.8		FI R	4s	.....	.....	Red spar, marked "NC2".	Seasonal.	Chart:5138 Edn 03/11 (N10-016)
284.45	<i>Divers Island light buoy NCD2</i>	53 42 35.4 57 06 17.4		FI R	4s	.....	.....	Red spar, marked "NCD2".	Seasonal.	Chart:5138
284.5	<i>Cartwright light buoy NC5</i>	53 42 10 57 02 07		FI G	4s	.....	.....	Green, marked "NC5".	Seasonal.	Chart:5138
284.6	<i>Cartwright light buoy NC4</i>	53 43 00.4 57 01 35.8		FI R	4s	.....	.....	Red, marked "NC4".	Seasonal.	Chart:5138



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

284.71	Cartwright light buoy NC6	53 42 00.1 57 01 11.6	FI R	4s	.....	.....	Red spar, marked "NC6".	Seasonal.	Chart:5138 Edn 07/10 (N10-016)
284.72	Cartwright Wharf	53 42 11 57 01 16.5	FI R	4s	3.4	4	Cylindrical mast. 2.4	Seasonal.	Chart:5138
284.8	Hatten Shoal light buoy NCH2	53 39 28 57 04 24	FI R	4s	.....	.....	Red, marked "NCH2".	Seasonal.	Chart:5138
284.96	Snack Cove	53 47 39.2 56 48 11.4	FI W	4s	23.6	5	Square skeleton tower, red and white square daymark. 4.7	Seasonal.	Chart:5134
285 H0078	Packs Harbour Light	53 51 31.2 056 59 25.4	FI W	3s	32.3	6	Square skeleton tower, red rectangular daymark, white band. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:5134 Edn 01/17 (N16-092)
285.2	Old Man Shoal East Cardinal light buoy HM	54 09 24.1 57 18 50.6	Q(3) W	10s	.....	.....	Black, yellow and black, marked "HM".	Seasonal.	Chart:5135
286 H74.5	Grappling Island  <b>Racon -- (G) X &amp; S Bands</b>	White Bear Islands. 54 27 22.5 56 52 51.5	FI W	6s	31.5	6	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:5135
287 H74.7	Herring Islands	On NE. island. 54 20 11.5 57 05 32.7	FI W	3s	35.2	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:5135
287.2	George Island South Cardinal light buoy HGE	54 13 21.1 057 15 46.9	VQ(6) W + LFI	10s	.....	.....	Yellow and black, marked "HGE".	Seasonal.	Chart:5135 Edn 01/16 (N15-096)
287.3	South Duck Island Shoal light buoy HD1	54 13 28.3 57 21 22	FI G	4s	.....	.....	Green, marked "HD1".	Seasonal.	Chart:5135 Edn 07/10 (N10-016)
288 H75	Little Black Island	At N. end of island. 54 18 24.6 57 50 03.9	FI W	6s	36.0	7	Square skeleton tower, red and white square daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:5140
289 H75.5	Big Island	On SE. side of island. 54 17 12.6 58 02 01.9	FI W	4s	12.2	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.	Chart:5140
290	Man of War Rock light buoy H1	54 13 19.7 58 20 03.2	FI G	4s	.....	.....	Green, marked "H1".	Seasonal.	Chart:4724 Edn 07/10 (N10-016)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.		Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground		Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>										
290.3	Hart Head	54 11 40.1 58 24 36.4	FI	R	4s	7.1	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	Chart:4724
290.31	Dart Rock light buoy HR1	54 10 52.3 58 25 27.9	FI	G	4s	.....	.....	Green spar, marked "HR1".	Seasonal.	Chart:4724
290.5	Rigolet Cove	54 10 50.4 58 25 37.9	FI	R	4s	4.8	3	Cylindrical mast. 2.4	Seasonal.	Chart:4724
291 H75.6	Rigolet	S. of Rigolet Point. 54 10 39.6 58 25 35.9	FI	W	6s	12.3	5	Square skeleton tower. 8.8	Flash 1 s; eclipse 5 s. Seasonal.	Chart:4724 Edn 02/10 (N09-063)
292 H75.7	Snooks Cove	On point, W. side of Cul de Sac. 54 04 38.6 58 34 04.9	FI	W	6s	5.3	6	Skeleton tower, orange and white rectangular daymark. 4.0	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:4724
293 H75.8	Henrietta Island	W. end of island. 54 04 13.6 58 33 34.9	FI	W	6s	5.5	6	Skeleton tower, orange and white rectangular daymark. 4.6	Flash 1 s; eclipse 5 s. Seasonal.	Chart:4724
294 H75.9	Eskimo Island	Southeasterly end of island. 54 03 10.6 58 33 37.9	FI	W	3s	5.5	7	Square skeleton tower, red and white rectangular daymark. 4.0	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:4724
295	Lareto Shoal light buoy H2	Off E. side of shoal. 53 58 38.4 58 45 48.6	FI	R	4s	.....	.....	Red, marked "H2".	Seasonal.	Chart:4725
296 H76	Green Island	At easterly end of Melville Lake. 53 55 37.3 58 59 36.6	FI	W	6s	18.9	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:4725
296.1	Long Point	53 41 45.7 59 19 06.1	FI	W	4s	53.4	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	Chart:5143
297	Cartier Shoal light buoy H4	South of Shoal 53 35 48.6 59 50 53.4	FI	R	4s	.....	.....	Red, marked "H4".	Seasonal.	Chart:4728 Edn 10/10
297.4	Blake Shoal light buoy H6	54 34 21.6 59 56 41.4	FI	R	4s	.....	.....	Red spar, marked "H6".	Seasonal.	Chart:4728
297.5	Epinette Point light buoy H7	53 31 20.6 59 56 56.4	FI	G	4s	.....	.....	Green spar, marked "H7".	Seasonal.	Chart:4728

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.				Height in meters above ground	

**NEWFOUNDLAND - LABRADOR COAST**

297.51	Southern Epinette Shoal light buoy HC1	53 29 45 59 56 42	Fl G	4s	.....	.....	Green spar, marked "HC1".	Seasonal.	Chart:4728
297.52	Carter Basin Outside light buoy HC2	53 30 00.5 59 53 12.9	Fl R	4s	.....	.....	Red spar, marked "HC2".	Seasonal.	Chart:4728
297.53	Carter Basin Inside light buoy HC4	53 29 57.8 59 52 49.7	Fl R	4s	.....	.....	Red spar, marked "HC4".	Seasonal.	Chart:4728 Edn 07/10 (N10-016)
297.6	North West Point light buoy H8	53 30 02.4 60 00 25.2	Fl R	4s	.....	.....	Red spar, marked "H8".	Seasonal.	Chart:4728
298	North West River Entrance light buoy HN1	At entrance to river. 53 31 23.4 60 07 07.2	Fl G	4s	.....	.....	Green, marked "HN1".	Seasonal.	Chart:4728
<b>Goose Bay</b>									
298.1	Green Island	53 33 30 60 04 01.9	Fl G	4s	3.8	2	Cylindrical mast.	Year round.	Chart:4728
298.3	River Center Shoal light buoy HN3	53 31 17 60 07 58.4	Fl G	4s	.....	.....	Green spar, marked "HN3".	Seasonal.	Chart:4728 Edn 06/12
298.5	Baikie Point	53 31 25.7 60 07 59.9	Fl R	4s	3.2	2	Cylindrical mast.	Year round.	Chart:4728
299 H76.4	Brule Point range	Lake Melville. 53 26 34.3 59 56 42.7	Oc G	6s	7.9	13	Square skeleton tower, trapezoid white daymark, red vertical stripe. 6.3	Flash 4 s; eclipse 2 s. Seasonal.	
300 H76.5		163°30' 88.4m from front.	Oc G	6s	19.2	13	Square skeleton tower, trapezoid white daymark, red vertical stripe. 6.3	Flash 4 s; eclipse 2 s. Seasonal.	Chart:4728 Edn 02/11 (N10-066)
301 H77	Kenamu River range	Lake Melville. 53 28 14.6 59 54 52.4	Oc G	6s	7.9	13	Square skeleton tower, white daymark, red vertical stripe. 6.4	Flash 4 s; eclipse 2 s. Visible in line of range. Seasonal.	
302 H77.1		047°30' 1517.9m from front.	Oc G	6s	18.9	13	Square skeleton tower, white daymark, red vertical stripe. 18.6	Flash 4 s; eclipse 2 s. Visible in line of range. Seasonal.	Chart:4728 Edn 02/11 (N10-066)
303	Sandy Point Turning light buoy H10	53 27 21.5 59 57 26.4	Fl R	4s	.....	.....	Red spar, marked "H10".	Year round.	Chart:4728

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground		

**NEWFOUNDLAND - LABRADOR COAST**

304	Sandy Point Channel light buoy H12	53 26 13.1 59 58 43.4	FI R	4s	.....	.....	Red spar, marked "H12".	Year round.	Chart:4728 Edn 07/10 (N10-016)
305	Sandy Point Channel light buoy H11	53 26 09 59 58 33	FI G	4s	.....	.....	Green spar, marked "H11".	Year round.	Chart:4728
306	Sandy Point Channel light buoy H14	53 25 41.5 59 59 44.4	FI R	4s	.....	.....	Red spar, marked "H14".	Year round.	Chart:4728
307	Sandy Point Channel light buoy H13	53 25 39 59 59 33	FI G	4s	.....	.....	Green spar, marked "H13".	Year round.	Chart:4728 Edn 08/10 (N10-042)
307.3	Sandy Point Channel light buoy H15	53 25 24 60 00 01	FI G	4s	.....	.....	Green spar, marked "H15".	Year round.	Chart:4728 Edn 07/10 (N10-016)
307.6	Sandy Point Channel light buoy H16	53 25 25.2 60 00 09	FI R	4s	.....	.....	Red spar, marked "H16".	Year round.	Chart:4728 Edn 07/10 (N10-016)
308	Sandy Point Channel light buoy H18	53 25 03.6 60 00 47.4	FI R	4s	.....	.....	Red spar, marked "H18".	Year round.	Chart:4728 Edn 07/10 (N10-016)
309	Sandy Point Channel light buoy H17	53 25 03.3 60 00 38.9	FI G	4s	.....	.....	Green spar, marked "H17".	Year round.	Chart:4728 Edn 07/10 (N10-016)
310	Hamilton River light buoy H19	At mouth of river. 53 22 57.6 60 09 45.6	FI G	4s	.....	.....	Green spar, marked "H19".	Year round.	Chart:4728
310.5	Hamilton River SW light buoy H21	53 22 49.7 060 11 00.6	FI G	4s	.....	.....	Green spar, marked "H21".	Year round. Operates 24h.	Chart:4728 Edn 08/16 (N16-038)
311	Rabbit Island light buoy H20	SW. of island. 53 23 04.2 60 11 18	FI R	4s	.....	.....	Red spar, marked "H20".	Year round.	Chart:4728
312	Birch Island light buoy H22	SSE. of Birch Island. 53 22 51.6 60 15 24.6	FI R	4s	.....	.....	Red, marked "H22".	Seasonal.	Chart:4728
313	Chaulk Point light buoy H23	S. side of channel. 53 21 48 60 17 17.4	FI G	4s	.....	.....	Green, marked "H23".	Seasonal.	Chart:4728

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

313.5	Grebe Point light buoy H25	E. of Groves Point Channel. 53 21 22.2 60 18 53.4	FI	G	4s	.....	.....	Green, marked "H25".	Seasonal.	Chart:4728
313.6	Groves Point Entrance light buoy H27	53 21 01.5 60 20 57.1	FI	G	4s	.....	.....	Green spar, marked "H27".	Year round.	Chart:4722 Edn 01/10
314	Terrington Narrows Channel light buoy H30	53 21 02.5 60 21 11.5	FI	R	4s	.....	.....	Red spar, marked "H30".	Year round.	Chart:4722 Edn 07/10 (N10-016)
315	Terrington Narrows Channel light buoy H29	53 20 59.9 60 21 09.4	FI	G	4s	.....	.....	Green spar, marked "H29".	Year round.	Chart:4722
316	Terrington Narrows Channel light buoy H32	53 21 00.3 60 21 34.1	FI	R	4s	.....	.....	Red spar, marked "H32".	Year round.	Chart:4722 Edn 07/10 (N10-016)
317	Terrington Narrows Channel light buoy H33	53 20 57.3 60 21 33.8	FI	G	4s	.....	.....	Green spar, marked "H33".	Year round.	Chart:4722 Edn 07/10 (N10-016)
317.5	<b>Terrington Narrows Sector</b>	53 20 37.3 60 24 07.1	F AI RW AI GW	R W G	.....	10.5	<b>19</b>	Square skeleton tower, red and white rectangular daymark. 10.0	Red from 255°35' to 256°55'; AI RW from 256°55' to 257°10'; white from 257°10' to 257°30'; AI GW from 257°30' to 257°45'; green from 257°45' to 259°05'. The light is visible over an arc of 003°30'. White sector indicates preferred channel. Seasonal.	Chart:4722
317.8	East Big Island	54 27 13.7 57 05 37.7	FI	W	3s	48.1	5	Square skeleton tower, red and white rectangular daymark. 4.5	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:5135
317.9	Run By Guess	S. of Run By Guess Island. 54 28 00.5 57 19 22.1	FI	W	3s	17.5	4	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:5042
318 H74	Cut Throat Point	On Cut Throat Island. 54 29 25.5 57 06 26.5	FI	W	4s	28.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Seasonal.	Chart:5135
318.2	Cockies South Cardinal light and bell buoy HCI	54 38 30 56 58 53.2	Q(6) +LFI	W	15s	.....	.....	Yellow and black, marked "HCI".	Year round.	Chart:5135

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.				Height in meters above ground	

**NEWFOUNDLAND - LABRADOR COAST**

319	Sloop Harbour Point	NE. point of Brig Harbour Island. 54 34 05.2 57 09 15.1	FI W	3s	20.4	7	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5135</b>
319.06	Holton Island	54 37 37.5 57 16 24.2	FI W	4s	46.2	5	Red and white square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5135</b>
319.07	Pigeon Island	54 40 24 57 29 55.2	FI W	4s	34.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5135</b>
319.08	Duck Island	54 43 41 57 41 23	FI W	4s	20.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5043</b>
319.09	False Cape Island	54 50 08.5 57 49 50	FI W	4s	25.8	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5043</b>
319.1	Northern Island	54 58 52.8 58 17 43.2	Mo(A) W	6s	57.8	5	Square skeleton tower, red and white rectangular daymark. 7.2	Flash 0.3 s; eclipse 0.6 s; flash 1 s; eclipse 4.1 s. Seasonal.	<b>Chart:5044</b>
319.12	Quaker Hat light buoy NQ1	54 59 55.9 58 30 48.7	FI G	4s	.....	.....	Green, marked "NQ1".	Seasonal.	<b>Chart:5045</b>
319.2	Quaker Hat Racon Q (- --) X & S Bands	54 44 12.5 57 20 37.7	LFI W	10s	36.0	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal.	<b>Chart:5135</b>
319.21	Conical Island	54 55 39.3 58 50 33.7	FI R	4s	30.4	4	Square skeleton tower, red and white square daymark. 7.2	Seasonal.	<b>Chart:5045</b>
319.22	Blandford Island	55 03 33.3 58 44 26.4	Q R	1s	32.9	4	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.	<b>Chart:5045</b>
319.225	Double Island	55 04 20.3 58 54 44	FI W	4s	70.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5045</b>
319.229	Tobins Shoal light buoy NQ3	E. of Pomiadluk Pt. 55 07 45 58 56 52.8	FI G	4s	.....	.....	Green, marked "NQ3".	Seasonal.	<b>Chart:5045</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

319.23	Green Island	55 07 48.3 58 53 35.4	FI R	4s	20.9	4	Square skeleton tower, red and white rectangular daymark. 5.9	Seasonal.	<b>Chart:5045</b>
319.239	North East Breaker West Cardinal light buoy NQB	55 10 42 59 07 00	VQ(9) W	10s	.....	.....	Yellow, black and yellow, marked "NQB".	Seasonal.	<b>Chart:5045</b>
319.24	Jackos Island	55 09 46.5 59 05 08.4	Mo(A) W	6s	18.6	5	Square skeleton tower, red and white rectangular daymark. 5.9	Flash 0.3 s; eclipse 0.6 s; flash 1 s; eclipse 4.1 s. Seasonal.	<b>Chart:5045</b>
319.25	Sisters Island	55 13 43.3 59 07 39.3	LFI W	10s	17.6	6	Square skeleton tower, red and white rectangular daymark. 5.9	Flash 2 s; eclipse 8 s. Seasonal.	<b>Chart:5045</b>
319.254	Double Point	54 50 24 58 22 25	FI W	4s	32.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5044</b>
319.3 H71.8	Cape Harrison	54 55 30 57 56 27	FI W	4s	185.9	7	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5043</b>
319.31	Aillik Islands	55 13 31 59 14 15.9	Q R	1s	11.4	3	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.	<b>Chart:5046</b>
319.316	Long Island Point	55 08 38.1 59 22 19.2	FI G	3s	22.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5046</b>
319.32	Alkami Island	55 00 05.1 59 34 15.7	FI G	4s	35.2	4	Square skeleton tower, green and white rectangular daymark. 5.9	Seasonal.	<b>Chart:5046</b>
319.321	Cape Roy	55 09 30.4 59 24 56.9	FI R	4s	23.5	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5046</b>
319.322	West Turnavik Island	55 15 40.2 59 20 05.9	FI G	3s	24.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5046</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

319.323 <i>H0071.2</i>	Drunken Harbour Island Light	55 13 20.3 059 30 16.9	FI W 3s 7.3	.....	Square skeleton tower, red rectangular daymark, white band. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5046 Edn 12/16 (N16-058)</b>
319.35	Ikey's Point	55 08 58.5 59 08 33.6	FI R 4s 12.3	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5045</b>
319.4	<i>Harrys Reef light buoy NY1</i>	<i>Postville</i> 54 55 07.4 059 43 56.3	FI G 4s	.....	<i>Green spar, marked "NY1".</i>	Seasonal.	<b>Chart:5046 Edn 01/16 (N15-095)</b>
319.5	Postville Wharf	54 54 25.3 59 46 02	FI R 4s 4.8	4	Cylindrical mast. 2.4	Seasonal.	<b>Chart:5046</b>
319.6	Purching Island	55 11 07.7 59 23 01.2	Mo(A) W 6s 27.1	5	Square skeleton tower, red and white rectangular daymark. 7.2	Flash 0.3 s; eclipse 0.6 s.; flash 1.0 s; eclipse 4.1 s. Seasonal.	<b>Chart:5046</b>
320	White Bear Island (Nanuaktok) <b>Racon -. (N) X &amp; S Bands</b>	On island. 55 26 00.7 59 30 40.9	FI W 6s 23.5	5	Square skeleton tower, red and white rectangular daymark. 7.6	Flash 0.5 s; eclipse 5.5 s. Seasonal.	<b>Chart:5046</b>
320.6	Bluff Point	55 15 51.7 60 02 02	FI W 3s 15.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5047</b>
321	Winsor Point	NE. point of Winsor Harbour Island. 55 20 54.2 59 43 55.9	FI W 3s 27.8	5	Cylindrical tower, red and white rectangular daymark. 4.9	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5046</b>
321.05	Clusters Island	W. of Turnavik Island. 55 16 49.2 59 30 13.1	FI R 4s 5.0	7	Square skeleton tower. 4.7	Seasonal.	<b>Chart:5046</b>
321.058	Striped Island	55 19 04.6 59 38 31.9	FI W 4s 37.3	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5046</b>
321.1	Kidlialuit Island (Ironbound Islands)	55 11 58.3 58 45 36.4	FI W 6s 143.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Flash 1 s; eclipse 5 s. Seasonal.	<b>Chart:5045</b>
321.3	Makkovik Wharf	55 05 07.1 59 10 11	FI R 4s 2.8	4	Mast. 2.4	Seasonal.	<b>Chart:5045 Edn 02/11 (N10-066) Edn 07/11 (N11-040)</b>



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

321.4	Hopedale Harbour light buoy NH1	55 27 13.3 60 12 55.9	FI G	4s	.....	.....	Green spar, marked "NH1".	Seasonal.	Chart:5047
321.45	Hopedale Harbour light buoy NH2	55 27 22.6 60 12 59.9	FI R	4s	.....	.....	Red spar, marked "NH2".	Seasonal.	Chart:5047
321.5	Hopedale Harbour range	55 27 18.6 60 13 30.1	F R	.....	20.1	11	Skeleton tower, white daymark, red vertical stripe. 5.7	Visible in line of range. Seasonal.	
321.6		278° 60m from front.	F R	.....	25.9	11	Skeleton tower, white daymark, red vertical stripe. 3.2	Visible in line of range. Seasonal.	Chart:5047
321.62	Hopedale Shoal West Cardinal light buoy NHH	55 27 23.2 60 11 54.7	Q(9) W	15s	.....	.....	Yellow, black, yellow, marked NHH.	Seasonal.	Chart:5047
321.7	Annalalik Island	55 27 12.6 59 46 00.1	FI W	6s	33.4	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5046
321.73	Napojotalik Shoal light buoy NHN2	55 24 15.6 59 57 30	FI R	4s	.....	.....	Red spar, marked "NHN2".	Seasonal	Chart:5047
321.74	Landmark Point	55 24 55.1 60 01 51.8	FI G	4s	34.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.	Chart:5047
321.75	Satoarsook Island	55 26 09.6 60 11 22.1	LFI W	10s	10.0	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal.	Chart:5047
321.77	Seneraluk Rock (Hopedale) East Cardinal light buoy NH	55 27 30.4 60 12 01.7	Q(3) W	10s	.....	.....	Black, yellow and black, marked "NH".	Seasonal.	Chart:5047
321.8	Umiaginak Island	55 28 48.2 60 12 37.5	Q R	1s	15.8	3	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.	Chart:5047
321.9 H0068.4	Achvitaaksook Island Light	55 29 34.8 060 13 42.6	FI W	4s	48.6	4	Square skeleton tower, three red rectangular daymarks, white band. 4.7	Seasonal.	Chart:5047 Edn 03/17 (N16-094)
322	Manuel Island (Napakataktalik)	NW. side of island. 55 33 06.6 60 14 54	FI W	4s	35.2	5	Red and white cylindrical tower, red and white rectangular daymark. 4.6	Seasonal.	Chart:5047

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

**NEWFOUNDLAND - LABRADOR COAST**

322.01	Cross Island	55 36 06.3 60 18 24.1	FI W 3s	23.1	5	Square skeleton tower, red and white rectangular daymark. 4.8	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5047</b>
322.02	Cant Island	55 38 22.1 60 23 42.3	FI W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5047</b>
322.03	Gourley Island	55 43 26.6 60 20 31.8	FI W 4s	11.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5047</b>
322.1	Windy Tickle	55 46 35.6 60 19 38.3	FI W 3s	7.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5048</b>
322.2	Farmyard Island	55 49 27.9 59 54 07.7	FI W 3s	53.9	5	Square skeleton tower, red and white square daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5048</b>
322.3	Ukasiksalik Island	55 56 26.5 60 44 57.9	FI W 6s	21.1	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 5 s. Year round.  <b>Chart:5048</b>
322.8	<i>Windy Tickle light buoy NVW2</i>	55 45 33 60 19 39.6	<i>FI R 4s</i>	.....	.....	<i>Red spar, marked "NVW2".</i>	<i>Seasonal.</i>  <b>Chart:5048</b>
323 H64	Cape Harrigan  <b>Racon -- (K) X &amp; S Bands</b>	On cape. 55 50 34 60 18 56.8	FI W 6s	44.0	6	Cylindrical tower, red and white horizontal bands. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  <b>Chart:5048</b>
323.29	South Tikigakjuk Island	55 48 20 60 29 16.1	FI G 4s	37.3	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5048</b>
323.3	4 Meter Islet	55 57 28.7 60 24 43.5	FI W 3s	7.6	7	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5048</b>
323.31	Katauyak Island	55 54 00.1 60 33 27.1	FI W 4s	43.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5048</b>
323.32	Entry Island	55 51 25.7 60 43 18.7	FI W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5048</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

323.49	<i>Pigeon Island (Inlet) light buoy NT2</i>	<i>Tom Gears Run.</i> 56 02 27.4 061 14 02.5	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NT2".</i>	<i>Seasonal.</i>	<b>Chart:5049</b> <b>Edn 01/16 (N15-092)</b> <b>Edn 01/17 (N16-086)</b>
323.491	<i>Uyagaksuak Rock light buoy NV2</i>	<i>55 56 55.8</i> <i>61 03 39</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NV2".</i>	<i>Seasonal.</i>	<b>Chart:5049</b>
323.51	<i>Pigeon Island light buoy NT1</i>	<i>Tom Gears Run.</i> 56 02 23.9 61 14 20.4	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NT1".</i>	<i>Seasonal.</i>	<b>Chart:5049</b> <b>Edn 08/10 (N10-016)</b>
323.52	<i>Tom Gears Run South light buoy NT3</i>	<i>56 06 20.4</i> <i>61 14 54</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NT3".</i>	<i>Seasonal.</i>	<b>Chart:5049</b>
323.521	<i>Tom Gears Run light buoy NT4</i>	<i>56 06 59.2</i> <i>061 13 35.2</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NT4".</i>	<i>Seasonal.</i>	<b>Chart: 5049</b> <b>Edn 01/16 (N15-097)</b>
323.53	<i>Tom Gears Run North light buoy NT5</i>	<i>56 07 20.2</i> <i>061 12 38.4</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NT5".</i>	<i>Seasonal.</i>	<b>Chart:5049</b> <b>Edn 01/16 (N15-090)</b>
323.54	<i>Perrett's Tickle light buoy NT7</i>	<i>56 08 51.0</i> <i>061 14 37.5</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NT7".</i>	<i>Seasonal.</i>	<b>Chart:5049</b> <b>Edn 01/16 (N15-091)</b>
323.55	Big Island	56 13 20.5 61 19 25	FI W	4s	22.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5049</b>
323.6	The Horses Light	56 03 41.7 60 44 18.2	FI W	3s	16.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5048</b> <b>Edn 07/14 (N14-027)</b>
324 H0062	Drawbucket Tickle Light	56 08 59.1 060 52 19.7	FI W	3s	14.0	6	Rectangular skeleton tower, red rectangular daymark, white horizontal stripe. 5.8	Flash 0.5 s; eclipse 2.5 s. Seasonal.	<b>Chart:5049</b> <b>Edn 02/17 (N17-004)</b>
324.1	Drawbucket Tickle East	56 08 43.2 60 50 51	Q R	1s	12.7	4	Square skeleton tower, red and white square daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.	<b>Chart:5049</b>
324.12	Nameless Island	56 08 14.5 60 57 59.5	FI W	4s	23.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5049</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

324.14	Nochalik Island	56 19 38.2 61 22 20.6	FI W 4s 18.5 5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5049</b>
324.19	Negro Island  <b>Racon - - - (Z) X &amp; S Bands</b>	56 21 05.8 60 32 40.8	FI W 6s 12.9 6	Red and white rectangular skeleton tower, red and white rectangular daymark.	Flash 0.5 s; eclipse 5.5 s. Year round.	<b>Chart:5051</b>
324.2	Amatut Island	56 21 45 60 51 13.7	FI G 4s 7.1 5	Skeleton tower, green and white rectangular daymark.	Year round.	<b>Chart:5052 Edn 02/14 (N14-010)</b>
324.21	Potuk Island	56 22 47.2 60 59 52.7	FI R 4s 20.9 5	Rectangular skeleton tower, red and white rectangular daymark.	Year round.	<b>Chart:5052</b>
324.3	Crown Island	56 16 55.5 60 56 47.5	FI R 4s 31.1 4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5049</b>
324.33	Black Island	56 47 40.7 61 20 02.1	FI G 4s 52.2 4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.	<b>Chart:4775</b>
324.34	Little Fish Island	56 54 55.5 61 18 30.9	FI R 4s 49.2 4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5054</b>
324.35	Beachy Island	57 08 06.3 61 20 09.5	FI W 4s 65.9 5	Square skeleton tower, red rectangular daymark, white horizontal stripe. 4.7	Seasonal.	<b>Chart:5055 Edn 05/11 (N11-020)</b>
324.4	Rifle Sight Hill	56 29 35.1 61 38 37.5	Mo(A) W 6s 22.9 5	Square skeleton tower, red and white square daymark. 4.7	Year round.	<b>Chart:5052</b>
324.5 <i>H0059.6</i>	Hen and Chickens Light  <b>Racon - - (W) X &amp; S Bands</b>	56 30 39.5 060 38 37.5	FI W 3s 24.2 5	Cylindrical tower, red with white horizontal stripe. 4.7	Flash 0.5 s; eclipse 2.5 s. Year round.	<b>Chart:5051 Edn 03/14 (N14-012) Edn 04/14 (N14-012) Edn 02/17 (N17-003)</b>
324.6	<i>Fairway Rock South Cardinal light buoy NN</i>	<i>Stratacona Run. 56 31 53 60 47 08.5</i>	<i>VQ(6) W +LFI</i> 10s ..... ..	<i>Yellow and black, marked "NN".</i>	Seasonal.	<b>Chart:5052 Edn 03/11 (N10-016) Edn 03/14 (N14-014)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**NEWFOUNDLAND - LABRADOR COAST**

324.61	Wood Island	56 32 23.3 60 56 23.4	FI R	4s	10.8	5	Skeleton tower, red and white rectangular daymark.	Year round.  <b>Chart:5052</b>
324.62	Dugong Island	56 30 15 61 08 47	FI R	4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.63	Turtle Island	56 30 10 61 07 23	FI G	4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.64	False Start Island	56 27 06.5 61 05 56	FI G	4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.65	Amushavik light buoy NNA3	W. of Sandy Island. 56 25 22.9 61 07 10.3	FI G	4s	.....	.....	Green spar, marked "NNA3".	Seasonal.  <b>Chart:5052</b>
324.66	Sandy Island Shoal light buoy NNA2	W. of Sandy Island. 56 23 48.2 061 07 52.4	Q R	1s	.....	.....	Red, marked "NNA2".	Seasonal.  <b>Chart:5052</b> <b>Edn 01/16 (N15-094)</b>
324.67	Unknown Island range	56 22 16.4 061 09 21.7	FI G	4s	18.3	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained. 24h Year round.
324.671		204°45' 6645m from front.	FI G	4s	22.9	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained .24h The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical mile range.  <b>Chart:5052</b> <b>Edn 05/15 (N15-020, 022)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**NEWFOUNDLAND - LABRADOR COAST**

324.672	Mount Pickle Light Sectors	56 23 12.4 0 61 11 34.8	F R W G	.....	35.2	.....	Square skeleton tower, red and white rectangular daymark.	The light is visible over an arc of 003°30'. White sector indicates preferred channel. Privately maintained. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical mile range.
<b>Chart:5052</b>								
324.673	Uigortlek Island range	56 24 52.4 061 16 14.7	FI G	4s	18.3	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained.
324.674		109°30' 4572m from front.	FI G	4s	25.6	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical miles range.
<b>Chart:5052 Edn 05/15 (N15-023, 024)</b>								
324.69	Taktok Point	56 24 13.5 61 27 40.3	FI W	4s	21.4	5	Square skeleton tower, red and white rectangular daymark.  4.7	Seasonal.
<b>Chart:5052</b>								
324.691	Sentinel Hill	56 25 21 61 32 24	FI R	4s	.....	4	Skeleton tower.	Privately maintained. Year round.
<b>Chart:5052</b>								
324.692	Kikkertavak Island	56 24 57.5 61 45 44	FI G	4s	.....	4	Skeleton tower.	Privately maintained. Year round.
<b>Chart:5052</b>								
324.693	Laura's Point	56 26 17.4 61 57 30.2	FI G	4s	.....	4	Skeleton tower.	Privately maintained. Year round.
<b>Chart:5070</b>								
324.71	Bridges Passage light buoy NNB3	56 27 09.6 61 33 58.2	FI G	4s	.....	.....	Green spar, marked "NNB3".	Seasonal.
<b>Chart:5052</b>								

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

**NEWFOUNDLAND - LABRADOR COAST**

324.72	<i>Palungitak (Bridges Passage) light buoy NNB2</i>	56 26 58.1 61 33 24.3	<i>FI R</i>	4s	.....	.....	<i>Red spar, marked "NNB2".</i>	<i>Seasonal.</i>	<b>Chart:5052</b>
324.79	Small Unnamed Island	56 22 35.6 61 06 30.1	<i>Q G</i>	1s	5.0	5	Skeleton tower, green and white rectangular daymark.	Year round.	<b>Chart:5052</b>
324.83	<i>Jenks Rock light buoy NNB5</i>	<i>W. of Glasis Point.</i> 56 28 25.5 61 39 03.3	<i>FI G</i>	4s	.....	.....	<i>Green spar, marked "NNB5".</i>	<i>Seasonal.</i>	<b>Chart:5052</b> <b>Edn 08/10 (N10-016)</b>
324.9	Stirrup Island	E. of Okak Island. 57 34 12.4 61 18 49	<i>LFI W</i>	10s	74.8	6	Square skeleton tower, red rectangular daymark, white horizontal stripe. 4.7	Flash 2 s; eclipse 8 s. Seasonal.	<b>Chart:5055</b> <b>Edn 05/11 (N11-020)</b>
325	Ford Harbour	On point, N. side of Harbour. 56 28 19.9 61 10 08.4	<i>FI W</i>	4s	13.7	6	Square skeleton tower, red and white rectangular daymark. 5.7	Seasonal.	<b>Chart:5052</b>
325.09	<i>Strathcona Run light buoy NS5</i>	56 32 30 61 27 18	<i>FI G</i>	4s	.....	.....	<i>Green, marked "NS5".</i>	<i>Seasonal.</i>	<b>Chart:5052</b>
325.1	<i>Strathcona Run (Nain) light buoy NNS2</i>	56 32 10.5 061 22 07.8	<i>FI R</i>	4s	.....	.....	<i>Red, marked "NNS2".</i>	<i>Seasonal.</i>	<b>Chart:5052</b> <b>Edn 01/16 (N15-093)</b>
325.2	<i>Strathcona Run (Labrador) light buoy NNS3</i>	56 33 42.7 61 35 45	<i>FI G</i>	4s	.....	.....	<i>Green spar, marked "NNS3".</i>	<i>Seasonal.</i>	<b>Chart:5052</b>
325.21	Nain Wharf	56 32 36.4 061 41 10.7	<i>FI R</i>	4s	.....	2	Cylindrical mast. 2.4	Seasonal.	<b>Chart:5052</b>
325.23	Turnpike Island	56 36 04.3 61 38 09.9	<i>FI R</i>	4s	17.2	4	Square skeleton mast, red and white rectangular daymark. 4.7	Seasonal.	<b>Chart:5052</b>