

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
471.7	Grates Cove	48 10 11.8 52 56 09.1	LFI W	10s	46.6 7	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal. Chart: 4853
471.8	<i>Martin Ledge North Cardinal light buoy TG</i>	48 11 41.5 52 54 57.1	Q W	1s	<i>Black and yellow, marked "TG".</i>	<i>Seasonal.</i> Chart:4850
471.9	Thornlea Wharf	Entrance to harbour. 47 36 23.5 53 43 08.6	FI R	4s	3.1 4	Mast. 2.6	Year round. Chart:4851 Edn 02/11(N10-066)
472 H498	Baccalieu Island (Northeast End)	48 08 59.7 52 47 53.3	FI W	6s	176.0 7	Square skeleton tower, red and white rectangular daymark. 19.2	Flash 1 s; eclipse 5 s. The light is often obscured by fog when the lower part of the island is clear. Year round. Chart:4853
473 H500	Baccalieu Island (Southwest Point)	On SW. extremity of island. 48 06 26 52 48 39.1	FI W	10s	53.3 15	White structure. 4.3	Flash 1 s; eclipse 9 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 202°30'. Chart:4850
473.1	Grates Cove Wharf	48 09 52.9 52 56 15.8	FI R	4s	5.7 4	Mast. 3.0	Year round. Chart:4853 Edn 02/11(N10-066)
474	<i>Bay de Verde light buoy CV2</i>	<i>East coast. 48 05 01.5 052 54 04.9</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>Red spar, marked "CV2".</i>	<i>Seasonal.</i> Chart:4850 Edn 10/16 (N16-055)
474.1	<i>Karl's Gateway light buoy CV3</i>	<i>Bay de Verde. 48 05 03.3 052 54 06.6</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "CV3".</i>	<i>Seasonal.</i> Chart:4850 Edn 12/16 (N16-039)
474.3	Bay de Verde Wharf	Entrance to harbour. 48 05 03.2 52 54 00	FI G	4s	5.5 2	Mast. 6.0	Year round. Chart:4850 Edn 01/12(N11-094)
474.4	Bay De Verde Breakwater	Entrance to harbour. 48 05 00.4 52 54 03.2	FI R	6s	4.7 3	Mast. 2.6	Flash 0.5s; eclipse 5.5s. Year round. Chart:4850 Edn 02/11(N10-066) Edn 01/12(N11-107)
475	Western Bay Head	47 53 11.2 53 03 23.4	FI W	10s	28.8 13	Skeleton tower, red daymark, white horizontal band. 6.6	Flash 7.5 s; eclipse 2.5 s. Year round. Chart:4850

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
475.1	Ochre Pit Cove Breakwater	47 54 46.3 53 04 00.1	Fl G	4s 3.6	4	Mast. 2.6	Year round. Chart:4850 Edn 02/11(N09-056)(N10-066)
475.3	Job's Cove Wharf	47 58 11.2 53 00 59.4	Fl R	4s	2	Mast. 2.1	Year round. Chart:4850
475.4	Salvage Shoal light buoy CJ4	47 55 24.2 53 03 27	Fl R	4s	Red spar, marked "CJ4".	Seasonal. Chart:4850
475.5	Ochre Pit Cove East light buoy CJ5	47 54 58 53 03 38	Fl G	4s	Green spar, marked "CJ5".	Seasonal. Chart:4850
475.6	Ochre Pit Cove West light buoy CJ6	47 55 07 53 03 46	Fl R	4s	Red spar, marked "CJ6".	Seasonal. Chart:4850
476.1	Bradley Rock light buoy CR2	47 45 09.6 53 10 18	Fl R	4s	Red, marked "CR2".	Seasonal. Chart:4847
477	Carbonear Island	NE. end of island. 47 44 22.6 53 09 51.7	Fl W	6s 54.3	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4849
477.5	Carbonear Breakwater Light	47 44 13.0 053 13 23.6	Fl R	5s	4	Cylindrical mast. 2.1	Flash 1 s; eclipse 4 s. Operates 24hrs. Year round. Chart:4849 Edn 05/17 (N16-054)
478 H0492	Carbonear Wharf Light	East Coast. 47 44 14.5 53 13 26.4	Fl Y	5s 4.3	Mast. 2.6	Flash 1 s; eclipse 4 s. Year round. Chart:4849 Edn 10/16 (N16-053)
478.5	Harbour Grace Channel light buoy CG	47 44 06 53 07 42	Mo(A) W	6s	Red and white vertical stripes, marked "CG".	Seasonal. Chart:4849
479	Harbour Grace Islands	47 42 42.4 53 08 30.5	Fl W	4s 41.4	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Chart:4849
480	The Bar Harbour Grace light buoy CG3	W. end of The Bar. 47 41 37.5 53 12 11.7	Fl G	4s	Green spar, marked "CG3".	Year round. Chart:4849
480.5	Caplin Cove Point light buoy CG4	47 41 42 53 12 15	Q R	1s	Red spar, marked "CG4".	Year round. Chart:4849

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
480.7	Point of Beach light buoy CG6	47 41 30 53 12 35	Fl R	4s	Red spar, marked "CG6".	Year round. Chart:4849
481.1	Point of Beach Sector	47 41 24 53 12 52	F Al RW Al GW	R W G	6.3 14 Square skeleton tower. 6.0	Red 234°30' to 235°30'; Al RW 235°30' to 236°; white 236° to 238°; Al GW 238° to 238°30'; green 238°30' to 239°30'. Year round. Chart:4849
482.5	Harbour Grace light buoy CG7	47 40 28 53 14 27.5	Fl	G	4s	Green spar, marked "CG7". Seasonal. Chart:4849
482.708	Harbour Grace Inner light buoy CG9	47 40 25.1 53 14 28	Fl	G	4s	Green spar, marked "CG9". Seasonal. Chart:4849
482.71	Long Beach Breakwater	47 40 23.3 53 14 23	Fl	R	4s	2 Cylindrical Mast. 2.4 Seasonal. Chart:4849 Edn 02/11 (N10-066)
482.72	Long Beach North Breakwater	Harbour Grace. 47 40 24.4 53 14 23	Fl	G	4s	3.4	2 Mast. 2.4 Seasonal. Chart:4849 Edn 02/11 (N10-066)
482.73	Harbour Grace Small Boat Basin South Wharf	47 40 23.7 53 14 21	Fl	R	4s	3.3	2 Mast. 2.1 Year round. Chart:4849 Edn 02/11 (N10-066)
482.74	Harbour Grace Small Boat Basin North Wharf	47 40 24.2 53 14 21.5	Fl	G	4s	3.5	2 Cylindrical Mast. 2.1 Year round. Chart:4849 Edn 02/11 (N10-066)
482.789	Harbour Grace Marina	47 40 23.4 53 14 26.5	Fl	R	4s	3.7	2 Cylindrical mast. 2.1 Year round. Chart:4849
483	Spaniards Bay Wharf	47 37 20.5 53 16 15.6	Fl	R	4s	2 Cylindrical mast. 2.1 Year round. Chart:4847
484	Bay Roberts Wharf	At outer end of wharf. 47 35 31 53 15 48.5	Fl	R	4s	4.0	4 Cylindrical mast. 2.9 Year round. Chart:4847
484.1	Bay Roberts Channel East light buoy CB2	47 35 37.8 53 14 54	Fl	R	4s Red spar, marked "CB2". Year round. Chart:4847
484.2	Bay Roberts Channel West light buoy CB4	47 35 37.2 53 15 06	Fl	R	4s Red spar, marked "CB4". Year round. Chart:4847

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
484.3	<i>Bay Roberts Inner Channel light buoy CB5</i>	47 35 32 53 15 00.7	Fl G	4s	Green spar, marked "CB5".	Year round. Chart:4847
485	Coley's Point	On rock off point. 47 35 22.5 53 15 10.6	Fl G	4s	6.1	5 Square skeleton tower, green and white rectangular daymark. 4.3	Year round. Chart:4847
486	Green Point (Bay Roberts)	NW. of point. 47 36 41.3 53 10 36.1	LFl W	10s	17.1	7 Cylindrical tower, red and white horizontal bands. 7.5	Flash 2 s; eclipse 8 s. Year round. Chart:4849
486.1	Port de Grave Breakwater East	47 35 02.5 53 12 44	Fl R	4s	7.4	4 Cylindrical mast. 2.6	Year round. Chart:4847
486.2	Port de Grave Breakwater West	Entrance to harbour. 47 35 03 53 12 47	Fl G	4s	5.1	2 Mast. 2.6	Year round. Chart:4847 Edn 02/11(N10-066)
486.65	<i>Mouse Rock light buoy CP2</i>	47 26 53 53 11 35	Fl R	4s	Red spar, marked "CP2".	Seasonal. Chart:4847
487	<i>Terry's Shoal light buoy CP4</i>	47 35 04.6 53 12 30.2	Q R	1s	Red, marked "CP4".	Seasonal. Chart:4847
487.1	Port de Grave Inner East Breakwater	Entrance to harbour. 47 35 05.7 53 12 42	Fl R	4s	3.0	2 Mast. 1.6	Year round. Chart:4847 Edn 02/11(N10-066)
487.2	Port de Grave Inner West Breakwater	47 35 06.5 53 12 43.7	Fl G	4s	3.0 Cylindrical mast. 1.6	Year round. Chart:4847
487.28	<i>Cupids Inner #2 light buoy CC4</i>	47 32 56.4 53 13 57.6	Fl R	4s	Red spar, marked "CC4".	Seasonal. Chart:4847 Edn 09/11(N11-055)
487.29	<i>Cupids Inner #1 light buoy CC3</i>	47 32 56.4 53 13 56.4	Fl G	4s	Green spar, marked "CC3".	Seasonal. Chart:4847 Edn 09/11(N11-053)
487.3	<i>Cupids Outer #1 light buoy CC1</i>	47 32 57.6 53 13 54.6	Fl G	4s	Green spar, marked "CC1".	Seasonal. Chart:4847 Edn 09/11(N11-054)
487.4	<i>Cupids Outer #2 light buoy CC2</i>	47 32 58.2 53 13 55.2	Fl R	4s	Red spar, marked "CC2".	Seasonal. Chart:4847 Edn 09/11(N11-052)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
487.5	Cupids Gut Wharf	47 32 48.1 53 14 02.9	Fl G	4s 2	Mast. 2.6	Year round. Chart:4847 Edn 10/11(N11-011)
488	Brigus	On North Head, entrance to Brigus Bay. 47 32 54.6 53 10 55.3	Fl W	3s	34.4 7	Cylindrical tower, red and white vertical stripes. 9.4	Flash every 3 s. Year round. Chart:4847
488.1	Cupids Wharf	47 33 03.3 53 13 24.8	Fl G	4s 2	Mast. 2.1	Year round. Chart:4847
488.2	Brigus Wharf	On outer end of wharf. 47 32 21.8 53 12 20.6	Fl R	4s	5.2 4	Triangular skeleton mast. 3.4	Year round. Chart:4847
488.7	Harbour Main Wharf	47 26 07.6 53 09 30.7	Fl R	4s 2	Mast. 2.1	Year round. Chart:4847
489	Ballyhack Point	On point, Gasters Bay. 47 26 46 53 11 27.8	Fl W	6s	11.3 5	Skeleton mast, red daymark, white horizontal band. 4.9	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4847
490 <i>H477</i>	Conception Harbour Wharf	At eastern end of public wharf. 47 26 26 53 12 32	Fl R	4s	3.6 3	Triangular skeleton mast. 3.3	Year round. Chart:4847
491	Salmon Cove Point	47 27 47.7 53 08 59.8	Fl W	5s	25.9 7	Square skeleton tower, red and white rectangular daymark. 6.4	Flash 1 s; eclipse 4 s. Year round. Chart:4848
491.5 <i>H474.4</i>	Holyrood Generating Plant	47 26 37.8 53 06 26.5	F R	9.6 Mast.	Floodlit. Privately maintained. Year round. Chart:4848
491.57	<i>Kelligrews Point light buoy CW9</i>	47 30 30 53 01 48	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>..... Green spar, marked "CW9".</i>	<i>Seasonal.</i> Chart:4847
491.58	St. Phillips Wharf	47 35 34 52 53 12	Fl G	4s Cylindrical mast.	Year round. Chart:4847
491.6 <i>H474.42</i>	Holyrood Generating Plant Wharf	47 26 35.7 53 06 27.8	F R	9.6 Mast.	Floodlit. Privately maintained. Year round. Chart:4848
492.5	<i>South Arm light buoy CH4</i>	47 23 57.5 53 08 04.8	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red, marked "CH4".</i>	<i>Seasonal.</i> Chart:4848
492.6	Holyrood Breakwater	47 23 19.2 53 07 40.4	Iso G	1s	3.7 2	Mast. 2.3	Year round. Chart:4848 Edn 02/11(N10-066)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

CONCEPTION BAY

492.7	Holyrood Bay range	In South Arm. 47 23 19.6 53 07 39.8	F R	8.3	13	Skeleton tower, red daymark, white vertical stripe. 6.4	Visible in line of range. Year round.
492.8 H474.71		183°32' 279.6m from front.	F R	19.4	13	Skeleton tower, red daymark, white vertical stripe. 17.0	Visible in line of range. Year round.
493 H470	Bell Island	47 39 18.1 52 54 59.2	Fl W	6s	52.7	17	White block. 3.0	Flash 1 s; eclipse 5 s. Year round.
								Chart:4848
493.5	Bauline	47 43 23 52 50 05	Fl (2) W	8s	9.9	6	Square skeleton tower, red and white rectangular daymark. 4.7	Year round.
								Chart:4847
493.52	Bauline North Breakwater	47 43 22 52 50 05	Fl G	4s	3.2	2	Mast. 2.3	Year round.
								Chart:4847 Edn 02/11(N10-066)
493.54	Bauline Wharf Light	47 43 21.7 52 50 04.3	Fl R	4s	2	Cylindrical mast. 2.3	Fl 1s ; Ec 3s Year round.
								Chart:4847 Edn 011/13(N13-027)
494	Ferry Wharf (Bell Island)	SW. corner of outer end of public wharf. 47 37 45.9 52 55 27	Iso R	6s	7.0	4	Square skeleton tower, red and white square daymark. 5.2	Year round. Whistle - Blast every 30 s.
								Chart:4847
495	Portugal Cove range	On shore. 47 37 30.6 52 51 22.6	F G	10.4	14	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Year round.
496		093°41' 62.4m from front.	F G	20.8	14	Square skeleton tower, white daymark, red vertical stripe. 3.9	Visible in line or range. Year round.
								Chart:4847
496.8	Long Pond Harbour Turning light buoy CN1	47 31 02.4 52 58 33.3	Fl G	4s	Green spar, marked "CN1".	Seasonal.
								Chart:4848
496.9	Long Pond Harbour Turning light buoy CN3	47 30 59 52 58 34.2	Fl G	4s	Green spar, marked "CN3".	Seasonal.
								Chart:4848

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
497	Portugal Cove	On outer end of breakwater. 47 37 34.7 52 51 31.2	Iso G	6s	6.1	4	Square skeleton tower, green and white rectangular daymark. 3.9 Whistle - Blast 3 s; sil. 27 s.
							Chart:4847
497.01	Long Pond Beach light buoy CB	47 31 28.2 52 58 22.2	Fl Y	4s	Yellow spar, marked "CB". <i>Seasonal.</i>
							Chart:4848
497.02	Long Pond Beach light buoy CBB	47 31 33.6 52 58 30	Fl Y	4s	Yellow spar, marked "CBB". <i>Seasonal.</i>
							Chart:4848
497.1	Bell Rocks light buoy CX2	47 34 45 53 01 20.4	Fl R	4s	Red, marked "CX2". <i>Seasonal.</i>
							Chart:4847
497.11	Manuels River light buoy CW5	47 32 25 52 57 12	Fl G	4s	Green spar, marked "CW5". <i>Seasonal.</i>
							Chart:4847
497.12	Little Bell Island light buoy CW4	47 34 21 52 57 28	Fl R	4s	Red, marked "CW4". <i>Seasonal.</i>
							Chart:4847
497.14	Kellys Island light buoy CW8	47 32 15 53 02 45	Fl R	4s	Red spar, marked "CW8". <i>Seasonal.</i>
							Chart:4847
497.2	Long Pond Channel light buoy CL3	Entrance to dredged channel. 47 31 13.2 52 58 47.2	Fl G	4s	Green spar, marked "CL3". <i>Year round.</i>
							Chart:4848
497.3	Long Pond Channel light buoy CL2	Entrance to dredged channel. 47 31 12.5 52 58 50	Fl R	4s	Red spar, marked "CL2". <i>Year round.</i>
							Chart:4848
497.4	Long Pond Harbour light buoy CL12	47 31 04.6 52 58 33.9	Fl R	4s	Red spar, marked "CL12". <i>Year round.</i>
							Chart:4848
497.5	Long Pond Yacht Channel light buoy CL14	47 31 10.2 52 58 28.5	Fl R	4s	Red spar, marked "CL14". <i>Seasonal.</i>
							Chart:4848
498	Long Pond East Breakwater	On E. breakwater. 47 31 08.6 52 58 41.8	Fl G	3s	5.9	4	Square skeleton tower, green and white rectangular daymark. 4.3 Flash every 3 s. <i>Year round.</i>
							Chart:4848
498.01	Long Pond Channel light buoy CL15	47 31 10.7 52 58 29	Fl G	4s	Green spar, marked "CL15". <i>Seasonal.</i>
							Chart:4848
498.04	Long Pond Channel light buoy CL19	47 31 15.2 52 58 20.8	Fl G	4s	Green spar, marked "CL19". <i>Seasonal.</i>
							Chart:4848

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position			Light Characteristics			Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N.	Longitude W.								

CONCEPTION BAY

498.05	Long Pond Yacht Channel light buoy CL20	47 31 14.9 52 58 19.2	Fl	R	4s	Red spar, marked "CL20".	Seasonal.	Chart:4848
498.06	Long Pond Yacht Channel light buoy CL23	47 31 18.4 52 58 14.7	Fl	G	4s	Green spar, marked "CL23".	Seasonal.	Chart:4848
498.09	Long Pond Harbour light buoy CL	47 31 14.6 52 57 52.6	Fl	Y	4s	Yellow spar, marked "CL".	Seasonal.	Chart:4848
498.1	Foxtrop Outer Breakwater	47 30 49.6 52 59 45.5	Fl	R	4s	3.4	4	Cylindrical mast. 2.6	Seasonal.	Chart:4847
498.16	Topsail Head light buoy CW3	47 33 11 52 55 20	Fl	G	4s	Green spar, marked "CW3".	Seasonal.	Chart:4847
498.2	Foxtrop Inner Breakwater	47 30 49 52 59 45.4	Fl	G	4s	4.2	4	Cylindrical mast. 2.6	Year round.	Chart:4847
498.5	Chimney Cove East Cardinal light buoy CCV	47 33 02 53 00 09	Q(3)	W	10s	Black, yellow and black spar, marked "CCV".	Seasonal.	Chart:4847