

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
HUDSON STRAIT AND BAY							
Inland LL 2545 H34	Bear Island	On E. side of entrance to Coral Harbour. 64 00 30 83 13 01	Fl W 5s	20.1	7	Square tower, orange rectangular daymark. 11.8	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.
							Chart:5410
Inland LL 2546 H35	Munn Bay (Coral Harbour)	W. of harbour, Southampton Island. 64 07 33 83 15 13	Fl W 5s	21.0	7	Square tower, orange rectangular daymark. 11.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.
							Chart:5410
Inland LL 2547 H33.4	Walrus Island (Fisher Strait)	Centre of island. 63 13 30 83 39 00	Fl W 6s	54.9	8	Skeleton tower, orange rectangular daymark, black vertical stripe. 9.8	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.
							Chart:5449
Inland LL 2548 H33	Cape Pembroke	NE. end of Coats Island. 62 54 30 81 53 30	Fl W 5s	16.5	8	Square tower, orange rectangular daymark. 10.9	Flash 1 s; eclipse 4 s. Seasonal.
							Chart:5449 Edn 08/11(A11-018)
Inland LL 2549 H32	Coats Island Racon - . - . (C) X & S Bands	On Carys Swan Nest, SE. point of island. 62 10 20 83 08 00	Fl W 6s	12.5	8	Red and white skeleton tower, orange rectangular daymark. 11.2	Flash 1 s; eclipse 5 s. Shoal water surrounds this point and should not be approached nearer than 5 miles. Radar reflector. Seasonal.
							Chart:5449
Inland LL 2550 H36	Mansel Island Racon - . - (K) X & S Bands	N. extremity of island. 62 25 00 79 36 30	Fl W 5s	18.6	8	Square tower, orange rectangular daymark. 15.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.
							Chart:5449 Edn 08/11(A11-018)
Inland LL 2551 H36.1	Cape Acadia (Mansel Island)	S. extremity of island. 61 35 00 79 48 30	Fl W 5s	23.5	8	Square tower, orange rectangular daymark. 19.2	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.
							Chart:5449 Edn 08/11(A11-018)
Inland LL 2552 H36.4	Broomfield Island Racon - . (N) X & S Bands	55 40 24 79 14 18	Fl R 6s	43.9	8	Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.
							Chart:5707
Inland LL 2553 H38	Digges Islet	On NW. islet of the Digges Islands. 62 35 14 78 06 36.8	Fl W 6s	27.7	8	Square tower, orange square daymark. 7.9	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.
							Chart:5412
Inland LL 2554 H40	Nottingham Island Racon - . (N) X & S Bands	On S. extremity of island. 63 05 10 77 57 00	Fl W 6s	27.7	8	Square tower, orange rectangular daymark, black vertical stripe. 12.4	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.
							Chart:5449

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
HUDSON STRAIT AND BAY							
Inland LL 2554.4	Salluit Breakwater (Starboard Entrance)	62 12 34.8 75 39 04.6	Fl R	4s	3.2	2 Black mast. 1.4	Maintained by the Community of Inuit Salluit. Seasonal. Chart:5458
Inland LL 2554.6	Salluit Breakwater (Porthand Entrance)	62 12 34.4 75 38 58.7	Fl G	4s	3.5	2 Black cylindrical mast. 1.3	Maintained by the Community of Inuit Salluit. Seasonal. Chart:5458
Inland LL 2555 <i>H41</i>	Arctic Island	On centre of island. 62 14 28 74 45 44	Fl W	6s	29.6	8 Square tower, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Seasonal. Chart:5457
Inland LL 2556 <i>H42</i>	Charles Island West End	62 42 30 74 40 00	Fl W	6s	20.7	8 Square tower, orange rectangular daymark. 16.1	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5450
Inland LL 2558 <i>H48</i>	Wales Island	E. extremity of island. 61 51 38 71 58 00	Fl W	6s	83.2	8 Square mast, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5390
Inland LL 2560 <i>H52</i>	Cape Hopes Advance	61 04 41.8 69 33 28.4	Fl W	6s	8 Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5452
Iqaluit (Frobisher Bay)							
Inland LL 2566 <i>H53.4</i>	Cape Poillon range	63 07 55.9 67 52 14.8	Iso W	2s	84.0	14 Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2567 <i>H53.41</i>		149°28' 3427.9m from front.	Iso W	2s	203.5	14 Square tower, orange daymark.	Visible in line of range. Seasonal. Chart:7125
Inland LL 2568 <i>H53.5</i>	Cape Poillon West	Pike Resor Channel. 63 08 49.8 67 55 00.8	Fl Y	6s	38.9	8 Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal. Chart:7125
Inland LL 2569 <i>H54</i>	Basset Point	On Pike Island. 63 12 43.5 67 57 47.2	Fl R	5s	18.3	8 Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal. Chart:7125
Inland LL 2570 <i>H54.2</i>	Pike Island range 1	Pike Resor Channel. 63 13 47.4 67 59 54.3	Iso W	2s	28.0	14 Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2571 <i>H54.21</i>		329°28' 385.4m from front.	Iso W	2s	44.4	8 Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal. Chart:7125

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
HUDSON STRAIT AND BAY								
Inland LL 2572 H54.3	Pike Island No. 2 range	63 15 04.1 68 01 46.8	Iso W	2s	20.9	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2573 H54.31		146°04' 2463.2m from front.	Iso W	2s	52.0	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Chart:7125								
Inland LL 2574 H54.4	Quadrifid Island	Pike Resor Channel, on Quadrafid Island. 63 18 13.8 68 07 47.2	Fl G	5s	33.6	6	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.
Chart:7125								
Inland LL 2575 H54.6	Lapointe Rock	63 21 35.9 68 14 23.5	Fl W	6s	14.0	8	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.
Chart:7125								
Inland LL 2576 H56.4	Monument Island	On summit of island. 63 41 54.3 68 30 11.4	Fl R	6s	41.4	8	Square tower, orange rectangular daymark. 9.5	Flash 1 s; eclipse 5 s. Seasonal.
Chart:7127								
Inland LL 2577	White Top Ledge light buoy N22	SW. of ledge. 63 42 50.2 68 30 07.7	Fl R	4s	Red, marked "N22".	Seasonal.
Chart:7127								
Inland LL 2578	Inuit light buoy N23	E. of reef. 63 43 01.2 68 30 42.5	Fl G	4s	Green, marked "N23".	Seasonal.
Chart:7127								
Inland LL 2579	Polaris Reef light buoy N26	S. of reef. 63 43 19.3 68 30 46.4	Fl R	4s	Red, marked "N26".	Seasonal.
Chart:7127								
Inland LL 2580 H55	Long Island	Koojesse Inlet. 63 43 31.1 68 30 05.1	Fl W	6s	14.2	8	Square tower, orange rectangular daymark. 5.4	Flash 1 s; eclipse 5 s. Seasonal.
Chart:7127								
Inland LL 2581	Black Ledge light buoy N30	W. of ledge. 63 43 40.1 68 31 08.3	Fl R	4s	Red, marked "N30".	Seasonal.
Chart:7127								
Inland LL 2582 H55.5	Frobisher Bay (Iqaluit) range	W. of the bay. 63 43 39.1 68 31 50.5	Iso R	2s	18.6	14	Square tower, orange daymark, black vertical stripe. 16.6	Visible in line of range. Seasonal.
Inland LL 2583 H55.51		229°58' 576.1m from front.	Iso R	2s	55.8	14	Square tower, orange daymark, black vertical stripe. 8.3	Visible in line of range. Seasonal.
Chart:7127								

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
HUDSON STRAIT AND BAY								
Inland LL 2584 H56	Frobisher Landing	Koojesse Inlet. 63 44 16.3 68 31 34.8	Fl Y 6s	5.0	7	Square tower, orange rectangular daymark. 5.2	Flash 1 s; eclipse 5 s. Seasonal.	
Chart:7127								
Inland LL 2585 H56.2	Koojesse Inlet range	Center of the city. 63 44 43.9 68 31 24.3	F G	13.1	17	Square tower, orange daymark. 13.2	Visible in line of range. Seasonal.
Inland LL 2586 H56.21		344°01' 419.5m from front.	F G	30.3	17	Square tower, orange daymark. 16.4	Visible in line of range. Seasonal. (In place Year round.)
Chart:7127								
Inland LL 2591 H58	Koksoak River range	Kuujuaq. 58 27 37.2 68 12 26.9	F G	18.0	10	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Operates at night only. Seasonal.
Inland LL 2592 H58.1		197°38' 613.6m from front.	F G	39.6	13	Square tower, orange daymark, black vertical stripe. 24.4	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 11/12(Q11-186,187)								
Inland LL 2593 H58.4	Koksoak River East range	Kuujuaq. 58 29 42 68 10 20.2	Iso W 2s	19.7	16	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.	
Inland LL 2594 H58.41		189°36' 651.4m from front.	Iso W 2s	35.0	16	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.	
Chart:5338 Edn 11/12(Q11-188,189)								
Inland LL 2595 H59	Beacon Point (Inukshuktuyuk) range	Koksoak River. 58 33 04.2 68 11 32.6	F W	17.4	15	Square tower, orange daymark, black vertical stripe.	Operates at night only. Seasonal.
Inland LL 2596 H59.1		219°49' 1025.2m from front.	F W	44.0	15	Square tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 11/12(Q11-190,191)								
Inland LL 2597	Stic range	Koksoak river. Kuujuaq 58 16 32.1 68 16 45.3	Iso R 2s	18.3	14	Square skeleton tower, orange daymark, black vertical stripe. 14.2	Visible in line of range. Operates at night only. Seasonal.	
Inland LL 2597.1		202°30' 285.8m from front.	Iso R 2s	28.6	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.	
Chart:5338 Edn 11/14 (Q14-047,048)								

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
HUDSON STRAIT AND BAY									
Inland LL 2597.2	Tent range	West shore Koksoak river. Kuujjuaq 58 18 41.7 68 15 54.9	F	G	24.3	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
Inland LL 2597.3		353° 21' 1468.5m from front.	F	G	61.3	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 11/14 (Q14-049,050)									
Inland LL 2597.4	Chapel range	East shore Koksoak river. Kuujjuaq 58 12 27 68 17 13.1	F	G	24.7	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
Inland LL 2597.5		195° 46' 1429.3m from front.	F	G	42.1	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 11/14 (Q14-051,052)									
Inland LL 2597.6	Whale range	West shore Koksoak river. Kuujjuaq 58 11 10.6 68 19 35.2	F	R	38.7	14	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
Inland LL 2597.7		209° 06' 1441.2m from front.	F	R	70	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 11/14 (Q14-053,054)									
Inland LL 2597.8	Paint range	West shore Koksoak river. Kuujjuaq 58 14 19 68 18 28.4	Iso	G	2s	24.5	16	Square skeleton tower, orange daymark, black vertical stripe. 15.6	Visible in line of range. Operates at night only. Seasonal.
Inland LL 2597.9		359° 41' 1787.3m from front.	Iso	G	2s	48.9	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 11/14 (Q14-055,056)									
Inland LL 2600 H35.4	Mission Lake	Chesterfield Inlet. 63 20 36.8 90 41 14	Fl	W	6s	30.0	8	Square mast, orange rectangular daymark. 9.7	Flash 1 s; eclipse 5 s. Seasonal.
Chart:5620									
Inland LL 2601 H24	Dunne Foxe Island	On Easternmost Island. 62 15 42 91 59 20	Fl	W	6s	21.7	8	Square skeleton mast. 10.0	Flash 1 s; eclipse 5 s. Seasonal.
Chart:5630									

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
HUDSON STRAIT AND BAY								
Inland LL 2602 H25	Walrus Island Racon --- (Y) X & S Bands	Mistake Bay. 61 57 59.4 92 28 41.1	Fl W 6s	28.5	8	Square skeleton mast, orange rectangular daymark. 11.0	Flash 1 s; eclipse 5 s. Seasonal.	
Chart:5642								
Inland LL 2603 H25.5	Sentry Island (Arviat, NWT) Racon --- (C) X & S Bands	61 09 35.6 93 52 14.6	Fl W 6s	35.4	8	Square skeleton mast. 18.4	Flash 1 s; eclipse 5 s. Seasonal.	
Chart:5641								
Churchill Harbour								
Inland LL 2605.01	<i>Hudson Bay</i> Southwest ODAS light buoy 45158	59 00 00 94 00 00	Fl(5) Y 20s	Yellow, marked "45158".	Maintained by Environment Canada. Seasonal.	
Chart:5400								
Inland LL 2606	<i>Merry Rock light</i> buoy C1	58 47 31.5 94 12 23	Q G 1s	Green, marked "C1".	Maintained by the Port of Churchill. Seasonal.	
Chart:5640								
Inland LL 2607	<i>Merry Rock light</i> buoy C2	58 47 40.8 94 12 23.5	Q R 1s	Red, marked "C2".	Maintained by the Port of Churchill. Seasonal.	
Chart:5640								
Inland LL 2608 H28	Fort Prince of Wales range	58 47 39.3 94 12 55.8	F W	7.9	15	Skeleton tower, orange daymark, black vertical stripe.	Seasonal.
Inland LL 2609 H28.1		343°49' 385.2m from front.	F W	10.9	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.
Chart:5640 Edn 06/11(D11-015)								
Inland LL 2610 H29	Ship Point range	58 47 28.1 94 13 22.8	F W	9.1	15	Square skeleton mast, orange daymark, black vertical stripe. 6.1	Seasonal.
Inland LL 2611 H29.1		317°37' 196.4m from front.	F W	13.3	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.
Chart:5640 Edn 06/11(D11-015)								
Inland LL 2612 H27	Churchill range	58 47 00.9 94 13 59.2	F W	23.0	15	Tripod skeleton tower, orange daymark.	Seasonal.
Inland LL 2613 H27.1		Racon --- (G) X & S Bands	236°25' 1632.8m from front.	F W	47.1	15	Tripod skeleton tower, orange daymark, black vertical stripe.
Chart:5640								

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
HUDSON STRAIT AND BAY							
Inland LL 2614	<i>Merry Rock light buoy C4</i>	58 47 22.8 94 12 57	<i>Fl R 4s</i>	<i>Red, marked "C4".</i>	<i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640
Inland LL 2615	<i>Cape Merry light buoy C3</i>	58 47 16.4 94 12 34.7	<i>Fl G 4s</i>	<i>Green, marked "C3".</i>	<i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640
Inland LL 2616	<i>Cape Merry light buoy C5</i>	58 47 09.8 94 12 33	<i>Fl G 4s</i>	<i>Green, marked "C5".</i>	<i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640
Inland LL 2617	<i>Cape Merry light buoy C6</i>	58 47 01.3 94 12 43	<i>Fl R 4s</i>	<i>Red, marked "C6".</i>	<i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640
Inland LL 2618	<i>Churchill Wharf Approach light buoy C7</i>	58 46 50.8 94 12 12.9	<i>Fl G 4s</i>	<i>Green, marked "C7".</i>	<i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640
Inland LL 2620	<i>Churchill Wharf light buoy C8</i>	58 46 44.6 94 12 15.2	<i>Fl R 4s</i>	<i>Red, marked "C8".</i>	<i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640
Inland LL 2621	<i>Churchill Wharf light buoy C10</i>	<i>S. end of wharf.</i> 58 46 16.8 94 11 40	<i>Fl R 4s</i>	<i>Red, marked "C10".</i>	<i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640