

PACIFIC COAST – 2010 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
OKANAGAN LAKE							
51.5	Okanagan Landing Cautionary light buoy EA	50 14 07.1 119 21 48.7	Fl Y	4s	Yellow, marked "EA".	Privately maintained. Year round. Chart:3052
51.6	Okanagan Landing Cautionary light buoy EB	50 14 08.2 119 21 43.9	Fl Y	4s	Yellow, marked "EB".	Privately maintained. Year round. Chart:3052
51.7	Shorts Point	50 08 17.4 119 29 23.9	Fl G	4s	6.1	3	White cylindrical tower, green band at top on 9- pile dolphin. Radar reflector. Year round. Chart:3052
52	Adventure Bay	50 13 39.8 119 24 16.7	Fl W	4s	5.5	3	White cylindrical tower. Radar reflector. Year round. Chart:3052
53	Cameron Point	50 11 30.3 119 26 05.7	Fl R	4s	5.5	3	White mast. Year round. Chart:3052
54	Whiskey Island	On island. 50 06 21.3 119 28 08.8	Fl R	4s	5.5	3	Mast, red and white triangular daymark. Year round. Chart:3052
54.5	Northern ODAS light buoy 70-6	Off Pixie Beach. 50 04 03.6 119 28 19.4	Fl(5) Y	20s	Yellow, marked "70-6". Year round. Chart:3052 Edn 03/12(P12-008)
55	Traders Cove	On W. side of Okanagan Lake, N. of Kelowna. 49 56 23.7 119 29 46.1	Fl W	4s	22.9	3	White cylindrical tower, green band at top. Year round. Chart:3052
56	Manhattan Point	Off point. 49 53 57.1 119 30 15.2	Q R	1s	5.5	3	White cylindrical tower, red band at top on 5-pile dolphin. Year round. Chart:3052
56.5	Kelowna Yacht Club Breakwater	49 53 24.6 119 29 52.3	Fl R	4s	3.0	4	Mast. Privately maintained. Year round. Chart:3052
57	Kelowna Breakwater	49 53 16.9 119 29 52.3	Fl W	4s	3.7	6	Mast. Privately maintained. Year round. Chart:3052
57.1	Kelowna Breakwater South Entrance	49 53 16 119 29 49	F R	3.7	Pile. Privately maintained. Year round. Chart:3052
57.2	Kelowna Breakwater North Entrance	49 53 18 119 29 49	F R	1.5	Pile. Privately maintained. Radar reflector. Year round. Chart:3052

PACIFIC COAST – 2010 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
OKANAGAN LAKE								
57.3	Westbank Breakwater	49 48 54.8 119 37 14	F G	Pile breakwater.	Privately maintained. Radar reflector. Year round.	
							Chart:3052	
57.6	Mission Creek light buoy E10	49 50 35.9 119 29 47.9	Fl R	4s	Red spar, marked "E10".	Year round.	
							Chart:3052 Edn 10/12(P12-046)	
58	Bougeries Point	49 49 21.2 119 35 12.9	Fl W	4s	6.1	3	White cylindrical tower, green band at top on 9 – pile dolphin.	Year round.
							Chart:3052	
58.1	Summerland Breakwater	NW. corner of breakwater. 49 36 10.8 119 39 00.4	F G	Pile breakwater.	Privately maintained. Year round	
							Chart:3052	
58.3	Peachland North Breakwater	49 46 43 119 43 54	Q G	1s	4.5	7	Mast, green, white and black square daymark.	Privately maintained. Year round.
							Chart:3052 Edn 04/11	
58.5	Summerland North Breakwater	49 36 12 119 38 54	Q W	1s	4.6	5	Long pile of a 5-pile dolphin, red and white triangular daymark.	Privately maintained. Year round.
							Chart:3052	
59	Central ODAS light buoy 70-5	SW. of Westbank. 49 47 47.9 119 37 29.8	Fl(5) Y	20s	Yellow, marked "70-5".	Year round.
							Chart:3052 Edn 03/12(P12-009)	
59.3	Naramata Breakwater	On outer end of breakwater. 49 35 31.5 119 35 50.9	Q G	1s	4.6	4	Mast, green, white and black square daymark.	Privately maintained. Year round.
							Chart:3052 Edn 04/11	
62	Halfway Point	On E. side of lake, N. of Squally Point. 49 45 50.7 119 41 28.9	Fl W	4s	7.6	3	White mast.	Year round.
							Chart:3052	
62.5	Rattlesnake Island	49 44 55 119 43 03.2	Q W	1s	2	Mast.	Year round.
							Chart: 3052	
63	Squally Point	On extremity of point. 49 43 34 119 43 25.1	Fl R	4s	10.7	3	White cylindrical tower, red band at top.	Year round.
							Chart:3052	
63.5	Southern ODAS light buoy 70-1	N. of Summerland. 49 38 58.5 119 39 58.7	Fl(5) Y	20s	Yellow, marked "70-1".	Year round.
							Chart:3052 Edn 03/12(P12-010)	

PACIFIC COAST – 2010 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

OKANAGAN LAKE

64	Trout Creek	On Gartrell Point. 49 34 23 119 37 04.1	Fl G	4s	6.7	3	White cylindrical tower, green band at top on pier.	Year round.	Chart:3052
64.3	Penticton Breakwater	W. extremity of breakwater. 49 30 21.6 119 35 14.2	Q G	1s	4.6	3	Mast, green, white and black square daymark.	Year round.	Chart:3052 Edn 04/11
64.4	Skaha Lake Breakwater	49 27 05 119 34 51	Fl R	4s	2.4	4	Mast.	Year round.	Chart:3052