

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
JOHNSTONE STRAIT							
518 G5591	Chatham Point	Off point. 50 20 00.6 125 26 25.9	FI G	5s	6.4	8	White cylindrical tower, green band at top. Flash 1.5 s; eclipse 3.5 s. Year round. Horn – Blast 2 s; sil. 18 s
Chart:3539							
518.5 G5593	Turn Island	S. side of island. 50 20 42.4 125 27 55.8	Q R	1s	11.9	4	Mast, red and white triangular daymark. Year round.
Chart:3543							
519 G5594	Rock Point	On the point. 50 20 28.3 125 30 05.9	Q G	1s	5.8	4	White cylindrical tower, green band at top. Radar reflector. Year round.
Chart:3543							
520 G5595	Walkem Islands	50 21 27.4 125 31 30.7	FI R	4s	7.2	4	White cylindrical tower, red band at top. Radar reflector. Year round.
Chart:3543 Edn 01/16 (P15-097)							
521 G5596	Ripple Point	On the point. 50 22 05.2 125 34 46.6	FI W	4s	6.1	6	White cylindrical tower, green band at top. Radar reflector. Year round.
Chart:3543							
521.6 G5595.5	Bear Point	50 21 55.9 125 40 18.1	FI W	4s	5.9	8	White cylindrical tower. Radar reflector. Year round.
Chart:3544							
522 G5598	Vansittart Point	On point, S. side of West Thurlow Island. 50 22 36.2 125 44 36.1	FI R	4s	9.7	4	White cylindrical tower, red band at top. Radar reflector. Year round.
Chart:3544							
522.2 G5598.4	Tyee Point	SW. point of West Thurlow Island. 50 23 07.9 125 47 00.1	Q R	1s	7.9	4	White cylindrical tower, red band at top. Radar reflector. Year round.
Chart:3544							
522.5 G5599	Race Passage East	On rock. 50 22 51.7 125 48 47.8	FI G	4s	5.3	4	White cylindrical tower, green band at top. Radar reflector. Year round.
Chart:3544							
523 G5600	Camp Point	On point. 50 23 04.2 125 49 38.1	Q G	1s	5.4	4	White cylindrical tower, green band at top. Radar reflector. Year round.
Chart:3544							
524 G5600.4	Current Passage Sector	S. side of Hardwicke Island. 50 24 33.6 125 48 36.8	F R W G	5.6	8	White cylindrical tower. Red from 326° to 330°; white from 330° to 336°; green from 336° to 340°. Year round.
Chart:3544							
525 G5601	Helmcken Island Sector	On drying rock. 50 23 56 125 51 25.8	F R W G	4.7	6	White cylindrical tower. Red from 284° to 293°; white from 293° to 296°30'; green from 296°30' to 302°. Year round.
Chart:3544							

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.							Height in meters above ground	Fog Signals	
JOHNSTONE STRAIT												
526 G5603.4	Helmcken Island North	N. side of island. 50 24 22.2 125 52 35.2	Q	G	1s	7.0	4	White cylindrical tower, green band at top.	Radar reflector. Year round.			Chart:3544
527 G5574	West Redonda Island	50 14 34.9 124 58 42.5	FI	W	4s	6.6	6	White cylindrical tower, red band at top.	Radar reflector. Year round.			Chart:3541
527.2 G5574.4	Pryce Channel	Redonda Islands. 50 18 24.2 124 49 48.1	FI	G	4s	7.0	5	White cylindrical tower, green band at top.	Radar reflector. Year round.			Chart:3541
527.7 G5573.8	Waddington Channel	Redonda Islands. 50 13 55.1 124 49 17.4	FI	G	4s	7.0	4	White cylindrical tower, green band at top.	Radar reflector. Year round.			Chart:3541
527.9 G5574.2	Dean Point	W. Redonda Island. 50 17 08.8 124 47 10.7	Q	G	1s	6.1	4	White cylindrical tower, green band at top.	Radar reflector. Year round.			Chart:3541
528 G5574.8	Hole in the Wall West	On shore. 50 17 58 125 12 30	Q	R	1s	7.0	3	White cylindrical tower, red band at top.	Year round.			Chart:3537
529 G5575	Harbott Point	On SW. extremity of Stuart Island. 50 21 41.4 125 08 09	FI	R	4s	8.5	4	White cylindrical tower, with red band at top.	Radar reflector. Year round.			Chart:3543
530 G5576	Gillard Islands	On NE. extremity of island, Gillard Passage. 50 23 28.8 125 09 20.8	Q	G	1s	6.0	4	White cylindrical tower, green band at top.	Year round.			Chart:3543
531 G5577	Dent Islands	On westerly extremity island. 50 24 31.3 125 12 36.2	Q	R	1s	7.3	4	White cylindrical tower, red band at top.	Year round.			Chart:3543
531.5 G5577.4	Lorte Island	S. tip of island. 50 26 39.3 125 27 15.3	FI	W	4s	5.1	5	White cylindrical tower, red band at top.	Radar reflector. Year round.			Chart:3543
532 G5578	Griffiths Islet	On W. end of island. 50 26 31.8 125 30 25.3	Q	R	1s	6.7	3	White cylindrical tower, red band at top.	Radar reflector. Year round.			Chart:3543
532.2 G5578.4	Lyllall Island	SW. point of island. 50 26 41.3 125 35 44.3	FI(3)	W	12s	6.6	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.			Chart:3543

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
JOHNSTONE STRAIT							
533 G5603	Helmcken Island South Sector	On S. side of island. 50 23 38.4 125 52 17.5	Q W R	1s 10.9	5	White cylindrical tower, red band at top.	Red 274° to 281°20'; White 281°20' Through N. and E. to 114°10'; Red 114°10' to 122°20'. Year round. Chart:3544 Edn 02/15 (P14-067) Edn 06/15 (P14-067)
534 G5604	Peterson Islet	N. end of islet. 50 23 22.3 125 54 48.5	FI G	4s 6.2	5	White cylindrical tower, green band at top.	Year round. Chart:3544
534.3 G5605	Earl Ledge	Seaward end of ledge. 50 24 39.1 125 55 14.5	FI R	4s 5.4	5	Square skeleton tower, red and white rectangular daymark.	Year round. Chart:3544
534.5	Kelsey Bay Breakwater	50 23 46.4 125 57 31.3	FI Y	4s 1.5	3	Mast.	Flash 0.5s ; eclipse 3.5s Year round. Chart:3544 Ed 04/14(P14-011) Edn 12/15 (P15-089)
535 G5610	Hickey Point	On the point. 50 26 57.7 126 05 12.3	FI W	4s 8.8	8	Square skeleton tower.	Year round. Chart:3545
536 G5612	Broken Islands	On SW. extremity of island. 50 30 39.7 126 17 55.1	FI W	4s 7.1	7	White cylindrical tower.	Radar reflector. Year round. Chart:3564
537 G5615.4	Havannah Islets	On southernmost rock of islets. 50 32 10.9 126 15 02.7	Q G	1s 6.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3564
538 G5616	Ray Point range	On the point. 50 34 49 126 12 0.8	F Y 7.8	5	Square skeleton tower, red daymark, white vertical stripe.	Year round.
539 G5616.1		087°48' 23.1m from front.	F Y 11.8	6	Square skeleton tower, red daymark, white vertical stripe.	Year round. Chart:3564 Edn 09/11(P11-032) Edn 02/14 (P14-001-002) Edn 03/14 (P14-001-002)
540 G5617	East Cracroft Island range	On northeastern side of island. 50 34 47 126 14 28.1	F Y 5.6	5	Square skeleton tower red daymark, white vertical stripe.	Year round.
541 G5617.1		270°55' 27.3m from front.	F Y 13.7	6	Square skeleton tower red daymark, white vertical stripe.	Year round. Chart:3564 Edn 09/11(P11-029) Edn 02/14(P14-003-004) Edn 03/14(P14-003-004)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
JOHNSTONE STRAIT							
542 G5606	Carterer Point	E. end of Hardwicke Island. 50 27 31.5 125 45 50	Q W	1s 5.6	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3544
542.5 G5606.4	Seymour Island	On S. side of island. 50 28 40.8 125 52 08.3	FI W	4s 5.5	5	White mast.	Year round. Chart:3544
542.8 G5606.6	Fanny Island	50 27 12.6 125 59 34.4	FI(3) W	12s 6.2	9.2	Triangular skeleton tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3544
543 G5608	Tuna Point	W. end of point, E. side of entrance to Blenkinsop Bay. 50 28 31.1 126 00 07.6	FI R	4s 9.4	4	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3564
544 G5613	Boat Bay	W. of bay. 50 31 10.2 126 34 41.8	Q W	1s 10.7	6	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3545
544.4 G5613.4	Cracraft Point	Blackney Passage entrance. 50 32 59.3 126 40 43.7	FI R	4s 7.1	4	White cylindrical tower.	Radar reflector. Year round. Chart:3546
544.5 G5613.5	Hanson Island East Sector	On Licka Point. 50 33 58.6 126 41 35.8	Q W-R	1s 7.6	4	White square skeleton tower.	Red 127° to 160°, white 160° through S. and W. to 345°. Year round. Chart:3546 Edn 10/15 (P15-068)
544.6 G5613.6	Parson Island	On drying rock. 50 34 30.7 126 40 59.9	FI W	4s 6.0	7	White cylindrical tower.	Radar reflector. Year round. Chart:3546