

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---------------------------------|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 587 G5674 | Kelpie Point | On the point. 51 44 00.6 127 59 47.5 | Fl W 4s | 7.9 | 5 | Square skeleton tower. | Year round. Chart:3935 Edn 12/10 (P10-126) |
| 588 G5675 | Odlum Island | W. side of point. 51 41 36.5 128 07 12.8 | Fl W 6s | 21.5 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3935 |
| 588.7 G5709 | Spider Channel | N. end of Spider Island. 51 51 46.2 128 15 31.6 | Fl W 4s | 17.4 | 5 | Square skeleton tower. | Year round. Chart:3937 |
| 589 G5711 | Currie Islet (Gosling Rocks) | On islet. 51 51 05.5 128 27 24.8 | Fl W 6s | 16.9 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3937 Edn 03/14 (P14-019) |
| 590 G5676 | Kiwash Island | On S. end of island. 51 51 38.7 127 53 37.6 | Fl W 4s | 6.0 | 5 | Square skeleton tower. | Year round. Chart:3936 Edn 12/10 (P10-127) |
| 591 G5678 | Fog Rocks | On the largest rock, Fisher Channel. 51 58 19.3 127 55 07.4 | Fl W 4s | 7.2 | 9 | White square skeleton tower. | Year round. Chart:3936 |
| 592 G5680 | Pointer Island | SE. end of island, S. of E. entrance to Lama Passage. 52 03 39.1 127 56 52.9 | Oc W 6s | 12.8 | 8 | White cylindrical tower. | Flash 4 s; eclipse 2 s. Year round. Chart:3936 |
| 592.5 G5693 | White Point | On point. 52 04 29.7 127 57 56.6 | Fl R 6s | 8.6 | 4 | White square skeleton tower, red band at top. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3936 |
| 593 G5694 | Serpent Point | 52 04 35.7 127 59 38.8 | Q W 1s | 5.9 | 4 | White square skeleton tower. | Year round. Chart:3936 |
| 594 G5681 | Farewell Point | E. side of point. 52 07 33.8 127 53 26.2 | Fl W 6s | 4.3 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3936 |
| 595 G5682 | Sunny Island | On rock, S. of island, Fisher Channel. 52 11 16 127 52 09.6 | Fl W 4s | 7.2 | 5 | White square skeleton tower. | Year round. Chart:3939 Edn 03/12 (P12-011) |
| 596 G5688 | Edward Point | On point. 52 26 21.2 127 16 25.3 | Fl W 6s | 8.1 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3974 Edn 12/10 (P10-120) Edn 05/12 (P12-021) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|------------------------|---|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 597 G5688.5 | Flagpole Point | On point. 52 20 56.8 126 55 42.6 | Fl(3) W 12s | 5.7 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3974 Edn 06/12 (P12-025) |
| 598 G5689 | Sutlej (Deadman) Point | On point. 52 22 34.5 126 48 18.6 | Fl W 4s | 5.9 | 5 | Square skeleton tower. | Year round. Chart:3974 Edn 07/12 (P12-027) |
| 598.5 G5689.2 | Bella Coola Breakwater | 52 22 33.5 126 47 47 | Q R 1s | 4.2 | 3 | White square skeleton tower, red band at top. | Year round. Chart:3974 Edn 07/12 (P12-026) |
| 599 G5684 | Wearing Point | On point, Cousins Inlet. 52 18 00.4 127 45 41.2 | Fl W 4s | 4.3 | 5 | Square skeleton tower. | Year round. Chart:3939 |
| 599.5 G5685 | Cousins Inlet | 52 19 38.3 127 44 59.9 | Fl W 6s | 4.3 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3939 |
| 600 G5686 | Coolidge Point | On point, Cousins Inlet. 52 21 00.4 127 43 00.6 | Fl(3) W 12s | 5.2 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3939 |
| 601 G5689.5 | Deas Point | On flat rock adjoining headland, Labouchere Channel. 52 23 07.7 127 13 01.8 | Fl W 6s | 5.5 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3974 Edn 12/10 (P10-119) Edn 05/12 (P12-023) |
| 602 G5677.4 | Kelkpa Point | On point. 52 07 17.1 127 36 26.3 | Fl W 4s | 6.7 | 5 | Square skeleton tower. | Year round. Chart:3974 Edn 12/10 (P10-118) Edn 05/12 (P12-024) |
| 603 G5677 | Haaksvold Point | On point. 51 57 56.2 127 42 39.2 | Q W 1s | 5.2 | 4 | Square skeleton tower. | Year round. Chart:3936 Edn 12/11 (P11-062) |
| 604 G5690 | Beaumont Island | On N. extremity of island, Johnson Channel. 52 17 42.1 127 56 41.9 | Fl W 6s | 6.5 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3940 Edn 05/12 (P12-018,019) |
| 605 G5702 | Donald Point | On the point, Return Channel. 52 17 36.3 128 05 59 | Fl W 6s | 5.7 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3939 Edn 04/16 (P16-023) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 605.5 G5695 | Harbourmaster Point | 52 03 53.3 128 03 01 | Fl W 6s | 4.3 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3936 |
| 606 G5696 | Walker (Camp) Island | On S. end of island, Lama Passage. 52 05 57.3 128 07 01 | Fl W 6s | 7.9 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3938 |
| 607 G5698 | Napier Point | On the point. 52 07 54.4 128 08 02.3 | Q W 1s | 5.4 | 4 | White square skeleton tower. | Year round. Chart:3938 |
| 608 G5698.4 | Story Point | On the point. 52 08 53.9 128 08 07 | Fl W 4s | 5.0 | 5 | White square skeleton tower. | Year round. Chart:3938 |
| 609.8 G5699.4 | Bark Island | On E. side of island. 52 10 00.7 128 02 58.1 | Fl W 6s | 5.6 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3939 Edn 03/14 (P14-018) |
| 609.9 G5699.6 | Blow Reef | Near entrance, Gunboat Passage and Bella Bella. 52 10 53.1 128 03 43.4 | Fl W 6s | 3.5 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3939 Edn 12/11 (P11-066) |
| 610 | Saunders Island light buoy E20 | Off W. end of island. 52 10 19.3 128 07 23.9 | Fl R 4s | | | Red, marked "E20". | Year round. Chart:3938 |
| 610.5 | New Bella Bella Rock light buoy E19 | Entrance to Martins Cove. 52 10 22.9 128 08 20.9 | Fl G 4s | | | Green, marked "E19". | Year round. Chart:3938 Edn 05/17 (P17-015) |
| 611 G5700 | Dryad Point Sector | N. end of Lama Passage; S. end of Seaforth Channel. 52 11 06.6 128 06 42.0 | Oc W-R 5s | 11.6 | 7 | White square tower, red top. | Flash 4 s; eclipse 1 s. White from 142°30' through S. to 206°30'; red from 206°30' through W. to 336°30'; white 336°30' through N. to 039°30'. Year round. Chart:3938 Edn 06/17 (P17-027) |
| 611.7 G5701 | Regatta Rocks | 52 13 06.8 128 08 31.4 | Fl R 4s | 5.5 | 4 | White cylindrical tower, red band at top. | Year round. Chart:3938 |
| 612 | Dall Rocks light and bell buoy E33 | Off N. extremity of rocks. 52 13 02.3 128 09 22.9 | Fl G 4s | | | Green, marked "E33". | Year round. Chart:3938 |
| 613 G5708 | Idol Point | On extremity of point. 52 14 18 128 16 37 | Fl W 6s | 5.5 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3938 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|--|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 614 G5707 | Hyndman Reefs | On reef. 52 15 44.1 128 14 38.8 | Fl G 4s | 4.5 | 4 | Post, green, white, and black square daymarks. | Year round. Chart:3938 Edn 12/11 (P11-065) |
| 615 G5706 | Glaholm Islet | Off NW. end of Dearth Island. 52 15 48.7 128 12 50.2 | Fl W 6s | 5.6 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3938 Edn 03/14 (P14-016) |
| 615.2 G5704 | Law Island | N. end of island. 52 16 04.8 128 10 22.9 | Fl W 4s | 4.9 | 5 | White square skeleton tower. | Year round. Chart:3938 |
| 616 G5712 | Cape Mark | 52 08 59.1 128 32 25.5 | Fl W 4s | 12.3 | 5 | White square skeleton tower. | Year round. Chart:3938 Edn 03/14 (P14-017) |
| 617 G5713 | Ivory Island | On Robb Point, Milbanke Sound. 52 16 10.1 128 24 24.1 | Fl W 5s | 20.3 | 16 | Red skeleton tower. | Flash 1 s; eclipse 4s. Year round. Chart:3910 Edn 10/11 (P11-046) Edn 11/11 |
| 617.5 G5713.4 | Perrin Anchorage | E. of Ivory Island. 52 16 28.4 128 23 28.9 | Fl W 4s | 4.1 | 5 | Square skeleton tower. | Year round. Chart:3910 Edn 10/11 (P11-047) Edn 11/11 |
| 617.7 G5713.7 | Carne Rock | Reid Passage. 52 18 06.7 128 21 53.8 | Fl W 6s | 3.9 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3910 Edn 10/11 (P11-048) |
| 618 G5714 | Susan Rock | On the rock, Milbanke Sound. 52 17 11.1 128 30 21.6 | Fl W 6s | 16.7 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3938 |
| 619 G5715 | McInnes Island | On bluff, S. side of island, N. entrance to Milbanke Sound. 52 15 41.2 128 43 18.4 | Fl W 5s | 29.5 | 22 | White rectangular tower. | Flash every 5 s. Year round. Chart:3733 |
| 620 | <i>Luard Shoal light and whistle buoy E63</i> | <i>Moody Banks, Laredo Sound. 52 24 14 128 53 28</i> | <i>Fl G 4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, marked "E63".</i> | <i>Year round.</i> Chart:3726 |
| 621 G5734.2 | Lombard Point | On point. 52 28 47.8 128 56 33.3 | Fl W 4s | 14.4 | 5 | White cylindrical tower. | Year round. Chart:3726 Edn 11/16 (P16-100) |
| 621.5 | <i>South Hecate Strait ODAS light buoy 46185</i> | <i>52 25 02.6 129 48 57.7</i> | <i>Fl(5) Y 20s</i> | <i>.....</i> | <i>.....</i> | <i>Yellow, marked "46185".</i> | <i>Year round.</i> Chart:3726 Edn 10/12 (P12-049) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---|---|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 622 | Jaffrey Rock light and whistle buoy E64 | SW. of rock. 52 27 17 128 49 24 | Fl R 4s | | | Red, marked "E64". | Year round. Chart:3726 |
| 623 G5734.4 | Abrams Island | On island. 52 32 14.0 128 49 49.8 | Fl(3) W 12s | 8 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3726 Edn 03/14 (P14-014) |
| 624 G5734.6 | Haig Rock | On rock off Tildesley Point. 52 36 18.9 128 55 22.2 | Fl W 6s | 7.6 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3981 Edn 11/16 (P16-098) |
| 624.8 G5734.7 | Walsh Rock | 52 38 10.6 128 57 22.1 | Q W 1s | 8.4 | 5 | White cylindrical tower. | Year round. Chart:3981 Edn 06/13 (P13-005) Edn 04/16 (P16-026) Edn 11/16 (P16-097) |
| 625 | Wilson Rock light and bell buoy E75 | SE. of Wilson Rock, Laredo Channel. 52 39 57.4 128 57 57.3 | Fl G 4s | | | Green, marked "E75". | Year round. Chart:3981 Edn 10/16 (P16-092) |
| 626 G5734.8 | Ramsbotham Islands | On easternmost island. 52 41 53.2 129 02 08.8 | Fl W 4s | 6.3 | 5 | Square skeleton tower. | Year round. Chart:3981 Edn 11/16 (P16-099) |
| 627 | Morehouse Rock light and bell buoy EC | SE. of rock, Laredo Channel. 52 45 35.3 129 06 00 | Fl (2+1) R 6s | | | Red, green and red, marked "EC". | Year round. Chart:3911 Edn 11/11 (P11-049) |
| 628 G5735 | Baker Point | On point. 52 48 11.6 129 12 54.3 | Fl W 6s | 5.8 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3982 Edn 11/16 (P16-095) |
| 629 G5735.2 | Duckers Islands | On easternmost island. 52 55 30.6 129 11 34.6 | Fl W 4s | 8.3 | 5 | Square skeleton tower. | Year round. Chart:3982 Edn 10/16 (P16-085) |
| 630 G5735.4 | Dupont Island | 52 56 22.6 129 26 16.3 | Fl W 6s | 13.6 | 7 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3982 Edn 10/16 (P16-086) |
| 630.1 G5735.5 | Dupont Island South | 52 56 19.5 129 26 22.2 | Fl(3) W 12s | 13.4 | 9 | Square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3982 Edn 10/16 (P16-087) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 630.2 G5735.7 | Alexander Island | 52 57 16.1 129 18 29.6 | Fl W 4s | 11.4 | 9 | Square skeleton tower. | Year round. Chart:3982 Edn 10/16 (P16-082) Edn 11/16 (P16-096) |
| 630.5 G5735.8 | Logan Rock | 53 02 07.3 129 28 39.2 | Fl W 4s | 12.8 | 5 | Square skeleton tower. | Year round. Chart:3982 Edn. 10/16 (P16-088) |
| 631 G5735.6 | Jacinto Islands Racon - - - (Q) X & S Bands | SE. end of island. 52 56 30.2 129 36 49.1 | Fl W 4s | 28.0 | 7 | White cylindrical tower. | Year round. Chart:3911 Edn 11/11 (P11-050) |
| 632 G5736 | Ashdown Island | On W. side of island. 53 03 42.3 129 13 50.3 | Fl(3) W 12s | 8.6 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3982 Edn 10/16 (P16-083) |
| 633 G5736.2 | Levy Point | On NE. end of Ashdown Island. 53 04 40.0 129 12 09.1 | Fl R 6s | 4.7 | 4 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3982 Edn 10/16 (P16-089) |
| 634 G5736.4 | York Point | On southern point of peninsula, Gil Island. 53 05 27.8 129 10 29.0 | Q W 1s | 10.4 | 4 | Square skeleton tower. | Year round. Chart:3982 Edn 10/16 (P16-084) |
| 635 G5736.6 | Borde Island | On northern point of island. 53 05 07.7 129 07 15.2 | Fl W 4s | 7.0 | 5 | Square skeleton tower. | Year round. Chart:3911 Edn 12/11 (P11-061) |
| 635.3 | Leading Point | Whale Channel. 53 11 08.3 129 05 49.0 | Fl R 4s | 7.3 | 8 | White square skeleton tower, red band at top. | Year round. Chart:3945 Edn 12/16 (P16-117) |
| 635.5 | Maple Point | Whale Channel. 53 17 03.4 129 10 20.7 | Fl W 4s | 7.1 | 8 | White square skeleton tower. | Year round. Chart:3945 Edn 12/16 (P16-116, 123) |
| 636 | <i>Vancouver Rock light and whistle buoy E54</i> | <i>W. of rock, Milbanke Sound. 52 21 04.3 128 30 30</i> | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, marked "E54".</i> | <i>Year round.</i> Chart:3941 |
| 637 G5716 | Jorkins Point | 52 26 24.8 128 29 11 | Fl W 6s | 7.9 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3941 |
| 637.3 G5716.4 | Legace Point | At the point. 52 27 45.2 128 25 10.4 | Fl W 4s | 8.7 | 5 | Post. | Year round. Chart:3941 Edn 12/11 (P11-064) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|----------------------------------|--|--------------------------|--|-----------------------|--|--|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 638 G5718 | Freeman Point | S. extremity of Cone Island. 52 33 10.7 128 29 24 | Fl W 4s | 5.7 | 5 | White cylindrical tower. | Year round. Chart:3911 Edn 11/11 (P11-051) |
| 639 G5719 | Legge Point | NW. end of Cone Island. 52 36 12.9 128 31 11.8 | Fl W 6s | 3.5 | 5 | Post. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3911 Edn 11/11 (P11-053) |
| 639.3 G5719.2 | Wedge Point Sector | NE. tip of Cone Island. 52 36 37.4 128 31 06.5 | F W R W | | 4.8 | 5 | Mast. White 062° through E. to 168°; red 168° through S. to 181°; white 181° to 198°. Year round. Chart:3911 Edn 11/11 (P11-054) Edn 07/13 (P13-017) Edn 04/16 (P16-028) |
| 639.8 G5719.4 | Reef Point Sector | 52 37 05.9 128 30 55 | Q W- R | 1s | 4.4 | 4 | Square skeleton tower. White 354° through N. to 074° ; red 074° through E. to 099°. Year round. Chart:3911 Edn 11/11 (P11-055) Edn 07/13 (P13-016) |
| 640 G5720 | Boat Bluff Sector | On W. side of bluff, Sarah Island. 52 38 34.5 128 31 25.4 | Oc W- R | 5s | 11.6 | 7 | Skeleton tower. Flash 4 s; eclipse 1 s. White 291° to 336°; red 336° through N. and E. to 093° white 093° to 134°. Year round. Chart:3911 Edn 11/11 (P11-060) |
| 640.5 G5721 | Parry Patch Sector | 52 40 28.1 128 32 01.6 | F W R W | | 4.4 | 5 | Mast. White 352° through N. and E. to 130°; red 130° to 142°; white 142° to 154°. Year round. Chart:3911 Edn 11/11 (P11-056) Edn 06/13 (P13-012) Edn 04/16 (P16-025) |
| 641 G5722 | Split Head (Separation Point) | On the point, Tolmie Channel. 52 40 38.6 128 32 56.5 | Fl W 4s | 8.5 | 5 | Square skeleton tower. | Year round. Chart:3911 Edn 11/11 (P11-057) |
| 641.5 G5722.4 | Tolmie Channel Sector | 52 41 20.1 128 32 44.4 | Q W- R | 1s | 6.5 | 4 | White cylindrical tower. White 325° to 357°; red 357° through N. to 009°; white 009° through E. to 152°. Year round. Chart:3911 Edn 11/11 (P11-059) Edn 12/12 |
| 642 G5723 | Tenas Island | On NW. side of island. 52 42 28.1 128 33 14.9 | Fl R 6s | 8.1 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3943 Edn 06/13 (P13-009) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|------------------------------|---|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 642.6 G5725 | Hiekish Narrows | E. end of narrows. 52 49 37.3 128 26 49 | Fl W 6s | 3.2 | 5 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3943 Edn 08/12 (P12-034) |
| 642.7 | Hewitt Rock light buoy EH | SE. of rock, Hiekish Narrows. 52 52 07.8 128 29 20.5 | Fl R (2+1) | 6s | | Red, green and red, marked "EH". | Year round. Chart:3943 |
| 642.8 G5726 | Hewitt Island | 52 52 23.8 128 29 54.2 | Fl W 4s | 5.7 | 5 | Square skeleton tower. | Year round. Chart:3943 Edn 08/12 (P12-037) |
| 643 G5724 | Sarah Island | On N. extremity of island. 52 52 59.9 128 30 37.5 | Fl(3) W 12s | 6.6 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3943 Edn 08/12 (P12-036) |
| 644 G5727 | Quarry Point | On point, E. side of Princess Royal Island. 52 54 00.6 128 31 19.9 | Fl G 6s | 6.7 | 4 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3943 Edn 08/12 (P12-038) |
| 645 G5728 | Griffin Point | On point. 53 03 55.3 128 33 00.9 | Fl W 6s | 6.1 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3944 |
| 646 G5730 | Redcliff Point | On point, Graham Reach. 53 09 24.2 128 38 15.1 | Fl W 4s | 4.9 | 5 | White square skeleton tower. | Year round. Chart:3944 |
| 647 G5732 | Work Island | On W. end of island. 53 10 42.2 128 41 39.1 | Fl W 6s | 4.7 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3944 |
| 648 G5734 | Kingcome Point | N. extremity of point. 53 17 56.7 128 54 30.1 | Q W 1s | 7.6 | 5 | White square skeleton tower. | Year round. Chart:3944 Edn 04/16 (P16-039) |
| 649 G5737 | Trivett Point | Northern extremity of Princess Royal Island. 53 18 28.5 129 02 10.9 | Fl W 4s | 6.5 | 6 | White square skeleton tower. | Year round. Chart:3944 Edn 10/11 (P11-043) Edn 06/15 (P15-007) Edn 05/16 (P16-003) |
| 650 G5736.8 | Point Cumming | On point, SW. end of Gribbell Island. 53 18 42.2 129 07 21.1 | Fl W 6s | 6.8 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3945 Edn 04/16 (P16-034) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---------------------------|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 651 G5739.4 | Money Point | On point. 53 22 54.5 129 09 56.5 | Fl(3) W 12s | 7.2 | 5 | White square skeleton tower. White rectangular daymark. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3945 Edn 04/16 (P16-031) |
| 651.2 G5739.5 | Hartley Bay Breakwater | End of boulder breakwater. Entrance to bay. 53 25 25.4 129 15 03.4 | Q R 1s | 10.1 | 3 | White square skeleton tower, red band on top. | Year round. Chart:3945 Edn 04/16 (P16-035) |
| 651.3 | Stewart Narrows East | 53 24 17.6 129 15 22.6 | Fl R 4s | 3.0 | 2 | Mast, red, white, red triangular daymark. | Year round. Chart:3945 Edn 12/16 (P16-102) |
| 651.5 G5740.5 | Harbour Rock | Stewart Narrows. 53 23 16.3 129 16 38.5 | Fl G 4s | 3.4 | 5 | Mast, green, white and black square daymark. | Year round. Chart:3945 Edn 08/11 (P11-022) Edn 04/16 (P16-037) |
| 651.6 | Halsey Point | Entrance to Hartley Bay. 53 25 32.0 129 14 14.2 | Fl(3) G 12s | 7.0 | 5 | White square skeleton tower, green band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3977 Edn 12/16 (P16-119) |
| 651.7 | Kiskosh Inlet | Douglas Channel. 53 31 11.6 129 13 54.1 | Fl G 4s | 7.0 | 5 | White square skeleton tower, green band at top. | Year round. Chart:3977 Edn 12/16 (P16-122) |
| 651.9 | Helen Point | Douglas Channel. 53 36 37.7 129 14 23.8 | Fl G 4s | 7.6 | 9 | White square skeleton tower, green band at top. | Year round. Chart:3977 Edn 12/16 (P16-121) |
| 652.2 G5739.66 | Hawkesbury Island | W. side of island. 53 37 08.6 129 10 51.4 | Q R 1s | 6.7 | 5 | White square skeleton tower, red band at top. | Flash 0.3s; eclipse 0.7s. Year round. Chart:3977 Edn 07/14 (P14-039) Edn 02/16 (P16-016) |
| 652.4 | Douglas Channel | 53 41 53.3 129 08 03.2 | Iso G 2s | 7.0 | 9 | White square skeleton tower, green band at top. | Year round. Chart:3977 Edn 06/17 (P17-022) |
| 652.5 G5739.7 | Maitland Island | 53 41 54.0 129 04 53.9 | Fl R 4s | 6.5 | 7 | White square skeleton tower, red band at top. | Year round. Chart:3977 Edn 06/13 (P13-003) Edn 07/14 (P14-040) Edn 06/17 (P17-023) |
| 653 G5739.6 | Emilia Island | On SE. end of island. 53 45 30.7 128 58 20.7 | Fl G 6s | 7.1 | 5 | White square skeleton tower, green band at top. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3977 Edn 10/11 (P11-038) Edn 07/14 (P14-041) Edn 02/16 (P16-015) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---|--|--------------------------|--|-----------------------|---|--|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 654 G5740 | Kersey Point | On point. 53 46 34.5 128 51 40.1 | Fl W 4s | 5.7 | 5 | White square skeleton tower. White daymarks on three sides. | Year round. Chart:3977 Edn 12/10 (P10-133) Edn 07/14 (P14-042) Edn 02/16 (P16-002) |
| 654.2 G5740.1 | Hilton Point | On point. 53 48 52.8 128 52 21.2 | Fl G 4s | 6.9 | 5 | White square skeleton tower, green band at top. | Year round. Chart:3977 Edn 07/14 (P14-043) Edn 02/16 (P16-014) |
| 654.5 | Nanakwa Shoal ODAS light buoy 46181 | 53 50 01.2 128 50 01.1 | Fl(5) Y 20s | | | Yellow, marked "46181". | Year round. Chart:3977 Edn 07/14 (P14-049) Edn 01/17 |
| 654.7 | Coste Island | West side of island. 53 50 33.1 128 46 18.6 | Q W 1s | 6.9 | 9 | White square skeleton tower. | Year round. Chart:3977 Edn 12/16 (P16-104) |
| 654.8 | Amos Passage | 53 50 40.0 128 41 31.8 | Fl R 4s | 7.2 | 5 | White square skeleton tower, red band at top. | Year round. Chart:3977 Edn 12/16 (P16-109) |
| 654.9 G5740.2 | Clio Point | On point. 53 54 23.6 128 42 38.4 | Fl R 4s | 7.9 | 7 | White square skeleton tower with red band on top, white rectangular daymark with red top. | Year round. Chart:3908 Edn 07/14 (P14-048) Edn 06/15 (P15-004) Edn 02/16 (P16-013) |
| 655 G5739.2 | Dorothy Island | On island. 53 39 33.7 128 50 37.5 | Fl W 6s | 7.4 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3977 Edn 07/14 (P14-044) Edn 04/16 (P16-033) |
| 656 G5738.2 | Rix Island | At northeasterly end of island. 53 31 33.4 128 44 14.5 | Fl R 4s | 7 | 5 | White square skeleton tower, red band at top. | Year round. Chart:3977 Edn 07/14 (P14-045) Edn 02/16 (P16-005) |
| 657 G5738.4 | Europa Point | On point. 53 25 47.4 128 32 43.6 | Fl G 4s | 6.6 | 5 | White square skeleton tower, green band at top. | Year round. Chart:3948 Edn 12/10 (P10-130) Edn 02/16 (P16-012) |
| 658 G5738.6 | Allen Point | On point on S. side of channel, Europa Reach. 53 26 33.2 128 24 18 | Fl R 6s | 6.8 | 5 | White square skeleton tower, red band at top. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3948 Edn 01/11 (P10-129) Edn 02/16 (P16-011) |
| 659 G5739 | Cornwall Point | On point. 53 28 38.6 128 21 45.0 | Q R 1s | 7 | 7 | White square skeleton tower, red band at top. | Flash 0.3s; eclipse 07.s Year round. Chart:3948 Edn 02/16 (P16-004) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

NORTHERN INSIDE CHANNELS

| | | | | | | | |
|-------------------|-----------------------|---|-------------|-----|---|---|--|
| 659.5 | Entrance Bluff Sector | Entrance to Kemano Bay. 53 28 09.1 128 07 46.3 | Fl W-R 4s | 7.6 | 5 | White square skeleton tower. | Red from 102° to 129°, white from 129° through S., W., N., and E. to 102°. Year round. Chart:3948 Edn 06/17 (P17-028) |
| 660 G5738 | Staniforth Point | On point. 53 34 08.9 128 49 04.9 | Fl(3) W 12s | 6.9 | 5 | White square skeleton tower with white dayboards on 3 sides. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3977 Edn 06/13 (P13-011) Edn 07/14 (P14-046) |
| 660.5 | Eva Point | Verney Passage. 53 33 32.9 128 53 25.0 | Q G 1s | 6.5 | 4 | White square skeleton tower, green band at top. | Year round. Chart:3977 Edn 12/16 (P16-103) |
| 661 G5737.4 | Mary Point | On point, Verney Passage. 53 32 59.8 128 58 7.6 | Q R 1s | 6.9 | 4 | White square skeleton tower with red band on top, dayboards on 3 sides. White rectangular daymark with red top. | Flash 0.3s; eclipse 0.7s. Year round. Chart:3977 Edn 06/13 (P13-013) Edn 07/14 (P14-047) Edn 02/16 (P16-010) |
| 661.4 | Verney Passage West | 53 29 43.0 129 05 33.8 | Fl G 4s | 6.7 | 5 | White square skeleton tower, green band at top. | Year round. Chart:3977 Edn 12/16 (P16-120) |
| 661.5 | Verney Passage East | 53 26 27.8 129 03 29.5 | Fl R 4s | 6.6 | 6 | White square skeleton tower, red band at top. | Year round. Chart:3977 Edn 12/16 (P16-105) |
| 662 G5737.2 | Tomkinson Point | On point, Ursula Channel. 53 25 46.6 128 54 16.7 | Fl R 6s | 7 | 5 | White square skeleton tower, red band at top. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3742 Edn 02/16 (P16-009) |
| 664 | Cape Farewell | 53 21 26.8 129 13 44.6 | Q W 1s | 8.9 | 7 | White square skeleton tower, white rectangular daymark | Flash 0.3 s; eclipse 0.7 s. Year round. Chart:3945 Edn 02/16 (P16-008) |
| 665 G5740.6 | Sainty Point | On point, opposite York Point, S. entrance to Grenville Channel. 53 22 17.2 129 18 46.2 | Fl W 4s | 4.6 | 7 | White cylindrical tower. | Year round. Chart:3946 |
| 665.1 G5747.38 | Plover Point | 53 16 44 129 18 15.6 | Fl W 4s | 7.1 | 7 | White square skeleton tower. | Year round. Chart:3945 Edn 04/16 (P16-038) |
| 665.2 G5747.34 | Block Head | On SE. end of Farrant Island. 53 18 05.5 129 20 14.4 | Fl G 6s | 7.0 | 5 | White square skeleton tower, green band at top. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3945 Edn 02/16 (P16-007) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|------------------------|---|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 665.3 G5747.39 | Fin Rock | 53 13 57.1 129 21 39.3 | Fl(3) G 12s | 8.5 | 4 | White square skeleton tower, green band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3945 Edn 02/16 (P16-006) |
| 665.4 G5747.32 | Blackrock Point | 53 12 30.5 129 20 39.2 | Fl(3) R 12s | 8.5 | 4 | White square skeleton tower, red band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3945 Edn 06/17 (P17-014) |
| 665.41 | Blackrock Point Sector | Squally Channel. 53 12 30.5 129 20 39.2 | F W | 8.3 | 10 | White square skeleton tower, red band at top. | Visible on a bearing of 084° with a narrow sector, 083° to 085°. Year round. Chart:3945 Edn 05/17 (P17-019) |
| 665.5 | Cridge Passage | 53 17 14.1 129 21 03.0 | Q W 1s | 6.8 | 4 | White square skeleton tower. | Year round. Chart:3945 Edn 12/16 (P16-113) |
| 665.6 | Gil Island NW | Lewis Passage. 53 15 29.8 129 16 24.8 | Fl R 4s | 6.7 | 5 | White square skeleton tower, red band at top. | Year round. Chart:3945 Edn 12/16 (P16-107) |
| 665.7 | Lewis Passage | NW. of Gil Island. 53 17 15.1 129 16 03.2 | Q R 1s | 7.1 | 5 | White square skeleton tower, red band at top. | Year round. Chart:3945 Edn 12/16 (P16-108) |
| 665.8 | Blackfly Point | North end of Gil Island. 53 19 12.7 129 17 14.9 | Fl R 4s | 7.7 | 5 | White square skeleton tower, red band at top. | Year round. Chart:3945 Edn 12/16 (P16-106) |
| 666 G5740.8 | Tom Island | On island. 53 32 35.2 129 36 20.5 | Fl(3) W 12s | 3.5 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3946 |
| 667 G5741 | Ormiston Point | On E. shore of Pitt Island, Grenville Channel. 53 34 14.1 129 39 32.4 | Fl W 6s | 4.6 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3946 |
| 668 G5742 | Saunders Creek | On shore opposite creek. 53 36 12.2 129 41 38.1 | Fl W 4s | 5.1 | 5 | White square skeleton tower. | Year round. Chart:3946 Edn 12/10 (P10-128) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 669 G5743 | Klewuggit | On the northwestern rock of Morning Reef, Grenville Channel. 53 40 42.2 129 46 05.4 | Q W 1s | 5.9 | 4 | White cylindrical tower. | Year round. Chart:3946 Edn 12/10 (P10-132) |
| 670 G5744 | Pitt Island (Grenville Channel) | On shore. 53 42 16.2 129 49 04.2 | FI W 6s | 3.7 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3946 |
| 670.5 G5744.4 | Baker Inlet | Marking entrance. 53 48 40.5 129 57 14.2 | FI R 6s | 5.3 | 4 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3946 Edn 12/10 (P10-131) |
| 671 G5745 | Pitt Point | On point, SE. of Calvert Point. 53 52 57.3 130 06 41.6 | FI W 6s | 4.2 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3947 |
| 671.2 | <i>Pitt Point light buoy D3</i> | <i>NE. of point, N. end of Grenville Channel. 53 53 25.1 130 06 09</i> | <i>FI G 4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, marked "D3".</i> | <i>Year round.</i> Chart:3947 Edn 10/10 (P10-111) |
| 671.6 | <i>Gibson Island light and bell buoy D6</i> | <i>SW. of island, N. entrance to Grenville Channel. 53 54 59.1 130 09 57.1</i> | <i>FI R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, marked "D6".</i> | <i>Year round.</i> Chart:3947 Edn 10/10 (P10-112) |
| 672 G5746 | Watson Rock | On the rock, western entrance to Grenville Channel. 53 55 24.1 130 10 22 | FI W 4s | 3.7 | 5 | White cylindrical tower. | Year round. Chart:3947 |
| 673 G5759 | Kennedy Island | W. side of island. 54 00 22.4 130 12 30.4 | FI W 6s | 4.9 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3947 |
| 674 G5760 | Herbert Reefs | Near northern end of reef, Arthur Passage. 54 01 24.7 130 14 18.9 | FI(3) G 12s | 7.0 | 4 | White cylindrical tower, green band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3947 |
| 675 G5761 | Hanmer Island | On S. end of island, Arthur Passage. 54 03 19.9 130 15 10.4 | FI R 4s | 5.8 | 4 | White cylindrical tower, red band at top. | Year round. Chart:3947 |
| 675.3 G5761.4 | North Hanmer | 54 03 49.5 130 14 43.6 | Q W 1s | 5.8 | 4 | White square skeleton tower. | Year round. Chart:3947 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|-----------------------------|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 675.6 | Base Sand light buoy D10 | SE. of Little Genn Island, Malacca Passage. 54 05 11 130 15 44.1 | Fl R 4s | | | Red, marked "D10". | Year round. Chart:3947 Edn 10/10 (P10-113) |
| 676.5 | Cecil Patch | On NE. end of patch. 54 03 46.9 130 16 42.8 | Q G 1s | 7.6 | 3 | White cylindrical tower, green band at top on 4-pile dolphin. | Year round. Chart:3947 |
| 677 G5762 | Marked Tree Bluff | On northern end of Kennedy Island. 54 04 08.1 130 09 52.8 | Fl W 6s | 8.5 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3947 |
| 678 G5763 | De Horsey Island | On E. side of island. 54 07 51.3 130 07 25.3 | Fl W 4s | 5.8 | 5 | White square skeleton tower, white rectangular slatwork daymark. | Year round. Chart:3947 |
| 679 G5764 | Ecstall Island | On N. extremity of island. 54 09 44.7 129 57 27.2 | Fl W 6s | 5.2 | 5 | White square skeleton tower, white rectangular slatwork daymark. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3947 Edn 10/10 (P10-107) |
| 684 G5768 | Genn Islands | On NW. extremity of island. 54 05 51.3 130 17 34.6 | Fl R 6s | 9.1 | 4 | Cylindrical tower, white with red band at top. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3947 Edn 10/10 (P10-108) |
| 684.5 | Lawyer Islands South | Southern tip of the islands. 54 06 08.9 130 19 59.3 | Fl W 4s | 8.9 | 3 | Cylindrical tower, white with red band at top. | Year round. Chart:3947 Edn 10/10 (P10-109) |
| 685.3 | Lawyer Islands North | On Cruice Rock. 54 06 57.7 130 20 47 | Q W 1s | 7.7 | 4 | White cylindrical tower, red band at top. | Year round. Chart:3957 |
| 685.5 G5758.4 | Havelock Rock | Chatham Sound, N. of Hunts Inlet. 54 05 54.6 130 28 59.6 | Fl W 4s | 7.4 | 6 | White cylindrical tower. | Year round. Chart:3956 Edn 10/11 (P11-039) |
| 686 G5758 | Useless Point | On crib, S. side Edge Passage. 54 02 24.5 130 33 53.1 | Fl W 6s | 5.9 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3956 |
| 687 G5758.7 | Gull Rocks | On highest rock of the Gull Rocks group. 54 07 57.4 130 31 16 | Fl R 6s | 8.2 | 4 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3957 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---|--|--------------------------|--|-----------------------|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 687.1 | Colquhoun Shoal North Cardinal light and whistle buoy DCO | N. of Gull Rocks, Chatham Sound. 54 09 27 130 30 51.1 | Q W 1s | | | Black and yellow, marked "DCO". | Year round. Chart:3956 |
| 687.3 | Rachael Island South Cardinal light and whistle buoy DSO | S. of Rachael Islands, Chatham Sound. 54 11 12 130 33 30.1 | Q(6) W 15s +LFI | | | Yellow and black, marked "DSO". | Year round. Chart:3957 |
| 687.5 G5805.8 | South Rachael Island | S. end of island. 54 11 49.8 130 33 26.4 | Fl R 4s | 7.9 | 4 | White cylindrical tower, red band at top. | Year round. Chart:3957 |
| 688 G5806 | North Rachael Island | N. side of island. 54 12 46.3 130 33 38.4 | Fl W 6s | 9.8 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3957 |
| 688.5 | Alexandra Bank light and whistle buoy DAX Racon - - (K) X & S Bands | 54 14 08.1 130 34 06.1 | Fl (2+1) G 6s | | | Green, red and green, marked "DAX". | Year round. Chart:3957 |
| 689 G5773 | Inverness Passage | Mouth of Skeena River. 54 11 56 130 15 49 | Fl W 4s | 3.7 | 3 | Square skeleton tower. | Year round. Chart:3958 Edn 10/10 (P10-110) Edn 12/15 (P15-083) |
| 690 G5772 | Holland Rock | On the southern extremity of rock. 54 10 20.4 130 21 39.9 | Fl(3) W 12s | 9.1 | 5 | Square skeleton tower. 2.6 | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3958 Edn 12/15 (P15-084) |
| 691 G5772.5 | Greentop Islet | On islet. 54 10 39 130 24 41.3 | Fl W 6s | 13.2 | 7 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3958 Edn 12/15 (P15-085) |
| Prince Rupert Harbour | | | | | | | |
| Porpoise Harbour | | | | | | | |
| 692 | Agnew Bank light and bell buoy D24 | NW. of Kitson Island, entrance to Porpoise Channel. 54 11 26 130 20 26.7 | Fl R 4s | | | Red, marked "D24". | Year round. Chart:3955 |
| 693 G5774 | Porpoise Harbour | On N. side of entrance to harbour. 54 11 53.9 130 19 02.2 | Fl G 4s | 7.1 | 4 | White cylindrical tower, green band at top. | Year round. Chart:3955 Edn 01/14 (P13-035) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|---|--|--------------------------|--|-----------------------|--|--|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 694 G5776 | Porpoise Harbour range | On Flora Bank, W. side of Lelu Island. 54 11 58.9 130 18 02.7 | F Y | 3.7 | 10 | Mast, fluorescent orange daymark, black vertical stripe. | Year round. |
| 695 G5776.1 | | 072°54' 81.2m from front. | F Y | 7.7 | 10 | Mast, fluorescent orange daymark, black vertical stripe. | Year round. Chart:3955 Edn 01/14 (P13-036, 037) |
| 696 G5778 | Porpoise Channel Entrance | On drying rock on S. side of channel. 54 12 03.2 130 18 17.3 | Fl R 4s | 7.2 | 4 | White cylindrical tower, red band at top. | Year round. Chart:3955 |
| 697 G5780 | Porpoise Channel West | NW. side of channel. 54 12 26.8 130 17 57.6 | Q G 1s | 4.6 | 3 | Mast, green, white and black square daymark. | Year round. Chart:3955 Edn 01/13 (P13-038) |
| 698 G5782 | Porpoise Channel East | On drying rock on E. side of channel. 54 12 40.8 130 17 32.8 | Q R 1s | 7.0 | 3 | Square skeleton tower, fluorescent orange daymark, black vertical stripe. | Year round. Chart:3955 Edn 01/14 (P13-034) Edn 02/14 (P13-034) |
| 698.5 | Ridley Island light and bell buoy D27 Racon - -, (G) X & S Bands | SE. of E. Kinahan Island. 54 11 56 130 21 26.2 | Fl G 4s | | | Green, marked "D27". | Year round. Chart:3955 Edn 07/11 (P11-015) |
| 699 G5783 | East Kinahan Island | On NE. extremity of island. 54 12 49.0 130 23 43.4 | Fl W 6s | 8.1 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3958 Edn 06/15 (P15-019) Edn 02/17 (P16-136) |
| 700 | Petrel Rock light and bell buoy D39 | N. of Kinahan Islands, W. entrance to Prince Rupert Harbour. 54 13 39 130 24 58.2 | Fl G 4s | | | Green, marked "D39". | Year round. Chart:3958 |
| 701 | Georgia Rock light and bell buoy D43 | SE. of Georgia Rock, S. entrance to Prince Rupert Harbour. 54 13 14.5 130 21 43.2 | Q G 1s | | | Green, marked "D43". | Year round. Chart:3955 |
| 701.5 | Bishop Island light buoy D42 | NW. of Ridley Island. 54 14 13.0 130 20 24.2 | Q R 1s | | | Red, marked D42. | Radar Reflector. Year Round. Chart:3955 Ed 04/14 (P14-015) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|-------------------------------------|---|--------------------------|--|-----------------------|---|---|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 702 | Spire Ledge light and bell buoy D47 | SE. of Frederick Point, entrance to Prince Rupert Harbour. 54 14 51 130 21 14.2 | Fl G 4s | | | Green, marked "D47". | Year round. Chart:3955 |
| 703 G5794 | Barrett Rock | On shore of reef. 54 14 33.5 130 20 38.3 | Fl R 6s | 6.7 | 7 | White square skeleton tower, red band at top. | Flash 1 s; eclipse 5 s. Year round. Chart:3955 |
| 703.3 | Kaien Island Sector | SE of the Fairview Container Terminal. 54 15 13.2 130 20 45.6 | F R W G | | 5.8 | 7 | Square skeleton tower on a 3 pile dolphin. Red 356° to 0°; Al red/white 0° to 3° White 3° to 5° Al green/white 5° to 8° Green 8° to 11°. Privately maintained. Operated only on request to Prince Rupert Port Authority. Chart: 3958 Edn 05/16 (P16-042) |
| 703.5 G5794.4 | Frederick Point | At edge of bar. 54 15 29.1 130 21 35.9 | Fl G 4s | 10.0 | 4 | White cylindrical tower, green band on top. | Year round. Chart: 3958 |
| 703.7 | Philips Point Sector | Entrance to Prince Rupert harbor. 54 15 54.3 130 21 53.4 | Q G W G | 1s | 6.8 | 5 | White square skeleton. Green 167° through S. to 176°40'; White 176°40'; through W. to 337°50'; Green 337°50' to 354°10', Obscured from 354°10' through N. and E. to 167° Privately maintained. Year round. Chart:3958 Edn 05/14 (P14-021) Edn 06/14 (P14-024) Edn 07/14 |
| 704 G5795 | Casey Point | On edge of shoal, off point. 54 16 27.1 130 21 41.8 | Q R 1s | 7.8 | 6 | White square skeleton tower, red band at top on 3-pile dolphin. | Year round. Chart:3958 Edn 12/15 (P15-086) |
| 705 G5796 | Parizeau Point | On dolphin. 54 17 13.7 130 22 11.1 | Fl W 6s | 4.3 | 8 | On 3-pile dolphin. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3958 |
| 705.1 | Dodge Cove light buoy D50 | E. of Dodge Island. 54 17 30.8 130 22 22.4 | Fl R 4s | | | Red, marked "D50". | Year round. Chart:3958 |
| 705.5 G5797.8 | Oldfield Terminal | On a barge. 54 17 22.6 130 21 34.7 | F R | | 5.4 | | Mast. Privately maintained. Year round. Chart:3958 |
| 705.8 | Fairview Bifurcation light buoy DE | Off floats. 54 17 37 130 21 33.2 | Fl R (2+1) | 6s | | | Red, green and red marked "DE". Year round. Chart:3958 Edn 07/11 (P11-016) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|---------------------------------|--------------------------------|---|--------------------------|--|-----------------------|---|--|
| NORTHERN INSIDE CHANNELS | | | | | | | |
| 706.1 G5797.3 | Dodge Cove range | W. end of channel entrance. 54 17 24 130 22 56.4 | F Y | 3.0 | 9 | On 3-pile dolphin, orange daymark, black vertical stripe. | Year round. |
| 706.12 G5797.31 | | 253°31' 114.7m from front. | F Y | 7.0 | 9 | On 3-pile dolphin, orange daymark, black vertical stripe. | Year round. Chart:3958 |
| 706.2 G5797.6 | Oldfield Breakwater | On floating breakwater. 54 17 42.3 130 21 21.3 | Fl R 4s | 1.2 | 5 | Mast, red and white triangular daymark. | Year round. Chart:3958 |
| 706.3 | Dodge Island light buoy D53 | NE. of island. 54 17 43.2 130 22 12 | Fl G 4s | | | Green, marked "D53". | Year round. Chart:3958 |
| 709 G5799 | Alaska Ferry South | On S. cradle dolphin. 54 17 45 130 21 12.2 | F G | | | On dolphin. | Privately maintained. Year round. Chart:3958 |
| 710 G5799.2 | Alaska Ferry North | 54 17 47.8 130 21 12.4 | F R | | | On dolphin. | Privately maintained. Year round. Chart:3958 |
| 710.5 | Pepin Point | 54 23 55.4 130 15 14.8 | Q R 1s | | 5 | Cylindrical mast, red, white and red triangular daymark. | Year round. Chart:3964 Edn 08/15 (P15-066) Edn 01/17 |
| 710.6 | Tuck Inlet Narrows | 54 24 00.8 130 15 32.5 | Q G 1s | | 4 | Cylindrical mast, green, white and black square daymark. | Year round. Chart:3964 Edn 08/15 (P15-065) Edn 01/17 |
| 710.7 | Tuck Inlet North | 54 24 11.5 130 15 44.8 | Fl R 4s | | 4 | Post, red, white and red triangular daymark. | Year round. Chart:3964 Edn 08/15 (P15-064) Edn 01/17 |
| 711 G5805.5 | Seal Cove | 54 20 11 130 16 41.2 | Q W 1s | 4.9 | 4 | White cylindrical tower. | Year round. Chart:3958 |
| 711.5 | McIntosh Rock | On rock. 54 18 13.6 130 22 40.0 | Q W 1s | 7.7 | 5 | White cylindrical tower. | Year round. Chart:3958 Edn 10/11 (P11-037) Edn 08/12 (P12-035) Edn 10/13 (P13-023) Edn 01/15 (P14-053) Edn 06/15 (P14-053) Edn 01/17 (P16-019) |
| 712 G5801 | Grindstone Point | On rock, N. of point. 54 18 33.7 130 23 14.4 | Fl R 4s | 7.7 | 4 | White cylindrical tower, red band at top. | Year round. Chart:3955 Edn 02/15 (P14-054) Edn 05/16 (P16-020) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals | |
|---------------------------------|--|--|--------------------------|--|-----------------------|--|--|---|
| NORTHERN INSIDE CHANNELS | | | | | | | | |
| 713 G5802 | Venn Passage | On drying rock. 54 18 42.4 130 23 35.1 | Q G 1s | 6.7 | 4 | White cylindrical tower, green band at top. | Year round. Chart:3955 Edn 02/15 (P14-055) Edn 05/16 (P16-018) | |
| 714 G5803 | Du Vernet Point | On drying rock, off point. 54 18 45.0 130 24 04.5 | Q R 1s | 3.4 | 3 | White cylindrical tower, red band at top. | Year round. Chart:3955 Edn 06/15 (P15-020) Edn 01/17 | |
| 715 | Shkgeaum Bay range | 54 18 37 130 24 30.1 | F Y | 3.9 | 9 | Mast, orange daymark, black vertical stripe. | Year round. | |
| 715.1 | | 171° 30' 228.8 m from front range | F Y | 8.4 | 9 | Mast, orange daymark, black vertical stripe. | Year round. Chart:3955 | |
| 716 G5803.4 | Roberson Point Sector | On bank, W. of point. 54 19 23 130 24 34.1 | F R W G | | 2.8 | 7 | White square skeleton tower, orange rectangular daymark, black vertical stripe. | Red from 110°30' to 114°; white from 114° to 118°; green from 118° to 124°. Year round. Chart:3955 |
| 717 G5803.6 | Dundas Point Sector | NW. of point. 54 19 24.8 130 25 01.8 | F R W G | | 4.9 | 8 | White square skeleton tower, orange rectangular daymark, black vertical stripe. | Red from 138° to 142°; white from 142° to 146°; green from 146° to 151°. Year round. Chart:3955 |
| 718 G5803.8 | Metlakatla Sector | N. tip of small island, Venn Passage. 54 20 09.7 130 25 25.8 | F R W G | | 2.7 | 8 | Square skeleton tower, orange rectangular daymark, black vertical stripe. | Red from 073° to 077°; white from 077° to 080°; green from 080° to 085°. Chart:3955 Edn 06/15 (P15-021) |
| 718.5 | Metlakatla Entrance light buoy D67 | 54 20 20.6 130 25 45.5 | Fl G 4s | | | Green, marked "D67". | Year round. Chart:3955 Edn 07/15 (P15-059) Edn 01/17 | |