

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
66 G5172	<b>Cape Scott</b>	On NW. tip of Vancouver Island. 50 46 57.2 128 25 32.8	Fl W 10s	69.9	19	Square skeleton tower.	Flash 0.2 s; eclipse. 9.8 s. Operates 24 h. Year round.  <b>Chart:3598</b>
67 G5174	Sea Otter Cove	E. side of cove. 50 40 16 128 21 02	Fl W 4s	5.5	5	Mast.	Year round.  <b>Chart:3624</b>
67.4	<i>East Dellwood ODAS light buoy 46207</i>	50 52 30 129 54 54	<i>F(5) Y 20s</i>	.....	.....	<i>Yellow, marked "46207".</i>	<i>Year round.</i>  <b>Chart:3744 Edn 10/12 (P12-047)</b>
67.8 G5190.4	Greenwood Point	50 30 35.2 128 01 34.8	Q G 1s	6.7	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3686</b>
68 G5178	<b>Quatsino</b>	On SE. end of Kains Island. 50 26 28.3 128 01 56.8	Fl W 5s	28.4	18	White cylindrical tower.	Flash 0.1 s; eclipse 4.9 s. Visible from 224° through W., N. and E. to 104°. Operates 24 h. Year round.  <b>Chart:3686 Edn 03/11 (P11-004)</b>
68.2	<i>Billard Rock light and whistle buoy M3</i>  <b>Racon - - . (G) X &amp; S Bands</b>	<i>S. of Gillam Islands.</i> 50 25 47.2 127 57 47.7	<i>Fl G 4s</i>	.....	.....	<i>Green, marked "M3".</i>	<i>Year round.</i>  <b>Chart:3686</b>
68.3 G5179	Cliffe Point	Extremity of point. 50 27 51.6 127 56 12.6	Fl W 4s	10.5	7	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3686</b>
68.5 G5180	Bedwell Islands	S. end of islet. 50 28 33.1 127 53 44.7	Fl G 4s	8.9	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3679 Edn 06/13 (P13-007)</b>
68.6 G5180.4	Koskimo Island	50 28 37.9 127 51 17.4	Q R 1s	4.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3679</b>
68.8 G5181	Brockton Island	NW. end of island. 50 29 20.9 127 46 17.3	Fl R 4s	5.6	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3679</b>
69 G5182	Ildstad Islands	On SE. extremity of the E. Ildstad Island. 50 30 56.7 127 41 50.9	Fl W 4s	5.7	5	White mast.	Year round.  <b>Chart:3679</b>
70 G5184	Leeson Point	Near S. extremity of reef off point. 50 32 07.2 127 37 35.2	Q G 1s	5.0	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3681</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
70.5	Quatsino Narrows	Quatsino Sound. 50 32 07.3 127 35 07.7	Fl G 4s	4.3	4	Mast, green, white and black square daymark.	Year round.  <b>Chart:3681 Edn 10/10 (P10-116)</b>
71 G5186	Ohlsen Point	On the point. 50 32 03.5 127 34 11.1	Q G 1s	4.6	3	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3681</b>
72 G5188	Makwazniht Island	On the island, Quatsino Narrows. 50 33 22 127 33 19	Q W 1s	3.0	4	White mast.	Year round.  <b>Chart:3681</b>
73 G5189	Stragglings Islands	W. end of largest island. 50 35 40.8 127 42 07.5	Fl W 4s	5.6	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3679</b>
73.4 G5189.4	McNiffe Rock	Neroutsos Inlet. 50 31 17.1 127 36 44.8	Fl W 4s	4.7	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3681</b>
73.5	<i>Buchholz Rock light buoy M14</i>	50 29 18.5 127 34 23.4	Fl R 4s	.....	.....	Red, marked "M14".	Year round.  <b>Chart:3679</b>
74 G5190	Frigon Islets	On SW. point of the most westerly islet. 50 25 03.9 127 29 38.7	Fl W 4s	5.1	5	White mast.	Year round.  <b>Chart:3681</b>
74.5 G5190.2	Mist Rock	50 25 46.8 127 30 03.7	Fl G (2+1) 6s	5.4	4	White cylindrical tower, green band on top.	Radar reflector. Year round.  <b>Chart:3681</b>
75 G5191	Rugged Islands	N. point of N. island. 50 19 10 127 54 58	Fl W 4s	10.0	5	White mast.	Year round.  <b>Chart:3680 Edn 06/13 (P13-006)</b>
76 G5192	Donald Islets	N. side of large islet. 50 13 51.5 127 48 24	Fl(2) W 6s	27.4	5	Mast.	Year round.  <b>Chart:3680 Edn 02/12 (P11-068)</b>
77 G5194	Solander Island	50 06 40.5 127 56 17	Fl W 10s	94.2	11	White cylindrical tower.	Flash 1 s; eclipse 9 s. Year round.  <b>Chart:3680</b>
78 G5198	Lookout Island	E. side of island. 49 59 52 127 26 57.4	Fl G 4s	15.5	8	White cylindrical tower, green band at top.	Year round.  <b>Chart:3677 Edn 04/11 (P11-006)</b>
81 G5200	Gayward Rock	W. entrance to Nicolaye Channel. 50 01 15.3 127 23 27.5	Q W 1s	8.3	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3677</b>
81.5 G5201	Rolston Island	50 01 16.6 127 21 57.9	Fl R 4s	4.8	3	Mast, red and white triangular daymark.	Year round.  <b>Chart:3677</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

WEST COAST, VANCOUVER ISLAND

82 G5202	Amos Island	50 00 45.8 127 21 10.4	Fl W 4s	7.1	3	White cylindrical tower.	Radar reflector. Year round.  Chart:3677
83 G5202.6	Rugged Point	49 58 13.7 127 15 07.6	Fl W 4s	14.1	7	Mast, red and white triangular daymark.	Year round.  Chart:3677
84	<i>Kyuquot Channel light and whistle buoy M38</i>	<i>Entrance to channel. 49 56 07.3 127 17 39.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "M38".</i>	<i>Year round.</i>  Chart:3677
85 G5203	Karouk Island	50 04 36.8 127 09 40.2	Fl W 4s	7.2	5	White cylindrical tower.	Radar reflector. Year round.  Chart:3677
86 G5203.2	Fair Harbour Approach	50 04 28.4 127 09 23.1	Fl G 4s	5.3	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  Chart:3677
87 G5203.4	Fair Harbour	50 04 07.2 127 08 38	Fl W 4s	8.8	5	White cylindrical tower.	Radar reflector. Year round.  Chart:3677
87.5	<i>South Brooks ODAS light buoy 46132</i>	<i>49 44 18.7 127 55 48.5</i>	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "46132".</i>	<i>Year round.</i>  Chart:3604
88.1	<i>Esperanza Inlet light and whistle buoy M40</i>	<i>49 47 07.4 127 02 28.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>4</i>	<i>Red, marked "M40".</i>	<i>Year round.</i>  Chart:3676
	<b>Racon - - (K) X &amp; S Bands</b>						
89	<i>Middle Reef light buoy M41</i>	<i>E. of reef. 49 47 45 127 02 55.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "M41".</i>	<i>Year round.</i>  Chart:3676
90 G5204	Nuchatlitz	On NW. extremity of unnamed island. 49 49 11.2 126 58 54.1	Fl W 4s	11.2	5	White cylindrical tower.	Radar reflector. Year round.  Chart:3676
91 G5206	Double Island	On the island. 49 50 38.3 126 59 51.8	Fl W 10s	10.2	7	White cylindrical tower, green band at top.	Flash 1 s; eclipse 9 s. Year round.  Chart:3676 Edn 06/14 (P14-025)
92 G5206.4	Centre Island	NW. shore of island. 49 50 56.7 126 56 08	Fl R 4s	6.7	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  Chart:3676
93 G5206.6	Ehatisaht	On point, E. of Ehatisaht. 49 52 51.1 126 49 31.4	Fl W 4s	6.8	5	Mast.  2.4	Year round.  Chart:3676 Edn 06/13 (P13-010)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
94 G5207	Steamer Point	On point. 49 53 11.4 126 47 52.7	Q W 1s	5.6	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3676</b>
95 G5207.6	Zeballos Inlet South	On point on W. shore. 49 54 25.3 126 48 03.1	Fl G 4s	7.3	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3676</b>
96 G5208	Zeballos Inlet	On small island, W. side of inlet. 49 56 46.8 126 48 59.9	Q W 1s	12.5	6	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3676</b>
97 G5209	Zeballos Inlet North Light	On point. 49 57 34 126 50 45.4	Q R 1s	6.4	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3676</b>
97.8 G5209.5	McBride Bay	49 51 39.4 126 43 47.3	Q R 1s	5.1	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3676</b>
98 G5210	Tahsis Narrows North	On the NE. side of Narrows. 49 51 52.9 126 42 28.9	Q W 1s	6.1	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3676</b>
98.3 G5210.4	Tahsis Narrows South	S. side of Narrows. 49 51 36 126 41 30.4	Fl(2) W 6s	5.8	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3676</b>
99 G5211	Tahsis Narrows	On Mozino Point, E. entrance to Narrows. 49 51 33.7 126 40 26.2	Fl W 4s	6.2	5	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3676</b>
99.5 G5213	Santiago	49 47 15.7 126 39 15.6	Fl G 4s	4.6	5	White square skeleton tower, green band at top.	Year round.  <b>Chart:3676</b> <b>Edn 04/11</b> <b>Edn 09/17 (P17-051)</b>
100 G5214	Tsowwin Narrows	On edge of spit extending out from E. side of inlet. 49 46 35 126 38 36.5	Q R 1s	3.8	3	Long pile of a 9-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3676</b> <b>Edn 03/14 (P14-012)</b>
100.2 G5214.2	Tsowwin Narrows West	49 46 24.1 126 38 43.4	Q G 1s	6.8	2	White square skeleton tower, green band at top.	Visible from 154° through S. and W. to 340°. Year round.  <b>Chart:3676</b> <b>Edn 09/17 (P17-048)</b>
100.8 G5214.6	Bodega	E. of Bodega Island. 49 44 13.1 126 37 25.8	Fl R 4s	4.0	4	White square skeleton tower, red band at top.	Visible from 338° through N. and E. to 164°. Year round.  <b>Chart:3675</b> <b>Edn 09/17 (P17-049)</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
101 G52 15	Princesa Channel	On edge of reef at E. entrance to channel. 49 43 23.6 126 37 35.1	Fl G 4s	5.0	4	White cylindrical tower, green band at top.	Year round.  <b>Chart:3675</b>
102 G52 15.4	Kendrick Inlet	On rock. 49 43 06.6 126 38 29.4	Fl W 4s	4.0	5	Mast.	Year round.  <b>Chart:3675</b>
102.5 G52 15.6	Jewitt Cove	49 41 56.4 126 36 05.1	Fl W 4s	6.4	5	White mast.	Year round.  <b>Chart:3675</b>
103 G52 16	Canal Island	On W. side of island. 49 41 17.1 126 35 09	Fl R 4s	5.5	4	White cylindrical tower, red band at top.	Year round.  <b>Chart:3675</b>
103.5 G52 16.4	Salter Point	49 40 57.3 126 35 13.9	Q G 1s	6.4	4	White cylindrical tower, green band at top.	Year round.  <b>Chart:3675</b>
104 G52 17	Boston Point	On point. 49 39 41.1 126 36 45.9	Fl G 4s	7.6	4	White cylindrical tower, green band at top.	Year round.  <b>Chart:3675</b>
104.8 G52 17.4	Vernaci Island	49 38 12.3 126 35 34.2	Fl(3) R 12s	6.9	5	White square skeleton tower, red band at top.	Flash 0.5s; eclipse 2s, Flash 0.5s; eclipse 2s, Flash 0.5s; eclipse 6.5s, Year round. Radar reflector.  <b>Chart:3675</b> <b>Edn 02/16 (P15-102)</b>
105 G52 19	<b>Nootka</b>	On summit of San Rafael Island. 49 35 33.5 126 36 55.4	Fl W 12s	30.9	<b>19</b>	Red square skeleton tower.	Flash 0.2 s; eclipse 11.8 s. Operates 24 h. Year round.  <b>Chart:3675</b>
106	<i>Bajo Reef light and whistle buoy M56</i>	<i>S. of reef. 49 33 48 126 50 00</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "M56".</i>	<i>Year round.</i>  <b>Chart:3675</b>
107 G52 19.4	Clerke Peninsula	On S. extremity of peninsula. 49 36 08.6 126 32 17.8	Fl W 4s	12.2	5	White mast.	Year round.  <b>Chart:3675</b>
108 G52 18.3	San Carlos Point	On point. 49 41 09.4 126 31 16.9	Q W 1s	6.0	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3675</b>
108.5 G52 19.6	Zuciarte Channel South	S. entrance to channel. 49 35 44 126 31 18.4	Fl R 4s	9.4	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3675</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
109 G5218.5	Hanna Channel	On point, NE. shore of Bligh Island. 49 40 34.5 126 29 45.1	Fl G 4s	5.7	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
109.5 G5220	Zuciarte Channel	E. side of Bligh Island. 49 39 06.5 126 29 02.7	Fl(3) W 12s	6.3	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
109.8 G5220.1	Anderson Point	49 38 46 126 28 17.5	Q R 1s	6.8	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
110 G5220.2	Atrevida Point	On the point. 49 39 10.7 126 26 27.4	Q G 1s	6.4	3	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
110.3 G5220.4	Gore Island West	W. extremity of island. 49 38 56.6 126 26 00.5	Q R 1s	7.2	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
110.5 G5220.6	Gore Island	N. side of island. 49 39 16.3 126 23 33.5	Fl R 4s	6.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
110.7 G5220.8	Williamson Passage	49 39 08 126 22 22.2	Fl W 4s	4.8	5	White mast.	Year round.  <b>Chart:3675</b>
111 G5221	Muchalat Inlet	On point, on N. shore of inlet. 49 38 40.8 126 20 53.3	Q G 1s	5.5	3	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
111.8 G5221.1	Houston River	NE. of river entrance. 49 38 29 126 17 31.6	Fl W 4s	5.0	5	White mast.	Year round.  <b>Chart:3675</b>
112 G5221.2	Muchalat Inlet East	On N. shore of inlet. 49 39 05 126 15 46.5	Fl G 4s	5.4	3	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3675</b>
112.2 G5221.4	Muchalat Inlet South Shore	S. side of inlet. 49 39 13.8 126 12 51.9	Fl R 4s	7.5	4	White cylindrical tower, red band at top.	Visible from 70° through E. and S. to 257°. Radar reflector. Year round.  <b>Chart:3675 Edn 09/17 (P17-047)</b>
112.4 G5221.6	Victor Island	N. side of island. 49 39 47.3 126 09 31.8	Fl W 4s	7.9	5	White mast, red and white triangular daymark.	Year round.  <b>Chart:3675</b>
113 G5222	Gold River	W. side of entrance. 49 40 30 126 07 39.2	Q G 1s	7.4	3	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3675</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
114 G5224	<b>Estevan Point</b>	SW. extremity of point at Hole-in-the- Wall. 49 22 58.7 126 32 38.5	Fl(2) W 15s	37.5	17	White octagonal tower.	Flash 0.2 s; eclipse 4.8 s; flash 0.2 s; eclipse 9.8 s. Operates 24 h. Year round.  <b>Chart:3674</b>
114.5	<i>UVic Tarbottom ODAS light buoy</i>	49 21 10 126 36 27.2	Fl(5) Y 20s	.....	.....	<i>Yellow.</i>	Privately maintained. Year round.  <b>Chart:3603 Edn 07/13 (P13-014)</b>
115.1	Hesquiat Harbour	49 23 39.7 126 27 55.7	Fl W 4s	.....	.....	Mast.	Privately maintained. Year round.  <b>Chart:3674</b>
117 G5226	Mate Island	E. end of island. 49 20 59.9 126 16 04.3	Q W 1s	9.6	6	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3674</b>
117.5 G5226.2	Sharp Point	E. side of entrance, Hot Springs Cove. 49 20 51.1 126 15 35.9	Fl W 10s	28.4	10	White cylindrical tower.	Flash 1 s; eclipse 9 s. Year round.  <b>Horn - Blast 3 s; sil. 27 s.</b>  <b>Chart:3674 Edn 08/11 (P11-019)</b>
118 G5226.4	Starling Point	On point. 49 23 38.8 126 13 51	Q W 1s	6.0	4	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3674</b>
118.3 G5226.6	Driver Point	Stewardson Inlet entrance. 49 26 43.1 126 16 04.2	Q W 1s	6.8	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3674</b>
118.5 G5229.4	Clio Island	On W. end of island. 49 23 37.8 126 11 02.5	Fl W 4s	17.7	5	Mast, red and white triangular daymark.	Year round.  <b>Chart:3674</b>
119 G5230	Hayden Passage	On rock in middle of passage. 49 23 43.8 126 06 23.3	Fl R 4s	5.5	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3674</b>
119.4 G5231.4	McKay Island	W. side of island. 49 18 39.3 126 03 31	Fl R 4s	9.5	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3674</b>
120 G5232	Matilda Inlet	On outside edge of reef, W. side of creek entrance. 49 18 12 126 04 26	Fl W 4s	5.3	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3674</b>
121 G5233	Marktosis	In shallow bay. 49 16 42.1 126 03 42.2	Fl W 4s	4.6	5	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3674</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
122 G5231	Tibbs Islet	On islet, S. side of Russell Channel. 49 13 46.1 126 06 33.8	Fl W 4s	11.1	7	White mast.	Year round.  <b>Chart:3673</b>
123 G5234	Monks Islet	On islet, W. entrance to Calmus Passage. 49 13 55.6 126 00 59.1	Fl(3) W 12s	14.4	7	Mast.	Year round.  <b>Chart:3673 Edn 12/11 (P11-063)</b>
123.3	<i>Coomes Bank light buoy Y11</i>	<i>Off S. end of bank, W. entrance to Calmus Passage. 49 13 17.4 126 00 08.4</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "Y11".</i>	<i>Year round.</i>  <b>Chart:3673 Edn 09/17 (P17-045)</b>
124 G5238	Morfee Island	On SE. end of island. 49 13 03.4 125 57 19	Q W 1s	8.1	6	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3673</b>
125 G5240	Maurus Channel	On rock, E. side of channel. 49 12 13.7 125 55 50.7	Fl R 4s	5.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3673</b>
126	<i>Meares Spit light buoy Y8</i>	<i>W. end, Heynen Channel. 49 10 21.3 125 55 57.2</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "Y8".</i>	<i>Year round.</i>  <b>Chart:3685</b>
127 G5240.4	Stockham Island	Off W. end of island. 49 10 17.1 125 54 27.1	Fl R 4s	5.2	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3685</b>
128	<i>Stubbs Spit light buoy Y25</i>	<i>E. entrance to Heynen Channel. 49 10 06.3 125 54 31.2</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "Y25".</i>	<i>Year round.</i>  <b>Chart:3685</b>
129 G5241	Deadman Islets	On the southerly islet. 49 09 43.8 125 54 30.5	Fl R 4s	4.5	4	Mast.	Year round.  <b>Chart:3685 Edn 03/12 (P12-012)</b>
129.9 G2541.7	Tofino Breakwater	On outer end of breakwater. 49 09 16.6 125 54 04.4	Fl W 4s	5.7	5	Mast, red and white triangular daymark.	Year round.  <b>Chart:3685</b>
132	<i>Felice Island light buoy Y3</i>	<i>S. of island. 49 08 45.3 125 55 28.2</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "Y3".</i>	<i>Year round.</i>  <b>Chart:3685</b>
132.5	Wickaninnish Island	Clayoquot Sound South. 49 08 28.3 125 56 00.2	Fl W 4s	....	4	White mast, green, white, black square daymark.	Year round.  <b>Chart:3685 Ed 11/13 (P13-025)</b>



PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
133	Templar Channel light buoy Y2	NE. of Echachis Island. 49 08 00 125 55 36.2	Fl R 4s	.....	.....	Red, marked "Y2".	Year round.  <b>Chart:3685</b>
133.5	Tonquin Island light buoy Y1	E. of Thorn Reef, Templar Channel. 49 07 36.3 125 55 24.2	Fl G 4s	.....	.....	Green, marked "Y1".	Year round.  <b>Chart:3685</b>
134 G5242	<b>Lennard Island</b>	On SW. point of island. 49 06 37.5 125 55 24.7	Fl W 10s	35.1	<b>17</b>	White cylindrical tower, red top.	Flash 0.2 s; eclipse 9.8 s. Operates 24 h. Year round.  <b>Chart:3685</b>
134.5	UVic Campbell ODAS buoy	48 57 26.7 125 36 53.4	Fl(5) Y 20s	.....	.....		5(Flash 0.5 s; eclipse 1.5 s) Ec 10s Privately maintained. Year round.  <b>Chart:3602 Edn 04/16</b>
<b>Barkley Sound</b>							
135 G5246	<b>Amphitrite Point</b>	On extremity of point, entrance to Ucluelet Harbour. 48 55 16.1 125 32 28.2	Fl W 12s	15.2	<b>15</b>	White rectangular tower, red top.	Flash 0.2 s; eclipse 11.8 s. Operates 24 h. Year round.  <b>Horn - Blast 2 s; sil. 18 s.</b>  <b>Chart:3646</b>
136	Carolina Channel light and whistle buoy Y42	Off Amphitrite Point. 48 54 42.3 125 32 37.6	Fl R 4s	.....		Red, marked "Y42".	Year round.  <b>Chart:3646</b>
136.5	Carolina Passage Inner light and bell buoy Y43	Carolina Channel, W. entrance to Ucluelet Inlet. 48 55 09.8 125 31 45.1	Fl G 4s	.....	<b>4</b>	Green, marked "Y43".	Year round.  <b>Chart:3646</b>
136.7	UVic Beverley ODAS light buoy	48 53 06 125 38 06	Fl(5) Y 20s	.....	.....	Yellow.	Privately maintained. Year round.  <b>Chart:3602 Edn 07/13 (P13-015)</b>
137 G5247	Francis Island	Ucluelet Harbour entrance. 48 55 19.3 125 31 21.8	Fl(3) W 12s	8.0	<b>7</b>	White mast.	Year round.  <b>Chart:3646</b>
137.3	Spring Cove light buoy Y45	SE. of Hyphocus Island. 48 55 38.3 125 31 31.1	Fl G 4s	.....	.....	Green, marked "Y45".	Year round.  <b>Chart:3646</b>
137.5 G5247.4	Indian Reserve	N. of Hyphocus Island. 48 56 04.8 125 31 44.2	Fl R 4s	4.8	<b>4</b>	White cylindrical tower, red band at top.	Year round.  <b>Chart:3646</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>									
138	Sutton Rock light buoy Y44	SE. of the rock. 48 56 25.3 125 32 17.5	Q	R	1s	.....	2	Red, marked "Y44".	Year round.  <b>Chart:3646</b>
139 G5249	Chrow Islands	On NW. extremity of N. island. 48 54 35.5 125 28 20.9	Fl	W	4s	9.6	7	Mast.	Year round.  <b>Chart:3671</b>
140 G5250	Benson Island	On N. extremity of island. 48 53 08.4 125 22 44.2	Q	G	1s	8.0	3	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
141 G5251	Forbes Island	On S. side of island. 48 56 55.9 125 24 37.9	Q	R	1s	12.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
142 G5252.6	Toquart Bay	49 00 39.1 125 20 22.9	Q	G	1s	5.6	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
143 G5252.4	Shears Islands	48 59 58.9 125 19 27	Fl	R	4s	6.7	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
144 G5252.2	Richard Rock	48 59 18.7 125 19 40	Fl	G	4s	7.0	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
145 G5252	Hand Island Passage	48 56 40.5 125 19 38.8	Q	W	1s	8.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
146 G5254.3	Lyllal Point	48 58 09.4 125 19 25.7	Q	R	1s	8.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
147 G5254.2	Hand Island	48 57 07.5 125 18 28.2	Fl	W	4s	3.2	5	White mast.	Year round.  <b>Chart:3670</b>
148 G5253	Coaster Channel	48 52 59.3 125 19 09.5	Fl	W	4s	5.8	5	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3670</b>
149 G5254.1	Prideaux Island	48 56 34.7 125 16 14.8	Fl	G	4s	5.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3670</b>
150 G5254	Swale Rock	48 55 32.5 125 13 19.8	Fl(3)	W	12s	9.1	5	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3670</b>
151 G5254.5	Baeria Rocks	48 56 58.7 125 09 18.2	Fl	W	4s	12.2	5	White mast.	Year round.  <b>Chart:3671</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST, VANCOUVER ISLAND</b>							
152 G5255	Pill Point	48 57 55.9 125 04 54.8	Fl R 4s	10.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3671</b>
153 G5261	Assits Island	48 56 16 125 01 56.2	Q R 1s	4.4	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3668</b>
154 G5262	Chup Point	On E. side of point. 48 57 19.3 125 01 42.1	Fl G 4s	4.4	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3668</b>
154.8 G5262.6	Limestone Islet	On islet. 48 58 56 124 58 22.6	Q W 1s	8.5	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3646</b>
155 G5263	Star Point	On point, S. shore. 48 58 37.4 124 56 49.6	Fl W 4s	5.3	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3668</b>
156 G5264	Pocahontas Point	On point. 48 59 00.2 124 55 03.9	Q G 1s	6.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3668</b>
156.5 G5264.4	Spencer Creek	48 59 19.9 124 53 29.8	Fl R 4s	5.2	4	Mast, red and white triangular daymark.	Year round.  <b>Chart:3668</b>
157 G5265	Billton Point	On point. 49 00 44.6 124 52 20.4	Fl W 4s	6.7	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3668</b>
158 G5266	Ten Mile Point	On point opposite Nahmint Bay. 49 03 33.1 124 50 27	Fl R 4s	8.2	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3668</b>
159 G5267	Hocking Point	On extremity of point, W. side of Alberni Inlet. 49 05 16.5 124 49 53	Fl G 4s	8.9	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3668</b>
160 G5268	Franklin River	At Sproat Narrows, on edge of shoal off mouth of river. 49 06 13.3 124 49 15.1	Q R 1s	7.5	5	White cylindrical tower, red band at top on 9-pile dolphin.	Radar reflector. Year round.  <b>Chart:3668</b>
161 G5269	Macktush Creek	At mouth of creek. 49 06 34.3 124 49 20.8	Q G 1s	7.5	4	White cylindrical tower, green band at top on 9-pile dolphin.	Radar reflector. Year round.  <b>Chart:3668</b>
162 G5270	Dunsmuir Point	On W. side of Alberni Inlet, opposite mouth of China Creek. 49 09 14.6 124 48 29.9	Fl W 4s	6.8	5	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3668</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

WEST COAST, VANCOUVER ISLAND

163 G5271	Stamp Narrows	On W. side of narrows. 49 10 59.9 124 49 18	Q G 1s	9.7	4	White cylindrical tower, green band at top on 3-pile dolphin.	Radar reflector. Year round.  Chart:3668 Edn 04/16 (P16-027)
164 G5272	Lone Tree Point	On point, E. side of Stamp Narrows. 49 11 02.9 124 48 59.1	Q R 1s	7.6	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  Chart:3668
165 G5273	Polly Point	On point. 49 12 57.6 124 49 01.4	Fl R 4s	4.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  Chart:3668 Edn 07/13 (P13-018)
166 G5274	Hohm Island	On island. 49 13 39.8 124 49 32.6	Fl W 4s	8.2	5	White cylindrical tower.	Radar reflector. Year round.  Chart:3668
167 G5275.8	Maritime Discovery Centre	On Maritime Discovery Centre 49 13 53 124 48 50	Fl W 12s	.....	.....	White tower, red upper portion.	Privately maintained. Occasional. Year round.  Chart:3668
168 G5276	Alberni	On W. side of channel, entrance to Somass River. 49 14 17.3 124 49 20.4	Fl G 4s	4	4	Mast on a 3-pile dolphin, green, 2 white and black square daymarks.	Year round.  Chart:3668 Edn 04/11 End 10/13 (P13-024)
168.1 G5277	Somass River	49 14 39.5 124 49 27.5	Q G 1s	7.3	3	White cylindrical tower, green band at top on 5-pile dolphin.	Radar reflector. Year round.  Chart:3668
<b>Great Central Lake</b>							
168.2	Drinkwater Creek	49 22 18 125 22 52	Fl R 4s	3.6	4	Mast, red and white triangular daymark.	Year round.  Chart:N/A
168.3	Dorothy Creek	49 21 26 125 20 36	Fl G 4s	6.1	4	Mast, green, white and black square daymark.	Year round.  Chart:N/A Edn 04/11
168.4	Clark Point	49 21 39 125 16 29	Fl R 4s	4.3	4	Mast, red and white triangular daymark.	Year round.  Chart:N/A
168.5	Fawn Point	49 21 49 125 13 22	Fl G 4s	6.0	4	Mast, green, white and black square daymark.	Year round.  Chart:N/A Edn 04/11
168.6	Great Central East	49 21 51 125 08 42	Fl G 4s	3.6	4	Mast, green, white and black square daymark.	Year round.  Chart:N/A Edn 04/11
168.7	Beauty Island	49 21 17 125 06 46	Fl (2+1) G 10s	4.0	4	Mast, green squares on white diamonds with red borders.	Year round.  Chart:N/A

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>WEST COAST, VANCOUVER ISLAND</b>								
168.8	Boundary Point	49 19 50 125 01 54	Fl G 4s	4.6	4	Mast, green, white and black square daymark.	Year round.  <b>Chart:N/A Edn 04/11</b>	
<b>Barkley Sound</b>								
169	Kooh Rock light buoy Y51	E. of Sproat Bay, Trevor Channel. 48 54 13.3 125 04 07.1	Fl G 4s	.....	4	Green, marked "Y51".	Year round.  <b>Chart:3671</b>	
170 G5260	San Jose Islets	On W. extremity of westerly islet. 48 54 05.2 125 03 28.2	Fl W 4s	7.5	7	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3671</b>	
171 G5259	Wizard Islet	On the islet. 48 51 28.8 125 09 36.8	Fl(2) W 6s	5.0	5	White mast.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round.  <b>Chart:3671</b>	
171.5 G5258.4	Grappler Inlet	On point, N. shore. 48 49 54.6 125 07 38.1	Fl W 4s	3.7	4	White mast.	Year round.  <b>Chart:3646</b>	
172 G5258	Aguilar Poin 1ector	On the point. 48 50 21.6 125 08 26.9	Q R- W	1s	5.0	4	White cylindrical tower, red band at top.	White sector visible from 055°30' to 058°. Year round.  <b>Chart:3646</b>
172.5 G5256.4	Trevor Channel Entrance Sector	SW. side of channel entrance. 48 48 43.5 125 10 54.2	F R W G	.....	13.3	8	White cylindrical tower.	Red from 064°30' to 068°30'; white from 068°30' to 076°30'; green from 076°30' to 080°30'. White sector indicates preferred channel. Year round.
			Fl R 4s	16.6	5		Additional light visible 360°.  <b>Chart:3671</b>	
173	Seapool Rocks light and whistle buoy Y49  <b>Racon - - (K) X &amp; S Bands</b>	Entrance to Trevor Channel. 48 48 53.3 125 12 19.7	Fl G 4s	.....	6	Green, marked "Y49".	Year round.  <b>Chart:3671</b>	
174 G5257	Bordelais Islets	On largest islet. 48 49 04.3 125 13 53.6	Fl W 4s	28.4	7	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3671</b>	
175 G5253.5	Folger Island	W. point of island. 48 49 46.5 125 15 02.7	Fl(3) R 12s	40.2	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.  <b>Chart:3671</b>	

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

WEST COAST, VANCOUVER ISLAND

176 G5256	<b>Cape Beale</b>	SE. point of Barkley Sound entrance. 48 47 11.3 125 12 55.8	Fl W 5s	50.8	16	Red skeleton tower, white rectangular daymark on 3 sides.	Flash 0.2 s; eclipse 4.8 s. Year round.	<b>Chart:3671</b>
176.5	<i>Laperouse Bank ODAS light buoy 46206</i>	48 50 06 125 59 54	Fl(5) Y 20s	.....	.....	Yellow, marked "46206".	Year round.	<b>Chart:3602</b>
177 G5279	Seabird Rocks	On largest rock. 48 45 00.6 125 09 15.6	Fl W 4s	20.1	6	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3602</b>
177.5	<i>South Nomad ODAS light buoy 46036</i>	48 21 18 133 56 18	Fl(5) Y 20s	.....	.....	Yellow, marked "46036".	Year round.	<b>Chart:3000</b>
178 G5280	Pachena Point	On the point. 48 43 20.2 125 05 50.7	Fl(2) W 7.5s	46.9	14	White cylindrical tower with red top.	Flash 0.37 s; eclipse 1.25 s; flash 0.37 s; eclipse 5.5 s. Year round.	<b>Chart:3602</b>
179.1	Clo-oose	Nitinat Narrows West Coast V.I. 48 39 33.1 124 49 40.7	Fl(2) W 5s	.....	2	Mast.	Privately maintained. Year round.	<b>Chart:3606</b>