

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | | | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals | |
|----------------------|---|---|--------------------------|---|-----|--|-----------------------|---|--|---|
| PACIFIC COAST | | | | | | | | | | |
| 719 G5807 | Lucy Islands | On NE. side of E. island. 54 17 44.6 130 36 31.6 | FI | R | 6s | 21.6 | 14 | White octagonal tower. | Flash 0.5 s; eclipse 5.5 s. Year round. | Chart:3957 |
| 719.2 G5807.2 | Lucy Islands North | 54 18 07.4 130 37 21.6 | Q | W | 1s | 5.4 | 4 | White cylindrical tower. | Year round. | Chart:3957 |
| 719.5 | <i>Enfield Rock light and bell buoy D76</i> | 54 18 23 130 32 36.3 | FI | R | 4s | | | Red, marked "D76". | Year round. | Chart:3957 |
| 720 G5906.4 | Prince Rupert Aeronautical Beacon | 54 17 23.8 130 26 34.8 | FI | W | 3s | | | | Private | Chart:3958 Edn 06/15 (P15-040) |
| 721 | <i>Tugwell Reef light and bell buoy D61</i> | SE. of Dawes Point, Metlakatla Bay. 54 18 41 130 30 17 | FI | G | 4s | | | Green, marked "D61". | Year round. | Chart:3957 |
| 721.6 G5807.4 | Devastation Island | N. side of island. 54 19 20.2 130 29 16.8 | FI | R | 4s | 5.3 | 4 | White cylindrical tower, red band at top. | Year round. | Chart:3955 |
| 722 G5808 | Shrub Island | W. end of Venn Passage. 54 19 48.7 130 27 40.3 | Q | R | 1s | 7.5 | 3 | White cylindrical tower, red band at top on 4-pile dolphin. | Year round. | Chart:3955 |
| 722.5 | <i>Kelp Reef light buoy D63</i> | SSW. Of Observation Point, W. entrance to Venn Passage. 54 19 53.5 130 27 46.2 | FI | G | 4s | | | Green, marked "D63". | Year round. | Chart:3955 |
| 723 G5808.2 | Ryan Point Reef | 54 21 32 130 30 13.9 | FI | W | 6s | 7.2 | 3 | White cylindrical tower on 4-pile dolphin. | Flash 0.5 s; eclipse 5.5 s. Year round. | Chart:3957 |
| 724 | <i>Hodgson Reefs light and whistle buoy D84</i> | W. of reefs. 54 23 02.5 130 32 34.8 | FI | R | 4s | | | Red, marked "D84". | Year round. | Chart:3959 |
| 725 G5808.4 | Slippery Rock | On rock. 54 23 56.7 130 29 50.5 | FI(3) | W | 12s | 6.7 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. | Chart:3959 |
| 726 | <i>Tree Bluff light and bell buoy D86</i> | At end of shoal W. of bluff. 54 25 44.5 130 30 51.5 | FI | R | 4s | | | Red, marked "D86". | Year round. | Chart:3963 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

PACIFIC COAST

| | | | | | | | | |
|------------------|--|--|-------------|------|-------|-------|---|--|
| 726.1 | Rose Island Passage Bifurcation light buoy DF | 54 33 50.7 130 26 38.0 | Fl(2+ 1) | R 6s | | | Red, green, red, marked "DF". Flash 0.3 s; eclipse 0.4 s. Flash 0.3 s; eclipse 1.2 s. Flash 0.3 s; eclipse 3.5 s. | Chart: 3963 Edn 07/15 (P15-060) |
| 726.2 G5819.4 | One Tree Islet | N. side of islet. 54 33 51.5 130 26 26.5 | Fl | R 4s | 5.3 | 4 | Square skeleton tower. Year round. | Chart:3963 |
| 726.7 G5819 | Port Simpson Breakwater | 54 33 41.8 130 25 48.6 | Q | R 1s | 4.1 | 3 | White mast. Year round. | Chart:3963 |
| 727 | Lax Kw'alaams light buoy D91 | NW of jetty. 54 33 49.3 130 25 45.0 | Fl | G 4s | | | Green, marked "D91". Year round. | Chart: 3963 Edn 06/15 (P15-052) Edn 12/15 |
| 728 G5820 | Birnie Island | On rock, S. of Knox Point. 54 35 24.2 130 27 48.5 | Fl | W 4s | 8.5 | 5 | White square skeleton tower. Year round. | Chart:3963 |
| 729 G5822 | Pointer Rocks | On the southernmost rock. 54 36 17.7 130 32 14.9 | Fl | W 6s | 7.8 | 5 | White cylindrical tower. Flash 0.5 s; eclipse 5.5 s. Year round. | Chart:3959 |
| 730 G5814 | Green Island | On SW. side of island. 54 34 07 130 42 31.5 | Fl | W 5s | 19.2 | 17 | White octagonal tower. Flash every 5 s. Year round. | Chart:3959 |
| 730.5 G5813 | Whitesand Island | 54 30 48.4 130 44 57.6 | Fl | W 4s | 6.7 | 5 | White square skeleton tower. Year round. | Chart:3959 |
| 730.6 G5812.6 | Dundas Island | Entrance to Edith Harbour. 54 27 36 130 56 56.5 | Fl | W 6s | 10.5 | 5 | White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round. | Chart:3959 |
| 731 G5816 | Holiday Island | On N. extremity of island. 54 37 22.8 130 45 30.1 | Fl | W 6s | 6.5 | 5 | White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round. | Chart:3960 |
| 732 G5818 | Jacinto Point | S. point of Zayas Island. 54 34 45 131 04 41.1 | Fl | W 6s | 10.7 | 5 | White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round. | Chart:3959 |
| 733 G5809 | Harris Rock | On rock. 54 12 58.1 130 45 53 | Fl | W 6s | 5.7 | 6 | White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round. | Chart:3909 Edn 10/11 (P11-040) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------|--|--|--------------------------|---------|--|-----------------------|---|--|
| PACIFIC COAST | | | | | | | | |
| 734 G5748 | Bonilla Island Sector | On W. side of island. 53 29 33.1 130 38 15 | Fl | W- R | 5s | 36.6 | 21 White cylindrical tower, red upper portion. | Flash 0.3 s; eclipse 4.7 s. White 360° through E. to 168°; red 168° through S. to 198°; obscured 198° through W. to 334°; red 334° to 360°. Year round. |
| | | | | | | | | Chart:3986 |
| 734.5 | <i>North Hecate Strait ODAS light buoy 46183</i> | 53 37 00 131 06 18 | Fl(5) | Y | 20s | | | <i>Yellow, marked "46183".</i> Year round. |
| | | | | | | | | Chart:3902 |
| 735 G5748.5 | Northwest Rocks | On largest rock of group. 53 32 51.1 130 38 08.1 | Fl(3) | W | 12s | 7.4 | 9 | White cylindrical tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. |
| | | | | | | | | Chart:3986 Edn 08/16 (P16-049) |
| 736 G5749.5 | Larsen Harbour | On W. end of Banks Island. 53 37 44.1 130 32 24.1 | Fl | G | 4s | 4.8 | 3 | Square skeleton tower, 3 black, white, and green square daymarks. Year round. |
| | | | | | | | | Chart:3986 Edn 03/16 (P16-032) |
| 737 G5747.8 | Keswar Point | S. of point. 53 37 34.1 130 21 04.1 | Fl | W | 6s | 8.1 | 7 | White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Visible from 315° through N. and E. to 126°. Year round. |
| | | | | | | | | Chart:3985 |
| 737.5 | Banks Island North | Principe Channel. 53 34 10.9 130 14 47.2 | Fl | G | 4s | 7.1 | 5 | White square skeleton tower, green band at top. Year round. |
| | | | | | | | | Chart:3985 Edn 12/16 (P16-111) |
| 738 G5747.6 | Wheeler Island | SW. corner of island. 53 32 58.5 130 08 40.8 | Fl | W | 4s | 8.2 | 7 | White square skeleton tower. Year round. |
| | | | | | | | | Chart:3912 Edn 10/11(P11-041) |
| 738.3 | Petrel Point | Mouth of Petrel Channel. 53 33 53.7 130 00 33.9 | Fl | W | 6s | 6.9 | 5 | White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round. |
| | | | | | | | | Chart:3985 Edn 12/16 (P16-112) |
| 738.5 | Banks Island Middle | Principe Channel. 53 29 13.5 130 03 39.6 | Q | G | 1s | 7.7 | 5 | White square skeleton tower, green band at top. Year round. |
| | | | | | | | | Chart:3985 Edn 12/16 (P16-114) |
| 739 G5747.4 | Principe Channel | On shore. 53 23 30.7 129 54 19.9 | Fl | W | 6s | 7.1 | 5 | White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round. |
| | | | | | | | | Chart:3984 Edn 12/15 (P15-094) Edn 02/16 (P16-017) |
| 739.5 | Windy Point | Principe Channel. 53 17 29.4 129 48 11.0 | Fl | G | 4s | 9.5 | 5 | White square skeleton tower, green band at top. Year round. |
| | | | | | | | | Chart:3984 Edn 12/16 (P16-115) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------|---|--|--------------------------|--|-----------------------|--|--|
| PACIFIC COAST | | | | | | | |
| 739.7 | Banks Island Southeast Sector | 53 11 01.1 129 45 46.3 | F W | 8.5 | 11 | White square skeleton tower. | Visible on a bearing of 264° with a narrow sector, 263° to 265°. Year round. Chart:3984 Edn 05/17 (P17-020) |
| 740 G5747 | Otter Passage | S. end of Man Island. 53 07 41.2 129 46 26.1 | Fl(3) W 12s | 13.3 | 5 | White mast. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3984 |
| 740.5 | McHarg Bank light buoy E88 | 53 16 17.1 130 31 45.3 | Fl R 4s | | | Red, marked "E88". | Year round. Chart:3741 Edn 04/17 (P17-012) |
| 741 G5747.2 | Block Islands | On small island. 53 08 58.2 129 44 01.1 | Fl W 6s | 7.2 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3984 |
| 741.3 G5747.3 | McCreight Point | SE. of Pitt Island. 53 12 31.5 129 30 03.0 | Fl G 4s | 12.2 | 5 | White square skeleton tower, green band on top. | Year round. Chart:3945 Edn 03/16 (P16-030) |
| 741.5 | Nepean Rock South Cardinal light and bell buoy EM Racon -. (N) X & S Bands | SW. of Fleishman Point, W. entrance to Otter Channel. 53 12 14.2 129 36 26.1 | Q(6) + LFI | W 15s | | | Yellow-black, marked "EM". Year round. Chart:3945 Edn 04/17 (P17-005) |
| 741.7 | Fanny Point | Otter Channel. 53 11 25.7 129 29 16.9 | Fl R 4s | 8.1 | 5 | White square skeleton tower, red band at top. | Year round. Chart:3945 Edn 12/16 (P16-118) |
| 741.8 | Paige Point Sector | Otter Channel. 53 11 05.2 129 32 07.5 | Q R 1s W G | 8.1 | 6 | White square skeleton tower. | Red from 50° to 72°; white from 72° through E. to 113°; green from 113° to 129°; white from 129° through S.,W. and N. to 50°. Year round. Chart:3945 Edn 05/17 (P17-018) |
| 742 G5749 | Browning Entrance | On N. island, White Rocks. 53 38 04.8 130 33 52.4 | Fl W 6s | 10.3 | 7 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3986 Edn 04/16 (P16-036) |
| 743 G5751 | Hankin Rock | On rock, SW. entrance to Beaver Passage. 53 42 27.3 130 24 43 | Fl W 4s | 9.7 | 5 | White cylindrical tower. | Year round. Chart:3986 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------|--|---|--------------------------|--|-----------------------|--|--|
| PACIFIC COAST | | | | | | | |
| 744 G5752 | Connis Islet | On islet, Beaver Passage. 53 45 26.5 130 19 04.9 | Q W 1s | 4.7 | 4 | White cylindrical tower. | Year round. Chart:3985 |
| 745 G5753 | Bully Island | On W. side of island. 53 47 53.3 130 19 33.8 | Fl W 6s | 6.7 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3985 |
| 745.5 | <i>Kitkatla Boat Harbour light buoy E95</i> | <i>Approach to Kitkatla wharf. 53 47 53.1 130 26 16.6</i> | <i>Fl G 4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, marked "E95".</i> | Year round. Chart: 3986 Edn 06/15(P15-053) Edn 12/15 |
| 746 G5753.6 | Moore Island | NW. corner of island. 53 47 23.2 130 31 20.2 | Fl W 6s | 5.5 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3986 |
| 746.8 | <i>Freeman Passage light and bell buoy E98</i> | <i>NW. of Joachim Point, W. entrance to passage. 53 49 25.1 130 39 29.1</i> | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, marked "E98".</i> | Year round. Chart:3987 |
| 747 G5754 | Freeman Passage | SW. island of group. 53 49 48.7 130 37 45.5 | Fl(3) W 12s | 5.9 | 5 | White square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3987 Edn 10/11(P11-042) |
| 747.5 | <i>Oval Bank West Cardinal light and bell buoy EOB</i> | <i>SW. of Seal Rocks, Hecate Strait. 53 55 35.6 130 54 24.5</i> | <i>Q(9) W 15s</i> | <i>.....</i> | <i>.....</i> | <i>Yellow, black and yellow, marked "EOB".</i> | Year round. Chart:3978 Edn 04/17 (P17-009) |
| 748 G5756 | Seal Rocks Racon --- (Y) X & S Bands | On the highest rock of the rocks group. 53 59 59 130 47 31.2 | Fl W 6s | 13.4 | 7 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3987 |
| 749 G5757 | Chearnley Passage | SE. end of passage. 54 01 32.2 130 41 10.6 | Q W 1s | 5.8 | 4 | Square skeleton tower. | Year round. Chart:3956 |
| 749.2 | <i>Grenville Rock light buoy EF2</i> | <i>5 NM NW. of Seal Rocks. 54 02 32.4 130 54 21.6</i> | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, marked "EF2".</i> | Year round. Chart:3956 Edn 04/17 (P17-011) |
| 750 G5810 | Archibald Islands | On northernmost rocky islet of islands group. 54 12 53.5 130 50 02.8 | Fl W 4s | 6.6 | 5 | Square skeleton tower. | Year round. Chart:3957 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------|---|---|--------------------------|--|-----------------------|--|--|
| PACIFIC COAST | | | | | | | |
| 750.5 | Raven Clan light buoy EF9 | 54 15 60.0 131 05 24.0 | Q G 1s | | | Green, marked "EF9". | Year round. |
| | Racon - - (G) X & S Bands | | | | | | Chart:3800 Edn 04/17 (P17-007) |
| 750.6 | Eagle Clan North Cardinal light buoy EFJ | N. end of Dogfish Banks, Dixon Entrance. 54 17 47.4 131 19 36.1 | Q W 1s | | | Black-yellow, marked "EFJ". | Year round. |
| | | | | | | | Chart:3800 Edn 04/17 (P17-006) |
| 751 G5811 | Butterworth Rocks Racon - . - (X) X & S Bands | On rock. 54 14 07 130 58 36.1 | Fl W 6s | 18.1 | 7 | Square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. |
| | | | | | | | Chart:3800 Edn 10/12(P12-040) |
| 751.1 | Stenhouse Shoal light and whistle buoy D59 | S. of shoal, W. entrance to Brown Passage. 54 20 07 130 56 03 | Fl G 4s | | | Green, marked "D59". | Year round. |
| | Racon - . - (C) X & S Bands | | | | | | Chart:3957 |
| 751.2 | Brown Passage light and whistle buoy D60 | NW. of Triple Island, W. entrance to passage 54 18 23.8 130 54 51.7 | Fl R 4s | | | Red, marked "D60". | Year round. |
| | | | | | | | Chart:3957 |
| 752 G5812 | Triple Islands | On the northwesterly rock of the islands. 54 17 40.7 130 52 49.8 | Fl(2) W 9s | 28.0 | 16 | White octagonal tower. | Flash 0.25 s; eclipse 2.5 s; flash 0.25 s; eclipse 6 s. Year round. |
| | | | | | | | Chart:3957 |
| 752.2 G5811.5 | Osborne Island | 54 17 11.8 130 51 11.2 | Fl R 6s | 10.2 | 5 | White cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. |
| | | | | | | | Chart:3957 |
| 752.3 G5812.3 | Hanmer Rocks Racon - - (M) X & S Bands | 54 19 26.5 130 49 20.3 | Fl(3) W 12s | 10.9 | 7 | White octagonal tower. | Flash 0.5 s; eclipse 2 s flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s Year round. |
| | | | | | | | Chart:3957 |
| 753 | Hanmer Rocks light and whistle buoy D57 | 54 18 54 130 48 56.3 | Fl G 4s | | | Green, marked "D57". | Year round. |
| | | | | | | | Chart:3957 |
| 753.1 | Hanmer Rocks light and whistle buoy D62 | 54 18 21.2 130 48 32.2 | Q R 1s | | | Red, marked "D62". | Year round. |
| | | | | | | | Chart:3957 |
| 753.2 | Rushton Island light and bell buoy D72 | 54 16 01.9 130 48 27.4 | Fl R 4s | | | Red, marked "D72". | Year round. |
| | | | | | | | Chart:3957 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------|--|--|--------------------------|--|-----------------------|--|--|
| PACIFIC COAST | | | | | | | |
| 753.3 | Rushton Island light and bell buoy D75 | 54 16 28.6 130 47 30.2 | Fl G 4s | | | Green, marked "D75". | Year round. Chart:3957 |
| 753.5 G5863.8 | Pearse Canal Island | On S. end of island. 54 47 02.1 130 36 36.2 | Fl W 4s | 3.6 | 5 | Orange square skeleton tower. | Year round. Chart:3960 |
| 754 G5864 | Lizard Point | On extremity of point, Portland Inlet. 54 50 01.5 130 16 27.5 | Fl W 6s | 8.6 | 5 | Red cylindrical tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3994 |
| 755 G5866 | Ramsden Point | On extremity of point, Portland Inlet. 54 58 59.7 130 06 16.2 | Fl(3) W 12s | 7.1 | 5 | Orange square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3920 |
| 755.2 G5866.6 | Double Islets | 54 57 43.9 129 56 54.6 | Fl(3) W 12s | 7.7 | 5 | Square skeleton tower, orange rectangular daymark. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3920 Ed 11/13 (P13-030) |
| 755.4 G5866.8 | Fort Point | 54 59 04.9 129 55 03.2 | Fl W 4s | 6.1 | 5 | Square skeleton tower, orange rectangular daymark. | Year round. Chart:3920 |
| 755.6 G5867 | Mill Bay | 54 59 38.9 129 53 24.2 | Q W 1s | 5.8 | 4 | Square skeleton tower, orange rectangular daymark. | Year round. Chart:3920 |
| 755.8 G5867.4 | Leading Point | 54 58 47.9 129 51 01.2 | Fl W 6s | 5.5 | 5 | Square skeleton tower, orange rectangular daymark. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3920 |
| Portland Canal | | | | | | | |
| 756 G5882 | Reef Island (U.S.) | S. end of island. 55 04 44.5 130 12 04.3 | Fl W 4s | 5.8 | 6 | Mast, red and white diamond daymark. | Obscured from 020°30' to 197°30'. Year round. Chart:3933 |
| 757 G5884 | Hattie Island | On W. side of island. 55 17 15 129 58 12 | Fl W 6s | 6.4 | 5 | Orange square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3933 |
| 759 G5888 | Stewart | 55 54 37.6 129 59 28.6 | Fl(3) W 12s | 2.3 | 5 | Orange square skeleton tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3794 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

PACIFIC COAST

| | | | | | | | |
|----------------|-------------------------|---|-------------|------|---|--|--|
| 760 G5889 | Stewart Dolphin West | 55 54 46.1 130 00 16.6 | Fl G 4s | 3.2 | 4 | Mast on 3-pile dolphin, black, white and green daymark . | Year round. Chart:3794 |
| 761 G5972 | Lord Rock (U.S.) | On highest point of rock. 54 43 32.8 130 49 13.2 | Fl W 4s | 11.6 | 7 | Skeleton tower, red and white diamond daymark. | Year round. Chart:3960 |
| 762 G6002 | Tree Point (U.S.) | On W. end of point. 54 48 10.3 130 56 01.7 | Fl W 6s | 26.2 | 9 | White square tower. | Flash 1 s; eclipse 5 s. Obscured from 158° to 318°. Year round. Chart:3960 |
| 763 | Barren Island (U.S.) | On highest part of island. 54 44 37.7 131 21 02.7 | Fl W 4s | 25.9 | 7 | Mast, red and white diamond daymark. | Year round. Chart:3800 Edn 10/12(P12-041) |
| 764 G5869 | Observatory Inlet | On small island. 55 09 54 129 54 01 | Fl W 6s | 4.3 | 5 | Orange square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3933 |
| 765 G5870 | Richards Point | On extremity of point Observatory Inlet. 55 17 19.5 129 48 51.2 | Fl W 6s | 6.1 | 5 | Square skeleton tower, orange rectangular daymark. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3933 Ed 11/13 (P13-029) |
| 765.5 G5872 | Brooke Shoal | On shoal. 55 22 55.2 129 43 01.6 | Fl(3) W 12s | 4.7 | 5 | Square skeleton tower, orange rectangular daymark. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3920 Ed 11/13 (P13-027) |
| 765.7 G5875 | Liddle Island | Entrance to Alice Arm. 55 23 44.1 129 41 35.1 | Fl G 4s | 4.3 | 4 | Orange square skeleton tower, green, white and green square daymark. | Year round. Chart:3920 |
| 766 G5874 | Hyde Rock | On rock, on E. side of Liddle Channel. 55 23 42.1 129 41 10.2 | Fl W 6s | 4.8 | 5 | Orange square skeleton tower. | Year round. Chart:3920 |
| 767 G5876 | Alice Arm | S. of Hans Point. 55 25 33.6 129 40 04 | Fl R 4s | 5.7 | 4 | Orange square skeleton tower. | Year round. Chart:3920 |
| 768 G5877 | Pearson Point | On point. 55 27 21 129 30 10.7 | Fl W 6s | 5.2 | 5 | Orange square skeleton tower. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3920 |
| 768.2 G5878 | Alice Arm Wharf | On wharf. 55 28 15.9 129 29 43.4 | Fl G 4s | 4.6 | 4 | Square skeleton tower, green, white and black square daymark. | Year round. Chart:3920 Edn 05/11 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals