

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HAIDA GWAI</b>							
768.6 G5829	Hornby Point	52 09 16.8 131 06 25.9	Fl W	6s	5.5	5	White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3855</b>
769 G5828	Flatrock Island	Near highest point on island. 52 06 27.2 131 10 07.8	Fl W	6s	24.8	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3855</b>
769.5	South Moresby ODAS light buoy 46147	SW. of Kunghit Island, QCI. 51 49 42 131 13 30	Fl(5) Y	20s	.....	.....	Yellow, marked "46147". Year round.  <b>Chart:3853</b>
770 G5826	Cape St. James	On the cape, St. James Island. 51 56 09.2 131 00 57.7	Fl W	5s	96.0	13	White mast. Flash 0.1 s; eclipse 4.9 s. Year round.  <b>Chart:3825</b>
771 G5830	Garcin Rocks	Middle of rocks. 52 12 30.4 130 58 00.4	Fl W	6s	19.5	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3855</b>
771.7 G5832	Bush Rock	On N. end of rock. 52 18 15 131 16 34	Fl W	6s	9.1	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3809</b>
772 G5831	East Copper Island	52 21 25.5 131 10 19.5	Fl(3) W	12s	15.2	5	White cylindrical tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3809</b>
773 G5833	Scudder Point	On point. 52 26 47.3 131 14 15.9	Fl W	6s	5.6	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3808</b>
774 G5833.4	Darwin Point	NW. of the point. 52 34 31.2 131 37 48	Fl W	4s	12.9	5	White cylindrical tower. Year round.  <b>Chart:3808</b>
775 G5834	Low Island	On the NW. end of the northernmost island. 52 54 44.2 131 32 24	Fl W	4s	18.1	5	White cylindrical tower. Year round.  <b>Chart:3807</b>
776 G5834.2	Haswell Island	S. side of island. 52 51 38.2 131 41 12	Fl(3) W	12s	8.2	3	Mast. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3807</b>
777 G5834.6	Selwyn Point	Eastern extremity of point. 52 51 42.2 131 50 47	Fl W	6s	5.2	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3807</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HAIDA GWAI</b>							
778 G5835	Kingui Island	On SW. extremity of island. 53 01 27.7 131 37 55.7	FI W	6s	7.8	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3894</b>
779 G5836.2	McCoy Cove Sector	E. side of cove. 53 02 05.3 131 39 18.7	F R W G	.....	4.6	5	Square skeleton tower, orange rectangular daymark, black vertical stripe. Green from 082° to 090°; white from 090° to 092°; red from 092° to 101°. White sector indicates the preferred channel. Year round.  <b>Chart:3894</b>
780 G5836	Haans Islet	53 02 18.2 131 41 16.5	FI(3) W	12s	4.4	5	Square skeleton tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3894</b>
781 G5838.4	Flowery Islet	On highest point of islet. 53 13 21 132 00 20.6	Q W	1s	7.2	4	Square skeleton tower. Year round.  <b>Chart:3890</b>
782 G5838.6	Kwuna Point	On outer end of wharf. 53 12 55.4 131 59 25.7	FI W	6s	3.7	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3890</b>
782.1 G5838.8	Alliford Bay	On island, SW. of Kwuna Point. 53 12 48.1 131 59 30.7	FI W	4s	3.7	5	White cylindrical tower. Year round.  <b>Chart:3890</b>
782.3 G5840	South Bay	W. end of small island. 53 09 52.8 132 03 53.8	FI W	4s	3.6	5	Square skeleton tower. Year round.  <b>Chart:3890</b>
783 G5838	Gillatt Island	On western end of island. 53 14 41.4 131 53 52.3	FI(3) W	12s	7.1	7	White cylindrical tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3890</b>
784 G5837	Sandspit Aeronautical Beacon	53 15 10 131 48 48	FI W	2s	.....	.....	Flash every 2 s. Privately maintained. Year round. The beacon is only activated during poor visibility. To activate call Prince Rupert Coast Guard Radio or Sandspit Flight Services.  <b>Chart:3890</b>
785	Dead Tree Point light and whistle buoy C19	E. of point. 53 20 35 131 53 36	FI G	4s	.....	.....	Green, marked "C19". Year round.  <b>Chart:3890</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>HAIDA GWAI</b>								
786	Lawn Point light and bell buoy C18	SE. of Lawn Point light. 53 23 53.5 131 53 46	Fl R	4s	.....	Red, marked "C18".	Year round.  <b>Chart:3890</b>	
787	Lawn Point light and whistle buoy C16	Off point. 53 25 08.9 131 53 26	Q R	1s	.....	Red, marked "C16".	Year round.  <b>Chart:3890</b>	
787.5	Lawn Point Sector  <b>Racon -- (K) X &amp; S Bands</b>	At point. 53 25 29.8 131 54 50.3	F R W G	.....	12.7	7	Square skeleton tower, white rectangular daymark.  Red from 230° to 235.5°; white from 235.5° to 239.5°; green from 239.5° to 245°. White sector indicates the preferred channel. Operates 24hr. Year round.  <b>Chart:3890 Edn 09/16 (P16-062)</b>	
790	Rose Spit light and whistle buoy C25	NE. of Overfall Shoal. 54 14 52.9 131 30 48.1	Fl G	4s	.....	Green, marked "C25".	Year round.  <b>Chart:3800 Edn 10/12(P12-042)</b>	
791	Rose Point light and bell buoy C26	N. of point. 54 12 59 131 39 11.9	Fl R	4s	.....	Red, marked "C26".	Year round.  <b>Chart:3800 Edn 10/12(P12-043)</b>	
791.3	Masset Harbour light and bell buoy C29	W. of Outer Bar. 54 05 43.9 132 12 57.8	Fl G	4s	.....	Green, marked "C29".	Year round.  <b>Chart:3895</b>	
791.5	Masset Harbour Entrance light buoy C31	NW. of Entry Point. 54 03 42.9 132 12 29.8	Fl G	4s	.....	Green, marked "C31".	Year round.  <b>Chart:3895</b>	
792 G5842	Masset Harbour Entrance range	NW. of Rooney Point. 54 01 57.8 132 11 54.8	F Y	.....	6.7	12	Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe.	Year round.
792.1 G5842.1		165°43' 1535.9m from front.	F Y	.....	13.9	12	Square skeleton tower, orange rectangular slatwork daymark, black vertical stripe.	Year round.  <b>Chart:3895</b>
793.3 G5843.2	Rooney Point	Off point. 54 01 01.1 132 10 06.3	Fl R	6s	7.2	4	3-pile dolphin, red and white triangular daymark.	Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3895</b>
793.5 G5843.4	Delkatla Inlet	Entrance to inlet. 54 00 12.5 132 08 45.7	Q G	1s	5.3	5	3-pile dolphin, green, white and black square daymark.	Year round.  <b>Chart:3895 Edn 03/11(P11-002,003)</b>

**PACIFIC COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HAIDA GWAI</b>							
794 G5844	Cook Point	Masset Inlet entrance. 53 48 22.4 132 12 09.7	Fl W	4s	4.0	5	White square skeleton tower.  Year round.  Chart:3893
795 G5845	Sloop Islet	On islet. 53 45 30 132 14 34	Fl W	6s	5.1	5	White square skeleton tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3893
795.3	Port Clements Breakwater	53 41 26.0 132 10 50.0	Q R	1s	.....	4	White square skeleton tower, red and white triangular daymarks.  Chart: 3893 Edn 06/15(P15-055)
795.5	Stubbs Rock light buoy C40	SW of Ship Island. 53 44 34.1 132 16 16.5	Fl R	4s	.....	.....	Red, marked "C40".  Year round.  Chart: 3893 Edn 06/15(P15-054) Edn 12/15
796 G5846	Dawson Islands	On easternmost island. 53 42 59 132 20 10	Fl W	4s	9.5	3	White square skeleton tower.  Year round.  Chart:3893
797 G5847	Learmonth Island	On rock, N. of island. 53 40 43 132 27 12	Fl W	6s	6.4	5	White square skeleton tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3893
798 G5843	Striae Islands	E. islet of the islands group. 54 05 12.1 132 14 53	Fl(3) W	12s	6.1	5	White square skeleton tower.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  Chart:3895
798.8	Wiah Point light and bell buoy C50	N. of point. 54 07 22.4 132 18 39	Fl R	4s	.....	.....	Red, marked "C50".  Year round.  Chart:3892
799 G5847.8	Refuge Island Boat Harbour Sector	At Mia-Kwun village. 54 06 46.7 132 18 39.2	F W G	.....	4.9	7	White square skeleton tower, orange rectangular daymark, black vertical stripe.  Red from 206° to 213°; white from 213° to 216°; green from 216° to 223°. White sector indicates preferred channel. Year round.  Chart:3892
800 G5848	Wiah Point	On outer end of reefs, NE. of point. 54 06 58.7 132 18 28.7	Fl W	6s	5.3	5	Cylindrical tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3892
801	Central Dixon Entrance ODAS light buoy 46145	NNW. of Wiah Point. 54 22 00 132 26 37.8	Fl(5) Y	20s	.....	.....	Yellow, marked "46145".  Year round.  Chart:3800 Edn 10/12(P12-044) Edn 10/15(P15-074)

**PACIFIC COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HAIDA GWAI</b>							
803 G5850	George Point	On point, entrance to Naden Harbour. 54 02 28.7 132 34 04.4	Q G	1s	2.8	3	White square skeleton tower, green, white and black square daymark.  Year round.  <b>Chart:3895 Edn 05/11</b>
804.6 G5851	Shag Rock	NW. of Cape Naden. 54 09 25.3 132 39 02.7	Fl(3) W	12s	7.2	5	Mast.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3892</b>
805 G5852	Parry Passage	Eastern extremity of Lucy Island. 54 10 53.2 132 58 23.3	Fl W	4s	7.2	5	White square skeleton tower.  Year round.  <b>Chart:3895</b>
<hr/>							
Langara Island							
806 G5854	Iphigenia Point (Langara Island)	On point, SW. extremity of island. 54 11 24.3 133 00 45	Fl W	6s	9.6	5	White square skeleton tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3895</b>
807 G5856	Langara Point	On NW. point of Langara Island. 54 15 21.9 133 03 35.8	Fl W	5s	48.8	8	White octagonal tower.  Flash 1 s; eclipse 4 s. Emergency light. Year round.  <b>Chart:3868</b>
807.1	<i>Dixon Entrance West ODAS light buoy 46205</i>	54 11 06 134 19 24	<i>Fl(5) Y</i>	20s	.....	.....	<i>Yellow, marked "46205".</i>  Year round.  <b>Chart:3000 Edn 10/15 (P15-077)</b>
807.15	<i>North Nomad ODAS light buoy 46184</i>	<i>Queen Charlotte Islands. 53 54 54 138 51 00</i>	<i>Fl(5) Y</i>	20s	.....	.....	<i>Yellow, marked "46184".</i>  Year round.  <b>Chart:3000</b>
807.17	<i>Middle Nomad ODAS light buoy 46004</i>	50 55 48 136 05 42	<i>Fl(5) Y</i>	20s	.....	.....	<i>Yellow, marked "46004".</i>  Year round.  <b>Chart:3000</b>
<hr/>							
807.2 G5857	Frederick Island	On Hope Point. 53 56 17 133 11 54.2	Fl W	6s	16.8	5	Square skeleton tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3868</b>
807.4 G5858	Hippa Island	On W. end of island. 53 32 41.5 133 00 43.2	Fl W	4s	31.5	5	Square skeleton tower.  Year round.  <b>Chart:3860 Edn 05/12(P12-014)</b>
807.5 G5858.4	Kunakun Point	53 28 09 132 53 43	Fl W	6s	21.3	5	Square skeleton tower.  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3869</b>

**PACIFIC COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HAIDA GWAI</b>							
807.6 G5859	Marble Island	W. end of island. 53 12 03 132 40 06	FI W	6s	34.5	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3891</b>
807.7 G5858.6	Kindakun Point	53 18 55 132 46 12	FI W	4s	20.4	5	Square skeleton tower. Year round.  <b>Chart:3869</b>
808 G5860	Tcenakun Point	On Rocky Point, S. side of entrance to Skidegate Channel. 53 09 06.7 132 35 02	FI W	4s	27.7	5	Square skeleton tower. Year round.  <b>Chart:3891</b>
809 G5861	Davidson Point	On N. side of entrance to Tasu Sound. 52 44 31.1 132 06 48	FI W	6s	37.3	7	White cylindrical tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3859</b>
809.3	Tasu Narrows	52 44 38.1 132 06 30	FI G	4s	14.2	4	Square skeleton tower. Year round.  <b>Chart:3859</b>
810 G5862	Tasu Sound	On point inside entrance, on S. side. 52 44 57.7 132 05 45.7	FI(3) W	12s	8.8	5	White square skeleton tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round.  <b>Chart:3859</b>
810.2 G5863	Horn Island	N. tip of island. 52 46 08.1 132 03 28.6	FI W	6s	4.4	5	Square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3859</b>
811.9 G5863.7	Gowgaia Point	52 24 01 131 35 17	FI W	6s	30.0	5	White square skeleton tower. Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:3864</b>
812	<i>Moresby Island West ODAS light buoy 46208</i>	52 30 54 132 41 30	FI(5) Y	20s	.....	.....	<i>Yellow, marked "46208".</i> Year round.  <b>Chart:3002</b>