

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
942	East Point Reef East Cardinal light and whistle buoy NDN	Off East reef. 46 28 04.2 061 56 14.5	Q(3) W 10s	Black-yellow-black, pillar, marked "NDN".	Seasonal. Audible signal: Whistle
943 H0920	East Point	Near S. shore of point. 46 27 09.1 061 58 18.6	Fl W 5s	27.1	11	White octagonal tower with red top. 19.5	Private aid. Year round. Operates 24 h. Flash 2 s; eclipse 3 s.
946	Souris Harbour light and whistle buoy NA	Entrance to Colville Bay. 46 19 46.1 062 15 23.7	Mo(A) W 6s	Red-white, pillar, marked "NA".	Seasonal. Audible signal: Whistle
947 H0922	Souris East	On Knight Point, SE. of breakwater. 46 20 45.1 062 14 50.9	Iso W 4s	27.2	13	White square tower with red upper portion. 14.4	Private aid. Year round.
948 H0924	Souris East Breakwater	On outer end of breakwater. 46 20 51.0 062 15 17.4	Fl R 5s	10.5	8	Square skeleton tower, red and white rectangular daymark. 9.2	Year round. Flash 1 s; eclipse 4 s.
948.05	Rollo Bay light buoy NC1	46 19 24.2 062 19 27.7	Q G 1s	Green, pillar, marked "NC1".	Seasonal.
948.09	Fortune Bay Entrance light buoy NC5	46 19 32.4 062 20 08.4	Fl G 4s	Green, pillar, marked "NC5".	Seasonal.
948.1	Fortune Bay Entrance light buoy NC6	46 19 38.4 062 20 30.6	Fl R 4s	Red, pillar, marked "NC6".	Seasonal.
948.2	Fortune Bay Entrance light buoy NC8	46 19 39.0 062 20 39.6	Q R 1s	Red, pillar, marked "NC8".	Seasonal.
948.22	Bay Fortune Entrance light buoy NC9	46 19 39.0 062 20 46.8	Q G 1s	Green, pillar, marked "NC9".	Seasonal.
948.5	Annandale light buoy NE	In Boughton Bay. 46 14 31.2 062 23 00.8	Mo(A) W 6s	Red-white, pillar, marked "NE".	Seasonal.
948.6	Annandale Grand River East light buoy NE2	46 14 55.8 062 23 54.1	Fl R 4s	Red, conical, marked "NE2".	Seasonal.
949.5	Annandale Sector Light	46 15 32.9 062 25 19.7	F R W G	9.2	13 White square tower with red top, red, white and red rectangular daymark. 5.8	Seasonal. Operates 24 h. G 304°30'-303°30'; W 303°30'-302°30'; R 302°30'-301°30'.
950.1	Annandale Grand River East light buoy NE5	Boughton Bay. 46 15 09.7 062 24 30.8	Fl G 4s	Green, pillar, marked "NE5".	Seasonal.
950.12	Annandale Grand River East light buoy NE7	46 15 18.2 062 24 51.1	Q G 1s	Green, pillar, marked "NE7".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
950.15	Annandale Grand River East light buoy NE9	46 15 24.3 062 25 19.9	Fl G 4s	Green, spar, marked "NE9".	Seasonal. Operates 24 h.
950.2	Annandale Grand River East light buoy NE10	SE. of Annandale wharf. 46 15 26.8 062 25 20.8	Fl R 4s	Red, pillar, marked "NE10".	Seasonal.
950.3 H0928.15	Annandale Breakwater West	46 15 29.0 062 25 29.0	Q G 1s	3.9	1	Pipe swing pole, green, white and green square daymark. 3.3	Seasonal.
951 H0930	Launching Pond Breakwater	On outer end of N. breakwater. 46 13 13.3 062 24 32.6	Fl R 3s	5.4	4	Cylindrical mast. 3.7	Seasonal. Flash 1 s; eclipse 2 s.
951.2 H0931	Launching Pond South Breakwater	46 13 12.3 062 24 33.6	Fl G 4s	4.5	4	Cylindrical mast. 3.6	Seasonal.
951.5	Launching Point light buoy NY2	46 13 06.2 062 24 05.8	Fl R 4s	Red, spar, marked "NY2".	Seasonal.
951.6	Cardigan River light buoy NJ2	Cardigan Bay. 46 12 03.2 062 29 51.2	Fl R 4s	Red, pillar, marked "NJ2".	Seasonal.
951.7	MacPhee Shoal light buoy NJ3	Upper Cardigan. 46 12 02.7 062 30 20.7	Fl G 4s	Green, pillar, marked "NJ3".	Seasonal.
951.75	Cardigan River light buoy NJ7	Morrison Beach. 46 12 52.5 062 32 07.1	Fl G 4s	Green, pillar, marked "NJ7".	Seasonal.
951.8	Cardigan River light buoy NJ14	46 13 24.2 062 33 48.7	Fl R 4s	Red, pillar, marked "NJ14".	Seasonal.
951.85	Cardigan River (Wilson's Point) light buoy NJ15	46 13 23.7 062 34 16.7	Q G 1s	Green, pillar, marked "NJ15".	Seasonal.
951.9	Cardigan River (Crawford's Point) light buoy NJ18	46 13 24.2 062 34 52.7	Q R 1s	Red, pillar, marked "NJ18".	Seasonal.
951.91	Cardigan River (Owen's Flats) light buoy NJ23	46 14 00.0 062 36 33.6	Q G 1s	Green, can, marked "NJ23".	Seasonal.
951.95	Cardigan River light buoy NJ25	Owen's Point. 46 13 58.8 062 36 38.4	Fl G 4s	Green, pillar, marked "NJ25".	Seasonal.
952	Cardigan River light buoy NJ30	46 13 55.0 062 36 44.1	Q R 1s	Red, pillar, marked "NJ30".	Seasonal.
952.5	Georgetown light buoy NH	In Cardigan Bay. 46 09 15.2 062 27 01.7	Mo(A) W 6s	Red-white, pillar, marked "NH".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
953 H0932	Panmure Head	SE. extremity of Cardigan Bay. 46 08 39.2 062 27 59.7	FI W 4s	25.0	19	White octagonal tower with red top. 18.6	Year round.
953.4	Cardigan Shoal light buoy NH4	46 09 41.6 062 29 53.9	FI R 4s	Red, spar, marked "NH4".	Seasonal (in place year round). Operates 24 h.
953.5	Wheeler Bar light buoy NH3	E. of bar. 46 09 30.2 062 29 41.4	FI G 4s	Green, spar, marked "NH3".	Seasonal (in place year round).
953.7	Georgetown light buoy NH9	Georgetown Harbour. 46 09 45.7 062 31 10.2	Q G 1s	Green, spar, marked "NH9".	Year round.
954	St. Andrews Point light buoy NH10	46 09 55.2 062 31 13.7	Q R 1s	Red, spar, marked "NH10".	Seasonal (in place year round).
956.15	Gaudin Point light buoy NH14	Georgetown. 46 10 33.3 062 32 25.7	FI R 4s	Red, spar, marked "NH14".	Seasonal.
956.2	Thrumcap Spit light buoy NH12	Off spit. 46 10 08.7 062 31 33.7	FI R 4s	Red, conical, marked "NH12".	Seasonal.
956.3	Aitken Point light buoy NH15	Montague River entrance. 46 10 34.2 062 33 03.7	Q G 1s	Green, pillar, marked "NH15".	Seasonal.
956.4	Brudenell Point light buoy NH18	46 10 34.2 062 33 36.7	Q R 1s	Red, pillar, marked "NH18".	Seasonal.
957 H0939	Lower Montague Wharf	NW. corner of wharf. 46 10 14.2 062 33 46.5	FI G 4s	6.0	4	Pipe swing pole. 5.1	Seasonal. Flash 1 s; eclipse 3 s.
957.3	Montague River light buoy NH22	46 10 30.2 062 35 58.7	FI R 4s	Red, pillar, marked "NH22".	Seasonal.
957.4	Montague River light buoy NH23	46 10 30.2 062 36 21.7	Q G 1s	Green, can, marked "NH23".	Seasonal.
957.41	Montague River light buoy NH27	Georgetown. 46 10 16.2 062 36 57.7	FI G 4s	Green, spar, marked "NH27".	Seasonal.
957.5	Montague River light buoy NH30	46 10 06.2 062 37 13.7	Q R 1s	Red, spar, marked "NH30".	Seasonal.
957.7	Montague River light buoy NH38	46 09 58.9 062 37 49.9	FI R 4s	Red, spar, marked "NH38".	Seasonal.
957.8	Montague River light buoy NH43	46 10 02.1 062 38 14.8	Q G 1s	Green, spar, marked "NH43".	Seasonal.
957.9	Montague River light buoy NH45	46 09 58.4 062 38 30.5	FI G 4s	Green, spar, marked "NH45".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
958.5	Graham Ledge light buoy NP	46 05 45.2 062 25 57.7	Mo(A) W 6s	Red-white, can, marked "NP".	Seasonal.
959 H0949	Graham Pond	On outer end of N. breakwater. 46 05 46.7 062 27 04.5	Iso R 4s	6.0	3	Square skeleton tower. 5.1	Seasonal.
960 H0949.2	Graham Pond South Breakwater	On S. breakwater. 46 05 45.8 062 27 05.5	Fl G 4s	4	Pipe tower, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
960.1 H0949.3	Graham Pond West Breakwater	On W. breakwater. 46 05 47.7 062 27 03.4	Fl Y 4s	3.6	2	Cylindrical mast. 2.6	Seasonal.
960.2 H0949.4	Graham Pond East Breakwater	On E. breakwater. 46 05 46.8 062 27 01.2	Fl R 4s	3.2	3	Pipe swing pole, red and white triangular daymark. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
961	Murray Harbour light buoy NM	Off harbour entrance. 46 02 05.2 062 27 08.2	Mo(A) W 6s	Red-white, spar, marked "NM".	Seasonal.
963	Murray Harbour Entrance light buoy NM3	E. of Oldstore Point. 46 01 40.2 062 27 46.2	Fl G 4s	Green, pillar, marked "NM3".	Seasonal.
963.5	Murray Harbour light buoy NM6	Off Oldstore Point. 46 01 31.6 062 28 18.8	Fl R 4s	Red, pillar, marked "NM6".	Seasonal.
963.6	Murray Harbour light buoy NM7	46 01 21.6 062 28 39.0	Q G 1s	Green, pillar, marked "NM7".	Seasonal.
964 H0954	Murray Harbour front range light	On Beach Point, S. side of harbour. 46 01 17.5 062 28 41.7	F R	6.3	10 White square tower with red top and red vertical stripe. 7.2	Seasonal. Operates 24 h.
964.1	Sable Point light buoy NM6/2	46 01 12.6 062 28 57.6	Fl R 4s	Red, spar, marked "NM6/2".	Seasonal.
965 H0954.1	Murray Harbour rear range light	46 00 51.8 062 29 32.9 234°04' 1360.9 m from front.	F R	17.8	10 White pyramid tower with red upper portion and red vertical stripe. 13.6	Seasonal. Operates 24 h.
966	Sable Point light buoy NM8	46 01 13.2 062 28 54.0	Fl R 4s	Red, pillar, marked "NM8".	Seasonal.
966.5	Beach Point light buoy NM11	46 01 07.2 062 29 13.6	Fl G 4s	Green, pillar, marked "NM11".	Seasonal.
966.6	Murray Harbour light buoy NM12	46 01 09.5 062 29 12.7	Q R 1s	Red, pillar, marked "NM12".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
967 H0956	Beach Point Breakwater	On outer end, E. breakwater. 46 01 00.3 062 29 12.9	Fl G 4s	4		Pipe swing pole. 10.2	Seasonal.
968	<i>Penny Point light buoy NM13</i>	<i>On S. side of dredged cut. 46 01 04.9 062 29 37.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "NM13".</i>	<i>Seasonal.</i>
968.1	<i>Murray Harbour light buoy NM14</i>	<i>46 01 07.4 062 29 42.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "NM14".</i>	<i>Seasonal.</i>
968.3	<i>Murray Harbour light buoy NM16</i>	<i>46 01 07.7 062 29 59.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "NM16".</i>	<i>Seasonal.</i>
969	<i>Machons Point light buoy NM15</i>	<i>SE. of point. 46 01 06.0 062 30 03.0</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "NM15".</i>	<i>Seasonal.</i>
969.5 H0958	Murray Harbour Village front range light	On shore line. 46 00 24.2 062 31 25.1	Iso R 1s 6.4	13		Square skeleton tower, white daymark with red vertical stripe. 6.0	Seasonal.
969.6 H0958.1	Murray Harbour Village rear range light	46 00 22.2 062 31 28.9 233°44' 100.9 m from front.	Iso R 4s 9.5	14		Square skeleton tower, white daymark with red vertical stripe. 6.7	Seasonal.
969.7	<i>Sharams Point light buoy NM24</i>	<i>N. of point. 46 01 30.7 062 31 12.6</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "NM24".</i>	<i>Seasonal.</i>
969.8	<i>Reynolds Island light buoy NM30</i>	<i>W. of island. 46 02 04.2 062 31 41.4</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "NM30".</i>	<i>Seasonal.</i>
969.9	<i>Fairchild Point light buoy NM33</i>	<i>NE. of point. 46 02 34.7 062 31 46.7</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "NM33".</i>	<i>Seasonal.</i>
970.4	<i>Bear Reef East Cardinal light buoy NN</i>	<i>46 00 44.2 062 26 17.2</i>	<i>Q(3) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow-black, spar, marked "NN".</i>	<i>Seasonal.</i>
971 H0950	Cape Bear	On the headland. 46 00 11.1 062 27 34.0	LFl Y 6s 16.7	10		Square skeleton tower, red, white and red rectangular daymark. 8.3	Year round. Flash 2 s; eclipse 4 s.
972.5	<i>Wood Islands Harbour Entrance light buoy NS2</i>	<i>45 56 46.4 062 44 59.4</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "NS2".</i>	<i>Seasonal.</i>
975 H0964.5	Wood Islands Harbour West Breakwater	On W. breakwater. 45 56 54.0 062 45 08.1	Fl G 3s 6.0		Square skeleton tower, red and white rectangular daymark, green square in centre. 5.2	Seasonal. Flash 1 s; eclipse 2 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

PRINCE EDWARD ISLAND

975.1 H0964	Wood Islands Harbour East Breakwater	On E. breakwater. 45 56 54.2 062 45 04.8	Fl R 3s	6.0	4	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 5.2	Seasonal. Flash 1 s; eclipse 2 s.
976 H0962	Wood Islands	On S. side of E. portion. 45 56 59.5 062 44 46.1	Iso W 10s	21.9	12	White square tower with red upper portion. 15.3	Private aid. Year round. Operates 24 h.
977	Bell Point light and whistle buoy N8	SW. of rocks. 45 54 54.2 062 49 11.5	Fl R 4s	Red, pillar, marked "N8".	Seasonal. Audible signal: Whistle
980.5	Pinette Harbour light buoy NV4	46 02 42.2 062 57 15.5	Q R 1s	Red, spar, marked "NV4".	Seasonal.
983 H0982	Prim Point	SE. extremity of Hillsborough Bay, near point. 46 03 00.7 063 02 20.5	Fl W 5s	20.7	18	White cylindrical tower with red top. 18.6	Year round. Flash 0.2 s; eclipse 4.8 s.
983.4	St. Peters Island light buoy C1	46 05 00.2 063 13 45.7	Fl G 4s	Green, pillar, marked "C1".	Seasonal.
983.5	Spithead East Cardinal light buoy CJB	46 09 12.9 063 07 45.4	Q(3) W 10s	Black-yellow-black, pillar, marked "CJB".	Seasonal.
984	Prim Reefs light buoy C2	Off W. extremity of reefs. 46 02 40.3 063 06 47.6	Q R 1s	Red, pillar, marked "C2".	Seasonal.
Hillsborough Bay							
989	Fitzroy Rock light buoy C4	SW. of rock. 46 07 05.8 063 06 39.5	Fl R 4s	Red, pillar, marked "C4".	Seasonal. (Winter spar.)
990	Spithead light buoy C5	46 08 54.2 063 06 01.7	Q G 1s	Green, pillar, marked "C5".	Seasonal (in place year round).
991 H1006	Haszard Point front range light	E. side of entrance to Charlottetown Harbour. 46 11 39.8 063 04 25.2	F W	18.3	15	White pyramid tower with red top and red vertical stripe. 17.3	Year round. Operates 24 h.
992 H1006.1	Haszard Point rear range light	46 11 59.6 063 04 15.2 019°19' 650.1 m from front.	F W	46.3	15	White pyramid tower with red top and red vertical stripe. 14.0	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
Charlottetown Harbour							
993 <i>H1008</i>	Blockhouse Point	W. side of entrance to harbour. 46 11 26.1 063 07 45.7	LFI W 6s	18.3	10	White square tower with red upper portion. 12.6	Private aid. Year round. Operates 24 h. Flash 2 s; eclipse 4 s.
993.5	<i>Blockhouse Point light buoy C7</i>	46 11 36.6 063 07 32.6	FI G 4s	<i>Green, pillar, marked "C7".</i>	<i>Seasonal.</i>
994 <i>H1012</i>	Brighton Beach front range light	On crib on E. side of Yorke River. 46 13 50.5 063 08 51.2	F Y	11.0	19	White pyramid tower with red upper portion and red vertical stripe. 12.5	Year round. Operates 24 h.
995 <i>H1012.1</i>	Brighton Beach rear range light	46 14 02.4 063 08 58.4 336°56' 398.0 m from front.	F Y	26.3	19	White hexagonal tower with red vertical stripe. 18.4	Year round. Operates 24 h.
995.1 <i>H1013</i>	Peakes Quay Marina	Entrance to Peakes Quay Marina. 46 13 51.4 063 07 15.4	Q G 1s	3	Cylindrical mast. 2.2	Private aid. Seasonal.
996 <i>H1016</i>	Warren Cove front range light	W. side of harbour, N. of Blockhouse Point. 46 11 56.4 063 08 17.6	F Y	17.3	12	White pyramid tower with red upper portion and red vertical stripe. 11.2	Year round. Operates 24 h.
997 <i>H1016.1</i>	Warren Cove rear range light	46 11 46.3 063 08 22.3 197°39' 327.4 m from front.	F Y	21.4	12	White square tower with red top and red vertical stripe. 10.2	Year round. Operates 24 h.
998	<i>Battery Point light buoy C8</i>	<i>W. of point.</i> 46 12 14.7 063 07 51.7	FI R 4s	<i>Red, spar, marked "C8".</i>	<i>Seasonal (in place year round). (Winter spar.)</i>
998.5	<i>Canceaux Spit light buoy C9</i>	<i>E. of spit.</i> 46 12 37.2 063 08 06.3	FI G 4s	<i>Green, pillar, marked "C9".</i>	<i>Seasonal.</i>
999	<i>Rosebank Point Outer light buoy C12</i>	46 12 54.2 063 07 48.7	FI R 4s	<i>Red, spar, marked "C12".</i>	<i>Seasonal (in place year round). (Winter spar.)</i>
999.2	<i>Old Battery Point light buoy C13</i>	<i>SE. of point.</i> 46 13 16.6 063 07 49.4	FI G 4s	<i>Green, pillar, marked "C13".</i>	<i>Seasonal.</i>
999.5	<i>Rosebank Point Centre light buoy C14</i>	46 13 28.2 063 07 23.2	FI R 4s	<i>Red, pillar, marked "C14".</i>	<i>Seasonal.</i>
1001	<i>Charlottetown Harbour light buoy C15</i>	<i>Off outer S. corner of wharf.</i> 46 13 40.2 063 07 30.2	Q G 1s	<i>Green, spar, marked "C15".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1003	Charlottetown Railway Wharf Turning light buoy C18	Off S. corner of railway wharf. 46 13 46.7 063 06 44.7	Q R 1s	Red, pillar, marked "C18".	Seasonal (in place year round). (Winter spar.)
1005.03	Rocky Point light buoy CH3	West River. 46 12 48.2 063 09 04.7	FI G 4s	Green, spar, marked "CH3".	Seasonal.
1005.04	West River light buoy CH4	46 12 30.2 063 09 51.7	Q R 1s	Red, pillar, marked "CH4".	Seasonal.
1005.05	West River light buoy CH5	46 12 20.7 063 10 39.7	Q G 1s	Green, pillar, marked "CH5".	Seasonal.
1005.08	West River light buoy CH8	46 11 58.2 063 11 28.7	FI R 4s	Red, pillar, marked "CH8".	Seasonal.
1005.09	West River light buoy CH9	46 11 47.2 063 12 00.7	FI G 4s	Green, pillar, marked "CH9".	Seasonal.
1005.12	West River light buoy CH12	46 11 18.2 063 12 42.7	Q R 1s	Red, pillar, marked "CH12".	Seasonal.
1005.13	West River light buoy CH13	46 11 29.2 063 13 12.7	Q G 1s	Green, pillar, marked "CH13".	Seasonal.
1005.16	West River light buoy CH16	46 11 19.2 063 13 37.7	FI R 4s	Red, spar, marked "CH16".	Seasonal.
1006 H0998	Nine Mile Creek Wharf	On outer S. corner of wharf. 46 08 53.0 063 13 03.7	FI R 4s	5.4	5	Pipe swing pole, red and white rectangular daymark with red triangle in center. 5.0	Seasonal. Flash 1 s; eclipse 3 s.
Victoria Harbour							
1008.2	Victoria Harbour Wharf light	46 12 44.7 063 29 20.3	FI G 4s	6	Pipe Swing Pole, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1009.11	Victoria Harbour Fairway light buoy NX	46 10 35.2 063 28 00.7	Mo(A) W 6s	Red-white, spar, marked "NX".	Seasonal.
1009.12	Cameron Point Shoal light buoy NX4	46 11 26.2 063 28 31.9	FI R 4s	Red, pillar, marked "NX4".	Seasonal.
1009.13	Victoria Harbour light buoy NX5	46 11 39.0 063 28 36.9	FI G 4s	Green, pillar, marked "NX5".	Seasonal.
1009.17	Victoria Harbour light buoy NX9	46 11 50.9 063 28 41.0	FI G 4s	Green, pillar, marked "NX9".	Seasonal.
1009.2	Victoria Harbour light buoy NX12	46 12 15.5 063 29 20.3	FI R 4s	Red, pillar, marked "NX12".	Seasonal.
1011.1	Victoria Harbour light buoy NX11	46 11 56.2 063 28 47.7	Q G 1s	Green, pillar, marked "NX11".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ---- Intl No.	Name ---- RACON	Location ---- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ---- Height of Structure Above Ground Level (m)	Remarks ---- Audible Signals ---- AIS
PRINCE EDWARD ISLAND							
1011.14	Victoria Harbour light buoy NX17	46 12 20.4 063 29 21.7	Fl G 4s	Green, pillar, marked "NX17".	Seasonal.
1011.145	Victoria Harbour light buoy NX17/3	46 12 22.5 063 29 21.7	Q G 1s	Green, pillar, marked "NX17/3".	Seasonal.
1011.15	Victoria Harbour light buoy NX18	46 12 26.0 063 29 22.7	Q R 1s	Red, pillar, marked "NX18".	Seasonal.
1011.155	Victoria Harbour light buoy NX18/2	46 12 28.4 063 29 22.0	Fl R 4s	Red, pillar, marked "NX18/2".	Seasonal.
1011.175	Victoria Harbour light buoy NX19	46 12 25.9 063 29 24.2	Q G 1s	Green, pillar, marked "NX19".	Seasonal.
1011.18	Victoria Harbour light buoy NX19/5	46 12 32.1 063 29 22.2	Fl G 4s	Green, pillar, marked "NX19/5".	Seasonal.
1011.19	Victoria Harbour light buoy NX20	46 12 35.5 063 29 19.9	Fl R 4s	Red, pillar, marked "NX20".	Seasonal.
1011.21	Victoria Harbour light buoy NX21	46 12 40.1 063 29 20.8	Fl G 4s	Green, pillar, marked "NX21".	Seasonal.
1011.22	Victoria Harbour light buoy NX22	46 12 40.8 063 29 19.5	Fl R 4s	Red, pillar, marked "NX22".	Seasonal.
1014	Tryon Shoals light and bell buoy N14	Off S. extremity of shoal. 46 09 39.2 063 31 42.8	Fl R 4s	Red, spar, marked "N14".	Seasonal.
1015 H1044	Port Borden Breakwater	SW. end of breakwater. 46 14 38.9 063 41 50.3	Fl R 4s	4.5	4	Cylindrical mast. 2.8	Seasonal. Flash 1 s; eclipse 3 s.
1017.5 H1039	Port Borden Pier	On outer end of Ferry Pier. 46 14 42.5 063 41 58.0	Iso G 4s	10.1	6	White octagonal tower with red top. 8.5	Seasonal.
1017.69 H1039.4	Confederation Bridge	46 12 35.9 063 45 07.8	Iso W 6s	50.5	13	On bridge.	Private aid. Year round. Operates 24 h.
1017.7	Strait Crossing light and whistle buoy XF	46 17 00.3 063 52 15.7	Mo(A) W 6s	Red-white, pillar, marked "XF".	Seasonal. Audible signal: Whistle
1017.71	Strait Crossing light buoy XB2	46 11 03.3 063 42 27.7	Fl R 4s	Red, pillar, marked "XB2".	Seasonal.
1017.72	Strait Crossing light buoy XB3	46 11 00.2 063 42 36.7	Fl G 4s	Green, pillar, marked "XB3".	Seasonal.
1017.73	Strait Crossing light buoy XB4	46 14 24.2 063 47 54.7	Fl R 4s	Red, pillar, marked "XB4".	Seasonal.
1017.74	Strait Crossing light buoy XB5	46 14 18.2 063 48 00.7	Fl G 4s	Green, pillar, marked "XB5".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS		
PRINCE EDWARD ISLAND									
1017.75	<i>Strait Crossing light and whistle buoy XB</i>	46 09 24.2 063 39 51.7	Mo(A) W 6s	Red-white, pillar, marked "XB".	Seasonal. Audible signal: Whistle		
1017.76 H1039.5	Confederation Bridge S.E.	46 12 35.8 063 45 07.7	F R W G	64.0	On bridge. Private aid. Year round. Operates 24 h. R 308°39'-310°39'; W 310°39'-311°39'; G 311°39'-313°39'.		
1017.77 H1039.6	Confederation Bridge N.W.	46 12 36.0 063 45 08.0	F R W G	64.0	On bridge. Private aid. Year round. Operates 24 h. G 129°08'-131°08'; W 131°08'-132°08'; R 132°08' to 134°08'.		
1017.78 H1039.7	Confederation Bridge Racon B (- . . .) X & S Bands	46 12 33.8 063 45 13.1	F G	16.5	11	On bridge. Private aid. Year round. Operates 24 h.		
1017.781 H1039.75	Confederation Bridge	46 12 32.0 063 45 10.1	F G	16.5	11	On bridge. Private aid. Year round. Operates 24 h.		
1017.79 H1039.8	Confederaton Bridge Racon T (-) X & S Bands	46 12 39.9 063 45 05.5	F R	16.5	11	On bridge. Private aid. Year round. Operates 24 h.		
1017.791 H1039.85	Confederaton Bridge	46 12 38.1 063 45 02.5	F R	16.5	11	On bridge. Private aid. Year round. Operates 24 h.		
1018 H1046	Seacow Head	On outer end of point. 46 18 57.7 063 48 35.9	Fl(2) W	12s	26.8	12	White octagonal tower with red top. 18.3	Year round. Operates 24 h. Flash 2 s; eclipse 2 s; flash 2 s; eclipse 6 s.	
1018.1 H1049	Summerside Outer front range light	W. side of Summerside River. 46 23 43.1 063 48 35.0	F R	9.3	16	White pyramid tower, white daymark with red vertical stripe. 9.0	Year round. Operates 24 h.	
1018.2 H1049.1	Summerside Outer rear range light	46 23 55.3 063 48 25.3 028°57' 430.3 m from front.	F R	14.9	17	White pyramid tower, white daymark with red vertical stripe. 10.1	Year round. Operates 24 h.	
1018.3	<i>Miscouche Shoal light buoy DE</i>	<i>Bedeque Bay.</i> 46 19 50.2 063 51 18.7	Mo(A) W	6s	Red-white, pillar, marked "DE".	Seasonal. Audible signal: Bell	
1018.4	<i>Miscouche Shoal light buoy DE1</i>	<i>Summerside.</i> 46 20 47.5 063 51 24.0	Fl	G	4s	Green, can, marked "DE1".	Seasonal.
1018.5	<i>Summerside Harbour light buoy DE3</i>	46 21 58.2 063 50 01.7	Fl	G	4s	Green, spar, marked "DE3".	Seasonal.
1018.6	<i>Summerside Harbour light buoy DE4</i>	46 22 20.2 063 49 39.2	Fl	R	4s	Red, spar, marked "DE4".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1019	Summerside Harbour light buoy DE6	46 22 42.2 063 49 21.7	Q R 1s	Red, spar, marked "DE6".	Seasonal (in place year round). (Winter spar.)
1019.1	Summerside Harbour light buoy DE7	46 22 49.2 063 49 20.2	Fl G 4s	Green, spar, marked "DE7".	Seasonal (in place year round).
1020 H1048	Summerside Harbour Wharf Light	On outer end of breakwater. 46 22 47.0 063 49 01.1	Iso W 10s	14.0	White octagonal tower with red top. 12.9	Year round.
1020.1	Summerside Harbour light buoy DE8	46 22 49.2 063 49 08.7	Fl R 4s	Red, spar, marked "DE8".	Seasonal (in place year round).
1020.2	Summerside Harbour light buoy DE10	46 22 56.2 063 48 36.7	Fl R 4s	Red, spar, marked "DE10".	Seasonal (in place year round). (Winter spar.)
1020.3	Summerside Harbour light buoy DE11	46 23 03.7 063 48 15.7	Fl G 4s	Green, spar, marked "DE11".	Seasonal. (Winter spar.)
1020.35	Summerside Harbour light buoy DE12	46 23 02.7 063 48 07.2	Fl R 4s	Red, spar, marked "DE12".	Seasonal.
1020.4	Summerside Harbour light buoy DE14	46 23 08.2 063 47 43.7	Q R 1s	Red, spar, marked "DE14".	Seasonal (in place year round). (Winter spar.)
1020.7	Summerside Harbour light buoy DE16	46 23 01.4 063 47 23.5	Fl R 4s	Red, spar, marked "DE16".	Seasonal (in place year round).
1020.8	Summerside Harbour light buoy DE18	46 23 06.7 063 47 09.7	Fl R 4s	Red, spar, marked "DE18".	Seasonal (in place year round).
1021 H1050	Summerside front range light	Near outer end of wharf. 46 23 14.4 063 47 21.2	F G	10.8	14 Square skeleton tower, white daymark with red vertical stripe. 9.4	Year round. Operates 24 h.
1022 H1050.1	Summerside rear range light	46 23 28.7 063 46 17.2 072°04' 1436.3 m from front.	F G	24.8	16 White pyramid tower with red upper portion and red vertical stripe. 20.1	Year round. Operates 24 h.
1022.5 H1054	Summerside Marina	On outer end of breakwater. 46 23 18.2 063 47 14.6	Fl R 4s	5.3	5	Pipe swing pole, red and white rectangular daymark with red triangle in the centre.	Seasonal. Flash 1 s; eclipse 3 s. Visible 269°-029°.
1023	Abrams Village fairway light buoy DH	46 27 18.7 064 08 25.9	Mo(A) W 6s	Red-white, spar, marked "DH".	Seasonal.
1023.1	Abram-Village light buoy DH2	46 27 09.1 064 07 42.8	Fl R 4s	Red, spar, marked "DH2".	Seasonal.
1023.2	Abram-Village light buoy DH6	46 27 45.8 064 06 53.5	Fl R 4s	Red, spar, marked "DH6".	Seasonal.
1023.3	Abram-Village light buoy DH8	Baie-Egmont. 46 27 04.6 064 07 12.2	Q R 1s	Red, spar, marked "DH8".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1023.4	Abram-Village light buoy DH9	46 27 02.4 064 07 11.2	Fl G 4s	Green, spar, marked "DH9".	Seasonal.
1023.5	Abram-Village light buoy DH10	46 27 02.6 064 07 12.0	Fl R 4s	Red, spar, marked "DH10".	Seasonal.
1023.52	Abram-Village light buoy DH16	Baie-Egmont. 46 26 47.6 064 06 55.1	Q R 1s	Red, spar, marked "DH16".	Seasonal.
1023.7	Abram-Village light buoy DH5	Baie-Egmont. 46 27 08.0 064 07 22.6	Fl G 4s	Green, spar, marked "DH5".	Seasonal.
1024 H1056	Cape Egmont	On point. 46 24 06.6 064 08 02.4	Fl W 5s	19.9	11	White square tower with red upper portion. 12.4	Year round. Operates 24 h. Flash 2 s; eclipse 3 s.
1024.5	Fishing Cove light buoy DG2	46 24 09.8 064 08 46.5	Q R 1s	Red, pillar, marked "DG2".	Seasonal.
1025 H1057	Fishing Cove	On outer end of breakwater. 46 24 26.2 064 08 04.9	LFl R 6s	7.5	4	Pipe swing pole, red and white triangular daymark. 6.9	Seasonal. Flash 2 s; eclipse 4 s.
1025.5 H1057.5	Fishing Cove West Breakwater	On S. end of W. breakwater. 46 24 26.1 064 08 06.7	Fl G 4s	3.2	4	Cylindrical mast. 2.8	Seasonal. Flash 1 s; eclipse 3 s.
1027.31 H1060	Abram-Village Wharf Light	46 26 25.9 064 06 48.4	Fl G 4s	3	Pipe Swing Pole, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1027.42	Higgins Wharf light buoy DJ16	46 33 25.1 064 05 38.0	Q R 1s	Red, pillar, marked "DJ16".	Seasonal.
1027.425	Higgins Wharf light buoy DJ15	46 33 27.1 064 05 47.5	Fl G 4s	Green, pillar, marked "DJ15".	Seasonal.
1027.43	Higgins Wharf light buoy DJ30	46 33 19.3 064 05 11.0	Fl R 4s	Red, pillar, marked "DJ30".	Seasonal.
1027.45	Higgins Wharf light buoy DJ	46 33 23.1 064 06 38.5	Mo(A) W 6s	Red-white, pillar, marked "DJ".	Seasonal.
1027.6	Howards Cove light buoy DN2	46 44 27.5 064 23 26.3	Q R 1s	Red, spar, marked "DN2".	Seasonal.
1027.7	West Point light buoy DM1	46 36 28.8 064 22 50.2	Fl G 4s	Green, spar, marked "DM1".	Seasonal.
1027.8	West Point light buoy DM2	46 36 30.4 064 22 13.3	Fl R 4s	Red, spar, marked "DM2".	Seasonal.
1028.2 H1062.1	West Point Wharf	End of wharf. 46 37 04.1 064 22 17.7	Fl G 4s	4	Cylindrical mast, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1029 H1062	West Point	On Sand Beach. 46 37 13.1 064 23 12.3	Iso W 12s	20.1	12	White square tower with red upper portion and black horizontal bands. 20.7	Private aid. Year round. Operates 24 h.
1030	West Point light and whistle buoy D8	N. of point. 46 40 06.0 064 30 01.0	Fl R 4s	Red, pillar, marked "D8".	Seasonal. Audible signal: Whistle
1031 H1068	Seal Point (Howards Cove) Wharf	On wharf. 46 44 22.9 064 22 46.3	Iso R 2s	8.3	4	Square skeleton tower, red and white rectangular daymark with red triangle in centre.	Year round.
1031.5 H1068.5	Howards Cove Breakwater	On the outermost extremity of the port hand breakwater. 46 44 25.5 064 22 46.0	Q G 1s	5.9	4	Cylindrical mast. 2.6	Seasonal.
1032 H1068.1	Howards Cove	Near Seal Point. 46 44 25.1 064 22 36.5	LFI W 6s	14.2	12	White square tower with red top. 5.8	Seasonal. Operates 24 h. Flash 2 s; eclipse 4 s.
1032.05	Miminegash fairway light buoy DP	NE. of reef. 46 54 02.2 064 14 17.8	Mo(A) W 6s	Red-white, can, marked "DP".	Seasonal.
1032.1	Miminegash light buoy DP3	46 53 18.3 064 14 04.9	Fl G 4s	Green, can, marked "DP3".	Seasonal. Operates 24 h.
1032.2	Miminegash light buoy DP6	46 53 25.1 064 14 14.5	Fl R 4s	Red, conical, marked "DP6".	Seasonal. Operates 24 h.
1032.35	Miminegash East Cardinal light buoy DPB	46 52 51.2 064 14 19.4	Q(3) W 10s	Black-yellow-black, spar, marked "DPB".	Seasonal. Operates 24 h.
1032.45	Miminegash South Cardinal light buoy DPA	46 52 37.9 064 14 36.3	Q(6) + LFI W 15s	Yellow-black, spar, marked "DPA".	Seasonal. Operates 24 h.
1032.55	Miminegash East Cardinal light buoy DPC	46 53 08.6 064 14 12.6	Q(3) W 10s	Black-yellow-black, spar, marked "DPC".	Seasonal. Operates 24 h.
1033.5 H1072	Miminegash North Breakwater Light	46 52 49.0 064 14 06.9	Fl G 4s	4	Square skeleton tower, green and white rectangular daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
1035 H1074	Skidders Pond	N. end of S. breakwater. 46 57 58.3 064 07 35.1	Fl R 4s	4.4	4	Cylindrical mast, red and white triangular daymark. 2.8	Seasonal. Flash 1 s; eclipse 3 s.
1035.5 H1074.4	Skidders Pond North Breakwater	On outer end of N. breakwater. 46 57 59.2 064 07 33.1	Fl G 4s	4.2	4	Cylindrical mast, green, white and black square daymark. 3.2	Seasonal.
1036 H1076	North Cape	On cape. 47 03 27.7 063 59 48.8	Fl Y 5s	23.7	18	White octagonal tower with red top. 19.5	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1036.1	Seacow Pond North	47 01 45.7 063 59 19.8	Fl R 4s	Seasonal.
1037	North Cape Reef North Cardinal light and bell buoy DS	N. of North Cape. 47 05 00.0 064 00 03.0	Q W 1s	Black-yellow, pillar, marked "DS".	Seasonal. Audible signal: Bell
1037.6	ODAS light buoy IML- 6	E. of Shippegan Island. 47 47 00.0 064 02 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-6".	Seasonal.
1038.5	North Lake Harbour Fairway light buoy JA	N. of harbour. 46 28 56.2 062 03 27.6	Mo(A) W 6s	Red-white, pillar, marked "JA".	Seasonal.
1039 H1173	North Lake Harbour front range light	On outer end of E. breakwater. 46 28 06.9 062 04 05.1	Iso G 1s	7.5	11	Square skeleton tower, white daymark with red vertical stripe. 5.1	Seasonal.
1039.1 H1173.1	North Lake Harbour rear range light	46 27 57.2 062 04 11.5 204°34' 328.5 m from front.	Iso G 4s	14.5	15	Square skeleton tower, white daymark with red vertical stripe. 11.1	Seasonal.
1039.5 H1174	North Lake Harbour West	On outer end of W. breakwater. 46 28 09.0 062 04 05.0	Iso R 2s	7.1	5	Pipe swing pole, red and white triangular daymark. 5.1	Seasonal.
1040.05	Naufrage Harbour Fairway light buoy JC	N. of Shipwreck Point. 46 29 00.2 062 24 40.6	Mo(A) W 6s	Red-white, pillar, marked "JC".	Seasonal.
1040.2 H1170.3	Naufrage Harbour East Breakwater Light	On outer end of E. breakwater. 46 28 08.2 062 25 00.3	Fl G 4s	5.0	4	Pipe Swing Pole, green, white and black square daymark. 3.6	Seasonal. Flash 1 s; eclipse 3 s.
1040.5 H1170.4	Naufrage West Breakwater	Outer end of W. breakwater. 46 28 11.3 062 24 59.7	Fl R 4s	5.1	4	Pipe swing pole, red and white triangular daymark. 3.6	Seasonal. Flash 1 s; eclipse 3 s.
1041.1 H1170.5	Naufrage Harbour Bridge	On the bridge. 46 28 04.0 062 25 02.5	Iso W 4s	6.0	4	On building, white rectangular daymark with red bands. 6.0	Seasonal.
1042 H1168	Shipwreck Point	On the point. 46 28 07.2 062 25 22.6	Oc W 5s	25.6	9	White octagonal tower with red top. 13.5	Year round. Operates 24 h. Flash 3 s; eclipse 2 s.
1043.1	St. Peters Harbour fairway light buoy JD	46 27 09.2 062 44 21.7	Mo(A) W 6s	Red-white, pillar, marked "JD".	Seasonal. Buoy may be repositioned due to shifting channel.
1044.1	St. Peters Harbour light buoy JD5	46 27 00.2 062 44 10.6	Fl G 4s	Green, can, marked "JD5".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1044.2	St. Peters Harbour light buoy JD6	46 26 58.2 062 44 24.6	Fl R 4s	Red, conical, marked "JD6".	Seasonal. Buoy may be repositioned due to shifting channel.
1044.3	St. Peters Harbour light buoy JD8	46 26 51.7 062 44 18.6	Fl R 4s	Red, conical, marked "JD8".	Seasonal. Buoy may be repositioned due to shifting channel.
1044.4	St. Peters Harbour light buoy JD9	46 26 48.2 062 44 17.6	Fl G 4s	Green, can, marked "JD9".	Seasonal. Buoy may be repositioned due to shifting channel.
1044.5	St. Peters Harbour light buoy JD10	46 26 45.2 062 44 18.6	Fl R 4s	Red, conical, marked "JD10".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.04	St. Peters Harbour light buoy JD9.5	46 26 42.2 062 44 14.6	Fl G 4s	Green, pillar, marked "JD9.5".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.045	St. Peters Harbour light buoy JD11	46 26 35.5 062 44 24.9	Fl G 4s	Green, can, marked "JD11".	Seasonal. Operates 24 h.
1046.05	St. Peters Harbour light buoy JD11.5	At harbour entrance. 46 26 39.2 062 44 12.1	Q G 1s	Green, pillar, marked "JD11.5".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.06	St. Peters Harbour light buoy JD12	46 26 44.4 062 44 16.0	Fl R 4s	Red, can, marked "JD12".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.1	St. Peters Bay light buoy JD13	46 26 35.2 062 43 52.6	Q G 1s	Green, pillar, marked "JD13".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.11	St. Peters Harbour light buoy JD15	46 26 25.8 062 44 02.8	Fl G 4s	Green, can, marked "JD15".	Seasonal. Operates 24 h.
1046.15	St. Peters Harbour light buoy JD16	46 26 31.2 062 43 29.6	Q R 1s	Red, pillar, marked "JD16".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.2	St. Peters Bay light buoy JD18	46 26 26.0 062 43 17.0	Q R 1s	Red, pillar, marked "JD18".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.3	St. Peters Bay light buoy JD21	46 26 07.2 062 42 50.6	Fl G 4s	Green, pillar, marked "JD21".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.35	St. Peters Harbour light buoy JD21.5	46 26 14.5 062 42 59.1	Fl G 4s	Green, can, marked "JD21.5".	Seasonal. Operates 24 h.
1046.4	St. Peters Harbour light buoy JD23	46 26 06.6 062 42 37.8	Q G 1s	Green, pillar, marked "JD23".	Seasonal. Buoy may be repositioned due to shifting channel.
1046.5 H1164	Red Head Wharf	46 25 59.7 062 42 46.5	Q G 1s	3.6	2	Cylindrical mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1046.81	Crowbush Cove Wharf Fairway light buoy JE	Off harbour. 46 26 45.5 062 49 29.7	Mo(A) W 6s	Red-white, pillar, marked "JE".	Seasonal. Buoy may be repositioned due to shifting channel.
1047 H1160	Crowbush Cove Breakwater Light	46 26 00.9 062 49 56.1	Fl W 4s	4.9	3	Pipe swing pole. 3.3	Seasonal.
1047.01	Crowbush Cove Wharf light buoy JE6	46 26 08.5 062 49 54.9	Fl R 4s	Red, spar, marked "JE6".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.011	Crowbush Cove Wharf light buoy JE7/1	46 25 50.1 062 50 00.7	Q G 1s	Green, pillar, marked "JE7/1".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.02	Crowbush Cove Wharf light buoy JE8	46 26 01.1 062 49 59.0	Fl R 4s	Red, pillar, marked "JE8".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.021	Crowbush Cove Wharf light buoy JE8/2	46 25 47.6 062 50 01.7	Q R 1s	Red, pillar, marked "JE8/2".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.028	Crowbush Cove Wharf light buoy JE9	46 25 44.4 062 50 02.5	Fl G 4s	Green, pillar, marked "JE9".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.03	Crowbush Cove Wharf Entrance light buoy JE10	46 25 45.7 062 50 02.9	Q R 1s	Red, pillar, marked "JE10".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.04	Crowbush Cove Wharf light buoy JE12	46 25 44.6 062 50 07.0	Fl R 4s	Red, pillar, marked "JE12".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.051	Crowbush Cove Wharf light buoy JE14	46 25 43.6 062 50 13.6	Fl R 4s	Red, pillar, marked "JE14".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.06	Crowbush Cove Wharf light buoy JE17	46 25 44.0 062 50 12.7	Fl G 4s	Green, pillar, marked "JE17".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.1	Crowbush Cove Wharf light buoy JE15	46 25 44.5 062 50 11.5	Q G 1s	Green, pillar, marked "JE15".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.15	Crowbush Cove Wharf light buoy JE7	46 26 08.4 062 49 53.2	Fl G 4s	Green, spar, marked "JE7".	Seasonal.
1047.2	Crowbush Cove Wharf light buoy JE16	46 25 37.6 062 50 16.0	Q R 1s	Red, pillar, marked "JE16".	Seasonal. Buoy may be repositioned due to shifting channel.
1047.51	North Tracadie Fairway light buoy JH	N. of harbour entrance. 46 26 03.3 063 02 01.6	Mo(A) W 6s	Red-white, pillar, marked "JH".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.09	Grand Tracadie light buoy JH5	46 25 08.3 063 00 46.1	Fl G 4s	Green, can, marked "JH5".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1049.1	Grand Tracadie light buoy JH6	46 25 06.8 063 00 49.4	Fl R 4s	Red, conical, marked "JH6".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.11	Grand Tracadie light buoy JH1	46 25 21.2 063 00 47.3	Fl G 4s	Green, can, marked "JH1".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.121	Grand Tracadie light buoy JH2	46 25 21.2 063 00 54.5	Fl R 4s	Red, conical, marked "JH2".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.131	Grand Tracadie light buoy JH3	46 25 14.6 063 00 46.7	Fl G 4s	Green, can, marked "JH3".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.14	Grand Tracadie light buoy JH4	46 25 12.9 063 00 51.9	Fl R 4s	Red, conical, marked "JH4".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.15	Grand Tracadie light buoy JH7	46 25 03.9 063 00 42.8	Fl G 4s	Green, can, marked "JH7".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.16	Grand Tracadie light buoy JH8	46 25 02.8 063 00 47.0	Fl R 4s	Red, conical, marked "JH8".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.2	Grand Tracadie light buoy JH9	46 24 51.3 063 00 36.5	Fl G 4s	Green, can, marked "JH9".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.21	Grand Tracadie light buoy JH10	46 24 56.6 063 00 43.6	Fl R 4s	Red, conical, marked "JH10".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.211	Grand Tracadie light buoy JH11	46 24 36.1 063 00 29.7	Fl G 4s	Green, can, marked "JH11".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.22	Grand Tracadie light buoy JH12	46 24 36.5 063 00 21.0	Q R 1s	Red, pillar, marked "JH12".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.24	Grand Tracadie light buoy JH19	46 24 22.4 062 59 59.2	Fl G 4s	Green, spar, marked "JH19".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.26	Grand Tracadie light buoy JH22	46 24 04.9 063 00 17.8	Q R 1s	Red, spar, marked "JH22".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.27	Grand Tracadie light buoy JH26	46 24 04.5 063 01 04.6	Fl R 4s	Red, pillar, marked "JH26".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.275	Grand Tracadie light buoy JH29	46 24 06.0 063 01 35.4	Fl G 4s	Green, pillar, marked "JH29".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.28	Grand Tracadie light buoy JH30	46 24 07.5 063 01 42.2	Q R 1s	Red, pillar, marked "JH30".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1049.4	Grand Tracadie light buoy JH16	Tracadie Bay. 46 24 19.2 062 59 59.0	Q R 1s	Red, spar, marked "JH16".	Seasonal. Buoy may be repositioned due to shifting channel.
1049.6	Grand Tracadie light buoy JH21	46 24 02.2 063 00 18.8	FI G 4s	Green, spar, marked "JH21".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.05	Covehead Fairway light buoy JJ	N. of Cape Stanhope. 46 26 54.2 063 08 18.7	Mo(A) W 6s	Red-white, pillar, marked "JJ".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.1	Covehead Harbour light buoy JJ3	46 26 05.4 063 08 33.0	Q G 1s	Green, can, marked "JJ3".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.12	Covehead Harbour light buoy JJ4	46 26 05.8 063 08 36.0	FI R 4s	Red, conical, marked "JJ4".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.13	Covehead Harbour light buoy JJ5	46 26 01.6 063 08 31.2	FI G 4s	Green, spar, marked "JJ5".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.2	Covehead Harbour light buoy JJ6	46 26 04.9 063 08 31.9	Q R 1s	Red, conical, marked "JJ6".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.3	Covehead Harbour light buoy JJ7	46 25 54.1 063 08 40.9	Q G 1s	Green, spar, marked "JJ7".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.5	Covehead Harbour light buoy JJ8	46 25 57.6 063 08 43.8	FI R 4s	Red, pillar, marked "JJ8".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.9	Covehead Harbour light buoy JJ9	46 25 49.8 063 08 45.6	FI G 4s	Green, pillar, marked "JJ9".	Seasonal. Buoy may be repositioned due to shifting channel.
1050.91	Covehead Harbour light buoy JJ10	46 25 49.8 063 08 45.1	FI R 4s	Red, pillar, marked "JJ10".	Seasonal. Buoy may be repositioned due to shifting channel.
1051 H1150	Covehead Harbour	On Cape Stanhope. 46 25 48.2 063 08 35.3	FI W 5s	11.0	11	White square tower with red upper portion. 8.2	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 4.5 s. Fog Horn Blast 3 s; sil. 27 s.
1053.5 H1149	Covehead Bridge	46 25 46.3 063 08 47.4	FI W 4s	8.1	5	Cylindrical mast. 2.9	Seasonal.
1054	North Rustico Fairway light buoy JK	NE. entrance to harbour. 46 27 54.1 063 16 30.0	Mo(A) W 6s	Red-white, pillar, marked "JK".	Seasonal. Buoy may be repositioned due to shifting channel.
1054.1	North Rustico light buoy JK3	46 27 24.0 063 17 12.0	FI G 4s	Green, spar, marked "JK3".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1054.11	North Rustico light buoy JK4	46 27 30.0 063 17 12.0	Fl R 4s	Red, spar, marked "JK4".	Seasonal. Buoy may be repositioned due to shifting channel.
1054.24	North Rustico light buoy JK6	46 27 25.2 063 17 14.4	Q R 1s	Red, can, marked "JK6".	Seasonal.
1054.3	Rustico Harbour light buoy JK7	46 27 25.0 063 17 18.0	Fl G 4s	Green, spar, marked "JK7".	Seasonal. Buoy may be repositioned due to shifting channel.
1054.4	Rustico light buoy JK9	46 27 24.2 063 17 11.8	Q G 1s	Green, can, marked "JK9".	Seasonal. Buoy may be repositioned due to shifting channel.
1054.51	North Rustico light buoy JK8	46 27 20.2 063 18 15.8	Fl R 4s	Red, can, marked "JK8".	Seasonal.
1054.511	North Rustico light buoy JK10	46 27 25.2 063 17 24.6	Fl R 4s	Red, can, marked "JK10".	Seasonal.
1054.6	Rustico light buoy JK12	46 27 17.2 063 17 26.1	Q R 1s	Red, spar, marked "JK12".	Seasonal. Buoy may be repositioned due to shifting channel.
1054.9	Rustico Harbour light buoy JK13	46 27 20.2 063 17 54.8	Fl G 4s	Green, spar, marked "JK13".	Seasonal. Buoy may be repositioned due to shifting channel.
1055 H1140	Rustico Harbour Northern Breakwater	On outer end of N. breakwater. 46 27 25.2 063 17 16.9	Fl R 3s	2.8	3	Cylindrical mast. 1.9	Seasonal. Flash 1 s; eclipse 2 s.
1056 H1141	North Rustico Harbour	46 27 19.1 063 17 31.7	Fl W 5s	12.4	13	White square tower with red upper portion. 10.4	Year round. Flash 1 s; eclipse 4 s.
1057 H1142	North Rustico Inner Breakwater	On SE. corner of inner breakwater. 46 27 14.0 063 17 29.1	Iso R 4s	7.5	4	Pipe swing pole. 6.8	Seasonal. Operates 24 h.
1057.5 H1144	North Rustico Landing Wharf	On outer end of wharf. 46 27 22.3 063 18 27.9	Iso R 4s	6.0	3	Square skeleton tower. 5.3	Seasonal.
1058	New London Fairway light buoy JM	N. of entrance to New London Bay. 46 31 41.1 063 28 18.0	Mo(A) W 6s	Red-white, can, marked "JM".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.01 H1130.05	New London	46 30 37.4 063 29 13.9	Iso W 4s	13.2	7	White square tower with red upper portion. 13.3	Seasonal.
1060.1	Southwest River Outer light buoy JM7	46 30 55.2 063 28 56.9	Q G 1s	Green, pillar, marked "JM7".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1060.11	New London Harbour Entrance light buoy JM2	46 31 26.2 063 28 38.2	Fl R 4s	Red, can, marked "JM2".	Seasonal.
1060.12	New London Entrance light buoy JM3	46 31 23.7 063 28 32.9	Fl G 4s	Green, can, marked "JM3".	Seasonal.
1060.15	New London light buoy JM11	46 30 31.6 063 29 09.5	Q G 1s	Green, pillar, marked "JM11".	Seasonal. Operates 24 h. Buoy may be repositioned due to shifting channel.
1060.2	Southwest River light buoy JN	46 30 33.3 063 29 05.9	Fl(2+1) G 6s	Green-red-green, pillar, marked "JN".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.22	Southwest River Shoal light buoy JM9	46 30 38.4 063 28 58.6	Fl G 4s	Green, can, marked "JM9".	Seasonal.
1060.3	Southwest River light buoy JMA	46 30 24.2 063 29 29.8	Fl(2+1) R 6s	Red-green-red, pillar, marked "JMA".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.4	Southwest River light buoy JM20	46 29 50.7 063 29 25.5	Fl R 4s	Red, pillar, marked "JM20".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.45	New London light buoy JM6	46 30 59.7 063 28 55.8	Fl R 4s	Red, conical, marked "JM6".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.5	Southwest River light buoy JM25	46 29 05.8 063 29 52.0	Fl G 4s	Green, pillar, marked "JM25".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.55	Southwest River light buoy JN1	46 30 29.5 063 28 53.8	Fl G 4s	Green, pillar, marked "JN1".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.57	New London light buoy JN3	46 30 24.5 063 28 43.8	Fl G 4s	Green, spar, marked "JN3".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.6	Southwest River light buoy JN4	46 29 58.0 063 28 17.6	Q R 1s	Red, spar, marked "JN4".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.8	Stanley Bridge Channel light buoy JN15	46 29 50.7 063 27 46.8	Q G 1s	Green, pillar, marked "JN15".	Seasonal. Buoy may be repositioned due to shifting channel.
1060.9	Stanley Bridge Channel light buoy JN17	46 28 55.7 063 27 29.8	Fl G 4s	Green, pillar, marked "JN17".	Seasonal. Buoy may be repositioned due to shifting channel.
1061 H1129	Cape Tryon	On extremity of cape. 46 32 02.3 063 30 21.9	LFl W 6s	33.4	11	White square tower with red upper portion. 12.4	Seasonal. Flash 2 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
PRINCE EDWARD ISLAND								
1065.05	Malpeque Harbour Fairway light buoy JP	NE. of McKay Point. 46 35 00.2 063 37 07.7	Mo(A) W 6s	Red-white, pillar, marked "JP".	Seasonal. Buoy may be repositioned due to shifting channel.	
1065.1	Malpeque Harbour light buoy JP1	Malpeque and Darnley. 46 34 09.7 063 38 25.1	Fl G 4s	Green, can, marked "JP1".	Seasonal.	
1065.2	Malpeque West cautionary light buoy JPA	46 34 23.3 063 40 39.5	Fl Y 4s	Yellow, can, marked "JPA".	Seasonal.	
1065.3	Malpeque Harbour light buoy JP4	Malpeque and Darnley. 46 34 13.6 063 39 27.7	Q R 1s	Red, pillar, marked "JP4".	Seasonal.	
1065.6	Royalty Point light buoy JP9	Malpeque and Darnley. 46 33 47.7 063 43 04.3	Fl G 4s	Green, spar, marked "JP9".	Seasonal. Buoy may be repositioned due to shifting channel.	
1069.5	Darnley Basin Outer light buoy JU3	Basin entrance. 46 33 55.9 063 41 48.2	Q G 1s	Green, spar, marked "JU3".	Seasonal. Buoy may be repositioned due to shifting channel.	
1069.65	Darnley Basin light buoy JU5	46 33 24.2 063 41 28.9	Q G 1s	Green, pillar, marked "JU5".	Seasonal. Buoy may be repositioned due to shifting channel.	
1069.66	Darnley Basin light buoy JU6	46 33 22.1 063 41 31.9	Fl R 4s	Red, pillar, marked "JU6".	Seasonal. Buoy may be repositioned due to shifting channel.	
1069.7	Darnley Basin light buoy JU7	46 33 18.7 063 41 36.7	Fl G 4s	Green, pillar, marked "JU7".	Seasonal. Buoy may be repositioned due to shifting channel.	
1069.8	Darnley Basin light buoy JU8	46 33 17.0 063 41 43.7	Q R 1s	Red, pillar, marked "JU8".	Seasonal. Buoy may be repositioned due to shifting channel.	
1069.9	Darnley Basin light buoy JU9	46 33 21.2 063 41 57.7	Q G 1s	Green, pillar, marked "JU9".	Seasonal. Buoy may be repositioned due to shifting channel.	
1071.1	Darnley Basin light buoy JT4	46 32 28.7 063 40 03.3	Fl R 4s	Red, spar, marked "JT4".	Seasonal. Buoy may be repositioned due to shifting channel.	
1071.2 H1123	Darnley Bridge	On center span of bridge. 46 32 02.8 063 40 17.7	F W	3.5	On bridge.	Seasonal.
1071.35	Hardys Channel Fairway light buoy JS	NW. of inlet. 46 39 15.4 063 51 18.1	Mo(A) W 6s	Red-white, spar, marked "JS".	Seasonal. Buoy may be repositioned due to shifting channel.	
1071.39	Hardys Channel light buoy JS2	46 39 12.5 063 51 26.0	Fl R 4s	Red, spar, marked "JS2".	Seasonal. Buoy may be repositioned due to shifting channel.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1071.41	Hardys Channel light buoy JS3	46 39 11.3 063 51 23.9	Q G 1s	Green, spar, marked "JS3".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.42	Hardys Channel light buoy JS4	46 39 10.5 063 51 31.7	Fl R 4s	Red, spar, marked "JS4".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.45	Hardys Channel light buoy JS5	46 39 09.5 063 51 30.8	Fl G 4s	Green, spar, marked "JS5".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.5	Hardys Channel light buoy JS7	46 39 05.3 063 51 35.5	Fl G 4s	Green, spar, marked "JS7".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.52	Hardys Channel light buoy JS8	46 39 00.0 063 51 49.5	Fl R 4s	Red, spar, marked "JS8".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.89	Hardys Channel light buoy JS12	46 38 56.6 063 52 00.6	Fl R 4s	Red, pillar, marked "JS12".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.9	Hardys Channel light buoy JS13	46 39 14.2 063 52 28.0	Fl G 4s	Green, spar, marked "JS13".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.95	Hardys Channel light buoy JS14	46 39 14.8 063 52 26.6	Q R 1s	Red, spar, marked "JS14".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.96	Hardys Channel light buoy JS21	46 39 24.6 063 52 46.3	Q G 1s	Green, pillar, marked "JS21".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.961	Hardys Channel light buoy JS22	46 39 25.2 063 52 45.2	Q R 1s	Red, pillar, marked "JS22".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.962	Hardys Channel light buoy JS23	46 39 32.8 063 52 54.6	Q G 1s	Green, pillar, marked "JS23".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.963	Hardys Channel light buoy JS24	46 39 33.2 063 52 53.6	Fl R 4s	Red, pillar, marked "JS24".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.977	Hardys Channel light buoy JS27	46 39 43.6 063 53 05.3	Q G 1s	Green, pillar, marked "JS27".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.98	Hardys Channel light buoy JS32	46 39 38.5 063 53 29.4	Q R 1s	Red, pillar, marked "JS32".	Seasonal. Buoy may be repositioned due to shifting channel.
1071.99	Hardys Channel light buoy JS33	46 39 36.7 063 53 44.5	Q G 1s	Green, pillar, marked "JS33".	Seasonal. Buoy may be repositioned due to shifting channel.
1072.1	Hardys Channel light buoy JS39	46 39 24.5 063 53 46.3	Q G 1s	Green, pillar, marked "JS39".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PRINCE EDWARD ISLAND							
1072.4	Hardys Channel light buoy JS42	46 39 21.5 063 54 05.2	Fl R 4s	Red, pillar, marked "JS42".	Seasonal. Buoy may be repositioned due to shifting channel.
1072.5	Hardys Channel light buoy JS43	46 39 20.5 063 54 26.6	Q G 1s	Green, pillar, marked "JS43".	Seasonal. Buoy may be repositioned due to shifting channel.
1072.59	Hardys Channel light buoy JS40	46 39 25.4 063 53 47.4	Fl R 4s	Red, pillar, marked "JS40".	Seasonal. Operates 24 h. Buoy may be repositioned due to shifting channel.
1072.6	Hardys Channel light buoy JS44	46 39 21.7 063 54 26.4	Fl R 4s	Red, pillar, marked "JS44".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.05	Cascumpeque Harbour Fairway light buoy JV	E. of harbour entrance. 46 47 44.3 063 59 38.2	Mo(A) W 6s	Red-white, pillar, marked "JV".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.2	Cascumpeque light buoy JV4	46 48 12.4 064 00 47.0	Fl R 4s	Red, conical, marked "JV4".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.3	Cascumpeque light buoy JV5	46 48 07.6 064 00 51.6	Fl G 4s	Green, can, marked "JV5".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.32	Cascumpeque light buoy JV8	46 48 15.7 064 01 20.7	Fl R 4s	Red, conical, marked "JV8".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.33	Cascumpeque light buoy JV6	46 48 13.2 064 01 05.7	Q R 1s	Red, conical, marked "JV6".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.34	Cascumpeque light buoy JV7	46 48 07.8 064 01 08.2	Q G 1s	Green, can, marked "JV7".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.4	Cascumpec light buoy JV9	46 48 08.5 064 01 37.6	Q G 1s	Green, can, marked "JV9".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.5	Alberton Harbour light buoy JV10	46 48 12.9 064 01 55.4	Q R 1s	Red, can, marked "JV10".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.6	Alberton Harbour Middle Ground light buoy JV15	Cascumpec. 46 48 02.4 064 02 30.0	Q G 1s	Green, can, marked "JV15".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.7	Alberton Harbour light buoy JV12	46 47 47.4 064 03 20.4	Q R 1s	Red, pillar, marked "JV12".	Seasonal. Buoy may be repositioned due to shifting channel.
1075.805	Alberton Harbour light buoy JV17	Cascumpec. 46 47 43.2 064 03 10.2	Fl G 4s	Green, pillar, marked "JV17".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

PRINCE EDWARD ISLAND

1081 H1094	Northport front range light	Near outer end of railway wharf. 46 47 42.2 064 03 32.5	Iso G 1s	9.2	15	Square skeleton tower, white rectangular daymark with red vertical stripe. 8.2	Seasonal.
1082 H1094.1	Northport rear range light	46 47 38.4 064 03 44.4 244°54' 277.3 m from front.	Iso G 4s	12.8	15	White pyramid tower with red vertical stripe. 11.8	Seasonal.
1082.1 H1095	Alberton Breakwater	Outer end of breakwater. 46 47 38.9 064 03 35.2	Fl W 3s	6.1	2	Cylindrical mast. 2.6	Seasonal. Flash 1 s; eclipse 2 s.
1083 H1081.4	Big Tignish Breakwater	46 57 01.9 063 59 28.9	Iso R 1s	7.0	5	Cylindrical mast. 5.4	Seasonal.
1083.5 H1081.5	Big Tignish South Breakwater	46 57 01.8 063 59 33.9	Iso G 1s	3.1	2	Cylindrical mast. 2.6	Seasonal.
1084.52	<i>Tignish Inner light buoy JX5</i>	46 57 09.3 063 59 55.1	Fl G 4s	<i>Green, pillar, marked "JX5".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1084.53	<i>Tignish Inner light buoy JX7</i>	46 57 12.6 063 59 58.3	Fl G 4s	<i>Green, pillar, marked "JX7".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1084.54	<i>Tignish Inner light buoy JX9</i>	46 57 12.0 064 00 09.2	Fl G 4s	<i>Green, pillar, marked "JX9".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1084.7 H1078	Seacow Pond South Breakwater Light	On outer end of S. breakwater. 47 01 45.6 063 59 22.0	Fl G 3s	6.5	5	Pipe swing pole, green and white square daymark. 4.6	Seasonal. Flash 1 s; eclipse 2 s.