

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
Kingston Harbour							
403.4	Kingston Ferry Terminal	NE. corner of wharf. 44 13 56.1 076 28 33.2	F Y	8.9	8	Cylindrical mast. 6.9	Private aid. Year round. Operates 24 h.
405.5	Kingston Harbour Breakwater	On extreme NE. end of breakwater. 44 13 45.8 076 28 40.2	Fl G 4s	6.5	3	White mast. 4.9	Private aid. Seasonal.
405.6	Point Frederick Shoal light buoy KH2	Entrance to Kingston Harbour. 44 13 25.0 076 28 17.5	Fl R 4s	Red, spar, marked "KH2".	Seasonal (in place year round).
405.8	Confederation Marina	44 13 34.7 076 28 37.8	Iso G 4s	8.5	8	White cylindrical tower with green upper portion. 5.2	Year round. Operates 24 h.
406.1	Kingston Yacht Club East	On E. end of breakwall. 44 13 20.8 076 29 08.8	F R	11.9	Cylindrical mast.	Private aid. Seasonal.
406.2	Kingston Yacht Club Centre East	On centre E. side of the breakwall. 44 13 20.3 076 29 09.4	F R	9.3	Cylindrical mast.	Private aid. Seasonal.
406.3	Kingston Yacht Club Centre West	On centre W. side of the breakwall. 44 13 20.1 076 29 10.6	F R	9.0	Cylindrical mast.	Private aid. Seasonal.
406.4	Kingston Yacht Club West	On W. end of breakwall. 44 13 20.2 076 29 11.7	F R	8.8	Cylindrical mast.	Private aid. Seasonal.
407	Myles Shoal light buoy K1	N. side of shoal. 44 12 50.0 076 29 12.8	Fl G 4s	Green, spar, marked "K1".	Seasonal (in place year round).
407.5	Kingston Public Wharf	44 13 14.4 076 30 06.3	F R	6.2	Black cylindrical mast.	Private aid. Year round.
409	Penitentiary Shoal light buoy K3	N. side of shoal. 44 12 39.5 076 30 39.5	Fl G 4s	Green, spar, marked "K3".	Seasonal (in place year round).
410	Portsmouth Wharf	44 13 00.4 076 30 53.7	Fl G 4s	8.9	7	White cylindrical mast, green upper portion. 6.2	Seasonal.
411	Catarauqui Bay South Breakwater	On E. end of S. breakwater. 44 12 46.7 076 32 09.3	Fl G 4s	2.5	Skeleton mast.	Private aid. Year round.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
411.5	Cataraqi Bay Inside Breakwater	On S. end of inside breakwater. 44 12 53.6 076 32 14.9	Fl R 4s	3.8	Cylindrical mast.	Private aid. Year round.
412	Carruthers Point Sector	On point. 44 12 29.7 076 32 58.5	F R W G	10.1 10	White cylindrical tower, orange triangular daymark with black vertical stripe. 8.8	Seasonal. G 041°-045°15'; W 045°15'-046°45'; R 046°45'-051°.
415	Snake Island light buoy K5	NW. of island. 44 11 58.0 076 32 51.0	Fl G 4s	Green, spar, marked "K5".	Seasonal (in place year round).
416	Salmon Island South Shoal light buoy K8	SE. of island. 44 11 20.0 076 35 01.0	Fl R 4s	Red, spar, marked "K8".	Seasonal (in place year round).
417	Melville Shoal Southwest light buoy K9	SW. of shoal. 44 10 11.2 076 35 51.8	Fl G 4s	Green, spar, marked "K9".	Seasonal (in place year round).
418	Salmon Island light buoy KN3	NE. end of island. 44 12 02.3 076 35 25.2	Fl G 4s	Green, spar, marked "KN3".	Seasonal (in place year round).
419 H2864	Nine Mile Point	SW. point, Simcoe Island. 44 09 05.7 076 33 21.2	LFl W 10s	15.1	12	White cylindrical tower with red upper portion. 14.6	Seasonal.
420	Emeric Point light buoy K10	SE. of point. 44 06 02.5 076 38 53.5	Fl R 4s	Red, spar, marked "K10".	Seasonal (in place year round).
421	Pigeon Island	SW. of Wolfe Island. 44 03 59.4 076 32 59.3	Fl W 4s	21.1	6	White square skeleton tower, red upper portion. 20.4	Seasonal.
422	South Charity Shoal light buoy M6	Off SW. extremity of shoal. 44 01 15.2 076 30 48.9	Fl R 4s	Red, spar, marked "M6".	Year round (YRLS).
422.5	South Charity Shoal light buoy M7	S. of Pigeon Island. 43 59 00.2 076 32 28.9	Fl G 4s	Green, spar, marked "M7".	Year round (YRLS).
423	The Ducks light buoy MM2	SE. of Main Duck Island. 43 54 33.2 076 35 41.0	Fl R 4s	Red, spar, marked "MM2".	Seasonal (in place year round).
424	Main Duck Island	On W. extremity of island. 43 55 52.1 076 38 18.4	Fl W 6	23.6	11	White octagonal tower with red upper portion. 24.8	Seasonal. Flash 1.5 s; eclipse 4.5 s. Emergency light: Fl(6) W 15s.
424.1	Main Duck Island (Schoolhouse Bay) front range light	43 55 26.8 076 36 57.7	Iso W 2s	6.6	5	Square skeleton tower, orange daymark with black vertical stripe. 5.6	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
424.2	Main Duck Island (Schoolhouse Bay) rear range light	43 55 24.6 076 37 01.5 232°06' 111.5 m from front.	F W	8.6	5	Square skeleton tower, orange daymark with black vertical stripe. 7.3	Seasonal.
425	Main Duck Island light buoy M9	W. of island. 43 55 01.2 076 40 31.0	Fl G 4s	Green, spar, marked "M9".	Seasonal (in place year round).
426	Psyche Shoal light buoy M10	On S. side of shoal. 43 55 18.2 076 43 06.0	Fl R 4s	Red, spar, marked "M10".	Seasonal (in place year round).
426.5	William Shoal light buoy K11	SW. corner of shoal. 43 55 29.2 076 47 46.0	Fl G 4s	Green, spar, marked "K11".	Seasonal (in place year round).
427	False Ducks	E. point of Swetman Island. 43 56 52.2 076 47 54.5	Fl R 4s	21.8	3	Hexagonal tower, red and white horizontal bands. 19.1	Seasonal.
427.3	False Ducks Bank light buoy K12	S. of False Ducks Islands. 43 56 00.2 076 48 38.0	Fl R 4s	Red, spar, marked "K12".	Seasonal (in place year round).
428	Traverse Shoal light buoy K14	SW. of False Ducks Islands. 43 54 14.2 076 50 47.0	Fl R 4s	Red, spar, marked "K14".	Seasonal (in place year round).
429	Prince Edward Point	On point. 43 56 14.3 076 51 31.5	Iso W 2s	7.0	5	Cylindrical mast. 5.6	Seasonal.
429.7	Collins Bay - Public Dock	On end of public dock. 44 14 19.5 076 36 45.0	Fl Y 4s	Private aid. Year round.
North Channel							
430	Brother Islands	N. side of island. 44 12 26.2 076 37 47.0	Fl G 4s	19.2	4	White skeleton tower, white rectangular daymark. 17.2	Seasonal.
430.2	Brother Islands West	NE. corner of westerly island. 44 12 27.6 076 38 16.0	Q G 1s	6.3	5	White cylindrical tower with green upper portion. 5.2	Seasonal.
431	Nicholsons Point	On point. 44 12 22.0 076 41 07.1	Fl R 4s	8.1	5	Mast, red and white rectangular daymark.	Seasonal.
432	Millhaven East	44 12 14.0 076 42 31.4	Fl W 4s	5.9	Mast.	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

LAKE ONTARIO

432.5	Millhaven Ferry Dock light	Ferry for Amherst Island. 44 11 33.7 076 44 26.9	F R	Private aid. Seasonal (in place year round).
434.5	Bath Point light buoy KN8	S. of point. 44 10 38.7 076 46 05.8	Fl R	4s	Red, spar, marked "KN8". Seasonal (in place year round).
435	Upper Gap South Entrance light buoy KM2	44 04 12.0 076 47 24.0	Fl R	4s	Red, spar, marked "KM2". Seasonal (in place year round).
436	Bluff Point light buoy KM4	S. of point. 44 06 40.0 076 48 22.0	Fl R	4s	Red, spar, marked "KM4". Seasonal (in place year round).
437	Upper Gap light buoy KM5	SW. of The Head. 44 07 12.0 076 48 56.0	Fl G	4s	Green, spar, marked "KM5". Seasonal (in place year round).
438	Pig Point	W. end of Amherst Island. 44 07 40.9 076 48 44.5	Fl R	4s	10.5	6	White cylindrical tower with red upper portion. 8.7 Seasonal. Flash 1 s; eclipse 3 s.

Bay of Quinte

440	Adolphus Reach	N. shore of reach. 44 03 49.5 076 58 09.6	Fl R	4s	7.0	6	Cylindrical mast, red and white rectangular daymark. 6.0 Seasonal.
441	Keith Shoal light buoy Q1	NE. side of shoal. 44 02 42.0 076 59 38.5	Fl G	4s	Green, spar, marked "Q1". Seasonal (in place year round).
441.1	Youngs Point Ferry Dock light	On the breakwater entrance to dock. 44 02 51.4 077 03 03.9	F Y	Cylindrical mast. Private aid. Seasonal (in place year round).
441.2	Glenora Ferry Dock light	On the breakwater entrance to dock. 44 02 30.9 077 03 31.7	Fl Y	3s	Cylindrical mast. Seasonal (in place year round). Flash 1 s; eclipse 2 s.
443	Glenora light buoy Q3	NW. of Glenora. 44 02 43.2 077 04 03.5	Fl G	4s	Green, spar, marked "Q3". Seasonal (in place year round).
447	Picton Outer light buoy QP5	E. side of channel. 44 01 08.7 077 07 47.0	Fl G	4s	Green, spar, marked "QP5". Seasonal (in place year round).
448	Picton Inner light buoy QP8	W. side of channel. 44 01 01.0 077 07 50.3	Fl R	4s	Red, spar, marked "QP8". Seasonal (in place year round).
448.5	Picton light buoy QP9	44 00 57.2 077 07 50.0	Fl G	4s	Green, spar, marked "QP9". Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
448.6	Picton Harbour light buoy QP13	44 00 47.3 077 08 01.7	Fl G 4s	Green, spar, marked "QP13".	Seasonal (in place year round).
449	Catalaque Shoal light buoy Q11	Off shoal. 44 09 13.8 077 03 31.2	Fl G 4s	Green, spar, marked "Q11".	Seasonal (in place year round).
451	Foresters Island light buoy Q13	Off E. point of island. 44 10 41.5 077 03 05.5	Fl G 4s	Green, spar, marked "Q13".	Seasonal (in place year round).
452	Foresters Island light buoy Q17	N. of island. 44 11 05.0 077 03 25.5	Fl G 4s	Green, spar, marked "Q17".	Seasonal (in place year round).
Telegraph Narrows							
457	East Entrance light buoy Q22	N. side of E. entrance. 44 09 58.2 077 06 11.5	Fl R 4s	Red, spar, marked "Q22".	Seasonal (in place year round).
458.1	Telegraph Narrows light buoy Q31	44 09 51.2 077 07 10.0	Fl G 4s	Green, spar, marked "Q31".	Seasonal (in place year round).
458.2	Telegraph Narrows light buoy Q32	44 09 53.2 077 07 10.0	Fl R 4s	Red, spar, marked "Q32".	Seasonal (in place year round).
458.3	Telegraph Narrows light buoy Q34	44 09 51.7 077 07 17.5	Fl R 4s	Red, spar, marked "Q34".	Seasonal (in place year round).
458.4	Telegraph Narrows light buoy Q35	N. of island. 44 09 50.2 077 07 18.0	Fl G 4s	Green, spar, marked "Q35".	Seasonal (in place year round).
458.5	Telegraph Narrows light buoy Q37	44 09 49.2 077 07 26.0	Q G 1s	Green, spar, marked "Q37".	Seasonal (in place year round).
462	West Entrance light buoy Q40	W. end of Telegraph Narrows. 44 09 48.2 077 07 35.0	Fl R 4s	Red, spar, marked "Q40".	Seasonal (in place year round).
Bay of Quinte							
462.5	Sucker Creek light buoy Q42	S. entrance to creek. 44 09 28.2 077 08 31.0	Fl R 4s	Red, spar, marked "Q42".	Seasonal (in place year round).
463	North Port Shoal light buoy Q43	On N. edge of shoal. 44 08 57.3 077 11 39.5	Fl G 4s	Green, spar, marked "Q43".	Seasonal (in place year round).
464	Trident Point light buoy Q46	44 08 53.0 077 13 36.0	Fl R 4s	Red, spar, marked "Q46".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
465.3	Big Island (Baycrest Marina)	On outer end of wharf. 44 08 05.3 077 13 51.6	Al R G	3.0	Cylindrical mast.	Private aid. Seasonal.
467	Minnie Blakely Shoal light buoy Q52	S. of Shoal. 44 08 59.0 077 17 54.0	Fl R 4s	Red, spar, marked "Q52".	Seasonal (in place year round).
468	Massasauga Point light buoy Q53	Off Rush Bar, W. of point. 44 08 57.4 077 19 13.0	Fl G 4s	Green, spar, marked "Q53".	Seasonal (in place year round).
469.1	Belleville Bifurcation light buoy QM	44 08 57.7 077 22 27.4	Fl(2+1) R 6s	Red-green-red, spar, marked "QM".	Seasonal (in place year round).
470	Belleville	Harbour breakwall. 44 09 11.6 077 22 32.2	Iso G 4s	9	4	White cylindrical tower with green upper portion. 7.0	Seasonal.
470.1	Norris Whitney Bridge North	44 08 53.9 077 23 12.7	F R	On bridge.	Year round.
470.12	Norris Whitney Bridge South	44 08 52.4 077 23 12.3	F G	On bridge.	Year round.
470.13	Norris Whitney Bridge Northwest	44 08 53.9 077 23 13.3	F R	On bridge.	Year round.
470.14	Norris Whitney Bridge Southwest	44 08 52.4 077 23 12.8	F G	On bridge.	Year round.
471	Anderson Shoal light buoy Q57	44 07 44.0 077 25 29.5	Fl G 4s	Green, spar, marked "Q57".	Seasonal (in place year round).
471.8	Narrows Shoal East light buoy Q59	E. end of narrows. 44 06 39.3 077 29 28.0	Fl G 4s	Green, spar, marked "Q59".	Seasonal (in place year round).
472	Narrows Shoal	On N. side of channel. 44 06 31.4 077 29 55.6	Fl R 4s	9.6	3	White cylindrical tower with red upper portion. 7.9	Seasonal.
473	Narrows Shoal light buoy Q61	W. end of approach to narrows. 44 06 24.9 077 30 06.8	Fl G 4s	Green, spar, marked "Q61".	Seasonal (in place year round).
473.5	Trenton	44 06 15.6 077 31 27.3	Fl G 4s	2.4	Black mast.	Seasonal.
474	Trenton East Bifurcation light buoy QTB	44 05 53.7 077 30 54.1	Fl(2+1) G 6s	Green-red-green, spar, marked "QTB".	Seasonal (in place year round).
475	Onderdonk Point light buoy QT16	W. of the point. 44 04 48.7 077 32 29.1	Fl R 4s	Red, spar, marked "QT16".	Seasonal (in place year round).
476	Trenton Approach light buoy Q72	44 05 36.2 077 32 49.6	Fl R 4s	Red, spar, marked "Q72".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
477	Trenton light buoy Q74	44 05 40.7 077 33 30.6	Fl R 4s	Red, spar, marked "Q74".	Seasonal (in place year round).
479	Trent River Entrance North Cardinal light buoy QT	44 05 43.2 077 34 03.1	Q W 1s	Black-yellow, spar, marked "QT".	Seasonal (in place year round).
486	Brighton 3	W. of canal piers. 44 01 27.9 077 42 07.7	Fl R 4s	9.9	4	White cylindrical tower with red upper portion. 7.3	Seasonal.
487	Presqu'île Bay Sector	No. 2, SE. of Brighton. 44 01 07.2 077 43 16.1	F R W G	10.6	7 White cylindrical tower with red upper portion. 8.4	Seasonal. G 292.3°-294.8°; W 294.8°-295.3°; R 295.3°-297.8°.
489	Salt Reef	W. of reef. 44 00 19.0 077 40 58.4	Fl R 4s	9.4	4	White cylindrical tower with red upper portion. 7.7	Seasonal.
489.1	Lake Ontario light buoy MP24	44 00 12.2 077 40 36.6	Fl R 4s	Red, spar, marked "MP24".	Seasonal (in place year round).
489.2	Lake Ontario light buoy MP25	44 00 14.2 077 40 36.1	Fl G 4s	Green, spar, marked "MP25".	Seasonal (in place year round).
489.5	Prince Edward Point ODAS light buoy	43 47 26.9 076 52 25.3	Fl(5) Y 20s	Yellow, ODAS, marked "45135".	Seasonal.
490	Point Petre	E. of point. 43 50 21.7 077 09 11.0	LFl W 10s	21.7	11	Red and white cylindrical tower. 19.4	Seasonal.
490.5	Wellington West Breakwater	43 56 50.6 077 20 18.1	Fl G 4s	8.8	4	White cylindrical tower with green upper portion. 6.2	Seasonal.
491	Scotch Bonnet Island	On small island, SW. of Nicholson Island. 43 53 58.2 077 32 32.8	Fl W 4s	14.5	4	Triangular skeleton tower. 9.1	Seasonal.
491.8	Presqu'île Point light buoy P	E. of point. 43 59 57.2 077 39 47.1	Mo(A) W 6s	Red-white, spar, marked "P".	Seasonal (in place year round).
492	Presqu'île Point	E. point of peninsula. 43 59 52.2 077 40 32.0	F R	23.5	11 White octagonal tower with red upper portion. 20.7	Seasonal.
492.2	Proctor Point	S. end of High Bluff Island. 43 58 21.4 077 44 44.6	Fl R 4s	12.1	5	White cylindrical tower with red upper portion. 9.4	Seasonal.
492.4	Ogden Point	Off Colborne. 43 58 28.9 077 52 31.7	Fl R 5s	18.2	Mast. 9.2	Private aid. Year round. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics			Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO									
492.6	Wicklow Beach light	W. breakwall. 43 58 27.6 077 57 30.7	F	Y	6.9	Square mast. 4.0	Private aid. Seasonal.
Cobourg									
493	Cobourg East Pierhead	On outer end of E. pier. 43 57 08.5 078 09 52.6	Iso	R	2s	15.0	5	White tower with red upper portion. 12.2	Private aid. Seasonal.
494	Cobourg West Pierhead	On E. extremity of breakwater. 43 57 06.4 078 09 53.5	Fl	G	4s	8.8	3	White cylindrical tower with green upper portion. 3.7	Private aid. Seasonal.
496.5	Cobourg Harbour "T" Pier	43 57 22.1 078 09 54.4	Fl	W	4s	5.5	White cylindrical tower with red upper portion. 3.7	Private aid. Seasonal.
497.5	<i>Peter Rock South Cardinal light buoy MN</i>	43 56 05.3 078 13 48.9	Q(6) + LFI	W	15s	<i>Yellow-black, spar, marked "MN".</i>	<i>Seasonal (in place year round).</i>
498	Port Hope	On S. end of E. breakwater. 43 56 25.2 078 17 25.0	Fl	R	4s	8.5	4	White cylindrical tower with red upper portion. 7.2	Private aid. Seasonal.
499	Port Hope West Pier light	On outer end of W. breakwater. 43 56 24.4 078 17 27.7	Fl	G	4s	8.8	6	White cylindrical tower with green upper portion. 6.1	Private aid. Seasonal. Flash 1 s; eclipse 3 s.
500.5	Port Hope Yacht	43 56 31.5 078 17 28.6	Q	Y	1s	11.3	On building.	Private aid. Year round.
500.8	Newcastle Entrance	43 53 43.4 078 34 33.4	F	G	6.2	White cylindrical tower with green upper portion.	Private aid. Seasonal.
501	Port Darlington	On outer end of W. breakwater. 43 53 10.4 078 39 50.4	Fl	G	4s	9.4	6	White cylindrical tower with green upper portion. 3.8	Seasonal.
501.2	<i>Oshawa Harbour light buoy MV4</i>	43 51 44.9 078 49 07.1	Fl	R	4s	<i>Red, spar, marked "MV4".</i>	<i>Seasonal (in place year round).</i>
501.3	<i>Oshawa Harbour light buoy MV3</i>	43 51 42.0 078 49 12.5	Fl	G	4s	<i>Green, spar, marked "MV3".</i>	<i>Seasonal (in place year round).</i>
501.4	<i>Oshawa Harbour light buoy MV5</i>	43 51 47.8 078 49 16.7	Fl	G	4s	<i>Green, spar, marked "MV5".</i>	<i>Seasonal (in place year round).</i>
501.5	Oshawa Harbour, Southeast Pier Light	43 51 53.8 078 49 16.0	Iso	R	4s	White rectangular tower with red upper portion.	Private aid. Seasonal.
501.6	<i>Oshawa Harbour light buoy MV6</i>	43 51 49.9 078 49 12.5	Fl	R	4s	<i>Red, spar, marked "MV6".</i>	<i>Seasonal (in place year round).</i>

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
502	Oshawa West Breakwater	On outer end of W. pier. 43 51 51.1 078 49 20.0	Iso G 4s	10.6	4	White cylindrical tower with green upper portion. 8.6	Seasonal.
502.5	Oshawa front range light	N. end of harbour. 43 52 11.3 078 49 35.3	F G	9.8	11	Skeleton tower, fluorescent red daymark with white vertical stripe.	Seasonal.
502.6	Oshawa rear range light	43 52 16.1 078 49 39.5 327°18' 174.9 m from front.	F G	20.4	11	Skeleton tower, fluorescent red daymark with white vertical stripe.	Seasonal.
504	Whitby Harbour East Pierhead	On outer end of E. pier. 43 51 00.0 078 55 37.6	Iso R 2s	10.2	6	White cylindrical tower with red upper portion. 6.5	Seasonal.
505	Whitby West Breakwater	On S. end of W. breakwater. 43 50 56.5 078 55 41.2	Fl G 4s	7.0	4	Mast, green and white rectangular daymark. 4.0	Seasonal.
505.4	Whitby Inner Harbour	On breakwater extension. 43 51 09.7 078 55 59.2	Fl G 4s	6.3	3	Mast, green and white rectangular daymark. 3.7	Seasonal.
505.5	Ajax ODAS light buoy 45159	S. of Richardson Point. 43 46 00.0 078 59 06.0	Fl(5) Y 20s	Yellow, ODAS, marked "45159".	Seasonal.
505.51	Ajax Groyne SE light	On SE. side of entrance. 43 48 22.0 079 04 11.2	F R	Private aid. Seasonal.
505.52	Ajax Groyne SW light	On SW. side of entrance. 43 48 22.8 079 04 15.7	F R	Private aid. Seasonal.
506	Frenchman's Bay Entrance East	43 48 38.7 079 05 09.0	Iso R 4s	7.5	6	White cylindrical tower with red upper portion. 5.0	Private aid. Seasonal. Operates 24 h. Visible 090°-270°.
506.5	Frenchman's Bay Entrance West	Entrance to bay. 43 48 38.5 079 05 10.0	F G	7.5	5	White cylindrical tower with green upper portion. 5.1	Private aid. Seasonal. Visible 090°-270°.
507	Bluffers Park	43 42 26.4 079 13 34.2	F R	9.1	11	White cylindrical tower with red upper portion. 6.7	Seasonal.
Toronto Harbour							
508	Toronto Harbour Outer Approach light buoy T1	W. side of approach. 43 36 38.5 079 21 00.8	Fl G 4s	Green, spar, marked "T1".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
509	Toronto Harbour Outer Approach light buoy T2	E. side of approach. 43 36 39.7 079 20 46.8	Fl R 4s	Red, spar, marked "T2".	Seasonal (in place year round).
509.1	Outer Harbour East Headland	43 37 03.2 079 19 25.6	Fl R 4s	6.8	Red cylindrical mast. 4.1	Private aid. Year round.
509.2	Toronto Harbour Aquatic Park	S. end of park. (East Gap). 43 36 48.7 079 20 36.3	Fl R 10s	22.5	13	White hexagonal tower with red upper portion. 12.0	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 9 s. Emergency light: Fl(6) W 15s.
509.25	East Headland North light	NW. point of Outer Harbour. 43 37 19.1 079 20 39.3	Q R 1s	6.7	Red cylindrical mast. 3.9	Private aid. Seasonal.
509.31	Outer Harbour South Light	S. end of fill area. 43 38 14.0 079 19 46.7	Fl Y 4s	7.6	Cylindrical mast. 4.3	Private aid. Seasonal.
509.32	Outer Harbour North Light	S. of main wharves. 43 38 24.2 079 19 29.5	Fl Y 4s	7.6	Cylindrical mast. 4.3	Private aid. Seasonal.
509.35	Toronto Outer Harbour Keep-Out light buoy	Marking hull of sunken vessel at Outer Harbour E. headland. 43 38 13.7 079 19 46.2	Fl Y 4s	White-orange, spar.	Private aid. Year round.
509.4	Main Harbour Channel light buoy T4	43 37 28.2 079 20 44.5	Fl R 4s	Red, spar, marked "T4".	Seasonal (in place year round).
509.45	Main Harbour Channel light buoy T5	43 37 42.6 079 20 53.8	Q G 1s	Green, pillar, marked "T5".	Private aid. Seasonal. (Winter spar.)
509.5	Toronto Harbour light buoy T8	43 37 54.2 079 20 48.8	Fl R 4s	Red, spar, marked "T8".	Seasonal (in place year round).
509.6	Outer Harbour light buoy T7	43 37 51.5 079 20 56.4	Q G 1s	Green, spar, marked "T7".	Seasonal (in place year round).
509.61	Toronto East Gap	W. side of Toronto East Gap. 43 37 44.7 079 20 59.4	Fl G 4s	4.7	Cylindrical mast. 3.0	Private aid. Seasonal.
509.7	Toronto Main Harbour Channel front range light	43 38 05.4 079 20 49.2	Iso R 4s	8.6	8	White cylindrical tower, orange triangular daymark with black vertical stripe. 7.1	Seasonal. Operates 24 h.
509.8	Toronto Main Harbour Channel rear range light	43 38 10.0 079 20 48.9 002°30' 137.2 m from front.	Iso R 4s	12.9	8	On building, orange triangular daymark and black vertical stripe. 10.9	Seasonal. Operates 24 h.
510	Toronto Harbour Berth 523	43 38 01.0 079 20 53.1	Q R 1s	3.5	White cylindrical mast. 1.5	Private aid. Year round.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
510.3	Toronto Harbour Berth 521 Light	43 38 06.0 079 21 02.5	Q R 1s	3.6	Cylindrical mast. 1.5	Private aid. Seasonal.
511	Gibraltar Point light buoy TE18	SW. of point. 43 36 19.2 079 23 30.3	Fl R 4s	Red, spar, marked "TE18".	Seasonal (in place year round).
512.1	South West light buoy SWKO-1	SW. of Island Airport. 43 37 24.0 079 24 11.5	Fl Y 4s	White-orange, pillar, marked "SWKO-1".	Private aid. Seasonal.
512.4	South West light buoy SWKO-4	SW. of Island Airport. 43 37 20.2 079 24 06.5	Fl Y 4s	White-orange, pillar, marked "SWKO-4".	Private aid. Seasonal.
512.5	South West light buoy SWKO-5	SW. of Island Airport. 43 37 16.3 079 24 20.4	Fl Y 4s	White-orange, pillar, marked "SWKO-5".	Private aid. Seasonal.
513	West Entrance light buoy T	West of Toronto Island. 43 37 14.2 079 25 13.2	Mo(A) W 6s	Red-white, pillar, marked "T".	Private aid. Seasonal. (Winter spar.)
513.1	Toronto Harbour Bifurcation light buoy TAB	43 37 34.6 079 24 45.4	Fl(2+1) G 6s	Green-red-green, pillar, marked "TAB".	Seasonal (in place year round).
513.2	Toronto Harbour Bifurcation light buoy TCB	43 37 46.9 079 24 18.7	Fl(2+1) G 6s	Green-red-green, pillar, marked "TCB".	Private aid. Seasonal (in place year round).
513.3	Western Gap light buoy WKO-3	W. of Toronto Island. 43 37 32.1 079 24 23.1	Fl Y 4s	White-orange, pillar, marked "WKO-3".	Private aid. Seasonal.
513.35	Western Gap light buoy WKO-4	W. of Toronto Island. 43 37 31.6 079 24 28.3	Fl Y 4s	White-orange, pillar, marked "WKO-4".	Private aid. Seasonal.
513.4	Western Gap light buoy WKO-5	W. of Toronto Island. 43 37 34.5 079 24 29.7	Fl Y 4s	White-orange, pillar, marked "WKO-5".	Private aid. Seasonal.
513.45	Western Gap light buoy WKO-6	W. of Toronto Island. 43 37 37.6 079 24 31.1	Fl Y 4s	White-orange, pillar, marked "WKO-6".	Private aid. Seasonal.
513.5	Western Gap Keep Out light buoy WKO-7	West of Toronto Island. 43 37 39.5 079 24 26.4	Fl Y 4s	White-orange, pillar, marked "WKO-7".	Private aid. Seasonal.
513.55	Western Gap light buoy WKO-8	W. of Toronto Island. 43 37 41.4 079 24 21.7	Fl Y 4s	White-orange, pillar, marked "WKO-8".	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
513.6	Western Gap light buoy WKO-9	W. of Toronto Island. 43 37 43.3 079 24 17.0	Fl Y 4s	White-orange, pillar, marked "WKO-9".	Private aid. Seasonal.
513.65	Western Gap Information light buoy WKO-11	W. of Toronto Island. 43 37 20.9 079 24 27.7	Fl Y 4s	White-orange, pillar, marked "WKO-11".	Private aid. Seasonal.
513.7	Western Gap Information light buoy WKO-12	W. of Toronto Island. 43 37 15.2 079 24 13.7	Fl Y 4s	White-orange, pillar, marked "WKO-12".	Private aid. Seasonal.
515.8	Island Airport West End North Light	NW. corner of W. breakwall. 43 37 40.3 079 24 17.7	Q R 1s	2.9	Cylindrical mast. 1.9	Private aid. Seasonal.
515.9	Island Airport West End South Light	SW. corner of W. breakwall. 43 37 35.3 079 24 15.3	Q R 1s	3.1	Cylindrical mast. 1.8	Private aid. Seasonal.
517.01	Inner Harbour light buoy EKO-1	E. of airport. 43 37 58.6 079 23 25.2	Fl Y 4s	White-orange, pillar, marked "EKO-1".	Private aid. Seasonal.
517.02	Inner Harbour light buoy EKO-2	E. of airport. 43 37 59.4 079 23 21.1	Fl Y 4s	White-orange, pillar, marked "EKO-2".	Private aid. Seasonal.
517.03	Inner Harbour light buoy EKO-3	E. of airport. 43 38 00.1 079 23 17.0	Fl Y 4s	White-orange, pillar, marked "EKO-3".	Private aid. Seasonal.
517.04	Inner Harbour light buoy EKO-4	E. of airport. 43 38 00.9 079 23 13.0	Fl Y 4s	White-orange, pillar, marked "EKO-4".	Private aid. Seasonal.
517.05	Inner Harbour light buoy EKO-5	E. of airport. 43 38 01.6 079 23 08.9	Fl Y 4s	White-orange, pillar, marked "EKO-5".	Private aid. Seasonal.
517.06	Inner Harbour light buoy EKO-6	43 37 59.8 079 23 06.4	Fl Y 4s	White-orange, pillar, marked "EKO-6".	Private aid. Seasonal.
517.07	Inner Harbour light buoy EKO-7	E. of airport. 43 37 58.0 079 23 04.0	Fl Y 4s	White-orange, pillar, marked "EKO-7".	Private aid. Seasonal.
517.08	Inner Harbour light buoy EKO-8	E. of airport. 43 37 55.9 079 23 03.0	Fl Y 4s	White-orange, pillar, marked "EKO-8".	Private aid. Seasonal.
517.09	Inner Harbour light buoy EKO-9	E. of airport. 43 37 53.8 079 23 02.0	Fl Y 4s	White-orange, pillar, marked "EKO-9".	Private aid. Seasonal.
517.1	Inner Harbour light buoy EKO-10	E. of airport. 43 37 52.1 079 23 05.4	Fl Y 4s	White-orange, pillar, marked "EKO-10".	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
LAKE ONTARIO								
517.11	Inner Harbour light buoy EKO-11	E. of airport. 43 37 50.5 079 23 08.8	Fl Y 4s	White-orange, pillar, marked "EKO-11".	Private aid. Seasonal.	
517.12	Inner Harbour light buoy EKO-12	E. of airport. 43 37 48.8 079 23 12.3	Fl Y 4s	White-orange, pillar, marked "EKO-12".	Private aid. Seasonal.	
517.13	Inner Harbour light buoy EKO-13	E. of airport. 43 37 47.1 079 23 15.7	Fl Y 4s	White-orange, pillar, marked "EKO-13".	Private aid. Seasonal.	
517.14	Inner Harbour light buoy EKO-14	E. of airport. 43 37 46.3 079 23 19.0	Fl Y 4s	White-orange, pillar, marked "EKO-14".	Private aid. Seasonal.	
517.15	Inner Harbour Information light buoy EKO-15	East of airport. 43 37 57.6 079 22 44.1	Fl Y 4s	White-orange, pillar, marked "EKO-15".	Private aid. Seasonal.	
517.6	Light buoy TT11	43 38 09.7 079 23 34.7	Fl G 4s	Green, pillar, marked "TT11".	Private aid. Seasonal. (Winter spar.)	
518.1	Light buoy TT12	43 38 06.7 079 23 27.6	Fl R 4s	Red, pillar, marked "TT12".	Private aid. Seasonal. (Winter spar.)	
518.15	Marina Quay West Port Light	W. entrance of wharf. 43 38 10.8 079 23 30.8	F G	3.7	Concrete pyramid. 2.4	Private aid. Seasonal.
518.2	Marina Quay West Starboard Light	E. entrance of wharf. 43 38 11.0 079 23 29.7	F R	3.7	Concrete pyramid. 2.4	Private aid. Seasonal.
518.25	Marine Unit West Light	Entrance to Toronto police basin. 43 38 15.1 079 23 08.1	F G	6.4	Cylindrical mast. 4.5	Private aid. Year round.
518.3	Marine Unit East Light	E. of entrance of Toronto police basin. 43 38 15.1 079 23 07.6	F R	6.4	Cylindrical mast. 4.5	Private aid. Year round.
518.5	Light buoy TT13	43 38 11.9 079 23 09.8	Fl G 4s	Green, pillar, marked "TT13".	Private aid. Seasonal. (Winter spar.)	
518.59	Humber River Entrance Light	W. end of breakwater. 43 37 54.7 079 28 13.4	Fl R 4s	3.3	Red cylindrical mast. 2.0	Private aid. Seasonal.	
518.6	Light buoy TT14	43 38 10.9 079 22 44.5	Q R 1s	Red, pillar, marked "TT14".	Private aid. Seasonal. (Winter spar.)	
518.63	Toronto Harbour light buoy TT15	43 38 14.2 079 22 45.4	Fl G 4s	Green, pillar, marked "TT15".	Private aid. Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
518.65	Island Airport East End North Light	N. end of E. breakwater. 43 37 57.8 079 23 20.0	Q R 1s	3.0	Cylindrical mast. 1.3	Private aid. Seasonal.
518.67	Island Airport East End Middle Light	Middle of W. breakwater. 43 37 55.0 079 23 17.2	Q R 1s	3.1	Cylindrical mast. 1.4	Private aid. Seasonal.
518.68	Island Airport East End South Light	S. end of E. breakwater. 43 37 50.0 079 23 14.9	Q R 1s	2.3	Cylindrical mast. 1.3	Private aid. Seasonal.
518.7	Toronto Harbour light and bell buoy TF1	43 37 33.7 079 22 35.3	FI G 4s	Green, pillar, marked "TF1".	Private aid. Seasonal. (Winter spar.) Audible signal: Bell
518.8	Inner Harbour light buoy TF2	43 37 32.2 079 22 40.3	FI R 4s	Red, pillar, marked "TF2".	Private aid. Seasonal. (Winter spar.)
519	Royal Canadian Yacht Club Fog Signal	On wharf. 43 37 30.4 079 22 12.6	Private aid. Seasonal. Fog Horn Blast 4 s; sil. 26 s.
519.3	Ship Channel Turning Basin East Light	SE. side of basin. 43 39 08.0 079 19 48.5	FI R 4s	3.0	Cylindrical mast. 1.1	Private aid. Seasonal.
519.4	Ship Channel South Entrance	S. side of entrance. 43 38 17.3 079 21 11.8	FI R 4s	4.3	Block. 2.2	Private aid. Seasonal.
519.45	Ship Channel Entrance North Light	N. side of entrance, berth 366. 43 38 20.9 079 21 14.6	Q G 1s	5.9	Cylindrical mast. 4.3	Private aid. Seasonal.
519.5	Inner Harbour light buoy T13	43 38 08.1 079 21 15.6	Q G 1s	Green, pillar, marked "T13".	Private aid. Seasonal. (Winter spar.)
519.525	HMCS York East Entrance Light	On E. breakwater. 43 37 54.1 079 24 17.9	FI R 4s	3.1	Cylindrical mast. 1.6	Private aid. Seasonal.
519.53	HMCS York East Entrance Port Light	On W. breakwater. 43 37 54.2 079 24 18.6	FI G 4s	3.4	Cylindrical mast. 2.0	Private aid. Seasonal.
519.535	HMCS York West Entrance Starboard Light	On E. breakwater. 43 37 52.0 079 24 31.7	FI R 4s	3.7	Concrete pyramid. 2.2	Private aid. Seasonal.
519.54	HMCS York West Entrance Port Light	On W. breakwater. 43 37 51.0 079 24 31.6	FI G 4s	3.8	Concrete pyramid. 2.2	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
519.55	Ontario Place Marina East Light	On E. end of breakwall. 43 37 35.4 079 24 54.1	F Y	16.0	Cylindrical mast. 6.3	Private aid. Seasonal.
519.555	Ontario Place Marina West Light	Middle breakwater, entrance of marina. 43 37 35.4 079 25 00.0	F W	7.7	Cylindrical mast. 3.7	Private aid. Seasonal.
519.56	Aquatic Channel East Entrance Starboard Light	On breakwater W. of Ontario Place. 43 37 44.3 079 25 37.9	FI R 4s	3.3	Cylindrical mast. 1.7	Private aid. Seasonal.
519.565	Aquatic Channel East Entrance Port Light	On breakwater W. of Ontario Place. 43 37 43.7 079 25 38.6	FI G 4s	3.3	Cylindrical mast. 1.7	Private aid. Seasonal.
519.57	Canoe Club East Entrance Light	On E. breakwater, S. of club. 43 37 53.8 079 26 16.0	FI R 4s	3.3	Private aid. Seasonal.
519.575	Canoe Club West Entrance Light	W. breakwater, S. of Toronto Sailing and Canoe Club. 43 37 53.5 079 26 16.7	FI G 4s	3.3	Cylindrical mast. 1.7	Private aid. Seasonal.
519.58	Boulevard Club East Entrance Light	E. breakwater, S. of club. 43 37 59.8 079 26 30.1	FI R 4s	3.3	Cylindrical mast. 1.7	Private aid. Seasonal.
519.585	Boulevard Club West Entrance Light	W. breakwater, S. of club. 43 38 00.4 079 26 31.5	FI G 4s	3.3	Cylindrical mast. 1.7	Private aid. Seasonal.
519.595	Mimico Lighthouse	NE. point of land. 43 37 05.2 079 28 53.2	F R	11.7	White pyramid tower with red top. 11.8	Private aid. Seasonal.
519.6	Humber Park	43 36 43.5 079 28 45.0	FI R 4s	10.3	5	Cylindrical mast, white daymark with red upper portion. 6.0	Seasonal.
519.7	Etobicoke Yacht Club light	Inside S. end of harbour. 43 36 52.9 079 28 59.7	F R	7.9	White tower with red upper portion. 7.3	Private aid. Year round.
519.8	Lakefront Promenade	On breakwater. 43 33 47.2 079 33 20.2	Q R 1s	9.6	4	White cylindrical tower with red upper portion. 4.8	Year round.
521	Port Credit East Breakwater	On outer end of E. breakwater. 43 32 54.8 079 34 28.9	FI R 4s	6.4	4	Mast, red and white triangular daymark. 2.2	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
523	Port Credit East Breakwater Extension	43 32 50.9 079 34 35.0	Q R 1s	11.2	4	White cylindrical tower with red upper portion. 5.0	Private aid. Seasonal (in place year round).
525	Port Credit Inner Harbour	43 32 53.6 079 34 49.5	Fl R 4s	7.0	4	Red mast. 5.0	Private aid. Seasonal.
525.5	Port Credit Inner Channel	43 33 01.5 079 35 12.0	Fl W 4s	19.0	White tower with red upper portion.	Private aid. Year round. Visible 235°-307°.
525.8	Port Credit light buoy MB2	43 32 50.6 079 34 35.5	Q R 1s	Red, spar, marked "MB2".	Private aid. Seasonal (in place year round).
526	Clarkson Refinery Dock front range light	On outer end of wharf. 43 29 34.2 079 36 09.7	F G	10.1	Private aid. Seasonal. Secondary light: F R. Whistle – Maintained privately. Operated when vessel expected.
527	Clarkson Refinery Dock rear range light	43 29 40.2 079 36 13.0 338°04' 200.1 m from front.	F G	13.2	Private aid. Seasonal.
527.5	Clarkson	43 28 59.7 079 36 33.9	Oc R 1.5s	8.0	Black mast.	Private aid. Seasonal. Flash 1 s; eclipse 0.5 s.
528	Oakville	On S. end of E. pier. 43 26 22.0 079 39 55.6	Iso R 2s	11.6	5	White cylindrical tower with red upper portion. 7.6	Seasonal.
528.5	Lake Ontario Grimsby ODAS light buoy 45139	43 15 32.3 079 32 19.3	Fl(5) Y 20s	Yellow, ODAS, marked "45139".	Seasonal.
529	Bronte Outer	43 23 34.8 079 42 10.9	Iso R 4s	10.0	5	White cylindrical tower with red upper portion. 6.8	Seasonal.
530	Bronte	On N. pier near its outer end. 43 23 34.3 079 42 21.1	Fl R 4s	7.4	White rectangular tower with red upper portion. 5.0	Seasonal.
530.5	Bronte West	On the end of W. breakwall. 43 23 33.7 079 42 24.1	Fl G 4s	7.4	3	White rectangular tower with green top. 5.2	Seasonal (in place year round).
531	Canada Shell Wharf	On outer end of wharf. 43 22 17.0 079 42 45.3	Fl R 4s	5.5	Structure.	Private aid. Seasonal.
531.5	Burloak Caution Buoy	S. from Bronte light. 43 22 05.1 079 42 22.3	Fl Y 4s	Yellow, spar.	Private aid. Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
533	Burlington Canal North Pier Outer	On E. end of N. pier. 43 18 06.4 079 47 28.2	Fl R 4s	9.1	4	White cylindrical tower with red upper portion.	Seasonal.
534	Burlington Canal North Pier Inner	On W. end of N. pier. 43 17 51.3 079 47 58.1	Fl R 4s	9.7	3	Cylindrical mast, white daymark with red upper portion. 7.0	Seasonal.
535	Burlington Canal South Pier Outer	On E. end of S. pier. 43 18 03.6 079 47 25.8	Iso G 4s	14.5	10	White square tower with green top. 13.1	Seasonal.
537.2	Hamilton Harbour light buoy 1	Entrance to Burlington Canal. 43 17 40.9 079 48 09.6	Fl G 4s	Green, pillar, marked "1".	Private aid. Seasonal.
537.4	Burlington Breakwater South	On S. end of breakwater. 43 17 46.7 079 48 10.2	Q W 1s	4.9	Cylindrical mast.	Seasonal.
537.5	Hamilton Harbour light buoy	43 16 22.0 079 52 10.8	Fl G 4s	Green, pillar.	Private aid. Seasonal.
537.6	Burlington Breakwater North	On N. end of breakwater. 43 18 01.6 079 48 20.8	Q W 1s	4.9	Cylindrical mast.	Private aid. Seasonal.
537.7	Hamilton Harbour Pier 25	43 16 22.4 079 47 11.0	Fl G 4s	4.8	Mast. 2.7	Private aid. Seasonal.
537.71	Hamilton Harbour Pier 23	43 16 09.6 079 47 12.2	Fl R 4s	5.0	White cylindrical mast.	Private aid. Seasonal.
537.722	Hamilton Harbour Pier 22 Middle North light buoy	43 16 27.8 079 47 31.5	Fl R 4s	Red, spar.	Private aid. Seasonal.
537.724	Hamilton Harbour Pier 22 South light buoy	43 16 18.0 079 47 20.3	Fl R 4s	Red, spar.	Private aid. Seasonal.
537.73	Hamilton Harbour Pier 27	N. end of pier 27. 43 17 01.4 079 47 38.2	Fl G 4s	White cylindrical mast.	Private aid. Seasonal.
537.782	Hamilton Harbour Centennial Dock Northwest	43 16 40.8 079 51 41.1	Fl G 4s	5.4	Private aid. Seasonal.
537.797	Hamilton Harbour Pier 10 West	43 16 35.3 079 51 16.0	Fl G 4s	Private aid. Year round.
537.8	Van Wagners Beach	Centre of research platform. 43 16 13.3 079 45 33.3	Fl(5) Y 20s	10.1	Yellow tower.	Year round.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE ONTARIO							
537.85	Stoney Creek	43 14 12.0 079 41 36.0	Fl G 4s	6.0	Mast.	Private aid. Seasonal.
537.88	Fifty Mile Point West Breakwater	On W. breakwater. 43 13 34.3 079 37 22.6	Fl R 4s	3.0	White cylindrical mast, red and white triangular daymark.	Private aid. Seasonal.
537.9	Fifty Mile Point	43 13 34.7 079 37 20.2	F G	10.9	3	White cylindrical tower with green upper portion. 7.3	Private aid. Seasonal.
538	Grimsby Breakwater	Seaward end of E. breakwater. 43 12 16.9 079 33 01.4	Fl G 4s	9.3	5	White cylindrical tower with green upper portion. 7.2	Seasonal. Flash 1 s; eclipse 3 s.
538.2	Grimsby Small Arms Range Cautionary light buoy WY	43 15 07.8 079 36 08.2	Fl Y 4s	Yellow, pillar, marked "WY".	Seasonal.
538.3	Grimsby Small Arms Range Cautionary light buoy WT	43 14 51.1 079 35 16.1	Fl Y 4s	Yellow, pillar, marked "WT".	Seasonal.
538.5	Jordan Harbour	43 11 11.5 079 22 11.2	Iso G 2s	9.1	White cylindrical tower with green upper portion.	Private aid. Seasonal.
539	Port Dalhousie	Near outer end of E. pier. 43 12 39.8 079 15 48.3	Iso G 4s	13.3	6	White square tower with green upper and lower portions. 13.0	Seasonal.
539.5	Port Dalhousie West Pier	43 12 37.4 079 15 51.7	Fl R 4s	3	White cylindrical tower with red upper portion.	Seasonal.
540.5	Port Dalhousie Marina	On outer end of breakwater. 43 12 33.5 079 15 32.9	Fl R 4s	9.0	3	White cylindrical tower with red upper portion. 5.9	Seasonal.
544.6	St. Catharines Outer	43 14 39.6 079 12 27.5	Iso R 2s	8.6	5	White cylindrical tower with red upper portion. 4.8	Seasonal.
544.7	St. Catharines Marina Breakwater	Outer end of marina breakwater. 43 13 51.2 079 12 39.3	Fl R 4s	8.5	White rectangular tower with red upper portion. 5.3	Seasonal.
549	Niagara River front range light	On Canada Steamship Lines wharf. 43 15 19.7 079 03 42.3	F R	10.3	11	White tower with red upper portion. 10.4	Seasonal.
550	Niagara River rear range light	43 15 13.8 079 03 37.5 149°19' 211.2 m from front.	F R	14.3	11	White tower with red upper portion. 13.8	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

LAKE ONTARIO

551	Chippawa	N. side of Welland River entrance. 43 03 48.0 079 02 52.0	Iso R 2s	4.9	Mast.	Year round.
-----	----------	--	----------	-----	-------	-------	-------------