

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

| No. ----- Intl No. | Name ----- RACON | Location ----- Latitude N. Longitude W. | Light Characteristics | Focal Height Above Water (m) | Nominal Range (NM) | Description ----- Height of Structure Above Ground Level (m) | Remarks ----- Audible Signals ----- AIS |
|--------------------------|---|--|--------------------------|--|--------------------------|--|--|
| WHITE BAY | | | | | | | |
| 235 H0136 | Quirpon Light | N. end of Jacques-Cartier Island. 51 35 59.5 055 27 22.0 | Fl W 6s | 22.4 | 5 | Square skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Flash 0.5 s; eclipse 5.5 s. |
| 235.3 | Brehat Shoal South Cardinal light buoy KQG | Great Brehat Harbour. 51 25 09.4 055 26 06.5 | Q(6) + W LFl | 15s | | Yellow-black, pillar, marked "KQG". | Seasonal. |
| 235.31 | Broize Point light buoy KQ3 | Griquet Harbour entrance. 51 32 29.4 055 26 42.2 | Fl G 4s | | | Green, pillar, marked "KQ3". | Seasonal. |
| 235.32 | Griquet light buoy KQ5 | Griquet Harbour. 51 32 23.9 055 27 43.7 | Q G 1s | | | Green, spar, marked "KQ5". | Seasonal. |
| 235.34 | Alcock's Point light buoy KQ7 | Griquet Harbour. 51 32 11.6 055 27 45.7 | Fl G 4s | | | Green, spar, marked "KQ7". | Seasonal. |
| 235.35 | Sandy Point light buoy KQ8 | Griquet Harbour. 51 31 59.7 055 27 38.2 | Fl R 4s | | | Red, spar, marked "KQ8". | Seasonal. |
| 235.5 | Hay Cove Shoal North Cardinal light buoy XM | E. of Cape Ardoise. 51 36 22.8 055 30 10.2 | Q W 1s | | | Black-yellow, pillar, marked "XM". | Seasonal. |
| 235.6 | L'Anse aux Meadows Shoal light buoy XM4 | Medee Bay. 51 36 17.8 055 31 33.9 | Fl R 4s | | | Red, spar, marked "XM4". | Seasonal. |
| 235.7 | L'Anse aux Meadows light buoy XM5 | Medee Bay. 51 36 08.7 055 31 40.9 | Fl G 4s | | | Green, spar, marked "XM5". | Seasonal. Operates 24 h. |
| 235.8 | L'Anse aux Meadows Harbour light buoy XM6 | Medee Bay. 51 36 08.4 055 31 42.5 | Fl R 4s | | | Red, spar, marked "XM6". | Seasonal. Operates 24 h. |
| 235.91 | Quirpon Approaches light buoy KQ1 | 51 36 08.2 055 27 29.6 | Fl G 4s | | | Green, spar, marked "KQ1". | Seasonal. |
| 235.92 | Jacques Cartier Island light buoy KQ2 | NE. of the island. 51 36 01.8 055 27 18.6 | Fl R 4s | | | Red, spar, marked "KQ2". | Seasonal. |
| 237.01 | Quirpon Wharf Light | Seaward edge of the wharf. 51 35 20.5 055 27 31.1 | Fl Y 4s | | 4 | Pipe tower. | Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s. |
| 237.05 | Jacques Cartier Road light buoy KQJ | Quirpon Harbour. 51 35 21.3 055 27 23.4 | VQ W 0.5s | | | Black-yellow, spar, marked "KQJ". | Seasonal. |
| 237.1 | Vincent Shoal South Cardinal light buoy KQV | Quirpon Harbour. 51 35 16.8 055 27 11.4 | Q(6) + W LFl | 15s | | Yellow-black, spar, marked "KQV". | Seasonal. |

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

| No. ----- Intl No. | Name ----- RACON | Location ----- Latitude N. Longitude W. | Light Characteristics | Focal Height Above Water (m) | Nominal Range (NM) | Description ----- Height of Structure Above Ground Level (m) | Remarks ----- Audible Signals ----- AIS |
|--------------------------|---|--|--------------------------|--|--------------------------|--|---|
| WHITE BAY | | | | | | | |
| 237.2 | Vincent Shoal North Cardinal light buoy KQ | Quirpon Harbour. 51 35 14.4 055 27 12.7 | Q W 1s | | | Black-yellow, spar, marked "KQ". | Seasonal. |
| 237.3 | Peaked Rock light buoy KQP | Quirpon Harbour. 51 35 00.6 055 26 45.6 | VQ W 0.5s | | | Black-yellow, spar, marked "KQP". | Seasonal. |
| 237.4 | Butterpot Rock light buoy KQB | Quirpon Harbour entrance. 51 34 52.9 055 26 29.2 | Fl(2) W 10s | | | Black-red-black, spar, marked "KQB". | Seasonal. |
| 238.2 | Cow Rock light buoy KU2 | Griquet Harbour entrance. 51 31 58.5 055 26 48.6 | Fl R 4s | | | Red, spar, marked "KU2". | Seasonal. |
| 238.21 | Gull Rock light buoy KU3 | Griquet Harbour entrance. 51 31 54.7 055 26 51.2 | Fl G 4s | | | Green, spar, marked "KU3". | Seasonal. |
| 238.4 | Garden Cove Point light buoy KU4 | Griquet Harbour entrance. 51 31 47.2 055 26 59.4 | Fl R 4s | | | Red, spar, marked "KU4". | Seasonal. |
| 238.45 | Smith's Point light buoy KU5 | Griquet Harbour entrance. 51 31 23.6 055 27 19.0 | Fl G 4s | | | Green, spar, marked "KU5". | Seasonal. |
| 238.5 | Leo's Rock light buoy KU6 | Griquet Harbour entrance. 51 31 24.1 055 27 19.6 | Fl R 4s | | | Red, spar, marked "KU6". | Seasonal. |
| 239 H0736 | Griquet Harbour Light | 51 32 40.9 055 27 26.2 | Fl W 5s | 16.5 | 5 | Square skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Flash 1 s; eclipse 4 s. |
| 239.21 H0735.5 | Doggy Point Light | Entrance to St. Lunaire Bay. 51 29 25.9 055 27 24.4 | Fl W 5s | | 5 | Mast. 2.6 | Year round. Flash 1 s; eclipse 4 s. |
| 239.22 | Vanguard Shoal light buoy KN1 | Entrance to St. Lunaire Bay. 51 29 24.0 055 28 04.2 | Fl G 4s | | | Green, pillar, marked "KN1". | Seasonal. |
| 239.23 H0735 | Garden Cove Point Light | St. Lunaire Bay. 51 29 45.5 055 28 18.0 | Fl R 5s | 3.1 | 2 | Mast. 2.6 | Seasonal. Flash 1 s; eclipse 4 s. |
| 239.24 | St. Lunaire Harbour light buoy KN3 | 51 30 00.2 055 28 36.7 | Fl G 4s | | | Green, spar, marked "KN3". | Seasonal. |
| 239.25 | Harbour Shoal light buoy KN5 | St. Lunaire Harbour. 51 30 02.5 055 28 33.1 | Q G 1s | | | Green, spar, marked "KN5". | Seasonal. |

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

| No. ----- Intl No. | Name ----- RACON | Location ----- Latitude N. Longitude W. | Light Characteristics | Focal Height Above Water (m) | Nominal Range (NM) | Description ----- Height of Structure Above Ground Level (m) | Remarks ----- Audible Signals ----- AIS |
|--------------------------|---|--|--------------------------|--|--------------------------|--|--|
| WHITE BAY | | | | | | | |
| 239.27 H0737 | St. Lunaire Wharf Light | 51 30 01.6 055 28 31.4 | Fl R 5s | 3.5 | 2 | Mast. | Seasonal. Flash 1 s; eclipse 4 s. |
| 240 H0730 | Fox Point (Fishing Point) Light Station and Fog Signal | Entrance to St. Anthony Harbour. 51 21 22.0 055 33 18.3 | Fl W 10s | 26.8 | 17 | White square tower with red horizontal bands. 9.3 | Year round. Flash 0.3 s; eclipse 9.7 s. Fog Horn Blast 4 s; sil. 56 s. |
| 240.3 | Flat Point, Goose Cove light buoy KG1 | 51 18 32.0 055 38 33.2 | Fl G 4s | | | Green, spar, marked "KG1". | Seasonal. |
| 240.6 | Goose Cove (Mouse Island) light buoy KG2 | 51 18 31.3 055 38 30.4 | Fl R 4s | | | Red, spar, marked "KG2". | Seasonal. |
| 241 H0728 | Mouse Island Light | St. Anthony Harbour. 51 18 30.5 055 38 27.2 | Fl W 4s | 9.1 | 6 | Square skeleton tower, red and white rectangular daymark. 4.0 | Seasonal. |
| 241.1 | Goose Cove (Ant Island) light buoy KG3 | 51 18 30.0 055 38 12.4 | Fl G 4s | | | Green, spar, marked "KG3". | Seasonal. |
| 241.16 | Goose Cove Inner (Cigale Point) light buoy KG5 | 51 18 32.6 055 38 08.3 | Fl G 4s | | | Green, spar, marked "KG5". | Seasonal. |
| 242 H0732 | St. Anthony Harbour Light | 51 21 34.5 055 33 29.4 | Fl W 4s | 11.0 | 5 | Square skeleton tower, red and white rectangular daymark. 4.5 | Seasonal. |
| 242.3 | St. Anthony Harbour light buoy KA2 | 51 21 36.2 055 34 08.9 | Fl R 4s | | | Red, spar, marked "KA2". | Year round. |
| 242.31 | North Harbour Rock light buoy KA1 | St. Anthony Harbour. 51 21 35.0 055 34 11.4 | Fl G 4s | | | Green, spar, marked "KA1". | Year round. |
| 243 H0734 | Harbour Rock Light | St. Anthony Harbour. 51 21 32.3 055 34 11.0 | Fl G 4s | 6.0 | 4 | Square skeleton tower, green and white rectangular daymark. 4.3 | Seasonal. |
| 243.1 | Marguerite Point light buoy KA4 | St. Anthony Harbour. 51 21 57.9 055 34 43.1 | Fl R 4s | | | Red, spar, marked "KA4". | Seasonal. |
| 243.11 | Middle Arm light buoy KA2.2 | St. Anthony Harbour. 51 21 48.0 055 34 32.4 | Q R 1s | | | Red, spar, marked "KA2.2". | Year round. |
| 243.2 | St. Anthony Outer light buoy KM1 | 51 22 02.5 055 34 50.9 | Fl G 4s | | | Green, spar, marked "KM1". | Seasonal. |
| 243.3 | St. Anthony Inner light buoy KA6 | 51 22 05.1 055 35 00.3 | Q R 1s | | | Red, spar, marked "KA6". | Seasonal. |
| 243.31 H0734.5 | Marguerite Point Wharf Light | 51 21 55.0 055 34 36.8 | Fl R 4s | | 2 | Mast. 2.6 | Seasonal. |

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

| No. ----- Intl No. | Name ----- RACON | Location ----- Latitude N. Longitude W. | Light Characteristics | Focal Height Above Water (m) | Nominal Range (NM) | Description ----- Height of Structure Above Ground Level (m) | Remarks ----- Audible Signals ----- AIS |
|--------------------------|---|--|--------------------------|--|--------------------------|---|--|
| WHITE BAY | | | | | | | |
| 244 H0725 | Brent Islands Light | Main Brook entrance. 51 15 20.2 055 56 02.1 | FI W 5s | 8.5 | 7 | Square skeleton tower, red and white square daymark. 4.0 | Seasonal. Flash 1 s; eclipse 4 s. |
| 245 H0724 | Cailloux Island Light | Main Brook entrance. 51 12 04.2 055 59 28.1 | FI R 5s | 6.7 | 4 | Square skeleton tower, red and white square daymark. 4.0 | Seasonal. Flash 1 s; eclipse 4 s. |
| 246 H0726 | Main Brook Wharf Light | 51 10 10.2 055 59 48.1 | FI R 5s | 5.0 | 4 | Mast. 2.4 | Seasonal. Flash 1 s; eclipse 4 s. |
| 247 H0722 | Conche Light | Conche Harbour entrance. 50 53 09.9 055 53 50.2 | FI R 5s | 7.2 | 4 | Square skeleton tower, red and white rectangular daymark. 6.7 | Seasonal. Flash 1 s; eclipse 4 s. |
| 247.1 H0723 | Conche Wharf Light | 50 53 09.9 055 53 40.9 | Q R 1s | | 2 | Mast. 2.6 | Seasonal. |
| 248 H0721 | Cape Fox | 50 51 40.2 055 53 24.0 | FI W 5s | 58.8 | 5 | Rectangular skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Flash 1 s; eclipse 4 s. |
| 249 H0716 | Nid Island Light | S. end of island, off La Crique. 50 42 18.0 055 37 46.7 | LFI W 10s | 12.5 | 8 | Rectangular skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. |
| 249.9 | Englee Harbour Outer East Cardinal light buoy KEN | 50 42 59.0 056 06 13.0 | Q(3) W 10s | | | Black-yellow-black, pillar, marked "KEN". | Seasonal. Operates 24 h. |
| 250 H0718 | Englee Harbour Light | Harbour entrance. 50 43 13.5 056 06 49.1 | FI W 5s | 15.2 | 7 | Rectangular skeleton tower, red and white rectangular daymark. 4.7 | Seasonal. Flash 1 s; eclipse 4 s. |
| 250.1 | Barred Island Light | 50 43 20.5 056 06 23.5 | FI G 5s | | 3 | Cylindrical mast. | Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s. |
| 250.2 | Englee Harbour Inner light buoy KEN2 | 50 43 27.7 056 06 24.0 | FI R 4s | | | Red, spar, marked "KEN2". | Seasonal. Operates 24 h. |
| 251 H0718.4 | Englee Wharf Light | Englee Harbour. 50 43 56.0 056 06 24.0 | FI Y 5s | 4.0 | 2 | Mast. 2.4 | Seasonal. Flash 1 s; eclipse 4 s. |
| 251.5 | Marten's Rock light buoy KR2 | Entrance to Chimmey Bay. 50 45 22.7 056 09 14.9 | FI R 4s | | | Red, spar, marked "KR2". | Seasonal. |
| 252 H0719 | Bad Rock Light | Chimmey Channel. 50 46 58.7 056 09 35.9 | FI G 5s | 4.6 | 6 | Square skeleton tower, green and white square daymark. 4.3 | Seasonal. Flash 1 s; eclipse 4 s. |
| 253 H0720 | Roddickton-Bide Arm Breakwater Light | 50 51 46.6 056 07 54.7 | FI G 5s | 3.7 | 4 | Mast. 2.1 | Seasonal. Flash 1 s; eclipse 4 s. |

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

| No. ----- Intl No. | Name ----- RACON | Location ----- Latitude N. Longitude W. | Light Characteristics | Focal Height Above Water (m) | Nominal Range (NM) | Description ----- Height of Structure Above Ground Level (m) | Remarks ----- Audible Signals ----- AIS |
|--------------------------|--|---|--------------------------|--|--------------------------|--|--|
| WHITE BAY | | | | | | | |
| 254 H0712 | Duckbill Point | Entrance to N. arm. 50 35 48.2 056 12 08.2 | Fl W 5s | 21.6 | 5 | Rectangular skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Flash 1 s; eclipse 4 s. |
| 255 H0710 | Fourché Harbour Light | Granite Point. 50 30 44.5 056 16 32.5 | LFI W 6s | 24.7 | 5 | Rectangular skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Flash 2 s; eclipse 4 s. |
| 256 H0708 | Great Harbour Deep Light | 50 22 38.9 056 24 40.8 | Fl W 6s | 18.6 | 5 | Square skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Flash 1 s; eclipse 5 s. |
| 257 H0698 | Partridge Point Light | N. end of point. 50 09 10.8 056 08 34.4 | Fl W 5s | 45.7 | 7 | Rectangular skeleton tower, red and white rectangular daymark. 4.3 | Year round. Flash 1 s; eclipse 4 s. |
| 257.2 H0697.7 | Fleur de Lys Entrance Light | Fleur de Lys Harbour. 50 06 52.9 056 07 12.9 | Fl W 5s | 4.0 | 5 | Mast. 2.4 | Year round. Flash 1 s; eclipse 4 s. |
| 257.3 | <i>Fleur de Lys light buoy KF1</i> | 50 06 59.3 056 07 32.9 | Fl G 4s | | | <i>Green, spar, marked "KF1".</i> | <i>Seasonal.</i> |
| 257.31 | <i>Fleur de Lys (Welsh Point) light buoy KF2</i> | Harbour. 50 07 03.0 056 07 33.7 | Q R 1s | | | <i>Red, spar, marked "KF2".</i> | <i>Seasonal.</i> |
| 257.4 | <i>Fleur de Lys light buoy KF3</i> | Harbour. 50 07 02.3 056 07 38.9 | Q G 1s | | | <i>Green, spar, marked "KF3".</i> | <i>Seasonal.</i> |
| 257.41 | <i>Fleur de Lys light buoy KF4</i> | 50 07 06.1 056 07 46.8 | Fl R 4s | | | <i>Red, spar, marked "KF4".</i> | <i>Seasonal.</i> |
| 257.42 | <i>Fleur de Lys light buoy KF5</i> | 50 07 01.9 056 07 57.5 | Fl G 4s | | | <i>Green, spar, marked "KF5".</i> | <i>Seasonal.</i> |
| 257.5 H0693 | St. Barbe Islands Light | SE. entrance to W. cove. 50 11 57.1 055 44 40.7 | Fl W 5s | 21.3 | 3 | Rectangular skeleton tower, red and white rectangular daymark. 4.7 | Seasonal. Flash 1 s; eclipse 4 s. |
| 258 H0707 | Jackson Arm Light | S. end of Eastern Head. 49 51 44.5 056 46 14.0 | Fl W 6s | 20.0 | 9 | Rectangular skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Operates 24 h. Flash 1 s; eclipse 5 s. |
| 260 H0704 | Westport Cove Light | 49 47 09.8 056 38 41.8 | Fl W 4s | 10.1 | 7 | White octagonal tower. 5.5 | Seasonal. |
| 260.5 | Westport Breakwater Light | 49 47 06.7 056 38 36.7 | Fl G 4s | | 2 | Mast. | Seasonal (in place year round). Flash 1 s; eclipse 3 s. |
| 261 H0705 | Sops Arm Light | On White Point. 49 44 58.0 056 49 40.0 | Fl W 4s | 16.8 | 4 | Square skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. |

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

| No. ----- Intl No. | Name ----- RACON | Location ----- Latitude N. Longitude W. | Light Characteristics | | | Focal Height Above Water (m) | Nominal Range (NM) | Description ----- Height of Structure Above Ground Level (m) | Remarks ----- Audible Signals ----- AIS |
|--------------------------|---|---|--------------------------|----------|------------|--|--------------------------|---|--|
| WHITE BAY | | | | | | | | | |
| 263 H0702 | Seal Cove Wharf Light | Seal Cove Harbour. 49 56 09.1 056 23 37.4 | FI | R | 3s | 3.4 | 3 | Mast. 2.4 | Seasonal. Flash 0.5 s; eclipse 2.5 s. |
| 263.5 | Wild Cove Wharf Light | Seaward side of wharf. 49 59 35.0 056 20 30.2 | FI | G | 4s | | 4 | Pipe tower. | Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s. |
| 264 | Pacquet Harbour Entrance Light | 49 58 41.1 055 51 20.6 | FI | W | 5s | 30.2 | 7 | Rectangular skeleton tower, red and white rectangular daymark. 4.3 | Seasonal. Flash 1 s; eclipse 4 s. |
| 264.1 | <i>Pacquet Harbour light buoy KP1</i> | 49 59 12.8 055 52 18.5 | <i>FI</i> | <i>G</i> | <i>4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, spar, marked "KP1".</i> | <i>Seasonal.</i> |
| 264.2 | <i>Pacquet Harbour light buoy KP2</i> | 49 59 22.2 055 52 18.1 | <i>FI</i> | <i>R</i> | <i>4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, spar, marked "KP2".</i> | <i>Seasonal.</i> |
| 265 H0694.5 | Pacquet Wharf Light | NW. end of Pacquet Harbour. 49 59 25.5 055 52 27.0 | FI | R | 5s | 3.5 | 2 | Mast. 2.4 | Seasonal. Flash 1 s; eclipse 4 s. |
| 265.1 | <i>Crocodile Shoal light buoy KE2</i> | <i>Harbour Round.</i> 49 55 20.8 055 43 58.4 | <i>FI</i> | <i>R</i> | <i>4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, spar, marked "KE2".</i> | <i>Seasonal.</i> |
| 266.1 | <i>Sleepy Point West Cardinal light buoy KL</i> | <i>Off the point in LaScie.</i> 49 58 21.2 055 36 35.9 | <i>Q(9)</i> | <i>W</i> | <i>15s</i> | <i>.....</i> | <i>.....</i> | <i>Yellow-black-yellow, pillar, marked "KL".</i> | <i>Seasonal.</i> |
| 267 H0692.4 | La Scie Harbour Breakwater Light | 49 57 42.5 055 36 10.3 | FI | R | 5s | 5.0 | 3 | Mast. 2.4 | Seasonal. Flash 1 s; eclipse 4 s. |
| 267.1 | <i>La Scie light buoy KL4</i> | 49 57 30.0 055 35 53.4 | <i>FI</i> | <i>R</i> | <i>4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, spar, marked "KL4".</i> | <i>Seasonal.</i> |
| 267.3 H0692.55 | La Scie Harbour Wharf Light | 49 57 46.2 055 36 13.8 | FI | G | 5s | 4.3 | 3 | Mast. | Seasonal. Flash 1 s; eclipse 4 s. |
| 267.5 H0692.6 | Ming's Bight Wharf Light | 49 58 38.9 056 02 16.3 | FI | G | 5s | 3.4 | 4 | Mast. 2.4 | Seasonal. Flash 1 s; eclipse 4 s. |
| 267.9 | <i>The Sisters West light buoy KC1</i> | <i>E. of Coachman's Cove Harbour entrance.</i> 50 03 59.7 056 02 59.8 | <i>FI</i> | <i>G</i> | <i>4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, pillar, marked "KC1".</i> | <i>Seasonal.</i> |
| 268 H0696 | Coachman's Cove Harbour Light | Coachman's Harbour. 50 03 13.3 056 05 41.2 | FI | W | 3s | 11.9 | 5 | Square skeleton tower, red and white square daymark. 5.2 | Seasonal. Flash 0.5 s; eclipse 2.5 s. |
| 268.1 | <i>Gentile Island Shoal light buoy KC3</i> | <i>Coachman's Harbour.</i> 50 03 13.0 056 06 31.3 | <i>FI</i> | <i>G</i> | <i>4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, spar, marked "KC3".</i> | <i>Seasonal.</i> |

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

| No. ----- Intl No. | Name ----- RACON | Location ----- Latitude N. Longitude W. | Light Characteristics | Focal Height Above Water (m) | Nominal Range (NM) | Description ----- Height of Structure Above Ground Level (m) | Remarks ----- Audible Signals ----- AIS |
|--------------------------|------------------------|--|--------------------------|--|--------------------------|--|---|
|--------------------------|------------------------|--|--------------------------|--|--------------------------|--|---|

WHITE BAY

| | | | | | | | |
|------------------|--------------------------------|--|---------|-------|-------|----------------------------|--|
| 268.5 H0696.5 | Coachman's Cove Wharf Light | 50 03 01.1 056 06 35.3 | Fl G 5s | | 2 | Mast. | Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s. |
| 269.2 | Sisters East light buoy KV4 | E. of Coachman's Cove Harbour entrance. 50 03 26.5 056 01 52.9 | Fl R 4s | | | Red, pillar, marked "KV4". | Seasonal. |