

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>BONAVISTA BAY</b>							
396 H0584	Offer Wadham Island Light	49 35 36.3 053 45 46.1	Fl W 5s	30.5	5	Square skeleton tower, red and white rectangular daymark. 7.1	Seasonal. Flash 1 s; eclipse 4 s.
396.75	Musgrave Harbour Outer Breakwater Light	49 27 36.2 053 57 19.7	Fl W 4s	.....	2	Cylindrical mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
397 H0591	Musgrave Harbour Breakwater Light	49 27 32.6 053 57 22.2	Fl R 3s	3.0	4	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.
397.1	Musgrave Harbour Inner Breakwater Light	49 27 32.3 053 57 24.7	Fl Y 4s	.....	3	Cylindrical mast.	Seasonal. Flash 1 s; eclipse 3 s.
399 H0594	Muddy Hole Point Light	49 27 23.1 053 56 28.5	Fl G 4s	7.9	2	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
399.1	Musgrave Harbour light buoy JM3	49 27 32.5 053 57 05.8	Fl G 4s	.....	.....	Green, spar, marked "JM3".	Seasonal.
399.12	Musgrave Harbour light buoy JM5	49 27 31.0 053 57 28.0	Fl G 4s	.....	.....	Green, spar, marked "JM5".	Seasonal. Operates 24 h.
399.125	Musgrave Harbour light buoy JM3/1	49 27 31.0 053 57 16.3	Fl G 4s	.....	.....	Green, spar, marked "JM3/1".	Seasonal. Operates 24 h.
399.126	Musgrave Harbour light buoy JM4/2	49 27 36.7 053 57 10.0	Fl R 4s	.....	.....	Red, spar, marked "JM4/2".	Seasonal. Operates 24 h.
399.127	Walter's Shoal light buoy JM3/3	49 27 30.2 053 57 21.7	Fl G 4s	.....	.....	Green, spar, marked "JM3/3".	Seasonal. Operates 24 h.
399.41	Little Horse Stone light buoy JM1	49 27 44.6 053 56 55.4	Fl G 4s	.....	.....	Green, spar, marked "JM1".	Seasonal. Operates 24 h.
400	Musgrave Harbour light buoy JM2	49 27 46.7 053 57 02.7	Fl R 4s	.....	.....	Red, spar, marked "JM2".	Seasonal. Operates 24 h.
401 H0596	Muddy Shag Island Light	49 29 27.0 053 56 36.9	Fl W 5s	7.9	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
402	South Rock South Cardinal light buoy JMS	49 28 44.9 053 54 08.6	Q(6) + LFl W	15s	.....	Yellow-black, pillar, marked "JMS".	Seasonal.
403 H0588	North Penguin Island Light	49 26 56.7 053 48 43.5	Fl W 6s	14.4	5	Square skeleton tower, red and white rectangular daymark. 7.1	Year round. Flash 0.5 s; eclipse 5.5 s.
403.9	Ships Run light buoy JL3	49 18 28.6 053 35 48.1	Fl G 4s	.....	.....	Green, spar, marked "JL3".	Seasonal.
403.91	Lumsden Inner light buoy JL4	49 18 12.3 053 35 42.5	Fl R 4s	.....	.....	Red, spar, marked "JL4".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>BONAVISTA BAY</b>								
403.92	<i>Southern Cat Island light buoy JL5</i>	<i>Lumsden. 49 18 15.9 053 35 38.4</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JL5".</i>	<i>Seasonal.</i>	
404 H0582	Lumsden front range light	49 18 13.8 053 36 25.0	F R	.....	17.5	13 Skeleton tower, white daymark, with red vertical stripe. 4.2	Seasonal.	
405 H0582.1	Lumsden rear range light	49 18 12.0 053 36 29.1  236°11' 101.5 m from front.	F R	.....	29.6	13 Square skeleton tower, white daymark with red vertical stripe. 4.2	Seasonal.	
405.3 H0583	Lumsden Breakwater South Light	Lumsden Harbour. 49 18 04.4 053 35 19.8	Fl G 4s	7.8	4	Mast. 2.4	Year round.	
405.4 H0583.2	South Tickle Breakwater Light	Lumsden Harbour. 49 18 03.6 053 35 22.7	Fl R 4s	7.8	4	Mast. 2.4	Year round.	
406 H0576	<b>Cabot Islands Light Station (Bonavista Bay)</b>	49 10 28.1 053 22 03.3	Fl W 10s	22.6	17	Octagonal tower, red and white horizontal bands. 15.6	Seasonal. Flash 0.2 s; eclipse 9.8 s.	
407.1	<i>Cape Freels Harbour light buoy JF2</i>	<i>49 15 47.0 053 28 49.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JF2".</i>	<i>Seasonal.</i>	
407.18	<i>Crackers #1 South Cardinal light buoy JFC</i>	<i>Cape Freels. 49 15 58.2 053 28 25.2</i>	<i>VQ(6) + LFI</i>	<i>W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black, spar, marked "JFC".</i>	<i>Seasonal.</i>
407.19	<i>Cape Freels Harbour light buoy JF2/2</i>	<i>49 15 41.3 053 29 20.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JF2/2".</i>	<i>Seasonal.</i>	
407.2	<i>Cape Freels Harbour light buoy JF1</i>	<i>49 15 37.2 053 29 34.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JF1".</i>	<i>Seasonal.</i>	
407.25 H0580.1	Cape Freels Breakwater Light	49 15 35.7 053 29 38.2	Fl G 4s	4.0	2	Mast. 2.6	Seasonal.	
407.251 H0580.25	Cape Freels Wharf Light No. 2	49 15 34.8 053 29 40.7	Fl R 4s	3.7	2	Mast. 2.6	Seasonal.	
407.3	<i>Cape Freels Harbour light buoy JF4</i>	<i>49 15 37.8 053 29 36.0</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JF4".</i>	<i>Seasonal.</i>	
407.7	<i>Crackers #2 North Cardinal light buoy JFR</i>	<i>Cape Freels. 49 15 52.8 053 28 10.2</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow, spar, marked "JFR".</i>	<i>Seasonal.</i>	
408 H0580	Gull Island Light	Cape Freels. 49 15 23.5 053 25 46.3	Fl W 5s	23.5	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.	
409	<i>Charge Rock North Cardinal light buoy JX</i>	<i>49 14 56.8 053 22 01.1</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow, pillar, marked "JX".</i>	<i>Seasonal.</i>	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>BONAVISTA BAY</b>								
410 H0578	Kenny's Rocks Light	49 12 58.2 053 28 24.6	Fl W 5s	7.9	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.	
410.51	Tucker's Rock light buoy JW5	49 07 50.0 053 33 44.0	Fl G 4s	.....	.....	Green, spar, marked "JW5".	Seasonal.	
410.52	Harbour Rock light buoy JW7	49 08 12.0 053 34 00.0	Fl G 4s	.....	.....	Green, spar, marked "JW7".	Seasonal.	
411 H0567	Wesleyville Wharf Light	49 08 35.5 053 33 46.0	Fl R 6s	3.7	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 5 s.	
412 H0566	Wesleyville (Bennets High Island)	49 08 12.8 053 33 45.7	Fl W 3s	22.2	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.	
413	Ledger Rock light buoy JW2	49 07 30.0 053 33 04.0	Fl R 4s	.....	.....	Red, spar, marked "JW2".	Seasonal.	
414.1	Black Island South Cardinal light buoy JWB	Wesleyville. 49 07 55.2 053 32 36.6	Q(6) + LFl W	15s	.....	Yellow-black, spar, marked "JWB".	Seasonal (in place year round).	
415 H0568	Newtown Light	49 10 42.7 053 30 45.1	Fl R 5s	8.6	4	Square skeleton tower, red and white daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.	
415.01	Halfway Reef light buoy JN1	49 12 44.2 053 29 17.7	Fl G 4s	.....	.....	Green, spar, marked "JN1".	Seasonal.	
415.02	Newtown Outer light buoy JN2	49 12 07.5 053 30 15.5	Fl R 4s	.....	.....	Red, spar, marked "JN2".	Seasonal.	
415.03	Newtown Outer light buoy JN3	49 12 06.1 053 30 22.6	Fl G 4s	.....	.....	Green, spar, marked "JN3".	Seasonal.	
415.04	Newtown Inner light buoy JN4	49 12 09.2 053 30 23.3	Fl R 4s	.....	.....	Red, spar, marked "JN4".	Seasonal.	
415.05	Newtown Inner light buoy JN5	49 12 06.8 053 30 25.3	Fl G 4s	.....	.....	Green, spar, marked "JN5".	Seasonal.	
415.3	Newtown Wharf Light	49 12 09.6 053 30 31.1	Fl G 5s	.....	2	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.	
416 H0563	Valleyfield front range light	49 06 21.0 053 36 31.0	F R	.....	5.2	11	Square skeleton tower, white daymark with red vertical stripe. 6.5	Seasonal.
417 H0563.1	Valleyfield rear range light	49 06 25.3 053 36 53.4  286°30' 457.2 m from front.	F R	.....	12.5	11	Square skeleton tower, white daymark with red vertical stripe. 6.5	Seasonal.
417.05	Squid Rocks light buoy JV5	49 06 41.6 053 36 16.8	Fl G 4s	.....	.....	Green, spar, marked "JV5".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>BONAVISTA BAY</b>								
417.1	Heart Island light buoy JV7	49 07 01.6 053 36 24.9	Fl G 4s	.....	.....	Green, spar, marked "JV7".	Seasonal.	
418	Benburry light buoy JV4	49 06 34.2 053 36 09.4	Fl R 4s	.....	.....	Red, spar, marked "JV4".	Seasonal (in place year round).	
419 H0563.4	Candle Cove Rocks Light	49 05 46.9 053 35 55.2	Fl W 3s	6.1	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
419.52	Walker's Point light buoy JV8	49 07 02.8 053 36 23.1	Fl R 4s	.....	.....	Red, spar, marked "JV8".	Seasonal.	
420 H0563.6	Valleyfield Wharf Light	49 07 14.8 053 36 26.3	Fl Y 4s	3.4	2	Mast. 2.4	Seasonal.	
424 H0558	Pound Rocks Light	49 04 04.6 053 33 35.4	Fl R 5s	7.9	4	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal. Flash 1 s; eclipse 4 s.	
424.52	Harbour Rock light buoy JG3	49 04 00.8 053 33 44.5	Fl G 4s	.....	.....	Green, spar, marked "JG3".	Seasonal.	
425 H0560	Scammels Lookout Light	49 04 01.2 053 34 11.2	Fl Y 5s	6.1	2	Mast. 3.3	Seasonal. Flash 1 s; eclipse 4 s.	
426 H0560.2	Seine Rock Light	49 03 56.1 053 34 18.4	Fl R 5s	5.5	4	Square skeleton tower, red and white square daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	
427 H0561	Greenspond front range light	49 04 02.7 053 33 59.3	F R	.....	5.5	13	Skeleton tower, white daymark, with red vertical stripe. 3.4	Seasonal.
428 H0561.1	Greenspond rear range light	49 04 03.2 053 34 04.4  278°50' 61.4 m from front.	F R	.....	8.5	13	Skeleton tower, white daymark, with red vertical stripe. 7.4	Seasonal.
429 H0562	South Pound Island Light	49 05 33.9 053 33 24.5	Fl W 4s	17.9	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.	
430 H0556	<b>Puffin Island Light Station and Fog Signal</b>	49 03 42.0 053 33 03.2	Fl W 5s	21.0	<b>16</b>	Red and white hexagonal tower, white daymark with red horizontal band. 4.9	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s.  <b>Fog Horn</b> Blast 3 s; sil. 27 s.	
431 H0555	Shoe Cove Point Light	49 02 11.6 053 36 20.9	Fl W 3s	26.1	5	Square skeleton tower, red and white rectangular daymark. 3.9	Seasonal.	
431.2	Steering Rock light buoy JCW2	49 01 11.6 053 46 05.0	Fl R 4s	.....	.....	Red, spar, marked "JCW2".	Seasonal. Operates 24 h.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>BONAVISTA BAY</b>							
431.5 H0554.6	Wareham Fishermen's Wharf Light	49 01 05.8 053 52 41.6	Fl Y 5s	3.1	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
432 H0554	Fair Islands Light	48 59 10.7 053 43 05.8	Fl W 5s	20.7	6	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 4 s.
437 H0549	Hare Cut Point Light	48 52 47.6 053 39 43.8	Fl W 4s	24.4	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 3 s.
437.5	Gooseberry Island light buoy JGS	48 52 45.2 053 38 36.2	Q(6) + LFl W	15s	.....	.....	Yellow-black, spar, marked "JGS". Seasonal. Operates 24 h.
438 H0548	Gooseberry Island Light	48 52 41.7 053 37 15.3	Fl W 6s	15.5	5	Red and white cylindrical tower. 5.0	Seasonal. Flash 0.5 s; eclipse 5.5 s.
438.5 H0547.4	Penneys Cove Ferry Wharf Light	48 50 07.5 053 41 54.4	Fl R 4s	5.0	4	Mast. 2.4	Year round.
438.6	Pennys Cove Point light buoy JPC1	Willis Reach. 48 50 02.0 053 41 53.5	Fl G 4s	.....	.....	Green, spar, marked "JPC1".	Year round.
438.9	Linton Rock light buoy JGM4	Glovertown. 48 43 32.7 053 56 39.1	Fl R 4s	.....	.....	Red, spar, marked "JGM4".	Seasonal.
439 H0547	Puffin Flat Island Light	48 47 32.0 053 36 41.8	Fl W 4s	36.1	5	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal.
439.1 H0547.7	Glovertown Wharf Light	48 41 27.0 054 01 18.0	Fl R 4s	2.8	4	Mast. 3.0	Seasonal.
439.2	Glovertown Harbour Rock light buoy JGM6	48 41 40.0 054 00 39.0	Fl R 4s	.....	.....	Red, spar, marked "JGM6".	Seasonal.
439.21	Middle Arm light buoy JGM7	Glovertown. 48 40 55.3 054 01 16.3	Fl G 4s	.....	.....	Green, spar, marked "JGM7".	Seasonal.
439.22	Middle Arm light buoy JGM5	Glovertown. 48 42 36.0 053 57 07.2	Fl G 4s	.....	.....	Green, spar, marked "JGM5".	Seasonal.
439.23 H0547.6	Glovertown Yacht Club Breakwater Light	48 40 26.7 054 01 35.1	Fl G 4s	.....	2	Mast. 2.6	Seasonal.
439.29	Hail Island East Cardinal light buoy JR	Willis Reach. 48 45 41.8 053 45 41.2	Q(3) W	10s	.....	.....	Black-yellow-black, spar, marked "JR". Year round.
439.3	Varket Channel West Cardinal light buoy JRR	48 46 28.9 053 45 19.3	Q(9) W	15s	.....	.....	Yellow-black-yellow, spar, marked "JRR". Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>BONAVISTA BAY</b>							
439.305	Willis Reach East Cardinal light buoy JWR	48 49 18.1 053 42 08.9	VQ(3) W 5s	.....	.....	Black-yellow-black, spar, marked "JWR".	Year round.
439.31	Bacon Bone Rock light buoy JR1	48 37 06.0 053 28 57.0	Fl G 4s	.....	.....	Green, pillar, marked "JR1".	Seasonal.
439.35	Burnside light buoy JR4	48 43 22.0 053 46 53.4	Fl R 4s	.....	.....	Red, spar, marked "JR4".	Year round.
439.36	Burnside light buoy JR6	48 43 06.6 053 47 03.8	Fl R 4s	.....	.....	Red, spar, marked "JR6".	Year round.
439.37 H0545.7	Burnside Rock Light	48 43 04.9 053 47 02.1	Fl G 4s	.....	4	Mast.	Year round.
439.4 H0544.5	Happy Adventure East Wharf Light	Next to the fishplant. 48 38 04.9 053 45 19.3	Fl R 4s	.....	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
439.5 H0546	Burnside Ferry Wharf Light	48 42 56.4 053 47 10.7	Fl R 4s	3.5	4	Mast. 2.4	Year round.
439.6	Salvage light buoy JSA6	48 41 26.5 053 38 38.0	Fl R 4s	.....	.....	Red, spar, marked "JSA6".	Seasonal.
439.61	Salvage light buoy JSA3	48 41 31.4 053 38 42.9	Fl G 4s	.....	.....	Green, spar, marked "JSA3".	Seasonal.
439.62	Salvage light buoy JSA4	48 41 29.5 053 38 42.2	Fl R 4s	.....	.....	Red, spar, marked "JSA4".	Seasonal.
439.64	Salvage light buoy JSA2	48 41 35.6 053 38 43.8	Fl R 4s	.....	.....	Red, spar, marked "JSA2".	Seasonal.
439.65 H0543.7	Salvage Wharf Light	48 41 15.5 053 38 36.2	Fl G 4s	.....	2	Mast. 2.1	Year round.
440 H0543.5	Salvage Harbour Light	48 41 32.7 053 38 42.9	Fl G 4s	5.7	4	Square skeleton tower, green and white rectangular daymark. 4.2	Seasonal. Flash 1 s; eclipse 3 s.
441 H0543	Little Denier Island Light	48 41 05.0 053 35 24.0	LFI W 6s	90.8	7	Cylindrical tower, red and white vertical stripes. 7.6	Seasonal. Flash 2 s; eclipse 4 s.
441.1 H0544	Happy Adventure Light	48 37 57.6 053 45 18.0	Oc W 6s	12.5	7	Square skeleton tower. 6.4	Seasonal. Flash 4 s; eclipse 2 s.
441.2 H0545	Happy Adventure West Wharf Light	48 37 53.4 053 46 05.0	Fl Y 5s	4.0	2	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
441.3	Canning Cove Wharf Light	48 26 41.3 053 50 42.0	Fl R 4s	.....	2	Mast. 2.6	Seasonal.
441.4	Long Toms Cove Rock light buoy JCG2	48 25 58.2 053 50 32.4	Fl R 4s	.....	.....	Red, spar, marked "JCG2".	Seasonal.
441.49 H0541.3	Musgravetown Breakwater Light	48 24 40.0 053 52 35.0	Fl G 4s	4.0	2	Mast. 2.1	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>BONAVISTA BAY</b>							
441.5	Shag Island Rock light buoy JCG3	Sweet Bay. 48 23 13.8 053 53 36.0	Fl G 4s	.....	.....	Green, spar, marked "JCG3".	Seasonal.
442	Big Rock light buoy JC6	48 26 12.0 054 00 06.0	Fl R 4s	.....	.....	Red, spar, marked "JC6".	Seasonal (in place year round).
442.1	Chaffey's Rock light buoy JC2	48 31 04.2 053 45 45.0	Fl R 4s	.....	.....	Red, spar, marked "JC2".	Seasonal.
442.12 H0540.7	Open Hall Wharf Light	48 32 47.5 053 29 08.0	Fl G 5s	.....	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
442.13 H0540.6	Tickle Cove Wharf Light	48 35 01.8 053 28 59.7	Fl G 4s	.....	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
442.14 H0540.75	Sweet Bay Wharf Light	48 26 45.8 053 39 04.3	Fl G 5s	.....	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
442.15	Wolf Island light buoy JSB4	48 29 06.0 053 38 42.0	Fl R 4s	.....	.....	Red, spar, marked "JSB4".	Seasonal.
442.16	Mustard Gull Island Rock light buoy JSB2	Sweet Bay. 48 31 41.8 053 38 14.2	Fl R 4s	.....	.....	Red, spar, marked "JSB2".	Seasonal.
442.17	Chance Cove Ledge light buoy JSB	Sweet Bay. 48 33 21.0 053 36 21.0	Fl(2+1) R 6s	.....	.....	Red-green-red, pillar, marked "JSB".	Seasonal.
442.18	Clay Cove Rock light buoy JT1	48 35 24.0 053 47 54.0	Fl G 4s	.....	.....	Green, spar, marked "JT1".	Seasonal.
442.19	White Islets North Cardinal light buoy JWT	Newman Sound. 48 35 08.0 053 47 40.7	Q W 1s	.....	.....	Black-yellow, spar, marked "JWT".	Seasonal.
442.2	Saltons Brook light buoy JT	48 34 44.2 053 56 39.0	Fl(2+1) G 6s	.....	.....	Green-red-green, spar, marked "JT".	Seasonal.
442.3 H0541	Plate Cove West Breakwater Light	48 30 00.8 053 30 18.6	Fl R 5s	.....	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
442.4	Saltons Brook light buoy JT2	48 34 45.8 053 56 41.6	Fl R 4s	.....	.....	Red, spar, marked "JT2".	Seasonal.
442.45	Saltons Brook light buoy JTT1	48 34 42.4 053 56 46.1	Fl G 4s	.....	.....	Green, spar, marked "JTT1".	Seasonal.
442.5 H0543.8	Headquarters Wharf Light	48 33 43.0 053 57 45.3	Fl G 4s	.....	2	Mast. 2.6	Seasonal.
442.51	Hubley's Rock light buoy JS2	48 27 15.8 053 33 09.7	Fl R 4s	.....	.....	Red, spar, marked "JS2".	Seasonal.
442.513	Tilley's Rock light buoy JS3	48 27 13.1 053 33 12.0	Fl G 4s	.....	.....	Green, spar, marked "JS3".	Seasonal.
442.518	Abbotts Shoal light buoy JS4	Summerville. 48 27 15.2 053 33 12.9	Q R 1s	.....	.....	Red, spar, marked "JS4".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>BONAVISTA BAY</b>							
442.519 H0540.68	Summerville Wharf Light	48 27 14.0 053 33 17.2	Fl Y 5s	.....	2	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
442.52	Summerville Outer light buoy JS1	48 27 10.5 053 33 07.9	Fl G 4s	.....	.....	Green, spar, marked "JS1".	Seasonal.
442.6 H0540.65	Princeton Wharf Light	48 25 10.0 053 35 37.0	Fl G 4s	.....	2	Mast. 2.6	Seasonal.
442.7	Western Head light buoy J9	48 38 17.7 053 26 17.5	Fl G 4s	.....	.....	Green, pillar, marked "J9".	Seasonal.
442.75	Cary Rock light buoy JK3	48 37 42.0 053 24 03.0	Fl G 4s	.....	.....	Green, pillar, marked "JK3".	Seasonal.
442.8 H0540.4	Duntara Wharf Light	48 35 58.5 053 22 16.5	Fl R 4s	.....	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
442.9	The Brandishes light buoy JK4	48 37 14.7 053 24 56.1	Q R 1s	.....	.....	Red, pillar, marked "JK4".	Seasonal.
442.95	Keels Wharf Light	48 36 27.7 053 24 27.1	Fl Y 4s	.....	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
443 H0540	Kings Cove Head Light	48 34 32.0 053 19 25.0	Fl W 4s	53.6	5	White cylindrical tower. 8.3	Seasonal. Flash 1 s; eclipse 3 s.
443.1 H0540.1	Kings Cove Wharf Light	48 34 03.9 053 19 57.4	Fl R 4s	.....	4	Mast.	Seasonal. Flash 1 s; eclipse 3 s.
445.2	Bonavista Outer Shoal light buoy JB5	48 39 02.5 053 07 54.8	Fl G 4s	.....	.....	Green, spar, marked "JB5".	Seasonal (in place year round).
445.4	Bonavista Entrance light buoy JB7	48 39 00.1 053 07 11.6	Fl G 4s	.....	.....	Green, spar, marked "JB7".	Seasonal.
447 H0538	Bonavista Breakwater Light	48 38 58.1 053 07 06.2	Q R 1s	5.5	5	Mast. 2.4	Seasonal.
447.1	Bonavista Outer light buoy JB6	48 38 55.9 053 06 58.2	Fl R 4s	.....	.....	Red, spar, marked "JB6".	Seasonal.
448 H0539	Long Liner Wharf Light	48 39 00.8 053 06 50.5	Fl G 4s	2.8	2	Mast. 1.9	Seasonal.
448.1 H0539.5	Bonavista Floating Wharf Light	48 38 59.7 053 06 53.2	Fl G 4s	.....	2	Mast. 2.1	Year round.
448.3	Red Rock Shoal light buoy JB3	48 40 14.0 053 07 30.1	Fl G 4s	.....	.....	Green, pillar, marked "JB3".	Seasonal.
448.4	Stone Island light buoy JB2	48 41 48.0 053 07 48.0	Fl R 4s	.....	.....	Red, pillar, marked "JB2".	Seasonal.
449 H0536	<b>Cape Bonavista Light Station and Fog Signal</b>	48 42 05.8 053 05 07.4	Fl W 10s	50.3	17	Skeleton tower, red and white rectangular daymark. 12.7	Year round. Flash 1 s; eclipse 9 s. <b>Fog Horn</b> Blast 3 s; sil. 27 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

**BONAVISTA BAY**

449.5	<i>Brandy Rocks West Cardinal light and bell buoy JBR</i>	48 42 04.8 053 03 36.0	Q(9) W 15s	.....	.....	<i>Yellow-black-yellow, pillar, marked "JBR".</i>	<i>Seasonal.</i>
-------	---	---------------------------	------------	-------	-------	---	------------------