



Canadian
Coast Guard

Garde côtière
canadienne

List of Lights, Buoys and Fog Signals



Safety First, Service Always

Newfoundland and Labrador Coast 2026 Edition

Canada 

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
2026 Edition

Aussi disponible en français :

Livre des feux, des bouées et des signaux de brume – Côte de Terre-Neuve-et-Labrador
Édition 2026

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Canadian Coast Guard, 2026.

Cat. No. D16-5E-PDF. (Electronic PDF, English)
ISSN 2817-3635


Cat. No. D16-5F-PDF. (Electronic PDF, French)
ISSN 2817-3643

A web version is available here:

[List of Lights, Buoys and Fog Signals](#) (English)

[Livre des feux, des bouées et des signaux de brume](#) (French)

Geographic Coverage of the List of Lights Volumes



Record of Changes for 2026

LL No.	List of Lights Section	Corrections Published*
1 - 7.4	Cape Race to St. Shott's	Edn 05
7.5 - 14	St. Mary's Bay	
14.4 - 79	Placentia Bay	
100 - 120.1	Fortune Bay	
121 - 172	Southwest Coast	
173 - 208.06	West Coast	Edn 05
211 - 234	Strait of Belle Isle	
235 - 269.2	White Bay	Edn 05
269.99 - 317.5	Newfoundland and Labrador Coast	
326 - 395	Notre Dame Bay	
396 - 449.5	Bonavista Bay	Edn 05
450.1 - 471.51	Trinity Bay	Edn 05
471.7 - 498.2	Conception Bay	
499 - 516	Cape St. Francis to Renew's	

*Note: The detailed corrections to this volume of the *List of Lights, Buoys and Fog Signals* can be found in the following 2026 publications of the [Monthly Editions of Notices to Mariners](#) (Eastern edition only).

Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications, including the *List of Lights, Buoys and Fog Signals* publications. It is available [online](#) and also in [fillable PDF format](#).

For more information on the aids to navigation in this publication:

Please refer to the list of [Canadian Coast Guard Aids to Navigation offices](#) found at the end of this section of the publication.

To report emergencies or navigational hazards:

[Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- *16 on a cellphone (where available)

Emergency changes and, subsequently, the return to normal operation of the aid, are broadcast by [Navigational Warnings](#) as soon as possible.

Table of Contents

Introduction	iv
General Information	iv
Regional Information	vi
Abbreviations, Definitions and Explanations	vii
International Abbreviations Used	vii
National Abbreviations.....	vii
Light Signals	viii
Audible Signals.....	viii
Electronic Aids to Navigation.....	ix
Reading the Tables	x
Column Descriptions for an Aid to Navigation (Lights, Lighted Buoys, Fog Signals)	x
Column Descriptions for the RACON Annex.....	xiv
Column Descriptions for the AIS AtoN Annex.....	xv
Information Relating to Lights	xvi
Conversion Table for Heights and Distances (Metres to Feet).....	xvi
Table of Distances.....	xvii
Nomogram (Geographical Range)	xviii
Nominal Range Diagram	xix
Canadian Coast Guard Aids to Navigation Offices	xx

Introduction

General Information

The Canadian Aids to Navigation System

The Canadian Aids to Navigation System is comprised of a mix of visual, audible and electronic aids to navigation, which are provided to assist mariners in determining position and course, to warn of dangers or obstructions or to advise of the location of the best or preferred route.

It is a combined Lateral-Cardinal system and conforms to the IALA (International Association of Marine Aids to Navigation and Lighthouse Authorities) Maritime Buoyage System, Region B. Details of the Canadian aids to navigation system can be found in [The Canadian Aids to Navigation System 2023](#) publication. This publication also contains information on the [legal provisions relevant to, or governing aids to navigation](#).

Private Aids

Aids which are identified by the words “Private aid” are not owned by the federal government, a provincial government or a government agency. The Canadian Coast Guard considers any aid owned by a municipal government to be private. Since their quality of operations may not be maintained to Canadian Coast Guard standards, the user should ensure that the service provided by these aids is adequate for their needs in regard to navigating the ship safely.

Cautions in the Use of Aids to Navigation

1. Mariners are cautioned not to rely solely on buoys for navigation purposes. Navigation should be by bearings or angles from fixed aids on shore or other charted landmarks and by sounding or through the use of satellite or radio-navigation systems, whenever possible.
2. Most aids to navigation are not under continuous observation and mariners should be aware that failures and displacements do occur. The Canadian Coast Guard does not guarantee that all aids to navigation will operate as advertised or in the positions advertised, at all times. Mariners observing aids to navigation not operating, out of position, operating at reduced service, showing improper characteristics, damaged, or missing are responsible for reporting such problems to the nearest Canadian Coast Guard [Marine Communications and Traffic Services Centre](#) immediately or to the closest Canadian Coast Guard office.
3. Aids to navigation are subject to damage, failure and moving off position, which may be caused by ice, storms, vessel strikes, and power failures. Ice and storm damage may be widespread and require considerable time to repair. Damage to an isolated aid may exist for a long time without being discovered and reported. Floating aids and pier lights in or near the water which are exposed to particularly rigorous strain during ice movement are at the greatest risk of damage.
4. Mariners are cautioned that aids to navigation may fail to exhibit their advertised characteristics. Lights may be extinguished or appear at a reduced intensity and audible signals may not function due to ice, collisions, mechanical failure, and, in the case of bell and whistle buoys, calm water. The shape of an aid to navigation may be altered by ice formation or damage. The colour of an aid to navigation may be altered by freezing spray, marine growth, or fouling by birds. AIS aids, transponders, or shore-based systems may fail, and errors may be introduced by some electronic navigation systems.
5. Buoy positions shown on nautical charts should be considered as approximate positions. There are a number of limiting factors in accurately positioning buoys and their anchors. These factors include prevailing atmospheric and sea conditions, tidal and current conditions, seabed conditions and the fact that buoys are moored to anchors by varying lengths of chain and may drift about their charted positions within the scope of their moorings.
6. Since moving ice is liable to move buoys from their advertised positions, mariners should proceed with extreme caution under these circumstances.

7. Mariners are reminded that because of differences in horizontal datum (i.e. NAD 27, NAD 83, WGS84), grids on charts of an area may vary from one chart to another. When plotting the positions of aids to navigation by the latitude and longitude method, the results should be checked against other available information.
8. In some instances, it is necessary to establish a buoy in close proximity to or on a navigational hazard (e.g. shoal, reef or ledge). In these instances, the buoy symbol may be slightly offset on the chart in the direction of the preferred navigable water so that the existing hazard depicted on the chart will not be overprinted by the buoy symbol. Such offsets will be indicated on the chart by means of an arrow.
9. Mariners are cautioned not to navigate too closely to a buoy and risk a collision with it, its mooring, or with the underwater obstruction which it marks.
10. Many lights are equipped with sun switches. These lights, both on shore and on most buoys, may be unlit between sunrise and sunset. Mariners unable to see these lights during the daylight hours should not assume that the equipment is malfunctioning.
11. Atmospheric conditions can have a considerable effect on light transmission and the visibility of lights. For example:
 - a) The distance to a light cannot be reliably estimated from its apparent brightness.
 - b) It is difficult to distinguish between a white light and a yellow or blue light seen alone at night, except at a short distance.
 - c) Under some atmospheric conditions, white and yellow lights take on a reddish hue.
 - d) Alternating lights with phases of different luminous intensity may change their apparent characteristics at different distances because some phases may not be visible.
 - e) When observed from similar distances, lower intensity lights are more easily obscured by conditions of low visibility than more powerful lights. Coloured lights may appear to be a lower intensity than white lights and are more quickly lost under unfavourable circumstances.
 - f) Ice, frost, moisture, or dirt may form on lantern windows during cold weather or over time and more particularly this may reduce their visibility and could cause coloured lights to appear white.
 - g) A light exhibiting a very short flash may not be visible at as great a range as a light exhibiting a longer flash.
12. The mariner should not rely solely on colour when using a sector light, but should verify the vessel's line of position by taking a bearing on the light. On either side of the line of demarcation, between white and red, and also between white and green, there is always a small arc of uncertain colour.
13. When the arc of visibility of a light is cut off, for example by sloping land, the bearing at which it appears or disappears will vary with the observer's distance and height of eye.
14. The sighting of a light may be adversely affected by different situations, such as a strongly illuminated background, a colourful, or a changing background.
15. Audible aids to navigation. In view of the varying distances at which a fog signal can be heard at sea, and the frequent occurrence of fog near, but not observable from, a fog signal, mariners are cautioned that:
 - a) When approaching land in fog, they should not rely implicitly upon these fog signals, but should always take soundings, which in nearly all cases will give sufficient warning of danger.
 - b) Distance from a fog signal should not be judged by the power of the sound. Under certain atmospheric conditions, the sound may be lost at a very short distance from the signal. These conditions may vary within a very short period of time. Mariners should not assume that a fog signal is not in operation because they do not hear it, even when in close proximity.

16. Visual aids to navigation provided by the Canadian Coast Guard are for the purpose of assisting marine navigation. Hunters, snowmobilers and ice fishers are cautioned that aids to navigation installed for marine navigation purposes cannot be relied upon after the close of the marine navigation season. Such aids may stop operating without warning and will not be re-commissioned by the Canadian Coast Guard until the next opening of marine navigation season.
17. Mariners should be aware of the type of AIS aid to navigation they are using. Physical AIS aids are broadcast from a traditional aid, so their actual positions are reported, and they may be flagged as off position. Virtual AIS aids are broadcast from remote stations, and there are no associated traditional aids at their broadcast position. A Synthetic (Predicted) AIS aid is broadcast from a remote station as a signal placed over the position of a traditional fixed aid and its position will remain static if the associated aid is moved, damaged, or destroyed. AIS aid to navigation types may be differentiated by their information displays.

Regional Information

Atlantic Region

The lights on the South Coast of Newfoundland from Cape St. Francis on the Avalon Peninsula to Cape Anguille on the shore of Cabot Strait and certain lights in Notre Dame Bay, Bonavista Bay, Trinity Bay, Conception Bay and Bay of Islands are exhibited all year. All other lights under the control of the Canadian Coast Guard are maintained in operation whenever navigation in the vicinity is open. Lights used solely as harbour lights are not exhibited when the harbour is closed, although general navigation may remain open. Lights which are primarily for the benefit of fishermen are maintained only during the fishing season. In any case where there is reasonable doubt whether the light is required, it is kept in operation. During the winter, some lighted buoys are replaced with winter spars so that it should not be assumed that there are no aids present even though the lights in a given area have been extinguished for the season. The details of all changes in aids to navigation will be described in Navigational Warnings.

Navigational buoys at St. John's are listed as being in operation year round. While every effort is made to adhere to this period, mariners are cautioned that ice movement may result in the buoys being lifted and in some cases replaced by winter spars between January and April.

Due to potential ice conditions on the East Coast, lights on year round floating aids to navigation in these waters may be temporarily removed until ice conditions subside. Mariners are advised to use extreme caution when navigating the East Coast waters during this season.

Abbreviations, Definitions and Explanations

International Abbreviations Used

International Abbreviation	Term in English
AIS	Automatic Identification System
Al	Alternating
Bu	Blue
F	Fixed
Fl	Flashing
G	Green
h	Hour
Iso	Isophase
LFl	Long-flashing
m	Metre(s)
Mo	Morse Code
Oc	Occulting
ODAS	Ocean Data Acquisition System
Q	Quick
R	Red
s	Second(s) of time
V-AIS	Virtual AIS (AtoN)
VQ	Very Quick
W	White
WGS84	World Geodetic System 1984
Y	Yellow

National Abbreviations

National Abbreviation	Term in English
E.	East
Intl	International
N.	North
NAD 27	North American Datum of 1927
NAD 83	North American Datum of 1983
NE.	North-east
NM	Nautical mile(s)
No.	Number
NW.	North-west
RACON	Radar beacon
S.	South
SE.	South-east
sil.	Silence
SW.	South-west
VHF	Very high frequency
W.	West

Light Signals

General Terms Related to Light Signals

- **Bearings:** limits of light sectors and areas of visibility of lights and the alignments of leading lights and directional lights, given as bearings from seaward. The bearings of sectors are given in clockwise order.
- **Character:** distinctive combination of various aspects of a light which appear regularly or rhythmically allowing it to be identified, for example: fixed, flashing, alternating, etc.
- **Colour:** colour exhibited by the light.
- **Period:** time occupied by an entire cycle of intervals of light (flash) and darkness (eclipse).
- **Phase:** each successive element of a rhythmic light's cycle (i.e. flash, eclipse).
- **Rhythm:** pattern of light (flash) and darkness (eclipse) displayed by the light of an aid that allows its function to be identified in conjunction with the period and the colour of the light.

Types of Light Signal	Definitions
Aeronautical Light	A light generally of great intensity and elevation principally for aircraft navigation. Because of their intensity, these are often the first lights to be seen when approaching land.
Direction Light	A light illuminating a very narrow sector, used to mark a direction to be followed. This sector may be flanked by sectors of greatly reduced intensity or by sectors of different colour or character.
Emergency Light or Emergency Mode	A light that will be illuminated should the main light fail and has a distinctive light characteristic and is at a reduced intensity.
Locator Light	A secondary all-round light, placed on or near the support of a main sector light of higher intensity, to facilitate its location by mariners before being able to detect the directional light.
Main Light	The light providing the main function of the aid, or the most important light in a group of two or more lights on the same support or on neighbouring supports.
Range Lights (also known as "Leading Lights")	Two or more lights associated to form one or more leading lines (or ranges). A leading line defined by two such leading lights is called the axis of the lights. (Note: Lights are only visible in line of range, i.e. the specific bearing when the daymarks, if there are any, of the front and rear ranges are superimposed to make an hourglass shape.)
Secondary Light	A light placed on or near the support of a main light and having a special use in navigation.
Sector Light	A light presenting differing appearances (particularly in colour) over various parts of the horizon of interest to marine navigation. (Note: A white sector indicates the recommended course / safe passage.)

Audible Signals

The specific audible signal of an aid to navigation is indicated in the "Remarks" column.

Types of Audible Signals	Definitions
Bell	Equipment producing a characteristic sound by striking a bell-shape.
Fog Horn	Equipment consisting of a tube of varying transverse dimensions producing a characteristic sound.
Whistle	Equipment producing a shrill sound by releasing compressed air or steam across an opening.

Electronic Aids to Navigation

Details regarding radar reflectors, radar beacons (RACONS) and Automatic Identification System aids to navigation (AIS AtoN) can be found in [The Canadian Aids to Navigation System 2023](#) publication.

Radar reflectors

All lighted buoys reflect radar and thus radar reflectors on buoys are not mentioned in the “Remarks” column.

Some shore lights have a radar reflector to enhance their radar conspicuousness and these are noted in the “Remarks” column.

Radar Beacons (RACONS)

Radar beacons (RACONS) may be established at lighthouses, on buoys or at other specific charted locations ashore or afloat to enhance identification and detection range of these features by radar. A RACON can be identified by a series of coded pulses (Morse code). Some RACONS operate only in the “X” band (9320 to 9500 MHz), whilst others are dual band of “X & S” (“X” band plus “S” band of 2920 to 3100 MHz).

Notes:

- A RACON's actual range is dependent on many factors, including, but not limited to, the height of the RACON above the water, its type and model, the height of the radar antenna triggering the RACON, the radar type, model and settings, as well as the band used (X or S), the prevailing weather conditions, and whether there is a clear line of sight or not.
- As a guideline, and in ideal conditions, the nominal range for a RACON installed on a buoy should be between 6 and 8 nautical miles, while the range of a RACON installed on a shore structure should be somewhere between 10 and 20 nautical miles.

RACONS shown in this volume are indicated at the nearest light. The Morse code and the band of a RACON are noted in the “Name / RACON” column.

- A detailed listing of RACONS can be found in the dedicated annex at the end of each volume of the *List of Lights, Buoys and Fog Signals* publication.
 - This annex contains a list of all lighted aids with a RACON in order of their national number (No.), which are then listed under their respective section. Standalone RACONS are listed in the section that reflects most closely to their geographic location.

Automatic Identification System Aids to Navigation (AIS AtoN)

Automatic Identification System aids to navigation (AIS AtoN) may be established to supplement existing aids to navigation or aid systems, or where physical aid placement is impractical.

The following types of AIS AtoN may be used in Canada:

- Physical AIS AtoN: signal transmitted from an aid to navigation that physically exists.
- Virtual AIS AtoN: signal transmitted from a remote base station, indicating an aid that is only displayed on electronic navigation equipment and does not physically exist.
- Synthetic (Predicted) AIS AtoN: signal transmitted from a remote base station, supplementing a physical fixed aid whose position is not monitored.

AIS AtoN shown in this volume are those deployed in a permanent manner, and are listed with their AIS AtoN type and Maritime Mobile Service Identity (MMSI) number. They can also be found listed in the dedicated annex for reference. Additional information may be obtained from the [Canadian Coast Guard e-Navigation Portal](#).

Reading the Tables

Information on position, characteristic, colour, visible range, bearings, and arcs of visibility is intended for practical use in navigation. It should not be used as a basis for surveys or other work requiring a high order of precision.

Column Descriptions for an Aid to Navigation (Lights, Lighted Buoys, Fog Signals)

Lights, lighted buoys and fog signals are listed and described in an eight-column table. The contents and principal conventions are used as follows:

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

Column 1 – National and International Numbers

The national number (No.) is a number assigned to an aid to navigation to service a specific position. It is unique to its proper volume and can be one to eight digits long, including four decimal places. Generally, the numbering increases in the upstream direction.

The international number (Intl No.) is listed under the national number. It starts with one capital letter and followed by four to seven digits, including three decimal places. These numbers correspond to the numbers given in the *Admiralty List of Lights and Fog Signals* publication by the United Kingdom Hydrographic Office (UKHO).

There are two volumes that cover Canadian aids to navigation:

- Volume G: Western Side of South Atlantic Ocean and East Pacific Ocean
 - This covers the **Pacific Coast** volume of the *List of Lights, Buoys and Fog Signals*.
- Volume H: Northern and Eastern Coasts of Canada
 - This covers the **Newfoundland and Labrador Coast, Atlantic Coast, Inland Waters and Arctic Coast** volumes of the *List of Lights, Buoys and Fog Signals*.

Column 2 – Name and RACON

The name of an aid to navigation is based off official geographical names as per the [Canadian Geographical Names Database](#) by Natural Resources Canada. When there is no official name that is applicable to the aid, then local names would be used instead.

Other elements can be found in the name such as the type of light signal, the function of the aid (as described in [The Canadian Aids to Navigation System 2023](#) publication), and physical identifier (such as an aid designator on a buoy).

The typographic elements employed allow the following distinctions to be made:

- **Upright and bold type**: land-based lights with nominal range of at least 15 nautical miles
- Upright type: other land-based lights
- *Italic type*: buoys

If an aid to navigation is equipped with a RACON, then that will be indicated in a separate section underneath the aid name and includes the Morse Code letter and equivalent coded signal, and the radar band(s) that the RACON operates in.

Column 3 – Location and Geographic Positions

Additional information on the location of the aid to navigation may be described to complement what is written in the aid name.

The geographic positions of all aids to navigation listed in this volume are shown in degrees, minutes and seconds and are given in the North American Datum of 1983 (NAD 83) with an accuracy to a tenth of second.

In the case of range lights, the position of the rear light is also given by bearing and distance from the front light. The bearing is from seaward.

Column 4 –Light Characteristics

[Light characteristics](#) are composed of its [rhythm](#) (which includes the character), [colour](#), and [period](#).

- The [period](#) is not applicable to lights with a fixed (F) character.

Only the light characteristics of the main light of an aid to navigation are indicated in this column. Any additional light (secondary light, emergency light/mode, locator light or aeronautical light) is indicated in the “Remarks” column with their light characteristics.

Details regarding the basic types of light characters can be found in [The Canadian Aids to Navigation System 2023](#) publication.

Common Light Flash Characters

Below is a list of common light flash characters with their typical flash and eclipse sequence. Definitions of these characters have been included for reference. (Please note that any uncommon light flash characters and variations on the sequence of a character listed below is indicated in the “Remarks” column.)

Fixed (F) Light: light which appears continuous and steady and of constant colour.

Rhythmic Light: light exhibiting its character in recurring regular cycles.

- **Isophase (Iso):** light in which the alternations of light (flash) and darkness (eclipse) are of equal length.
 - **“Iso 2s”:** flash 1.0 s; eclipse 1.0 s
- **Flashing (FI):** light in which the flash is clearly shorter than the duration of darkness and in which the flashes of light are all of equal duration.
 - **Single-flashing light:** flashing light in which a flash is regularly repeated at a rate of less than 50 flashes per minute.
 - **“FI 4s”:** flash 0.5 s; eclipse 3.5 s
 - **Long-flashing light:** flashing light in which an appearance of light of not less than 2 seconds in duration (long flash) is regularly repeated.
 - **“LFI 10s”:** flash 2.0 s; eclipse 8.0 s
 - **Group-flashing light:** flashing light in which a group of flashes, specified in number, is regularly repeated.
 - **“FI(2) 5s”:** flash 0.4 s; eclipse 0.6 s; flash 0.4 s; eclipse 3.6 s
 - **“FI(2) 10s”:** flash 1.0 s; eclipse 1.0 s; flash 1.0 s; eclipse 7.0 s
 - **“FI(5) 20s”:** 4(flash 0.5 s; eclipse 1.5 s); flash 0.5 s; eclipse 11.5 s
 - **Composite group-flashing light:** light similar to a group flashing light except that successive groups in a period have different numbers of flashes.
 - **“FI(2+1) 6s”:** flash 0.3 s; eclipse 0.4 s; flash 0.3 s; eclipse 1.2 s; flash 0.3 s; eclipse 3.5 s
 - **“FI(2+1) 10s”:** flash 0.5 s; eclipse 0.7 s; flash 0.5 s; eclipse 2.1 s; flash 0.5 s; eclipse 5.7 s

- **Occulting (Oc)**: light in which the flash is clearly longer than the duration of darkness (eclipse) and in which the intervals of darkness are all of equal duration.
 - **Single-occulting light**: occulting light in which an eclipse is regularly repeated.
 - **Group-occulting light**: occulting light in which a group of eclipses are regularly repeated. The total duration of light in each period may be equal to the total duration of darkness.
- **Quick (Q)**: light in which flashes are repeated at a rate of not less than 50 flashes per minutes but less than 80 flashes per minute.
 - **Continuous quick-flashing light**: quick light in which a flash is regularly repeated.
 - **“Q 1s”**: flash 0.3 s; eclipse 0.7 s
 - **Group quick-flashing light**: quick light in which a specified group of flashes, specified in number, is regularly repeated.
 - **“Q(3) 10s”**: 2(flash 0.3 s; eclipse 0.7 s); flash 0.3 s; eclipse 7.7 s
 - **“Q(9) 15s”**: 8(flash 0.3 s; eclipse 0.7 s); flash 0.3 s; eclipse 6.7 s
 - **Group quick-flashing and long-flash light**: light in which a group of quick flashes is followed by a single long flash.
 - **“Q(6) + LFI 15s”**: 6(flash 0.3 s; eclipse 0.7 s); flash 2.0 s; eclipse 7.0 s
- **Very Quick (VQ)**: very quick-flashing light in which a flash is regularly repeated at a rate of not less than 80 flashes per minute but less than 160 flashes per minute (usually either 100 or 120 flashes per minute).
 - **Continuous very quick-flashing light**: very quick light in which a flash is regularly repeated.
 - **“VQ 0.5s”**: flash 0.2 s; eclipse 0.3 s
 - **Group very quick-flashing light**: very quick light in which a specified group of flashes, specified in number, is regularly repeated.
 - **“VQ(3) 5s”**: 2(flash 0.2 s; eclipse 0.3 s); flash 0.2 s; eclipse 3.8 s
 - **“VQ(9) 10s”**: 8(flash 0.2 s; eclipse 0.3 s); flash 0.2 s; eclipse 5.8 s
 - **Group very quick-flashing and long-flash light**: light in which a group of very quick flashes is followed by a single long flash.
 - **“VQ(6) + LFI 10s”**: 6(flash 0.2 s; eclipse 0.3 s); flash 2.0 s; eclipse 5.0 s
- **Morse Code (Mo)**: light in which flashes of light of two clearly different durations are grouped to represent a character or characters in the Morse Code.
 - **“Mo(A) 6s”**: flash 0.3 s; eclipse 0.6 s; flash 1.0 s; eclipse 4.1 s

Alternating (AI) Light: rhythmic light exhibiting different colours during each cycle.

Column 5 – Focal Height Above Water

Focal height of a light is above Higher High Water Large Tides, except in the St. Lawrence River west of Trois-Rivières, in the St. Lawrence Seaway, in the Great Lakes and in other inland waters where it is above chart datum.

The focal height is given in metres (m).

Column 6 – Nominal Range

The nominal range of a light used as a marine aid to navigation is its luminous range in a homogeneous atmosphere in which the meteorological visibility is 10 nautical miles.

The nominal range is given in nautical miles (NM). It is in **upright and bold type** when it is greater than or equal to 15 NM, and in upright type when it is less than 15 NM.

Column 7 – Description and Height of Structure Above Ground Level

For buoys, the shape and colour(s) of the buoy is described, along with its designator (if applicable).

For fixed aids, the shape and colours of the structure and daymark are described (if applicable).

- For range lights: if a daymark is mentioned, but no shape is described, then it can be assumed that the shape of the daymark is trapezoidal.
- The height of the structure above ground level will be indicated in a separate section underneath the aid description (if applicable).

Column 8 – Remarks, Audible Signals and AIS

This column is dedicated to any notable remarks regarding an aid to navigation, including separate sections for audible signals and AIS aids to navigation (if applicable).

- **Private aid** (as applicable)
- **Period of service** of the aid to navigation (applies to all aids)
 - Seasonal: AtoN that is in service for a certain service period, usually determined by winter weather.
 - Seasonal (in place year round): AtoN that has a specific service period, but is not removed from its established position between periods.
 - Year round: AtoN that is operational all-year round. This includes summer buoys with winter spar replacements.
 - Year-round lighted spar (YRLS) buoys are mentioned here, if applicable.
- **Winter spar** (buoys only, if applicable)
 - This mention indicates if a summer buoy is replaced by a winter spar during the winter season.
- **Light operation** (as applicable)
 - The light on an aid to navigation operates at night only, unless otherwise indicated here (such as day or 24 hours).
- **Light flash character sequence** (as applicable)
 - The flash and eclipse sequence of any uncommon light flash character or variation on [common light flash characters described above](#) will be indicated here.
- **Arc of visibility** (lighted fixed aids only, if applicable)
 - The light of an aid to navigation is visible from all points of marine approach, unless indicated here (e.g. sector lights). The bearings are given from seaward.
- **Additional lights** (lighted fixed aids only, if applicable)
 - If there are any additional lights to the main light (such as a secondary light, emergency light/mode, locator light or aeronautical light), then they will be indicated here with their light characteristic.
 - Note: The light characteristic of “Emergency Mode” will not be indicated as it is always Iso 1s.
- **Radar reflector** (shore lights only, if applicable)
- **Additional remarks** (as applicable)
 - All other remarks will be listed here such as VHF activation procedures.

The “**Audible Signals**” section will indicate:

- the type of audible signal (bell, fog horn or whistle) and
- any other pertinent information (such as the sequence of blast and silence for fog horns).

The “**AIS**” section will indicate:

- the type of AIS AtoN (physical, virtual or synthetic AIS AtoN),
- the MMSI number, and
- the AtoN Type, as defined by The International Telecommunication Union (ITU), for virtual AIS AtoN.

Column Descriptions for the RACON Annex

No.	Name	Latitude N. Longitude W.	Morse Code Identifier	Radar Bands	Period of Service
-----	------	-----------------------------	--------------------------	-------------	-------------------

Column 1 – National Number

The national number (No.) is a number assigned to an aid to navigation to service a specific position. It is unique to its proper volume and can be one to eight digits long, including four decimal places.

If the RACON is part of a lighted aid, then this will be the same number as found in the table of lights.

Column 2 – Name

The name of an aid to navigation is based off official geographical names as per the [Canadian Geographical Names Database](#) by Natural Resources Canada. When there is no official name that is applicable to the aid, then local names would be used instead.

If the RACON is part of a lighted aid, then this will be the same name as found in the table of lights.

Column 3 – Geographic Positions

The geographic positions of all aids to navigation listed in this volume are shown in degrees, minutes and seconds and are given in the North American Datum of 1983 (NAD 83) with an accuracy to a tenth of second.

Column 4 – Morse Code Identifier

This column indicates the Morse Code letter and equivalent coded signal.

Column 5 – Radar Bands

This column indicates the radar band(s) that the RACON operates in.

Column 6 – Period of Service

This columns indicates the period of service of the aid.

Column Descriptions for the AIS AtoN Annex

LL No.	AIS Broadcast Name	Latitude N. Longitude W.	Type of AIS AtoN	AtoN Type (ITU)	Remarks
--------	--------------------	-----------------------------	---------------------	--------------------	---------

Column 1 – LL No.

The national number (LL No.) is a number assigned to an aid to navigation to service a specific position. It is unique to its proper volume and can be one to eight digits long, including four decimal places.

AIS AtoN, including virtual AIS AtoN, are also found in the table of lights.

Column 2 – AIS Broadcast Name

Due to the limitations on the number of characters allowed for this information in Message 21, the AIS Broadcast Name is a truncated or abbreviated version of the name found in the table of lights.

Column 3 – Geographic Positions

The geographic positions of all aids to navigation listed in this volume are shown in degrees, minutes and seconds and are given in the North American Datum of 1983 (NAD 83) with an accuracy to a tenth of second.

Column 4 – Type of AIS AtoN

The column indicates the specific type of AIS AtoN: physical, virtual or synthetic (AIS AtoN).

Column 5 – AtoN Type (ITU)

This column refers to the AtoN Type as defined by The International Telecommunication Union (ITU).

Column 6 – Remarks

This column indicates the MMSI number and the period of service of the aid.

Information Relating to Lights

Conversion Table for Heights and Distances (Metres to Feet)

Metres	Feet
1	3.2
2	6.5
3	9.8
4	13.1
5	16.4
6	19.6
7	22.9
8	26.2
9	29.5
10	32.8
20	65.6
30	98.4
40	131.2
50	164.0
100	328.0
200	656.1
300	984.2
400	1,312.3
500	1,640.4
1,000	3,280.8
2,000	6,591.6

1 NAUTICAL MILE = 1852 metres

Note:

The following conversion factors may also be of assistance:

- multiply feet by 0.3048 to obtain metres
- divide metres by 0.3048 to obtain feet


Table of Distances

Table of Distances at which objects can be seen at sea, according to their respective elevations and the elevation of the eye of the observer.

Height (metres)	Distances (nautical miles)
2	2.9
3	3.6
4	4.2
5	4.6
6	5.1
7	5.5
8	5.9
9	6.2
10	6.6
12	7.2
14	7.8
16	8.3
18	8.8
20	9.3
25	10.4
30	11.4
35	12.3
40	13.1
45	13.9
50	14.7
55	15.4
60	16.1
70	17.4
80	18.6
90	19.7
100	20.8
120	22.8
140	24.6
160	26.3
180	27.6
200	29.4
250	32.9
300	36.0
350	38.9
400	41.6


Example: An observer whose eye is 12 metres above the water can see a light having an elevation of 40 metres above the water at a distance of: **7.2 + 13.1 = 20.3 nautical miles.**

Nomogram (Geographical Range)



By using the above Nomogram, a geographical range can be determined by placing a straight edge against the height of the respective light and the height of the observer above water level.

Nominal Range Diagram



Column 7 of the List of Lights gives the nominal range of each light, where there is sufficient light to be seen 2 nautical miles or more when the meteorological visibility is 10 nautical miles.

When the mariner obtains the meteorological visibility from the weather report, he can find the distance the light can be seen at night from the nominal range diagram.

Example: The List of Lights gives the nominal range of 16 nautical miles. The weather report gives the meteorological visibility of 2 nautical miles. The point on the bottom of the diagram marked “16” is followed upwards until it intersects the curve marked “2 Nautical Miles.” Follow that height horizontally to the left margin to find that the visibility of the light, which is 5 nautical miles.

Caution: The nominal range diagram is correct when the meteorological visibility is the same in the whole of the distance between the ship and the light. Conditions occur when this may not be true.

Canadian Coast Guard Aids to Navigation Offices

Mariners or other persons wishing to communicate with the Canadian Coast Guard concerning aids to navigation may do so at the following offices:

<p style="text-align: center;"><u>ATLANTIC REGION</u></p> <p>Regional Headquarters P.O. Box 5667 St. John's, NL A1C 5X1</p> <p>Operations Supervisor, Aids to Navigation 175 McIlveen Drive Saint John, NB E2L 4B3 Telephone: 1-506-636-4708 (B)</p> <p>MCTS Refer to RAMN (H/N)</p> <p>Navigational Warnings Telephone: 1-709-695-2168 (B) (H/N) 1-902-564-7751 (B) (H/N) 1-800-686-8676 (B) (H/N) (TF)</p> <p>Email: NAVWARN.MCTSPortAuxBasques@innav.gc.ca NAVWARN.MCTSSydney@innav.gc.ca</p>	<p style="text-align: center;"><u>CENTRAL REGION</u></p> <p style="text-align: center;"><u>St. Lawrence Sector</u></p> <p>Québec, QC Superintendent, Aids to Navigation Supervisor, Operations 1550, Avenue D'Estimauville Québec, QC G1J 5E9</p> <p>Telephone: 1-418-649-6999 (B) 1-581-443-6293 (B)</p> <p>Email: DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca</p>
<p style="text-align: center;"><u>ARCTIC REGION</u></p> <p>Yellowknife, NT Superintendent Navigational Programs 5120 49th Street, 3rd Floor Yellowknife, NT X1A 1P8</p> <p>Telephone: 1-867-444-0109 (B)</p> <p>Email: DFO.CCGArcticAidsNavigation-AidesalaNavigationArctiqueGCC.MPO@dfo-mpo.gc.ca</p> <p>Navigational Warnings Telephone: 1-867-979-5269 (B) (H/N)</p> <p>Email: NAVWARN.MCTSIqaluit@innav.gc.ca</p>	<p style="text-align: center;"><u>Great Lakes Sector</u></p> <p>Sarnia, ON Supervisor, Operations Aids to Navigation 520 Exmouth Street Sarnia, ON N7T 8D1</p> <p>Telephone: 1-226-402-1052 (E) 1-705-773-4342 (E)</p> <p>Email: DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca</p> <p>MCTS Refer to RAMN (H/N)</p> <p>Navigational Warnings Telephone : 1-613-925-0666 (B) (H/N)</p> <p>Email: AVNAV.SCTMPrescott@innav.gc.ca</p>
	<p style="text-align: center;"><u>WESTERN REGION</u></p> <p>Victoria, BC Superintendent Aids to Navigation and Waterways 25 Huron Street Victoria, BC V8V 4V9</p> <p>Telephone: 1-250-480-2600 (E) 1-800-667-2179 (TF)</p> <p>Email: DFO.CCGWesternAidstoNavigation-AidesalaNavigationOuestGCC.MPO@dfo-mpo.gc.ca</p> <p>Navigational Warnings Telephone: 1-250-627-3070 (H/N)</p> <p>Email: NAVWARN.MCTSPrinceRupert@innav.gc.ca</p>

(B) Bilingual Service

(E) English Only Service

(TF) Toll Free

(H/N) Holidays and Nights

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE RACE TO ST. SHOTT'S							
1 H444	Cape Race Light Station & Fog Signal	46 39 30.9 053 04 25.0	FI W 7.5s	51.8	27	White cylindrical tower, red upper portion. 20.7	Year round. Operates 24 h. Flash 0.25 s; eclipse 7.25 s. Fog Horn Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.
1.55	<i>Portugal Cove South Fairway light buoy MPS</i>	46 41 25.0 053 17 25.0	LFI W 10s	<i>Red-white, pillar, marked "MPS".</i>	Year round. Audible signal: Bell
1.91	<i>Portugal Cove South light buoy MPS1</i>	46 42 16.3 053 15 40.4	FI G 4s	<i>Green, pillar, marked "MPS1".</i>	Seasonal (in place year round).
2 H0443.4	Portugal Cove South Light and Fog Signal	46 42 16.3 053 15 37.3	FI R 5s	9.1	6	Square skeleton tower. 4.3	Seasonal. Flash 1 s; eclipse 4 s. Fog Horn Blast 5 s; sil. 55 s.
3	<i>Emerald Shoal light buoy ME2</i>	<i>Trepassey. 46 44 30.0 053 22 26.6</i>	FI R 4s	<i>Red, spar, marked "ME2".</i>	Year round.
3.5 H443.2	Trepassey Wharf Light	On outer end of wharf, Trepassey Harbour. 46 44 07.2 053 22 14.2	FI R 4s	4.3	4	Mast. 2.2	Year round.
4 H0443	Trepassey Harbour Light	46 43 28.4 053 22 57.9	Iso R 6s	5.5	Square skeleton tower, red and white rectangular daymark.	Year round.
5 H0442	Powles Head Light Station	Trepassey. 46 41 25.0 053 24 05.9	FI W 10s	30.8	22	Red and white cylindrical tower. 2.4	Year round. Flash 0.2 s; eclipse 9.8 s. Fog Horn Blast 4 s; sil. 56 s.
5.5	<i>Powles Head light and bell buoy ME</i>	46 41 15.0 053 24 45.0	Mo(A) W 6s	<i>Red-white, pillar, marked "ME".</i>	Year round. Audible signal: Bell
6 H0440	Cape Pine Light Station and Fog Signal	46 37 01.1 053 31 53.1	FI W 5s	95.7	16	Cylindrical tower, red and white horizontal bands. 18.4	Year round. Operates 24 h. Fog Horn Blast 4 s; sil. 56 s.
6.5	<i>Cape Pine light buoy M14</i>	46 36 21.0 053 32 36.0	FI R 4s	<i>Red, pillar, marked "M14".</i>	Year round. Audible signal: Bell
7 H0438	St. Shotts Fog Signal Station	46 37 25.0 053 35 39.6	White square building, brown roof.	Year round. Fog Horn Blast 2 s; sil. 8 s; blast 2 s; sil. 8 s; blast 2 s; sil. 38 s.
7.2	<i>St. Shotts light buoy MC</i>	46 37 40.6 053 36 46.9	Mo(A) W 6s	<i>Red-white, pillar, marked "MC".</i>	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

CAPE RACE TO ST. SHOTT'S

7.4	Lamb Rock North Cardinal light buoy MLR	46 27 57.6 054 01 43.8	Q W 1s	Black-yellow, pillar, marked "MLR".	Year round.
-----	---	---------------------------	--------	-------	-------	--	-------------

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. MARY'S BAY							
7.5	Point La Haye light buoy MH2	La Haye Point. 46 53 35.8 053 37 35.9	Fl R 4s	Red, pillar, marked "MH2".	Year round.
8 H0436	La Haye Point Light Station and Fog Signal	46 54 15.6 053 36 58.8	Fl W 6s	18.9	17	Square skeleton tower with octagonal upper portion. 11.3	Year round. Flash 1 s; eclipse 5 s. Fog Horn Blast 3 s; sil. 27 s.
8.1	Riverhead Outer light buoy MH4	46 57 38.9 053 31 37.8	Fl R 4s	Red, spar, marked "MH4".	Year round.
8.12	Riverhead Inner light buoy MH6	46 57 53.1 053 31 39.8	Q R 1s	Red, spar, marked "MH6".	Year round.
8.2 H0435	Riverhead Wharf Light	46 57 47.0 053 31 20.5	Fl G 4s	4.3	4	Mast.	Year round. Flash 1 s; eclipse 3 s.
8.5 H0434.5	Admirals Beach Wharf Light	47 00 22.9 053 38 36.5	Fl R 4s	2	Mast.	Seasonal.
8.6 H0435.5	O'Donnells Wharf Light	47 04 06.7 053 34 18.5	Fl R 4s	4	Mast.	Year round. Flash 1 s; eclipse 3 s.
8.7	South Point (Great Collinet Island) light buoy MS	46 56 08.6 053 43 09.6	Fl(2+1) R 6s	Red-green-red, pillar, marked "MS".	Year round.
9 H0434	Great Colinet Island Light	47 00 46.1 053 41 07.3	Fl W 4s	20.0	8	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.
10 H0433	Branch West Breakwater Light and Fog Signal	46 52 42.0 053 57 01.0	Oc G 6s	2.0	4	Mast. 1.8	Seasonal. Flash 4 s; eclipse 2 s. Fog Horn Blast 3 s; sil. 27 s. In operation 0400 to 2200 hours (approx.) each day during foggy weather; later if required by fishermen.
10.1 H0433.1	Branch West Inner Breakwater Light	46 52 48.0 053 57 02.0	Fl G 4s	2.0	2	Mast. 1.6	Seasonal.
10.2 H0433.05	Branch Fish Plant Wharf	46 52 54.7 053 57 02.8	Fl G 4s	3.5	2	Mast. 2.4	Year round.
10.5 H0433.2	Branch East Breakwater Light	46 52 45.6 053 57 00.6	Fl R 4s	4.4	2	Mast. 2.4	Seasonal.
10.51 H0433.3	Branch East Inner Breakwater Light	46 52 54.0 053 57 02.0	Fl R 4s	2	Mast.	Seasonal.
11	Branch Cove light buoy MB3	Outside of the harbour entrance. 46 52 34.1 053 56 48.7	Fl G 4s	Green, pillar, marked "MB3".	Year round.
12	St. Mary's Cays light and bell buoy M16	Cape St. Mary's. 46 41 55.2 054 13 09.8	Fl R 4s	Red, pillar, marked "M16".	Year round. Audible signal: Bell

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. MARY'S BAY

13	Point Lance light buoy ML	46 47 00.0 054 03 16.0	Mo(A) W 6s	Red-white, pillar, marked "ML".	Year round.
13.5 H0432.8	Bull Island Point Fog Signal	46 47 51.4 054 06 00.9	Square skeleton tower. 2.2	Seasonal. Fog Horn Blast 5 s; sil. 55 s.
14 H0432	Cape St. Mary's Light Station and Fog Signal	46 49 23.0 054 11 45.6	Fl W 5s	118.9	21	White octagonal tower. 12.0	Year round. Operates 24 h. Fog Horn Blast 3 s; sil. 27 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
14.4	St. Bride's light buoy PSB2	46 54 52.0 054 11 04.0	Fl R 4s	Red, spar, marked "PSB2".	Seasonal (in place year round).
14.41	St. Bride's Entrance light buoy PSB4	46 55 05.9 054 10 44.3	Q R 1s	Red, spar, marked "PSB4".	Seasonal (in place year round). Operates 24 h.
14.5	St. Bride's Port Entrance light buoy PSB3	46 55 07.2 054 10 41.2	Fl G 4s	Green, spar, marked "PSB3".	Seasonal (in place year round).
14.56 H0429.2	St. Bride's Floating Wharf Light	46 55 02.4 054 10 36.9	Fl Y 5s	2	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
14.6 H0429.5	St. Bride's Breakwater Light	46 55 05.0 054 10 40.0	Fl W 5s	7.9	8	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s. Visible 245°-330°.
14.8 H0429	St. Bride's Light	46 55 05.5 054 10 37.1	Fl R 5s	3.4	4	Mast. 2.5	Seasonal. Flash 1 s; eclipse 4 s.
14.81 H0429.6	St. Bride's Inner Wharf Light	46 55 05.8 054 10 34.6	Fl G 4s	2	Cylindrical mast.	Year round.
15 H0430	St. Bride's Fog Signal	46 54 55.5 054 10 43.0	Square skeleton tower.	Seasonal. Fog Horn Blast 3 s; sil. 27 s. In operation 0400 to 2200 hours (approx.) each day during foggy weather; later if required by fishermen.
15.5	Gibraltar Rock light buoy PX2	Point Verde. 47 13 41.4 054 02 51.3	Fl R 4s	Red, pillar, marked "PX2".	Year round.
16 H0422	Point Verde Light Station	47 14 15.9 054 00 56.7	Fl W 4s	29.9	17	Square skeleton tower, red and white square daymark. 11.3	Year round. Flash 1 s; eclipse 3 s.
17 H0424	Placentia Harbour front range light	47 14 50.2 053 57 51.3	F R	6.0	13 Square skeleton tower, white daymark with red vertical stripe. 4.3	Year round. Operates 24 h.
18 H0424.1	Placentia Harbour rear range light	47 14 50.0 053 57 48.4 091°06' 59.1 m from front.	F R	8.7	13 Square skeleton tower, white daymark with red vertical stripe. 7.0	Year round. Operates 24 h.
18.2	Placentia Gut Outer light buoy PX4	47 14 55.1 053 58 00.0	Fl R 4s	Red, pillar, marked "PX4".	Year round.
18.4 H0423	Jerseyside Wharf Light	47 15 14.3 053 57 34.7	Fl G 4s	4	Mast.	Year round. Flash 1 s; eclipse 3 s.
19	Come by Chance light and whistle fairway buoy PCC Racon A (.-) X & S Bands	47 19 29.9 054 07 26.1	Mo(A) W 6s	Red-white, pillar, marked "PCC".	Year round. Audible signal: Whistle

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
19.5	Red Island Shoal ODAS light buoy	47 19 03.0 054 07 30.0	Fl(5) Y 20s	Yellow, ODAS.	Seasonal. Operates 24 h.
Argentia							
20	Argentia light buoy A2	47 20 14.4 054 00 36.3	Fl R 4s	Red, pillar, marked "A2".	Year round.
22	Red Island Shoal West Cardinal light and whistle buoy EDD	47 24 03.0 054 03 20.0	Q(9) W 15s	Yellow-black-yellow, pillar, marked "EDD".	Year round. Audible signal: Whistle
23	Argentia light buoy A4	47 20 09.4 053 59 08.3	Fl R 4s	Red, pillar, marked "A4".	Year round.
26	Argentia light buoy A6	47 19 47.7 053 58 16.5	Fl R 4s	Red, pillar, marked "A6".	Year round.
26.5	Argentia light buoy A8	47 18 53.4 053 57 56.3	Fl R 4s	Red, pillar, marked "A8".	Year round.
28	Argentia Harbour light buoy A10	47 18 03.4 053 58 19.3	Fl R 4s	Red, pillar, marked "A10".	Year round.
28.1	Argentia Harbour light buoy A13	47 17 26.4 053 59 05.2	Fl G 4s	Green, spar, marked "A13".	Year round.
28.2 H0417	Argentia Fleet Dock Wharf	47 17 52.2 053 58 57.8	Fl Y 4s	3	Cylindrical mast.	Private aid. Year round.
28.3	Travers Cove Point light buoy A11	47 17 41.4 053 58 33.5	Fl G 4s	Green, pillar, marked "A11".	Year round. Operates 24 h.
29 H0410	Argentia Harbour front range light	47 17 11.1 053 59 36.5	F G	8.6	14 Square skeleton tower, red daymark with white vertical stripe. 6.4	Year round. Operates 24 h.
30 H0410.1	Argentia Harbour rear range light	47 17 06.0 053 59 44.5 228°00' 233.8 m from front.	F G	15.6	14 Square skeleton tower, red daymark with white vertical stripe. 12.4	Year round. Operates 24 h.
36	Fox Harbour Outer light buoy AF2	47 19 12.1 053 55 20.6	Fl R 4s	Red, spar, marked "AF2".	Year round.
36.2	Fox Harbour Inner light buoy AF4	47 19 11.4 053 55 17.9	Fl R 4s	Red, spar, marked "AF4".	Year round.
36.3	Fox Harbour light buoy AF5	47 19 11.0 053 55 14.4	Fl G 4s	Green, spar, marked "AF5".	Year round.
37	Fox Island	At the entrance to Long Harbour. 47 21 16.9 053 59 43.9	Fl W 6s	8	Square skeleton tower, red and white rectangular daymark.	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
37.4	Fish Rocks South Cardinal light buoy ELH	47 22 26.2 054 00 54.8	Q(6) + W 15s LFI	Yellow-black, pillar, marked "ELH".	Year round.
37.45	Tim Barrett Rock light buoy EL2	Long Harbour. 47 24 29.9 053 52 35.6	FI R 4s	Red, pillar, marked "EL2".	Year round. Operates 24 h.
37.5 H0400.4	Shag Rocks Light	Long Harbour. 47 24 38.5 053 54 45.9	FI W 4s	12.8	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.
37.509 H0400.6	Mount Arlington Heights Wharf Light	47 25 39.3 053 51 44.0	FI Y 4s	2	Cylindrical mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
37.51	Chance Rock light buoy PFH5	Fair Haven. 47 31 43.2 053 54 06.6	FI G 4s	Green, spar, marked "PFH5".	Year round. Operates 24 h.
37.52 H0400.2	Fair Haven Breakwater Light	47 31 54.9 053 53 55.8	FI G 4s	2	Mast.	Year round. Flash 1 s; eclipse 3 s.
37.53	Fair Haven Point Shoal light buoy PFH3	47 31 18.8 053 54 43.0	Q G 1s	Green, spar, marked "PFH3".	Year round. Operates 24 h.
37.6	Coopers Ledge light buoy PFH1	Fair Haven. 47 31 28.9 053 56 02.2	FI G 4s	Green, pillar, marked "PFH1".	Year round. Operates 24 h.
37.7	Big Shoal light buoy PFH2	Fair Haven. 47 31 24.0 053 56 21.0	FI R 4s	Red, pillar, marked "PFH2".	Year round. Operates 24 h.
38	Little Harbour East light buoy EE	47 38 21.6 053 57 40.3	Fl(2) W 5s	Black-red-black, pillar, marked "EE".	Year round. Operates 24 h. Flash 0.4 s; eclipse 0.6 s; flash 0.4 s; eclipse 3.6 s.
38.08	Little Harbour East Outer light buoy EE3	47 38 20.2 053 56 17.2	FI G 4s	Green, spar, marked "EE3".	Year round. Operates 24 h.
38.09	Little Harbour East Inner light buoy EE4	47 38 29.5 053 56 09.0	FI R 4s	Red, spar, marked "EE4".	Year round. Operates 24 h.
38.1 H0397.3	Little Harbour East Wharf Light	47 38 32.8 053 56 10.6	FI G 4s	2	Mast.	Year round. Flash 1 s; eclipse 3 s.
38.2	Barachois Head light buoy EC1	Come By Chance. 47 48 15.4 054 00 40.2	FI G 4s	Green, spar, marked "EC1".	Year round.
38.5	Little Southern Harbour light buoy ES	Southern Harbour. 47 41 52.3 053 58 37.0	Mo(A) W 6s	Red-white, pillar, marked "ES".	Year round.
38.55	Great Southern Harbour Shoal light buoy EGS	Southern Harbour. 47 43 39.0 053 58 20.0	VQ(9) W 10s	Yellow-black-yellow, spar, marked "EGS".	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

PLACENTIA BAY

38.56 H0396.5	Little Southern Harbour Breakwater Light	Southern Harbour. 47 43 07.8 053 57 46.3	Fl G 4s	2	Mast. 2.6	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
38.62	Williams Rock light and bell buoy EW1	NW. of Bread Island. 47 43 33.0 054 06 57.0	Fl G 4s	Green, pillar, marked "EW1".	Year round. Audible signal: Bell
38.65	Big Shoal South light buoy EW2	Come By Chance. 47 46 12.0 054 05 48.0	Fl R 4s	Red, pillar, marked "EW2".	Year round. Operates 24 h.
38.67	Big Shoal West cardinal light buoy EWC	Come By Chance. 47 47 34.5 054 06 24.5	Q(9) W 15s	Yellow-black-yellow, pillar, marked "EWC".	Year round. Operates 24 h.
38.7 H0396	Arnold's Cove Breakwater Light	47 45 31.3 053 59 28.3	Fl R 4s	4.5	4	Mast. 2.4	Year round.
38.75	Arnold's Cove Inner light buoy EA2	47 45 31.7 053 59 36.5	Q R 1s	Red, spar, marked "EA2".	Year round. Operates 24 h.
38.8	Arnold's Cove light buoy EA	47 44 47.7 054 00 50.0	Mo(A) W 6s	Red-white, pillar, marked "EA".	Year round.
39 H0394	Bordeaux Island Light	47 44 29.6 054 01 53.4	Fl W 6s	26.5	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 0.5 s; eclipse 5.5 s.
39.1	Big Shoal light and bell buoy E9	NW. of Bordeaux Island. 47 45 21.5 054 04 15.6	Fl G 4s	Green, pillar, marked "E9".	Year round. Audible signal: Bell
39.2	Whiffen Head VTS light buoy E10	47 46 10.0 054 02 02.5	Fl R 4s	Red, pillar, marked "E10".	Year round.
39.3	Come By Chance VTS light and bell buoy E11	47 46 54.5 054 03 05.0	Fl G 4s	Green, pillar, marked "E11".	Year round. Audible signal: Bell
39.31	The Ground (Come by Chance) light buoy E14	47 47 39.7 054 01 02.5	Fl R 4s	Red, pillar, marked "E14".	Year round.
39.4	Fox Head light buoy E12	Come By Chance. 47 47 24.1 054 01 31.7	Q R 1s	Red, pillar, marked "E12".	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
39.41 H0394.5	Come By Chance Harbour front range light	47 48 44.0 054 00 27.1	F W	29.9	16	Skeleton tower, red daymark with white vertical stripe. 20.0	Year round. Operates 24 h. Increased lantern intensity of range lights is available from a distance on channel 68 (156.425 MHz). To increase to high intensity for 30 min, 27.8 NM nominal range, key microphone of VHF radio 5 consecutive times in 5 seconds on channel 68. The high intensity setting can be reduced to the low intensity setting, 16 NM nominal range, by keying the microphone 5 times within 5 secs.
39.42 H0394.51	Come By Chance Harbour rear range light	47 48 55.8 054 00 12.3 039°57' 484.3 m from front.	F W	61.6	16	Square skeleton tower, red daymark with white vertical stripe. 20.0	Year round. Operates 24 h. Increased lantern intensity of range lights is available from a distance on channel 68 (156.425 MHz). To increase to high intensity for 30 min, 27.8 NM nominal range, key microphone of VHF radio 5 consecutive times in 5 seconds on channel 68. The high intensity setting can be reduced to the low intensity setting, 16 NM nominal range, by keying the microphone 5 times within 5 secs.
39.7 H0391	North Harbour Wharf Light	47 50 45.4 054 05 47.7	Fl G 4s	4.9	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
40 H0390	North Harbour Point Light	North Harbour. 47 49 14.0 054 05 52.7	Fl W 5s	11.8	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
40.5 H0391.5	Garden Cove Wharf Light	47 51 03.0 054 09 31.0	Fl R 4s	5	Mast.	Year round.
42 H0388	Sound Island Point Light	47 47 21.0 054 10 01.7	Fl W 4s	10.4	5	Square skeleton tower, red and white rectangular daymark. 5.2	Year round.
43	<i>Bread Island Shoal light and bell buoy E7</i>	47 43 41.2 054 04 08.8	Q G 1s	<i>Green, pillar, marked "E7".</i>	Year round. Audible signal: Bell
43.5	<i>Coombes Rock light and whistle buoy E6</i>	<i>W. of Southern Harbour. 47 42 38.8 054 02 19.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "E6".</i>	Year round. Audible signal: Whistle
43.7 H0397.2	Haystack Point	47 38 53.4 054 03 25.8	Fl W 6s	18.7	5	Square skeleton tower, red and white rectangular daymark.	Year round. Operates 24 h. Flash 0.5 s; eclipse 5.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
44 H0397	Long Island Point Light	47 41 42.0 054 04 50.0	FI W 4s	15.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Year round.
44.09	Davis Cove Wharf Light	47 38 09.1 054 20 24.5	FI Y 5s	4	Pipe tower.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
44.1 H0397.5	Tobin's Point Light	Bar Haven. 47 42 48.0 054 12 24.0	FI W 3s	6.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Flash 0.5 s; eclipse 2.5 s.
44.4	La Plante Sunker West Cardinal light buoy PLS	La Plante Cove. 47 45 15.5 054 13 33.1	Q(9) W 15s	Yellow-black-yellow, spar, marked "PLS".	Year round.
44.5	Haystack Bank light and whistle buoy E4	E. of Long Island. 47 36 59.7 054 00 53.2	FI R 4s	Red, pillar, marked "E4".	Year round. Audible signal: Whistle
44.8	Buffett Bank light and bell buoy E3	E. of Buffett Harbour. 47 31 56.5 054 01 45.7	FI G 4s	Green, pillar, marked "E3".	Year round. Audible signal: Bell
45 H0398	Harbour Buffett Light	Buffett Harbour. 47 31 35.0 054 03 02.0	FI W 3s	14.6	5	Square skeleton tower, red and white rectangular daymark. 4.9	Year round.
45.2 H0399	Ironskull Rock Light	E. of Great Seal Island. 47 27 28.0 054 04 32.0	FI G 6s	10.4	4	Square skeleton tower. 7.6	Year round. Flash 0.5 s; eclipse 5.5 s.
49 H0400	Red Island Light	47 23 58.0 054 08 44.0	FI W 5s	16.1	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
49.1	Red Island Inner light buoy ER5	47 23 56.5 054 09 02.5	FI G 4s	Green, spar, marked "ER5".	Year round.
49.12	Red Island Middle light buoy ER3	47 23 51.6 054 08 51.6	FI G 4s	Green, spar, marked "ER3".	Year round.
49.2 H0387	West Head Light	Merasheen Island. 47 24 09.8 054 21 48.8	FI W 4s	18.6	8	Mast. 2.4	Year round. Flash 1 s; eclipse 3 s.
49.3	Red Island Outer light buoy ER1	47 23 45.0 054 08 47.0	FI G 4s	Green, spar, marked "ER1".	Year round.
49.4	Merasheen Harbour Outer light buoy PH2	Merasheen Island. 47 24 22.2 054 21 23.0	FI R 4s	Red, spar, marked "PH2".	Seasonal (in place year round).
49.41	Isle Valen light buoy PV1	47 28 21.0 054 23 33.6	FI G 4s	Green, spar, marked "PV1".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
49.42	Isle Valen light buoy PV2	47 28 18.9 054 23 28.8	Fl R 4s	Red, spar, marked "PV2".	Seasonal (in place year round).
49.44	Merasheen Harbour Inner light buoy PH4	47 24 28.3 054 21 21.2	Fl R 4s	Red, spar, marked "PH4".	Seasonal (in place year round).
49.5	Merasheen Harbour Fairway light buoy PH	47 23 25.8 054 22 15.5	Mo(A) W 6s	Red-white, pillar, marked "PH".	Year round.
49.8 H0384	Little Paradise Point Light	N. of Marticot Island. 47 21 05.0 054 34 50.0	Fl W 4s	8.8	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.
50 H0386	Marticot Island Light Station	47 19 36.8 054 34 52.8	Fl W 4s	27.4	17	Square skeleton tower, red and white daymark.	Year round. Flash 1 s; eclipse 3 s. Visible 227°-075°.
51	Bingham Shoal light and whistle buoy PT	E. of Jude Island. 47 14 36.0 054 44 54.0	Fl(2+1) G 6s	Green-red-green, pillar, marked "PT".	Year round. Audible signal: Whistle
51.5 H0386.1	Church Yard Gut Light	N. of Marticot Island. 47 20 50.2 054 35 58.7	Fl G 4s	5.8	4	Square skeleton tower, green and white rectangular daymark. 4.9	Seasonal.
51.6 H0386.2	Graveyard Point Light	N. of Marticot. 47 20 52.6 054 35 55.6	Fl R 4s	3.7	3	Mast. 2.4	Year round. Flash 1 s; eclipse 3 s.
51.65	Wharf Rock light buoy PS2	South East Bight. 47 23 43.3 054 34 40.1	Fl R 4s	Red, spar, marked "PS2".	Year round.
51.66	Monkstown light buoy PQ3	47 34 52.0 054 25 56.0	Fl G 4s	Green, spar, marked "PQ3".	Year round.
51.68 H0382.4	Monkstown Wharf Light	Monkstown Harbour. 47 34 44.3 054 25 45.2	Fl Y 4s	4.0	2	Cylindrical mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
51.69 H0382.5	Southeast Bight Point Light	47 23 45.9 054 35 19.4	Fl R 5s	2.7	8	Mast, red and white rectangular daymark.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
51.7 H0383	Southeast Bight Wharf Light	47 23 41.5 054 34 39.7	Fl R 4s	4.0	4	Mast. 2.6	Year round.
52 H0380	Long Island Light	47 17 53.1 054 42 14.5	Fl W 4s	72.7	7	Square skeleton tower. 8.5	Year round. Flash 1 s; eclipse 3 s.
53 H0382	Petit Forte Light	47 23 09.5 054 39 27.8	Fl W 4s	11.5	7	Square skeleton tower, red and white rectangular daymark. 4.6	Year round. Flash 1 s; eclipse 3 s.
53.29	Petite Forte light buoy PE5	47 22 57.5 054 38 58.3	Fl G 4s	Green, spar, marked "PE5".	Year round.
53.3	Petit Forte Outer light buoy PE	47 23 23.4 054 39 39.6	Fl(2+1) G 6s	Green-red-green, spar, marked "PE".	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
53.4	<i>Petite Forte Inner light buoy PE7</i>	47 23 46.1 054 39 51.7	Q G 1s	<i>Green, spar, marked "PE7".</i>	<i>Year round.</i>
53.5 H0381	Petite Forte Wharf Light	47 23 48.7 054 40 03.3	Fl R 4s	2.7	3	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
53.93	<i>Washball Rock light buoy PD8</i>	<i>NW. of Emberleys Island. 47 18 41.8 054 47 45.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "PD8".</i>	<i>Seasonal (in place year round).</i>
54 H0379.7	Oderin Harbour Entrance Light	47 17 39.9 054 49 17.6	Fl W 4s	11.9	5	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 3 s.
55 H0379.4	Steering Rock Light	Baine Harbour. 47 21 20.0 054 53 18.6	Fl G 4s	5.5	4	Square skeleton tower, green and white rectangular daymark. 3.8	Year round.
55.11	<i>Lance Cove Outer light buoy P JL1</i>	<i>47 17 59.6 054 48 01.4</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "P JL1".</i>	<i>Seasonal (in place year round).</i>
55.12	<i>Lance Cove Inner light buoy P JL2</i>	<i>47 18 03.7 054 48 02.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "P JL2".</i>	<i>Seasonal (in place year round).</i>
55.16	<i>Fish Rock light buoy P JF2</i>	<i>W. of Jude Island. 47 15 54.0 054 50 47.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "P JF2".</i>	<i>Seasonal (in place year round).</i>
55.19	<i>Parkers Cove light buoy P JP2</i>	<i>47 23 33.5 054 51 07.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "P JP2".</i>	<i>Year round.</i>
55.2	<i>Baine Harbour light buoy P J2</i>	<i>47 21 30.6 054 53 17.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "P J2".</i>	<i>Seasonal (in place year round).</i>
55.3	<i>Baine Harbour light buoy P J5</i>	<i>47 21 38.8 054 53 27.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "P J5".</i>	<i>Seasonal (in place year round).</i>
55.4	<i>Baine Harbour light buoy P J4</i>	<i>47 21 39.5 054 53 24.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "P J4".</i>	<i>Seasonal (in place year round).</i>
55.41 H0379	Baine Harbour Wharf Light	47 21 37.6 054 53 46.9	Fl Y 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
55.5	<i>Baine Harbour light buoy P J6</i>	<i>47 21 46.4 054 53 44.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "P J6".</i>	<i>Seasonal (in place year round).</i>
55.77 H0379.6	<i>Rushoon # 1 light buoy PR</i>	<i>47 20 34.7 054 54 50.8</i>	<i>Fl(2) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Black-red-black, spar, marked "PR".</i>	<i>Year round.</i>
55.8	Rushoon Breakwater Light	47 20 52.0 054 55 01.6	Fl R 4s	2	Mast. 2.5	Seasonal.
56	<i>Davis Island East Cardinal light buoy PFD</i>	<i>47 15 50.5 054 55 26.9</i>	<i>VQ(3) W 5s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow-black, spar, marked "PFD".</i>	<i>Seasonal (in place year round).</i>
56.21	<i>Davis Island light buoy PFD3</i>	<i>47 15 11.2 054 55 12.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "PFD3".</i>	<i>Seasonal (in place year round).</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
60 H0377	Davis Island Light	47 15 54.0 054 56 43.0	FI W 4s	11.9	7	Square skeleton tower, red and white rectangular daymark. 4.2	Seasonal (in place year round).
60.2	Duck Rock light buoy PF	W. of Flat Island. 47 16 07.6 054 57 26.4	F(2) W 10s	Black-red-black, spar, marked "PF".	Seasonal (in place year round).
60.3	Flat Island Harbour light buoy PF3	47 15 59.4 054 56 23.8	FI G 4s	Green, spar, marked "PF3".	Year round. Operates 24 h.
62 H0375	Red Harbour Head Light	47 16 42.0 054 58 49.6	FI R 4s	18.3	8	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal (in place year round).
62.1 H0375.1	Red Harbour Breakwater Light	47 17 30.0 054 59 36.6	FI G 4s	5.0	7	Cylindrical mast. 2.3	Seasonal (in place year round). Operates 24 h.
62.93	Woody Island light buoy PW2.2	47 46 30.0 054 12 32.9	FI R 4s	Red, spar, marked "PW2.2".	Year round.
63	Stanley Rocks light and bell buoy PS1	E. of Red Land Cove. 47 14 47.5 054 59 04.8	FI G 4s	Green, pillar, marked "PS1".	Year round. Audible signal: Bell
63.51	Rolf Rock light buoy PM9	Marystown. 47 09 58.9 055 08 30.0	FI G 4s	Green, spar, marked "PM9".	Year round.
63.52	Jones Rock light buoy PM6	Marystown. 47 10 28.0 055 08 02.9	FI R 4s	Red, spar, marked "PM6".	Year round.
63.53	Seal Rock light buoy PM5	Marystown. 47 10 22.4 055 06 53.4	FI G 4s	Green, spar, marked "PM5".	Year round.
63.535	Little Bay Cautionary light buoy PML	Marystown. 47 09 40.2 055 06 38.7	FI Y 4s	Yellow, spar, marked "PML".	Year round. Operates 24 h.
63.54	Noeling Cove light buoy PM7	Marystown. 47 10 05.8 055 07 59.5	FI G 4s	Green, spar, marked "PM7".	Year round.
63.55	Marystown Wharf Light	On outer end of wharf. 47 09 56.1 055 08 51.6	FI Y 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
63.7	Cow Head light buoy PY	47 11 30.8 055 06 13.4	F(2+1) R 6s	Red-green-red, pillar, marked "PY".	Year round.
64 H0373	Go By Point Light	Beau Bois Cove. 47 08 23.3 055 05 18.8	FI G 4s	25.9	4	Square skeleton tower, green and white rectangular daymark.	Year round. Flash 1 s; eclipse 3 s.
64.8 H0372.4	Duck Rock Light	Mortier Bay. 47 08 33.9 055 04 43.3	FI R 4s	6.7	Red pipe swing pole. 4.0	Year round. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
64.81	Pick Ledge light and bell buoy PM4	Mortier Bay. 47 08 10.6 055 04 42.4	Fl R 4s	Red, pillar, marked "PM4".	Year round. Audible signal: Bell
64.82	Blow Me Down light and bell buoy PM3	Mortier Bay. 47 07 42.1 055 04 43.3	Fl G 4s	Green, pillar, marked "PM3".	Year round. Audible signal: Bell
64.83	Thomas Rocks light and bell buoy PM2	Mortier Bay. 47 07 40.0 055 03 55.0	Fl R 4s	Red, pillar, marked "PM2".	Year round. Audible signal: Bell
64.84	Mortier Bay light and whistle buoy PM	47 07 06.0 055 03 09.1	Fl(2+1) R 6s	Red-green-red, pillar, marked "PM".	Year round. Operates 24 h. Audible signal: Whistle
65 H0372	Tides Cove Point Light Station and Fog Signal	47 06 21.8 055 04 19.8	Fl W 6s	33.5	16	Square skeleton tower with octagonal upper portion. 11.3	Year round. Flash 0.4 s; eclipse 5.6 s. Fog Horn Blast 4 s; sil. 56 s.
66	Galloper Rock light and whistle buoy PR1	E. of Iron Island. 47 02 31.5 055 05 58.3	Fl G 4s	Green, pillar, marked "PR1".	Year round. Audible signal: Whistle
66.5	Gregory Rock light buoy PR3	47 02 00.4 055 07 16.8	Fl G 4s	Green, pillar, marked "PR3".	Year round.
67 H0370	Iron Island Light	E. of Pardy Island. 47 02 23.2 055 07 16.5	Fl R 4s	36.0	5	Square skeleton tower, red and white square daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.
67.4	Little Burin Harbour Entrance light buoy PB8	47 02 29.4 055 09 21.6	Q R 1s	Red, spar, marked "PB8".	Year round.
67.5	Jersey Island light buoy PB10	Little Burin Harbour. 47 02 32.2 055 09 31.0	Fl R 4s	Red, spar, marked "PB10".	Year round.
67.6	Little Burin Harbour light buoy PB12	47 02 31.0 055 09 44.2	Fl R 4s	Red, spar, marked "PB12".	Year round.
67.7 H0367	Stag Rock Light	E. of Epworth. 47 01 38.2 055 11 09.5	Fl R 4s	3.7	4	Skeleton tower. 3.0	Year round.
68 H0368	Dodding Head Light	Burin Island. 47 00 14.7 055 09 05.2	Fl W 6s	97.5	17	Square skeleton tower, red and white rectangular daymark. 3.9	Year round. Flash 1 s; eclipse 5 s.
68.5	Burin Passage light buoy PB4	W. of Burin Island. 47 01 01.0 055 09 50.9	Fl R 4s	Red, pillar, marked "PB4".	Year round.
68.55 H0367.6	Burin Breakwater Light	Burin Harbour. 47 01 53.1 055 10 20.2	Fl G 4s	5.1	4	Cylindrical mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
69 H0366	Shalloway Island Light	SW. of Little Burin. 47 00 14.0 055 10 11.6	FI R 4s	27.1	4	Square skeleton tower, red and white rectangular daymark. 4.5	Year round. Flash 1 s; eclipse 3 s.
69.1	Great Burin Harbour Outer light buoy PU1	47 00 11.4 055 09 59.4	FI G 4s	Green, spar, marked "PU1".	Year round.
69.2	Great Burin Harbour Outer light buoy PU2	47 00 09.6 055 09 56.1	FI R 4s	Red, spar, marked "PU2".	Year round.
69.3	Great Burin Harbour Inner light buoy PU3	47 00 10.1 055 09 52.3	FI G 4s	Green, spar, marked "PU3".	Year round.
69.4	Great Burin Harbour Inner light buoy PU4	47 00 09.7 055 09 52.5	FI R 4s	Red, spar, marked "PU4".	Year round.
70	Shalloway Island, Burin light buoy PB2	46 59 49.2 055 10 59.8	Q R 1s	Red, pillar, marked "PB2".	Year round.
71 H0364.1	Little Burin Island Light Station and Fog Signal	46 58 48.6 055 11 26.6	FI W 10s	25.9	17	Square skeleton tower.	Year round. Flash 0.2 s; eclipse 9.8 s. Visible 122°-040°. Fog Horn Blast 3 s; sil. 27 s.
71.5	Burin Fairway light and bell buoy PB	46 58 52.7 055 10 01.8	Mo(A) W 6s	Red-white, pillar, marked "PB".	Year round. Audible signal: Bell
72.8	Brandies South Cardinal light buoy PBR	E. of Whitehorse Point. 47 02 52.7 055 06 51.6	Q(6) + LFI W 15s	Yellow-black, pillar, marked "PBR".	Year round.
72.9	Sauker Rock South Cardinal light and whistle buoy PBD	46 53 42.3 055 17 55.1	Q(6) + LFI W 15s	Yellow-black, pillar, marked "PBD".	Year round. Audible signal: Whistle
73 H0360	Middle Head Light Station and Fog Signal	46 53 52.8 055 20 51.2	FI W 15s	26.8	17	Square skeleton tower with octagonal upper portion. 9.9	Year round. Flash 1 s; eclipse 14 s. Fog Horn Blast 3 s; sil. 27 s.
73.1 H0361	St. Lawrence Wharf Light	46 54 59.1 055 23 20.8	FI R 4s	2.7	4	Mast. 2.6	Year round.
73.2	Harbour Rock light buoy PW2	46 55 06.7 055 21 35.0	FI R 4s	Red, spar, marked "PW2".	Year round.
73.6	Ragged Rock light buoy PK1	Ragged Head Point. 46 53 58.8 055 33 33.9	FI G 4s	Green, pillar, marked "PK1".	Seasonal (in place year round).
73.7	Drunkards Point light buoy PK2	46 54 09.0 055 31 15.1	FI R 4s	Red, pillar, marked "PK2".	Seasonal (in place year round).
73.8	Vestal Rock light and bell buoy PK4	Great Lawn Harbour. 46 54 32.9 055 32 38.0	FI R 4s	Red, pillar, marked "PK4".	Seasonal (in place year round). Audible signal: Bell

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PLACENTIA BAY							
73.81	2 Fathom Shoal light buoy PK3	Great Lawn. 46 56 12.5 055 32 35.2	Fl G 4s	Green, spar, marked "PK3".	Seasonal (in place year round).
73.82	Murphy Rock light buoy PK6	Little Lawn Harbour. 46 56 12.5 055 32 32.7	Fl R 4s	Red, spar, marked "PK6".	Seasonal (in place year round).
73.83 H0357	East Point Light	Little Lawn. 46 56 28.3 055 32 25.4	Fl R 5s	5.5	4	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
73.84 H0358	Lawn West Breakwater Light	46 56 27.2 055 32 29.3	Fl G 5s	3.5	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
74 H0356	Black Head Light	Great Lawn Harbour. 46 54 18.0 055 33 39.0	Fl W 5s	57.9	5	Square skeleton tower, red and white daymark.	Year round. Flash 1 s; eclipse 4 s.
74.4	Southwest Rock light buoy PSW2	Lord's Cove. 46 50 52.9 055 38 15.5	Fl R 4s	Red, spar, marked "PSW2".	Seasonal (in place year round).
75 H0355	Lord's Cove Fog Signal	46 52 28.3 055 40 09.3	Mast. 3.0	Seasonal. Fog Horn Blast 4 s; sil. 56 s. In operation during fishing season (May to November) during foggy weather or until all fishermen have returned to port.
75.1 H0354	Lord's Cove Wharf Light	46 52 42.2 055 40 08.6	Q G 1s	4.2	4	Mast. 2.2	Seasonal.
75.51 H0352.5	Lamaline Wharf Light	46 51 59.0 055 47 42.0	Fl R 4s	3.0	2	Mast. 2.2	Year round.
75.52 H0351	Allan's Island Breakwater Light	Lamaline. 46 51 22.4 055 48 16.8	Fl R 4s	3.1	2	Mast. 2.6	Year round.
76 H0350	Allan's Island Light Station and Fog Signal	Lamaline. 46 50 48.0 055 47 51.5	Fl W 4s	19.5	16	White tower with red top. 11.3	Year round. Flash 1 s; eclipse 3 s. Fog Horn Blast 3 s; sil. 27 s.
76.1	Allan Rock light buoy PL7	Lamaline. 46 51 35.1 055 48 13.3	Fl G 4s	Green, spar, marked "PL7".	Seasonal (in place year round).
77 H0352	Lamaline front range light	46 52 10.8 055 47 59.6	F R	3.9	13 Skeleton tower, white daymark with red vertical stripe. 3.7	Year round. Operates 24 h.
78 H0352.1	Lamaline rear range light	46 52 14.6 055 48 01.6 341°30' 146.3 m from front.	F R	9.1	13 Skeleton tower, white daymark with red vertical stripe. 7.9	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

PLACENTIA BAY

78.1	East Mark Rock light buoy PL2	Lamaline. 46 51 07.8 055 47 25.2	Q R 1s	Red, spar, marked "PL2".	Seasonal (in place year round).
78.12	West Mark Rock light buoy PL1	46 51 07.9 055 47 31.8	Q G 1s	Green, spar, marked "PL1".	Seasonal (in place year round).
78.13	Lamaline Inner light buoy PL5	46 51 42.5 055 47 53.1	Q G 1s	Green, spar, marked "PL5".	Seasonal (in place year round).
78.18	East Black Rock light buoy PL4	46 51 32.3 055 47 39.9	Fl R 4s	Red, spar, marked "PL4".	Seasonal (in place year round).
78.19	Pigeon Island light buoy PL3	Lamaline. 46 51 27.8 055 47 41.1	Fl G 4s	Green, spar, marked "PL3".	Seasonal (in place year round).
79	Cock Bank light and whistle buoy P20	Point May Pond. 46 50 23.9 055 59 09.7	Fl R 4s	Red, pillar, marked "P20".	Year round. Audible signal: Whistle

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
FORTUNE BAY								
100 H0348	Green Island Light Station and Fog Signal	Point Crewe. 46 52 47.0 056 05 08.5	Iso W 10s	45.4	15	Square skeleton tower, red and white rectangular daymark. 6.7	Year round. Operates 24 h. Fog Horn Blast 4 s; sil. 56 s.	
101 H0290	Brunette Island Light	N. of Fortune. 47 15 26.7 055 51 58.7	FI W 4s	124.0	7	Square skeleton tower, red and white square daymark. 4.7	Year round.	
102 H0325	Fortune Head Light Station and Fog Signal	47 04 28.0 055 51 34.0	FI W 5s	23.8	15	White tower with red top. 9.9	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. Fog Horn Blast 3 s; sil. 27 s.	
103	<i>Fortune Harbour light buoy VF1</i>	47 04 41.3 055 49 30.2	FI G 4s	<i>Green, spar, marked "VF1".</i>	<i>Year round.</i>	
103.3 H0323.2	Fortune Harbour Wharf Light	47 04 18.4 055 49 49.9	FI R 4s	3.5	2	Mast. 2.1	Year round.	
103.4 H0323.3	Fortune Harbour Fisherman's Wharf Light	47 04 22.7 055 49 50.4	FI G 4s	3.5	2	Mast. 2.1	Year round.	
103.5	Fortune Gut Western Breakwater Light	47 04 35.2 055 49 42.5	FI R 4s	4.8	4	Skeleton tower. 3.5	Year round.	
105 H0324	Fortune Wharf Light	47 04 32.8 055 49 41.7	FI G 4s	4.0	4	Mast. 3.4	Year round.	
105.1	<i>Fortune Harbour Inner light buoy VF4</i>	47 04 22.0 055 49 52.0	FI R 4s	<i>Red, spar, marked "VF4".</i>	<i>Year round.</i>	
105.2	<i>Fortune Harbour Inner light buoy VF2</i>	47 04 25.0 055 49 52.0	FI R 4s	<i>Red, spar, marked "VF2".</i>	<i>Year round.</i>	
105.3 H0324.1	Fortune Harbour Floating Dock Wharf Light	47 04 20.4 055 49 52.7	FI R 4s	3.2	2	Mast. 2.6	Year round.	
106 H0322	Grand Bank Wharf Light	47 06 04.7 055 44 57.8	Q G 1s	8.2	5	White octagonal tower with red upper portion. 7.1	Year round.	
106.5 H0322.4	Grand Bank Sector Light	Grand Bank Harbour. 47 06 04.7 055 45 02.8	F R W G	9.1	12	Square skeleton tower.	Year round. Operates 24 h. R 069°30'-072°35'; AI RW 072°35'-074°16'; W 074°16'-074°44'; AI GW 074°44' -076°25'; G 076°25'-079°30'.
107 H0321	Grand Bank West Pier Light	47 06 06.8 055 44 58.7	Q R 1s	5.7	4	Mast. 4.9	Year round.	
108 H0320	Grand Bank Breakwater Light	47 06 09.2 055 44 53.2	FI R 4s	5.6	4	Mast. 3.2	Year round.	
111.09	<i>Grand Bank light buoy VA1</i>	47 06 11.9 055 44 13.4	FI G 4s	<i>Green, spar, marked "VA1".</i>	<i>Year round.</i>	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
FORTUNE BAY							
111.095	Curb Rocks West Cardinal light buoy VC	Garnish. 47 12 49.8 055 28 06.0	Q(9) W 15s	Yellow-black-yellow, pillar, marked "VC".	Year round.
111.1	Whales Rock light buoy VFC1	Garnish. 47 13 36.0 055 25 06.0	Fl G 4s	Green, pillar, marked "VFC1".	Year round.
111.2	Raggey Rock light buoy VFC2	Garnish. 47 13 39.7 055 24 03.4	Fl R 4s	Red, pillar, marked "VFC2".	Year round.
111.7	Enragee light and bell buoy VFC6	47 23 24.0 055 18 17.4	Fl R 4s	Red, pillar, marked "VFC6".	Year round. Audible signal: Bell
111.8	Garnish Sunker North Cardinal light buoy VFC	47 14 58.2 055 24 02.0	Q W 1s	Black-yellow, pillar, marked "VFC".	Year round.
111.9	Garnish Fairway light and bell buoy VFD	47 15 14.5 055 22 20.2	Mo(A) W 6s	Red-white, pillar, marked "VFD".	Year round. Audible signal: Bell
111.94	Garnish Outer light buoy VFG1	47 14 13.0 055 21 28.0	Fl G 4s	Green, pillar, marked "VFG1".	Year round.
112 H0318	Garnish Light	47 14 11.3 055 21 29.8	Q R 1s	8.5	6	Square skeleton tower, red and white rectangular daymark. 4.3	Year round.
112.1 H0318.2	Garnish Inner Breakwater Light	47 14 10.7 055 21 28.3	Fl G 4s	3.5	4	Mast. 2.2	Year round.
112.5	Fox Cove West Cardinal light buoy VF	Garnish. 47 18 22.2 055 18 55.2	Q(9) W 15s	Yellow-black-yellow, pillar, marked "VF".	Year round.
113 H0314	Ragged Point Light	Bay L'Argent. 47 33 28.0 054 52 34.0	Fl W 5s	62.2	9	Rectangular skeleton tower, red and white rectangular daymark. 3.8	Year round. Flash 1 s; eclipse 4 s.
113.06	English Harbour East Wharf Light	On the public wharf. 47 37 56.3 054 53 07.9	Fl G 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
113.07	Western Head light buoy VJK1	47 37 38.0 054 52 55.4	Fl G 4s	Green, spar, marked "VJK1".	Seasonal (in place year round). Operates 24 h.
113.08	Mille Harbour Entrance light buoy VM2	47 35 06.4 054 53 07.6	Fl R 4s	Red, spar, marked "VM2".	Year round.
113.09	Harbour Mille light buoy VM4	47 34 53.5 054 53 06.0	Fl R 4s	Red, pillar, marked "VM4".	Year round.
113.2 H0313.5	Bay L'Argent Wharf Light	47 32 51.0 054 52 52.0	Fl R 4s	3.1	4	Mast. 2.6	Year round.
113.3 H0313	St. Bernard's Breakwater Light	47 31 42.7 054 57 03.7	Fl R 5s	4.3	2	Mast. 2.4	Year round. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
FORTUNE BAY								
113.4	St. Bernard's light buoy VS1	47 31 47.8 054 57 09.2	Fl G 4s	Green, spar, marked "VS1".	Year round.	
113.6	Jacques Fontaine Rock light buoy VJF1	47 31 48.0 054 55 30.0	Fl G 4s	Green, pillar, marked "VJF1".	Year round.	
114.9	Long Point Rock South Cardinal light buoy VL	47 34 37.0 055 09 29.0	VQ(6) + LFI	W 10s	Yellow-black, pillar, marked "VL".	Year round.
115.8	Rencontre East Harbour South Cardinal light buoy VRE	47 38 08.1 055 12 46.0	VQ(6) + LFI	W 10s	Yellow-black, spar, marked "VRE".	Year round.
115.9 H0309.5	Rencontre East Wharf Light	Middle of outer wharf edge. 47 38 09.4 055 12 42.1	Fl Y 4s	7	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.	
116 H0310	Rencontre East Light	47 37 22.0 055 11 59.0	Fl W 4s	17.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Year round.	
116.3 H0309	Pool's Cove Wharf Light	47 40 49.6 055 25 46.2	Fl R 4s	3.4	Mast. 2.6	Year round.	
116.4	Hare Rock light buoy VD5	South West Arm. 47 35 47.8 055 25 00.0	Fl G 4s	Green, spar, marked "VD5".	Year round.	
116.41	English Harbour West light buoy VE1	47 27 29.0 055 29 41.7	Fl G 4s	Green, pillar, marked "VE1".	Year round.	
116.5	Ducie Rock light and bell buoy VD1	South West Arm. 47 35 58.3 055 22 48.1	Fl G 4s	Green, pillar, marked "VD1".	Year round. Audible signal: Bell	
116.6	Belle Bay Shoal North Cardinal light buoy VB	47 35 52.7 055 19 41.9	Q W 1s	Black-yellow, pillar, marked "VB".	Year round.	
116.9 H0306	Belleoram Wharf Light	47 31 34.8 055 24 33.6	Fl G 4s	2.1	2	Mast.	Year round. Operates 24 h.	
117 H0308	Belleoram Light	47 31 40.0 055 24 31.5	Fl W 3s	10.5	5	Red and white cylindrical tower. 6.9	Year round. Flash 0.5 s; eclipse 2.5 s.	
118 H0304	St. Jacques Island Light Station and Fog Signal	47 28 26.0 055 24 23.0	Fl W 6s	39.9	16	White cylindrical tower. 10.1	Year round. Flash 1 s; eclipse 5 s. Fog Horn Blast 3 s; sil. 27 s.	
118.1	St. Jacques Harbour Wharf Light	47 29 16.5 055 25 15.4	Fl Y 5s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.	
119 H0302	English Harbour West Light	47 27 18.0 055 29 33.0	Fl R 4s	13.7	5	Square mast, red and white square daymark. 4.3	Year round.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

FORTUNE BAY

119.5 H0301	Boxey Breakwater Light	47 27 05.2 055 33 28.2	Fl G 5s	3.5	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
120 H0300	Boxey Point Light	47 24 13.8 055 35 02.5	Fl W 5s	16.8	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
120.1	Boxey Rock light and whistle buoy VB9	47 23 42.3 055 35 20.8	Fl G 4s	Green, pillar, marked "VB9".	Year round. Audible signal: Whistle

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
SOUTHWEST COAST								
121 H0298	Coomb's Cove Light	47 27 22.5 055 37 52.4	Fl G 4s	10.0	5	Square skeleton tower, green and white rectangular daymark. 4.3	Year round.	
122 H0296	Wreck Cove Wharf Light	47 29 51.0 055 36 28.0	Fl R 4s	4.4	4	Mast. 2.6	Year round.	
122.5	Inner Shoal light buoy VW3	Wreck Cove. 47 29 59.9 055 36 43.1	Fl G 4s	Green, spar, marked "VW3".	Year round.	
122.6	Bufford Cove South Cardinal light buoy VW	Great Bay de l'Eau. 47 31 01.4 055 35 42.6	Q(6) + LFI	W 15s	Yellow-black, pillar, marked "VW".	Year round.
123	Shag Rock Sunker light and bell buoy VS2	Comb's Cove. 47 26 57.5 055 40 02.5	Fl R 4s	Red, pillar, marked "VS2".	Year round. Audible signal: Bell	
124 H0294	Rocky Point Light (Harbour Breton)	47 28 46.3 055 47 34.4	Fl W 4s	16.2	9	Red and white cylindrical tower. 7.6	Year round.	
125	Harbour Rock light buoy VB1	Harbour Breton. 47 29 02.9 055 47 56.0	Fl G 4s	Green, pillar, marked "VB1".	Year round.	
126	Southwest Arm light buoy VB3	Harbour Breton. 47 28 53.5 055 48 18.7	Fl G 4s	Green, pillar, marked "VB3".	Year round.	
126.1 H0295	Harbour Breton Wharf Light	Harbour Breton. 47 28 44.6 055 48 38.8	Fl R 4s	2	Mast. 2.6	Year round.	
127.4 H0288.2	Hermitage Wharf Light	47 33 37.3 055 55 40.0	Fl R 4s	4.3	4	Mast.	Year round. Flash 1 s; eclipse 3 s.	
127.5	Hermitage light buoy VH3	47 33 27.5 055 55 28.3	Fl G 4s	Green, spar, marked "VH3".	Year round.	
127.51	Hermitage West Breakwater Light	47 33 26.9 055 55 29.9	Fl R 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.	
127.52	Hermitage East Breakwater Light	47 33 27.0 055 55 28.6	Fl G 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.	
127.7 H0288.4	Little Fox Island Light	Hermitage. 47 34 49.4 055 55 26.3	Fl R 4s	6.4	7	Mast. 2.6	Year round.	
127.8 H0288.6	Black Rock Light	47 34 28.4 055 56 54.3	Fl R 6s	11.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Flash 1 s; eclipse 5 s.	
128 H0288	Fox Island Light (Hermitage Bay)	47 33 55.1 055 58 23.2	Fl W 4s	22.6	7	Square skeleton tower, red and white rectangular daymark. 4.7	Year round.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
SOUTHWEST COAST								
129 H0286	Pass Island Light	47 29 24.3 056 11 46.7	FI W 10s	85.6	12	White skeleton tower. 9.4	Year round. Flash 1 s; eclipse 9 s. Obscured 077°-298°. Secondary light: FI R 4s.	
130 H0286.1	Pass Island Fog Signal	47 28 56.3 056 11 52.8	Skeleton tower, white rectangular daymark with black horizontal stripe.	Year round. Fog Horn Blast 3 s; sil. 27 s.	
130.31	Net Rocks light buoy V23	47 28 35.2 056 02 22.2	FI G 4s	Green, pillar, marked "V23".	Year round.	
130.32	Sunker Rock light buoy V30	Seal Cove. 47 28 52.0 056 01 58.3	FI R 4s	Red, spar, marked "V30".	Year round.	
130.33	Divers Shoal light buoy V25	Seal Cove. 47 28 59.0 056 02 31.8	Q G 1s	Green, pillar, marked "V25".	Year round.	
130.34	Sunken Rock light buoy VSC	Seal Cove. 47 28 57.4 056 01 23.8	Q(6) + LFI	W 15s	Yellow-black, pillar, marked "VSC".	Year round. Operates 24 h.
130.4 H0289.5	Seal Cove Breakwater Light	47 29 16.4 056 02 54.8	FI G 4s	5.0	4	Mast. 3.1	Year round.	
130.8	Goose Rock light buoy VU2	Gaultois Harbour. 47 36 19.8 055 53 59.9	FI R 4s	Red, pillar, marked "VU2".	Year round.	
130.82	Gaultois light buoy VU4	47 36 26.7 055 54 03.4	FI R 4s	Red, spar, marked "VU4".	Year round.	
131 H0289	Gaultois Harbour Light	47 36 17.8 055 54 03.1	FI G 3s	5.5	5	Square skeleton tower, green and white rectangular daymark. 4.7	Year round. Flash 0.5 s; eclipse 2.5 s.	
131.5 H02891	Gaultois Dolphin Light	47 36 23.7 055 54 07.1	FI G 4s	5	Mast. 2.6	Year round.	
132 H0287	Little Bay Light (Tinker Rock)	47 36 49.7 056 03 08.1	FI W 4s	14.6	7	Square skeleton tower, red and white rectangular daymark. 3.6	Year round.	
132.5 H0279	St. Alban's Wharf Light	47 51 46.9 055 50 06.5	FI Y 4s	4.0	6	Mast. 2.5	Year round. Flash 1 s; eclipse 3 s.	
132.51 H0279.5	Conne River Wharf Light	47 51 44.2 055 46 20.2	FI R 5s	3.2	5	Pipe tower. 2.6	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.	
133 H0278	Roti Point Light	S. of St. Alban's, Bay d'Espoir. 47 47 26.8 055 50 28.9	FI G 5s	6.7	6	Square skeleton tower, green and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.	
133.1	Margery Rock light buoy VG1/1	Little Passage. 47 36 44.1 055 52 43.0	Q G 1s	Green, spar, marked "VG1/1".	Year round. Operates 24 h.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
133.11	Roti Bay light buoy VR1	47 47 12.4 055 51 46.1	Fl G 4s	Green, spar, marked "VR1".	Private aid. Year round.
133.12	Roti Bay light buoy VR2	47 47 29.5 055 51 39.7	Fl R 4s	Red, spar, marked "VR2".	Private aid. Year round.
133.13	Roti Bay light buoy VR3	47 47 35.3 055 52 07.4	Fl G 4s	Green, spar, marked "VR3".	Private aid. Year round.
133.14	Roti Bay light buoy VR4	47 47 47.5 055 52 22.4	Fl R 4s	Red, spar, marked "VR4".	Private aid. Year round.
133.15	Roti Bay light buoy VR5	47 47 43.0 055 52 25.0	Fl G 4s	Green, spar, marked "VR5".	Private aid. Year round.
133.16	Roti Bay light buoy VR7	47 47 59.1 055 52 50.1	Fl G 4s	Green, spar, marked "VR7".	Private aid. Year round.
133.17	Roti Bay light buoy VR6	47 48 11.0 055 53 07.1	Fl R 4s	Red, spar, marked "VR6".	Private aid. Year round.
133.19	Roti Bay light buoy VR9	47 48 19.7 055 53 34.7	Fl G 4s	Green, spar, marked "VR9".	Private aid. Year round.
133.2 H0277	Cape Mark Light	E. of Bois Island. 47 44 32.0 055 52 06.9	Fl R 5s	7.9	6	Square skeleton tower, red and white square daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
133.4 H0282	Day Point Light	Bay d'Espoir. 47 41 20.9 055 55 21.0	Fl W 5s	10.1	6	Square skeleton tower, red and white square daymark.	Year round. Flash 1 s; eclipse 4 s.
133.6 H0283	Little Island Light	E. of Stickland Cove. 47 39 34.9 055 56 04.0	Fl R 5s	10.4	6	Square skeleton tower, red and white square daymark.	Year round. Flash 1 s; eclipse 4 s.
133.66	Riches Island light buoy VG6	Dawson Point. 47 46 35.7 055 50 55.5	Q R 1s	Red, pillar, marked "VG6".	Year round. Operates 24 h.
133.78	Pigeon Island Shoal light buoy Q22	Western Harbour. 47 38 06.0 056 09 18.0	Fl R 4s	Red, pillar, marked "Q22".	Year round.
133.8	McCallum (Whale Rock) light and whistle buoy Q23	47 36 38.9 056 12 07.1	Fl G 4s	Green, pillar, marked "Q23".	Year round. Audible signal: Whistle
134 H0276	Dawson's Point Light Station	47 38 35.9 056 08 57.6	Fl W 5s	16.8	16	Square skeleton tower, red and white rectangular daymark.	Year round.
135 H0275	Salmon Point Light	47 37 02.9 056 12 01.4	Fl W 4s	21.9	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round.
135.1	McCallum Marine Wharf Light	On the ferry wharf. 47 37 52.9 056 13 36.4	Fl Y 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
136.9	François Entrance light and bell buoy QL4	47 33 47.0 056 43 24.4	Fl R 4s	Red, pillar, marked "QL4".	Year round. Audible signal: Bell
137 H0270	West Point Light Station	François. 47 33 35.7 056 44 02.1	Fl G 6s	46.0	12	White square tower with green band on top. 4.7	Year round. Flash 1 s; eclipse 5 s.
137.1	François West Wharf Light	47 34 41.5 056 44 39.9	Fl G 5s	4	Pipe tower. 2.1	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
137.15	François North Wharf Light	47 34 50.7 056 44 37.1	Fl G 4s	2	Pipe tower.	Year round. Operates 24 h.
137.23	Lower Rock South Cardinal light buoy QLC	S. of New Harbour. 47 34 50.4 056 38 57.8	Q(6) + W LFI	15s	Yellow-black, pillar, marked "QLC".	Year round.
138 H0268	Cape La Hune Light	47 31 44.8 056 51 47.0	Fl W 6s	25.0	8	Square skeleton tower, red and white square daymark.	Year round. Flash 1 s; eclipse 5 s.
138.5	Watch Rock North Cardinal light and whistle buoy QLB	E. of Penquin Islands. 47 23 24.8 056 50 08.0	Q W 1s	Black-yellow, pillar, marked "QLB".	Year round. Audible signal: Whistle
139 H0266	Harbour Island Light	47 23 00.6 056 58 39.1	Fl W 10s	21.9	17	Square skeleton tower, red and white square daymark. 5.8	Year round. Operates 24 h. Flash 0.2 s; eclipse 9.8 s.
139.1	Penguin Island North Cardinal light and whistle buoy QLE	47 23 41.4 056 56 55.6	Q W 1s	Black-yellow, pillar, marked "QLE".	Year round. Audible signal: Whistle
139.2	Penguin Island West Cardinal light and whistle buoy QLW	E. of the island. 47 23 03.3 057 00 53.9	Q(9) W 15s	Yellow-black-yellow, pillar, marked "QLW".	Year round. Audible signal: Whistle
139.21	Grey River Rocks North Cardinal light and whistle buoy QGR	47 28 26.4 057 05 35.4	Q W 1s	Black-yellow, pillar, marked "QGR".	Year round. Audible signal: Whistle
139.3	Grey River light and bell buoy QJ	47 33 51.5 057 06 43.7	Mo(A) W 6s	Red-white, pillar, marked "QJ".	Year round. Audible signal: Bell
139.5 H0265	Grey River Point Light	47 34 24.9 057 06 47.4	LFI G 6s	27.1	4	Square skeleton tower, green and white rectangular daymark. 4.3	Year round. Flash 2 s; eclipse 4 s.
139.51 H0265.5	Grey River Wharf Light	47 35 20.0 057 06 05.7	Fl G 5s	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
139.7	Eastern Passage light and whistle buoy QA	N. of Great Island. 47 32 04.8 057 22 13.2	F(2+1) G 6s	Green-red-green, pillar, marked "QA".	Year round. Audible signal: Whistle
139.8 H026.4	Ramea Light (Browns Rock)	E. of Great Island. 47 31 32.2 057 22 38.4	Fl R 4s	3.7	4	Mast. 2.6	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
139.82	Art Coley's Rock light buoy QA2	E. of Ramea. 47 31 27.2 057 22 43.2	Fl R 4s	Red, spar, marked "QA2".	Year round.
139.85 H0264.6	Ship Cove Wharf Light	Ramea Harbour. 47 31 15.2 057 23 12.7	Fl G 5s	4.3	2	Cylindrical mast.	Year round. Flash 1 s; eclipse 4 s.
140.5	Bad Rock light buoy QQ2	SE. of Harbour Island. 47 29 55.7 057 21 48.1	Fl R 4s	Red, spar, marked "QQ2".	Year round.
140.51	Turnip Island Rock light buoy QR2	N. of island. 47 30 46.1 057 22 36.6	Fl R 4s	Red, spar, marked "QR2".	Year round.
140.52	Ramea South Bank light buoy QR3	47 25 53.4 057 19 34.8	Fl G 4s	Green, pillar, marked "QR3".	Year round.
140.53	Shoal Northwest light buoy QR5	Ramea. 47 31 24.4 057 22 34.7	Fl G 4s	Green, spar, marked "QR5".	Year round.
140.54	Ramea Inner light buoy QR5/1	47 31 19.4 057 22 50.6	Fl G 4s	Green, spar, marked "QR5/1".	Year round.
140.55 H0264.7	Ship Cove Ferry Wharf Light	Ramea. 47 31 16.7 057 23 06.5	Fl R 5s	3.9	5	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
140.57	Ship Cove Floating Dock Light	47 31 17.6 057 23 13.4	Fl Y 5s	Pipe swing pole.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
140.6	Bengy light buoy QQ4	SW. of Southwest Island. 47 29 06.0 057 26 15.0	Fl R 4s	Red, spar, marked "QQ4".	Year round.
140.7	Southwest Rock light buoy QS2	S. of Northwest Island. 47 30 16.8 057 25 04.1	Fl R 4s	Red, spar, marked "QS2".	Year round.
141 H0264	Northwest Head Light Station and Fog Signal	Ramea Islands. 47 30 44.9 057 24 31.5	Fl W 3s	38.1	14	White cylindrical tower, white and red spiral bands. 7.3	Year round. Operates 24 h. Flash 0.06 s; eclipse 2.94 s. Fog Horn Blast 3 s; sil. 27 s.
142 H0258	West Flat Island Light	Burgee Islands. 47 35 04.3 057 42 26.2	Fl W 4s	10.7	6	Mast. 2.6	Year round.
142.5 H0263	Bay de Loup Point Light	47 37 31.1 057 33 05.1	Fl W 4s	22.7	7	Square skeleton tower, red and white rectangular daymark. 4.9	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
143	Boar Rock light and bell buoy QG2	NE. of Burgeo. 47 35 32.5 057 33 42.5	Fl R 4s	Red, pillar, marked "QG2".	Year round. Operates 24 h. Audible signal: Bell
143.5	Fish Island Rock light buoy QG3	E. of Burgeo. 47 37 03.7 057 35 06.9	Fl G 4s	Green, pillar, marked "QG3".	Year round. Operates 24 h.
143.7	Short Reach light buoy QG5	NE. of Burgeo. 47 37 10.8 057 35 29.9	Fl G 4s	Green, spar, marked "QG5".	Year round. Operates 24 h.
143.71	Shoal Short Reach light buoy QG5.1	NE. of Burgeo. 47 37 01.4 057 36 26.6	Q G 1s	Green, spar, marked "QG5.1".	Year round. Operates 24 h.
143.72	Short Reach light buoy QG6	NE. of Burgeo. 47 37 09.7 057 35 57.4	Fl R 4s	Red, spar, marked "QG6".	Year round. Operates 24 h.
143.74	Harbour Shoal light buoy QG5/3	Burgeo. 47 36 49.4 057 36 25.5	Fl G 4s	Green, spar, marked "QG5/3".	Seasonal (in place year round). Operates 24 h.
144 H0260	Boar Island Light Station and Fog Signal	47 36 23.2 057 35 12.2	Fl W 5s	63.1	15	Skeleton tower. 10.0	Year round. Flash 0.2 s; eclipse 4.8 s. Fog Horn Blast 2 s; sil. 18 s.
144.512	Stern Rock light buoy QV2.2	Burgeo Islands. 47 35 17.2 057 40 17.3	Fl R 4s	Red, spar, marked "QV2.2".	Year round. Operates 24 h.
144.52	Marchand Rock light buoy QV2.4	Burgeo Islands. 47 35 27.6 057 39 33.8	Fl R 4s	Red, spar, marked "QV2.4".	Year round. Operates 24 h.
144.53	Sandbanks # 1 light buoy QV2.6	Burgeo Islands. 47 35 48.0 057 38 59.0	Fl R 4s	Red, spar, marked "QV2.6".	Year round. Operates 24 h.
144.54	Sandbanks #2 light buoy QV3.7	Burgeo Islands. 47 35 55.2 057 38 45.0	Fl G 4s	Green, spar, marked "QV3.7".	Year round. Operates 24 h.
144.55	North of Douglas light buoy QV2.8	Burgeo Islands. 47 36 03.0 057 37 42.1	Fl R 4s	Red, spar, marked "QV2.8".	Year round. Operates 24 h.
144.56	Morgan Island light buoy QV4	Burgeo Islands. 47 36 16.7 057 36 53.6	Fl R 4s	Red, spar, marked "QV4".	Year round. Operates 24 h.
144.57	Eclipse Island light buoy QV5	Burgeo Islands. 47 36 23.6 057 36 38.3	Fl G 4s	Green, spar, marked "QV5".	Year round. Operates 24 h.
144.58	Cuttail Island #1 light buoy QV7	Burgeo. 47 36 24.6 057 35 41.4	Fl G 4s	Green, pillar, marked "QV7".	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
144.59	Cuttail Island #2 light buoy QV8	Burgeo. 47 36 24.6 057 35 37.2	Fl R 4s	Red, pillar, marked "QV8".	Year round. Operates 24 h.
144.6	Cuttail Island #3 light buoy QV9	Burgeo. 47 36 15.5 057 35 23.5	Fl G 4s	Green, pillar, marked "QV9".	Year round. Operates 24 h.
144.8 H0259	Rencontre Island Light	E. of Burgeo Islands. 47 35 13.0 057 36 29.3	Fl W 4s	57.3	8	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
145 H0262	Burgeo Ferry Wharf	47 36 30.6 057 36 31.8	Fl R 4s	4.0	4	Mast. 2.4	Year round.
145.8	La Poile Approach light and bell buoy QE2	47 37 37.3 058 23 11.4	Fl R 4s	Red, pillar, marked "QE2".	Year round. Audible signal: Bell
145.81	Offer Seal Island West Rock light buoy QE2.2	47 37 13.7 058 35 55.1	Q R 1s	Red, spar, marked "QE2.2".	Year round.
145.82	Cox Rock light buoy QE3	La Poile. 47 37 52.2 058 25 50.4	Fl G 4s	Green, pillar, marked "QE3".	Year round.
145.83	La Poile North Shore light buoy QE4	47 41 01.4 058 23 23.0	Fl R 4s	Red, spar, marked "QE4".	Year round.
145.84	Seal Rocks light buoy QE5	La Poile. 47 40 57.0 058 23 22.0	Fl G 4s	Green, spar, marked "QE5".	Year round.
145.85	Tooth Rock light buoy QE4.2	La Poile Harbour. 47 40 56.7 058 22 45.6	Fl R 4s	Red, spar, marked "QE4.2".	Year round. Operates 24 h.
145.86	Naked Man North Cardinal light buoy QEN	La Poile. 47 38 42.6 058 22 37.0	Q W 1s	Black-yellow, pillar, marked "QEN".	Year round.
145.9	Reubans Rock light buoy QF2	E. of Burgeo. 47 36 33.6 057 36 17.0	Fl R 4s	Red, pillar, marked "QF2".	Year round. Operates 24 h.
146 H0252	Ireland Island Light	S. of La Poile. 47 38 00.3 058 22 10.7	Fl W 6s	18.6	7	Square skeleton tower, red and white rectangular daymark. 7.1	Year round. Flash 1 s; eclipse 5 s.
147 H0254	Grand Bruit Light	47 38 31.9 058 13 29.3	Fl W 4s	11.0	7	Square skeleton tower, red and white rectangular daymark. 4.6	Year round. Flash 1 s; eclipse 3 s.
148 H0250	Little Harbour Light (La Poile)	On Christmas Head. 47 40 40.0 058 23 14.0	Q G 1s	12.1	3	Square skeleton tower, green and white rectangular daymark. 4.6	Year round.
148.4 H0249	La Poile Wharf Light	47 41 02.2 058 23 43.6	Fl R 4s	2	Mast. 2.6	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
148.9	Rose Blanche light buoy QRB	47 35 28.1 058 41 42.8	Mo(A) W 6s	Red-white, pillar, marked "QRB".	Year round. Operates 24 h. Audible signal: Whistle
149.09	Rose Blanche Shoal light buoy QR1/1	47 35 44.0 058 42 07.2	Fl G 4s	Green, pillar, marked "QR1/1".	Year round.
149.2 H0243	Harbour Le Cou Breakwater Light	47 37 28.0 058 40 55.0	Fl G 5s	3.5	2	Mast. 2.3	Seasonal. Flash 1 s; eclipse 4 s.
149.3	Calapoose Rocks light buoy QT8	Harbour Le Cou. 47 37 24.2 058 40 29.3	Fl R 4s	Red, spar, marked "QT8".	Seasonal (in place year round).
150 H0242.1	Rose Blanche East Wharf Light	47 36 35.0 058 41 37.2	Fl R 5s	3.2	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
150.1 H0242.2	Rose Blanche Ferry Wharf Light	47 36 53.0 058 41 58.5	Fl Y 5s	4.2	2	Mast. 2.4	Year round. Flash 1 s; eclipse 4 s.
150.19 H0242.5	Rose Blanche Light	47 36 06.7 058 41 40.9	Fl R 10s	29.0	13	Tower.	Year round. Flash 0.5 s; eclipse 9.5 s.
150.2 H0233.8	Burnt Islands Deep Water Wharf Light	47 35 45.4 058 53 16.1	Fl R 4s	2.9	2	Mast. 2.3	Year round.
150.3 H0233.9	Burnt Islands West Wharf	47 35 50.2 058 53 13.5	Fl R 4s	2.4	2	Mast. 2.3	Year round.
151.07	Cains Island Light	47 36 08.1 058 42 05.4	Fl R 5s	1.9	4	Mast.	Year round. Flash 1 s; eclipse 4 s.
151.2	Rose Blanche light buoy QR6	47 36 33.3 058 41 38.5	Fl R 4s	Red, spar, marked "QR6".	Seasonal (in place year round).
151.4	North Shoal Shag Rocks light buoy QH2	SW. of Rose Blanche. 47 35 46.7 058 43 57.1	Fl R 4s	Red, spar, marked "QH2".	Seasonal (in place year round).
151.5	Green Island Sunkers light buoy QH1	SW. of Rose Blanche. 47 35 35.8 058 44 24.4	Fl G 4s	Green, spar, marked "QH1".	Seasonal (in place year round).
151.6	Diamond Cove (Rose Blanche) light buoy QD2	47 36 31.9 058 42 07.2	Fl R 4s	Red, spar, marked "QD2".	Year round.
152 H0152	Goose Island light buoy QD3	Diamond Cove. 47 36 31.1 058 42 10.4	Fl G 4s	Green, spar, marked "QD3".	Year round.
153	Cuff Island light buoy QD5	Diamond Cove. 47 36 42.1 058 42 06.7	Fl G 4s	Green, spar, marked "QD5".	Year round.
153.6	Burnt Islands light and bell buoy QB1	47 35 01.9 058 54 33.3	Fl G 4s	Green, pillar, marked "QB1".	Year round. Audible signal: Bell

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
154 H0234	Burnt Islands front range light	47 35 51.4 058 53 32.4	F R	16.2	13	Square skeleton tower, white daymark with red vertical stripe. 5.2	Year round. Operates 24 h.
155 H0234.1	Burnt Islands rear range light	47 35 52.3 058 53 31.6 034°25' 37.5 m from front.	F R	20.4	13	Square skeleton tower, white daymark with red vertical stripe. 5.2	Year round. Operates 24 h.
156 H0238	Colombier Islands Light Station	47 35 30.9 058 53 50.3	Fl W 5s	18.3	15	Square skeleton tower with octagonal upper portion. 11.3	Year round. Operates 24 h. Flash 0.5 s; eclipse 4.5 s. Fog Horn Blast 3 s; sil. 27 s.
156.2	<i>Burnt Islands light buoy QB3</i>	47 35 40.9 058 53 27.9	Fl G 4s	<i>Green, spar, marked "QB3".</i>	<i>Seasonal (in place year round).</i>
156.3	<i>Bad Neighbour light and bell buoy Q34</i>	<i>S. of Burnt Island. 47 34 29.4 058 54 15.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "Q34".</i>	<i>Year round. Audible signal: Bell</i>
156.8 H0232.4	Isle aux Morts Wharf Light	Isle aux Morts. 47 34 56.0 058 58 42.4	Fl G 4s	3.8	4	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
157 H0232	Pitman's Island Light	Isle aux Morts. 47 34 48.4 058 58 49.0	Fl W 5s	9.1	7	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
157.5	<i>Fish Point light buoy QX2</i>	<i>Isle aux Morts. 47 34 23.0 058 58 37.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "QX2".</i>	<i>Year round.</i>
158	<i>Isle aux Morts light and whistle buoy QX</i>	<i>Isle aux Morts. 47 34 02.7 058 58 26.5</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, pillar, marked "QX".</i>	<i>Year round. Audible signal: Whistle</i>
158.3	<i>Harrys Rock light buoy QXX</i>	<i>Isle aux Morts. 47 34 54.0 058 58 58.5</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, spar, marked "QXX".</i>	<i>Year round.</i>
158.31	<i>Potato Island light buoy QX9</i>	<i>Isle aux Morts. 47 34 56.3 058 59 03.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "QX9".</i>	<i>Year round. Operates 24 h.</i>
158.4	<i>White Sunkers Inner light buoy QX5</i>	<i>Isle aux Morts. 47 34 38.5 058 58 52.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "QX5".</i>	<i>Year round.</i>
158.41	<i>Pittmans Island Inner light buoy QX6</i>	<i>Isle aux Morts. 47 34 43.5 058 58 51.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QX6".</i>	<i>Year round.</i>
158.42	<i>Isle aux Morts light buoy QX7</i>	<i>Isle aux Morts. 47 34 53.2 058 58 46.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "QX7".</i>	<i>Year round.</i>
158.71	<i>Two Foot Shoal light buoy QW4</i>	<i>Isle aux Morts. 47 34 37.0 059 00 24.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QW4".</i>	<i>Seasonal (in place year round).</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
158.72	Five Foot Shoal light buoy QW2	Isle aux Morts. 47 34 02.5 059 01 57.4	Fl R 4s	Red, pillar, marked "QW2".	Seasonal (in place year round).
158.721	Dead Head Shoal light buoy QW3	Isle aux Morts. 47 34 32.6 059 00 46.2	Fl G 4s	Green, spar, marked "QW3".	Seasonal (in place year round).
158.74	Little Grave Island Rock light buoy QW5	Isle aux Morts. 47 34 43.4 059 00 12.9	Fl G 4s	Green, spar, marked "QW5".	Seasonal (in place year round).
158.75 H0233.3	Isle aux Morts North Wharf Light	47 35 18.0 058 58 47.0	Fl R 4s	3.1	4	Mast.	Year round. Flash 1 s; eclipse 3 s.
158.76	Big Sunkers Outer light buoy QX1	Isle aux Morts. 47 34 20.3 058 58 44.8	Fl G 4s	Green, pillar, marked "QX1".	Year round.
158.77	Middle Sunker light buoy QX3	Isle aux Morts. 47 34 29.9 058 58 51.4	Fl G 4s	Green, pillar, marked "QX3".	Year round.
159.01	Fox Roost Breakwater Light	47 34 20.8 059 02 32.8	Fl G 5s	4	Cylindrical mast.	Seasonal (in place year round). Operates 24 h. Flash 1 s; eclipse 4 s.
159.1	Black Rock Shoal light buoy QM2.2	Margaree. 47 33 57.0 059 04 02.0	Fl R 4s	Red, spar, marked "QM2.2".	Seasonal.
159.11	Net Shoal light buoy QM1	Margaree. 47 33 44.7 059 04 06.1	Fl G 4s	Green, pillar, marked "QM1".	Year round.
159.12	Shag Rock light buoy QM2.4	Margaree. 47 34 13.8 059 03 51.5	Q R 1s	Red, spar, marked "QM2.4".	Seasonal (in place year round).
159.13	Margaree Harbour light buoy QM4	47 34 17.2 059 03 49.3	Fl R 4s	Red, spar, marked "QM4".	Seasonal (in place year round).
159.14 H0231	Margaree Wharf Light	47 34 25.0 059 03 49.1	Fl Y 4s	2.9	2	Mast. 2.2	Year round. Flash 1 s; eclipse 3 s.
159.2	Flat Islands light buoy QM2	Margaree. 47 34 07.0 059 04 00.5	Fl R 4s	Red, pillar, marked "QM2".	Seasonal (in place year round).
159.3	Western Island light buoy QM3	SSE. of island, Margaree Harbour. 47 34 15.7 059 03 50.2	Q G 1s	Green, spar, marked "QM3".	Seasonal (in place year round).
159.42	Margaree Ruin light buoy QM6	47 34 23.6 059 03 49.1	Fl R 4s	Red, spar, marked "QM6".	Seasonal (in place year round).
159.5 H0230	Margaree Point Light	Margaree. 47 34 13.0 059 04 01.4	Fl W 4s	6.4	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
160 H222	Channel Head Light Station Racon C (- . - .) X & S Bands	Port aux Basques. 47 33 57.0 059 07 24.6	Fl W 10s	29.0	17	White cylindrical tower.	Year round. Flash 1 s; eclipse 9 s.
160.1	<i>Motherlake Bay West light buoy QK2</i>	<i>W. of Port aux Basques. 47 33 42.9 059 08 36.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QK2".</i>	<i>Seasonal (in place year round).</i>
160.2	<i>Channel Gut Five Foot Rock light buoy QG1</i>	<i>Port aux Basques. 47 33 51.6 059 08 15.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "QG1".</i>	<i>Seasonal (in place year round).</i>
160.3	<i>4 Foot Shoal light buoy QK4</i>	<i>Motherlake Bay. 47 33 50.0 059 08 36.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QK4".</i>	<i>Seasonal (in place year round).</i>
160.7 H0222.4	Channel Gut Wharf Light	Port aux Basques. 47 33 57.6 059 07 34.6	Fl R 4s	3.6	2	Mast. 2.4	Year round.
161	<i>East Baldwin Rock light and bell buoy QP2</i>	<i>Port aux Basques. 47 34 23.8 059 07 32.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "QP2".</i>	<i>Year round. Operates 24 h. Audible signal: Bell</i>
162 H0244	Graveyard Point Light	Port aux Basques. 47 34 23.5 059 07 45.2	Fl W 4s	9.5	5	Mast. 2.5	Year round. Outer end of breakwater is floodlit.
162.5	<i>Graveyard Point Breakwater light buoy QP3</i>	<i>Port aux Basques. 47 34 25.2 059 07 46.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "QP3".</i>	<i>Year round.</i>
163 H0227	Vardys Island Light (Rhode Island)	Port aux Basques. 47 34 37.6 059 08 12.3	Fl R 4s	5.8	7	Square skeleton tower, red and white rectangular daymark. 4.4	Year round.
164	<i>Vardys Island light buoy QP10</i>	<i>Port aux Basques. 47 34 39.0 059 08 14.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "QP10".</i>	<i>Year round.</i>
165	<i>Pikes Island West light buoy QP12</i>	<i>Port aux Basques. 47 34 47.5 059 08 02.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QP12".</i>	<i>Year round.</i>
166 H0223	Port aux Basques front range light	47 34 45.9 059 08 33.0	F G	38.8	14 6.3	Year round. Operates 24 h.
167 H0223.1	Port aux Basques rear range light	47 34 49.2 059 08 41.2 300°43' 202.0 m from front.	F G	67.3	14 6.3	Year round. Operates 24 h.
168	<i>Channel Head light and whistle buoy QP</i>	<i>Port aux Basques. 47 33 55.5 059 06 35.9</i>	<i>Fl(2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-green-red, pillar, marked "QP".</i>	<i>Year round. Audible signal: Whistle</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

SOUTHWEST COAST

169	Middle Baldwin light and bell buoy QP4	Port aux Basques. 47 34 27.5 059 07 41.7	Fl R 4s	Red, pillar, marked "QP4".	Year round. Audible signal: Bell
170 H0226	Pikes Island Breakwater Light	Port aux Basques. 47 34 32.7 059 07 55.7	Fl R 4s	17.0	5	Triangular mast, red and white rectangular daymark. 10.0	Year round.
170.5	Pikes Island Breakwater light buoy QP6	Port aux Basques. 47 34 31.8 059 07 56.0	Fl R 4s	Red, pillar, marked "QP6".	Year round.
171	Point Pleasant light buoy QP7	Port aux Basques. 47 34 30.9 059 08 10.4	Fl G 4s	Green, spar, marked "QP7".	Year round.
172	Pancake Rock light buoy QP9	Port aux Basques. 47 34 34.8 059 08 22.0	Fl G 4s	Green, spar, marked "QP9".	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST							
173 H0220	Cape Ray Light Station and Fog Signal	47 37 16.0 059 18 14.1	Fl W 15s	36.0	17	White octagonal tower, red daymark with white horizontal band. 17.7	Year round. Flash 1 s; eclipse 14 s. Fog Horn Blast 4 s; sil. 56 s.
173.1	<i>Brandies Rock West Cardinal light buoy QBR</i>	<i>W. of Cape Ray. 47 37 12.2 059 20 11.8</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, pillar, marked "QBR".</i>	<i>Seasonal (in place year round).</i>
173.12	<i>Halibut Rock West Cardinal light buoy QHR</i>	<i>SE. of Cape Ray. 47 34 59.5 059 15 39.6</i>	<i>VQ(9) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, pillar, marked "QHR".</i>	<i>Seasonal (in place year round).</i>
173.5	<i>Codroy Fairway light buoy XY</i>	<i>47 52 03.0 059 23 25.5</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, pillar, marked "XY".</i>	<i>Seasonal.</i>
174 H0219	Codroy Light	47 52 14.2 059 24 06.3	Fl G 6s	7.1	4	Square skeleton tower, green and white rectangular daymark. 4.9	Year round. Flash 1 s; eclipse 5 s.
174.1	<i>Codroy Island Outer light buoy XY1</i>	<i>47 52 24.5 059 23 37.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "XY1".</i>	<i>Seasonal.</i>
174.12	<i>Codroy light buoy XY3</i>	<i>47 52 39.3 059 23 49.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "XY3".</i>	<i>Seasonal.</i>
174.2	<i>Codroy Outer light buoy XY2</i>	<i>47 52 26.6 059 23 32.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XY2".</i>	<i>Seasonal.</i>
174.3	<i>Beach Point light buoy XY4</i>	<i>Codroy. 47 52 41.0 059 23 46.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XY4".</i>	<i>Seasonal.</i>
174.5 H0219.4	Codroy Breakwater Light	47 52 46.5 059 23 55.0	Fl R 4s	4.0	4	Mast. 2.5	Year round.
174.6	Codroy Outer Breakwater Light	47 52 45.0 059 23 48.1	Fl R 4s	2	Cylindrical mast. 2.3	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
175 H218	Cape Anguille Light Station and Fog Signal	47 54 02.0 059 24 40.5	Fl W 5s	24.7	15	White octagonal tower with red top. 17.8	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. Fog Horn Blast 3 s; sil. 27 s.
175.98	<i>Fischells Entrance Outer light buoy XE2</i>	<i>At the entrance to harbour. 48 19 23.1 058 42 23.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XE2".</i>	<i>Seasonal.</i>
175.99	<i>Fischells Entrance Inner light buoy XE1</i>	<i>Harbour entrance. 48 19 24.0 058 42 21.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "XE1".</i>	<i>Seasonal.</i>
176	<i>Crabbes River Entrance light buoy XD2</i>	<i>48 13 15.2 058 51 57.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XD2".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST							
176.1	Crabbes River Harbour light buoy XD5	48 13 11.6 058 51 48.6	Fl G 4s	Green, spar, marked "XD5".	Seasonal.
176.11	Crabbes River light buoy XD3	48 13 14.9 058 51 53.2	Fl G 4s	Green, spar, marked "XD3".	Seasonal.
176.12	Crabbes River Channel #2 light buoy XD1	48 13 17.3 058 51 57.4	Fl G 4s	Green, spar, marked "XD1".	Seasonal.
176.2	Crabbes River Harbour light buoy XD4	48 13 13.7 058 51 54.7	Fl R 4s	Red, spar, marked "XD4".	Seasonal.
176.3	Crabbes River Channel light buoy XD6	48 13 10.7 058 51 49.7	Fl R 4s	Red, spar, marked "XD6".	Seasonal.
176.35	Crabbes River Light	48 13 08.5 058 51 47.5	Fl W 5s	3	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
176.4	Crabbes River Inner Cautionary light buoy X	48 13 07.7 058 51 44.4	Fl Y 4s	Yellow, spar, marked "X".	Seasonal.
178 H0208	Harbour Point Light	St. George's. 48 27 26.0 058 29 20.4	Fl W 6s	10.7	6	Cylindrical tower, red and white horizontal bands. 10.2	Seasonal. Flash 1 s; eclipse 5 s.
178.12	St. George's Harbour Outer light buoy XG1	48 26 06.5 058 29 16.4	Fl G 4s	Green, spar, marked "XG1".	Seasonal.
178.13	St. George's Harbour Outer light buoy XG2	48 26 06.5 058 29 21.4	Fl R 4s	Red, spar, marked "XG2".	Seasonal.
178.14	St. George's Harbour Inner light buoy XG3	48 25 57.4 058 29 17.6	Q G 1s	Green, spar, marked "XG3".	Seasonal.
178.15	St. George's Harbour Inner light buoy XG4	48 26 00.5 058 29 20.0	Fl R 4s	Red, spar, marked "XG4".	Seasonal.
179.3 H0206	Port Harmon front range light	48 32 00.1 058 31 23.1	F G	42.8	14 Square skeleton tower, red daymark with white vertical stripe. 27.1	Year round. Operates 24 h.
179.4 H0206.1	Port Harmon rear range light	48 32 07.3 058 31 18.2 024°00' 243.6 m from front.	F G	55.7	15 Square skeleton mast, red daymark with white vertical stripe. 27.1	Year round. Operates 24 h.
179.5	Port Harmon light buoy XS	48 29 43.2 058 32 52.8	Mo(A) W 6s	Red-white, pillar, marked "XS".	Seasonal.
180	Port Harmon Entrance light buoy XS1	48 30 20.5 058 32 32.4	Fl G 4s	Green, spar, marked "XS1".	Year round.
180.1 H0205	Port Harmon Breakwater Light	48 30 27.0 058 32 30.4	Fl W 3s	5.2	5	Mast. 2.5	Year round. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST							
180.2 H0205.08	Port Harmon Channel light buoy XS2	48 30 30.4 058 32 21.4	Fl R 4s	Red, spar, marked "XS2".	Year round.
180.51	Port Harmon Channel light buoy XS3	48 30 34.7 058 32 22.9	Fl G 4s	Green, spar, marked "XS3".	Year round.
180.52	Port Harmon Inner light buoy XS5	48 30 49.0 058 32 13.0	Q G 1s	Green, spar, marked "XS5".	Year round.
180.53	Port Harmon Channel light buoy XS6	48 30 49.6 058 32 08.5	Fl R 4s	Red, spar, marked "XS6".	Year round.
180.54	Port Harmon Channel light buoy XS7	48 31 09.0 058 31 59.4	Fl G 4s	Green, spar, marked "XS7".	Year round.
180.55	Port Harmon Channel light buoy XS8	48 31 09.6 058 31 54.6	Fl R 4s	Red, spar, marked "XS8".	Year round.
180.6	Port Harmon Turn Basin light buoy XS9	48 31 30.5 058 31 45.4	Q G 1s	Green, spar, marked "XS9".	Year round.
180.61	Port Harmon East Turning Basin light buoy XS10	48 31 34.3 058 31 34.7	Fl R 4s	Red, spar, marked "XS10".	Year round.
180.62	Port Harmon West Turning Basin light buoy XS11	48 31 45.6 058 31 48.6	Fl G 4s	Green, spar, marked "XS11".	Year round.
183 H0214	St. George's Cautionary Light	48 25 53.9 058 29 08.1	Fl Y 4s	3.0	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
183.1 H0214.2	St. George's Breakwater Light	48 26 06.0 058 29 37.0	F G	3.5	Square tower, yellow and red horizontal bands. 1.4	Private aid. Year round. Operates 24 h.
183.2 H0214.3	St. George's North Breakwater Light	48 26 15.0 058 29 57.4	Fl R 3s	5.1	Square tower, yellow and red horizontal bands. 1.4	Private aid. Seasonal. Operates 24 h.
183.5 H0210	Flintkote Wharf Light	St. George's Harbour. 48 26 35.5 058 28 32.4	Fl G 4s	6.4	Skeleton tower.	Private aid. Seasonal. Operates 24 h.
183.7	Lower Cove light buoy XLC	Pigeon Head. 48 30 57.1 059 01 21.1	Fl(2) W 10s	Black-red-black, pillar, marked "XLC".	Seasonal.
183.82 H0203	Rouzes Brook West Breakwater Light	Cape St. George. 48 28 36.2 059 11 58.8	Fl G 5s	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
184 H0202	Red Island Light	W. of Port au Port. 48 33 52.0 059 13 45.0	Fl W 3s	65.0	7	Skeleton tower, white daymark.	Year round. Flash 0.5 s; eclipse 2.5 s.
184.83 H0204	Rouzes Brook East Breakwater Light	Cape St. George. 48 28 37.6 059 11 57.7	Fl R 5s	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST							
185 H0196	Long Point Light	Port au Port. 48 46 52.5 058 46 22.0	Fl W 6s	14.6	5	Skeleton tower, red slatwork daymark. 11.0	Year round. Flash 0.5 s; eclipse 5.5 s.
185.2 H0197	Beach Point Breakwater Light	Port au Port. 48 45 52.0 058 47 20.0	Fl R 4s	4.4	4	Mast. 2.6	Year round.
185.3 H0197.2	Beach Point South Light	Port au Port bay. 48 45 49.0 058 47 26.5	Fl G 4s	4.3	4	Mast. 2.6	Year round.
185.5	Shoal Point light buoy XU3	Port au Port bay. 48 40 43.0 058 50 49.0	Fl G 4s	Green, pillar, marked "XU3".	Seasonal.
185.7 H0200	Head Harbour Wharf Light (Pic à Denis Harbour)	Port au Port bay. 48 34 35.8 058 54 06.1	Fl R 4s	3.0	4	Mast. 2.6	Seasonal.
185.8 H0201.5	Fox Brook South Wharf Light	48 41 42.7 058 40 56.6	Fl R 3s	3.1	2	Cylindrical mast.	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 2.5 s.
185.9 H0201	Fox Brook Light	Port au Port bay. 48 41 44.5 058 40 57.3	Fl G 3s	2.0	3	Pipe tower. 2.6	Year round. Flash 0.5 s; eclipse 2.5 s.
188 H0198	Broad Cove Point Light	Port au Port bay. 48 45 41.0 058 37 57.0	Fl W 4s	42.7	7	Square skeleton tower, red and white rectangular daymark. 5.8	Seasonal.
189 H0195	Shag Island Light	Port au Port bay. 48 52 18.0 058 35 25.0	Fl W 4s	31.7	6	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal.
190 H0178	Eagle Island Light (Bay of Islands)	N. of Middle Arm Point. 49 09 42.1 058 08 47.1	Fl W 6s	33.2	6	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal. Flash 1 s; eclipse 5 s.
191 H0179	Middle Arm Point Light	Entrance to Bay of Islands. 49 07 54.1 058 08 45.1	Fl W 4s	21.9	6	Square skeleton tower, red and white rectangular daymark. 4.2	Seasonal.
192 H0192	South Head Light	Entrance to Bay of Islands. 49 08 48.1 058 22 11.1	Fl W 4s	34.5	6	Cylindrical tower, red with white bands. 11.0	Year round.
193 H0190	White Point Light	Entrance to Bay of Islands. 49 08 32.1 058 21 09.1	Fl W 6s	30.5	6	Skeleton tower, white daymark.	Year round. Flash 1 s; eclipse 5 s.
193.4	Lark Harbour Entrance light buoy XL1	Bay of Islands. 49 06 23.2 058 20 36.1	Q G 1s	Green, spar, marked "XL1".	Seasonal.
193.5	Lark Harbour Spit light buoy XL2	49 05 51.7 058 22 16.5	Fl R 4s	Red, spar, marked "XL2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST							
193.7	Woods Island Harbour light buoy XWH2	49 05 52.2 058 13 36.9	Fl R 4s	Red, spar, marked "XWH2".	Seasonal.
193.83	Frenchman's Cove Wharf Light	49 03 30.2 058 10 48.3	Fl R 5s	3	Pipe tower. 5.3	Seasonal. Flash 1 s; eclipse 4 s.
194.5	Allen's light buoy XCB2	Corner Brook. 48 57 57.7 058 01 12.6	Fl R 4s	Red, spar, marked "XCB2".	Seasonal.
194.6 H0179.5	Corner Brook Breakwater West Light	48 57 55.7 058 01 13.6	Fl R 4s	2	Mast. 2.6	Year round.
194.7 H0179.7	Corner Brook Breakwater East Light	48 57 54.5 058 01 11.9	Fl G 4s	2	Mast. 2.6	Year round.
194.8	Corner Brook East Cardinal light buoy XCB	48 57 33.1 057 57 02.6	Q(3) W 10s	Black-yellow-black, spar, marked "XCB".	Year round. Operates 24 h.
195 H0180	Meadows Point Light	Entrance to Corner Brook harbour. 48 59 32.6 058 03 38.1	Fl G 3s	20.4	5	Square skeleton tower, green and white rectangular daymark. 9.7	Seasonal. Flash 0.5 s; eclipse 2.5 s.
196 H0194	Little Port Head Light	Bay of Islands. 49 06 31.1 058 25 41.2	Fl W 4s	67.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
196.1	Little Port light buoy XLH1	49 06 34.6 058 25 31.3	Fl G 4s	Green, spar, marked "XLH1".	Seasonal.
196.6	Lark Harbour Wharf Light	On wharf. 49 06 04.3 058 21 48.3	Fl R 4s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
197 H0188	Woods Island Light	Bay of Islands. 49 05 40.1 058 13 19.1	Iso W 4s	11.0	6	Square skeleton tower, red and white rectangular daymark. 4.6	Year round.
197.5	Peter Point Shoal South Cardinal light buoy XWC	Woods Island. 49 04 48.4 058 09 46.4	Q(6) + LFl W 15s	Yellow-black, pillar, marked "XWC".	Seasonal.
198 H0186	Frenchman's Head Light	Entrance to Humber Arm. 49 03 27.1 058 09 28.1	Fl W 5s	82.6	Skeleton tower, red and white rectangular daymark. 9.8	Year round. Flash 1 s; eclipse 4 s.
199 H0175	Trout River Light	49 28 58.7 058 07 58.4	Fl W 5s	24.3	6	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
199.1	Trout River Point Rock light buoy XT2	49 28 57.1 058 07 52.8	Fl R 4s	Red, spar, marked "XT2".	Seasonal.
199.2	Trout River Bay Shoal light buoy XT3	49 28 56.2 058 07 52.0	Fl G 4s	Green, spar, marked "XT3".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST							
199.4 H0176	Trout River Wharf Light	49 28 51.1 058 07 57.2	Fl G 3s	2.6	3	Mast. 2.2	Seasonal. Flash 1 s; eclipse 2 s.
200 H0168	Woody Point Light	Bonne Bay. 49 30 17.2 057 54 44.9	LFl W 6s	13.7	4	White pyramid tower with red top. 7.3	Seasonal. Flash 2 s; eclipse 4 s.
200.1	Curzon Village Light	Outer corner of the wharf. 49 30 32.2 057 55 01.9	Fl Y 4s	4	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
200.2	Rocky Harbour Entrance light buoy XR2	49 35 34.8 057 56 42.6	Fl R 4s	Red, spar, marked "XR2".	Seasonal.
200.3 H0165	Rocky Harbour Wharf Light	49 35 27.4 057 55 08.1	Fl G 4s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
201 H0164	Lobster Cove Head Light	Bonne Bay. 49 36 10.2 057 57 21.1	Iso W 4s	35.0	12	White lighthouse. 8.4	Year round.
202.2 H0163	Cow Head Wharf Light	49 55 23.3 057 48 14.0	Fl R 4s	4.6	2	Mast. 2.6	Seasonal.
202.3	Harbour Rock light buoy XW2	Cow Head Harbour. 49 55 31.1 057 48 22.9	Fl R 4s	Red, spar, marked "XW2".	Seasonal.
202.4	Cow Head Harbour light buoy XW3	49 55 30.7 057 48 13.0	Fl G 4s	Green, spar, marked "XW3".	Seasonal.
202.5	Cow Head Outer light buoy XW4	49 55 28.3 057 48 11.8	Q R 1s	Red, spar, marked "XW4".	Seasonal.
202.6	Cow Head Harbour light buoy XW1	49 55 32.7 057 48 21.0	Fl G 4s	Green, spar, marked "XW1".	Seasonal.
203.1	Parson's Pond Entrance #2 light buoy XPP2	50 02 01.4 057 42 51.2	Fl R 4s	Red, spar, marked "XPP2".	Seasonal.
203.2	Parson's Pond Entrance #1 light buoy XPP1	50 02 02.5 057 42 50.9	Fl G 4s	Green, spar, marked "XPP1".	Seasonal.
204 H0169	Norris Point Light	49 30 55.2 057 52 39.8	Fl G 5s	7.6	4	Square skeleton tower, green and white rectangular daymark. 5.6	Seasonal. Flash 1 s; eclipse 4 s.
205 H0170	Gadds Point Light	Gadds Harbour entrance. 49 30 41.5 057 52 33.0	Fl W 5s	14.3	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
205.2	Neddy Harbour Breakwater Light	49 31 38.3 057 52 21.7	Fl R 5s	2	Cylindrical mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
207.2	Daniel's Harbour light buoy XDH2	50 14 33.6 057 35 16.3	Fl R 4s	Red, spar, marked "XDH2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

WEST COAST

207.5 H0158	River of Ponds Breakwater Light	50 31 42.6 057 23 46.2	Fl R 4s	5.0	2	Mast. 2.3	Seasonal. Operates 24 h.
208 H0156	Keppel Island Light Station	NW. side of island, Port Saunders. 50 37 58.9 057 19 19.9	Fl W 5s	36.5	11	Square skeleton tower with an octagonal lantern house. 11.3	Seasonal. Flash 1 s; eclipse 4 s.
208.05	<i>Cotton Shoal light buoy XPS2</i>	<i>Port Saunders Entrance. 50 38 28.3 057 16 38.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XPS2".</i>	<i>Seasonal.</i>
208.06 H155	Port Saunders Wharf Light	50 38 43.0 057 16 26.9	Fl G 4s	2.1	2	Mast. 2.6	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
211 H0154	Pointe Riche Light	50 41 54.6 057 24 36.8	Fl W 5s	29.3	10	White octagonal tower with red upper portion. 19.8	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
211.1	Port au Choix light buoy XLP1	Northern peninsula. 50 43 06.6 057 22 22.3	Q G 1s	Green, spar, marked "XLP1".	Seasonal. Operates 24 h.
211.15	Barbace Point North Cardinal light buoy XPB	50 44 00.2 057 20 37.2	VQ W 0.5s	Black-yellow, pillar, marked "XPB".	Seasonal. Operates 24 h.
211.2	Querré Island light buoy XP2.2	Port au Choix. 50 43 10.2 057 20 12.5	Fl R 4s	Red, spar, marked "XP2.2".	Seasonal. Operates 24 h.
211.3	Querré Island light buoy XP1	Port au Choix. 50 43 17.9 057 19 55.0	Q G 1s	Green, spar, marked "XP1".	Seasonal.
211.5	Port au Choix light buoy XP2	50 44 17.9 057 20 04.2	Fl R 4s	Red, spar, marked "XP2".	Year round (YRLS).
211.6	Querré Island Shoal light buoy XP3	Port au Choix. 50 43 07.9 057 20 10.5	Fl G 4s	Green, spar, marked "XP3".	Seasonal.
211.7	Ardent Rock light buoy XP4	Port au Choix entrance. 50 43 17.3 057 20 01.2	Q R 1s	Red, spar, marked "XP4".	Seasonal.
211.74	Back Arm light buoy XP6	Port au Choix Harbour. 50 42 37.8 057 20 58.9	Fl R 4s	Red, spar, marked "XP6".	Seasonal.
211.815	Back Arm Wharf Light	Port au Choix Harbour. 50 42 21.9 057 21 06.1	Fl G 4s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
211.82 H0153.6	Back Arm South Cautionary Light	Port au Choix Harbour. 50 42 19.5 057 21 07.0	Fl Y 4s	3.5	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
211.83 H0153.7	Back Arm West Wharf Light	Port au Choix Harbour. 50 42 27.4 057 21 23.2	Fl R 4s	3.5	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
212 H152	Port au Choix Light	50 43 13.6 057 19 58.6	Fl W 6s	8.5	6	Square skeleton tower, red and white rectangular daymark. 4.9	Seasonal. Flash 1 s; eclipse 5 s.
212.1 H0152.5	Port au Choix front range light	50 42 13.2 057 21 33.0	F R	20.6	13	Square skeleton tower, red daymark with white vertical stripe. 8.8	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
212.2 H0152.51	Port au Choix rear range light	50 42 07.7 057 21 41.0 224°00' 237.0 m from front.	F R	25.1	13	Square skeleton tower, red daymark with white vertical stripe. 9.3	Seasonal.
212.5	Flowers Cove light buoy XF	51 17 55.3 056 46 27.0	Mo(A) W 6s	Red-white, pillar, marked "XF".	Seasonal.
212.54	Capstan Point light buoy XF3	Flowers Cove entrance. 51 17 46.8 056 45 18.6	Fl G 4s	Green, spar, marked "XF3".	Seasonal.
212.55	Seal Ledges light buoy XF2	Flowers Cove entrance. 51 17 43.2 056 45 43.8	Fl R 4s	Red, spar, marked "XF2".	Seasonal.
212.56 H0142	Nameless Point Light	Nameless Cove approaches. 51 18 44.5 056 44 30.0	Fl W 10s	12.8	17	Square skeleton tower, red and white rectangular daymark. 9.1	Seasonal. Flash 0.2 s; eclipse 9.8 s.
213 H0144	Flowers Cove Light	51 17 41.5 056 44 42.0	Fl G 3s	5.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.
213.51	Flowers Cove Outer light buoy XF6	51 17 48.6 056 44 21.0	Fl R 4s	Red, spar, marked "XF6".	Seasonal.
213.58	Flowers Cove Inner light buoy XF8	51 17 52.5 056 44 15.1	Fl R 4s	Red, spar, marked "XF8".	Seasonal.
213.59 H0143.5	Flowers Cove Wharf Light	51 17 57.8 056 44 09.1	Fl G 4s	2	Mast. 2.6	Seasonal.
214 H0143	Flowers Cove front range light	51 17 34.7 056 44 32.0	F R	4.9	13	Skeleton tower, orange daymark with black vertical stripe. 4.0	Seasonal. Operates 24 h.
215 H0143.1	Flowers Cove rear range light	51 17 33.8 056 44 26.9 107°00' 114.3 m from front.	F R	7.9	13	Skeleton tower, orange daymark with black vertical stripe. 5.8	Seasonal. Operates 24 h.
215.3 H0144.7	Anchor Cove Light	51 13 58.8 056 47 53.9	Fl R 6s	7.0	4	Mast. 2.5	Seasonal. Flash 1 s; eclipse 5 s.
215.4 H0144.5	Anchor Point Light	51 13 59.3 056 47 55.8	Fl G 4s	7.0	3	Mast. 2.6	Seasonal.
215.41	Anchor Point light buoy XA2	51 13 48.7 056 48 01.1	Fl R 4s	Red, spar, marked "XA2".	Seasonal.
215.42	Anchor Point Inner light buoy XA3	51 13 51.9 056 48 11.1	Q G 1s	Green, spar, marked "XA3".	Seasonal.
215.43	Anchor Point Outer light buoy XA1	51 13 40.6 056 48 32.9	Fl G 4s	Green, spar, marked "XA1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
215.8 H0145.7	St. Barbe front range light	St. Barbe Harbour. 51 12 40.3 056 46 01.0	F G	9.0	11	Square skeleton tower, red daymark with black vertical stripe. 6.4	Year round.
215.9 H0145.71	St. Barbe rear range light	51 12 39.2 056 45 50.0 100°00' 140.0 m from front.	F G	13.0	11	Square skeleton tower, white daymark with black vertical stripe. 3.7	Year round.
215.99 H0146.8	Bird Cove Wharf Light	51 03 10.2 056 56 06.5	Fl G 4s	4.0	2	Mast. 2.3	Seasonal. Operates 24 h.
216 H0145	Harbour Point Light	N. of St Barbe wharf. 51 12 22.8 056 46 33.2	Fl R 5s	6.1	4	Square skeleton tower, red and white rectangular daymark. 5.9	Year round. Flash 1 s; eclipse 4 s.
216.09	St Barbe Outer light buoy XB1	At St Barbe entrance. 51 12 50.5 056 46 56.8	Fl G 4s	Green, pillar, marked "XB1".	Seasonal.
216.1	St Barbe light buoy XB2	At St Barbe entrance. 51 12 43.3 056 46 56.4	Q R 1s	Red, pillar, marked "XB2".	Seasonal.
216.12	St Barbe Inner light buoy XB3	At St Barbe entrance. 51 12 23.3 056 46 15.1	Fl G 4s	Green, spar, marked "XB3".	Seasonal.
216.13	Harbour Point light buoy XB4	At St Barbe entrance. 51 12 24.5 056 46 24.2	Fl R 4s	Red, spar, marked "XB4".	Seasonal.
216.3 H0146	St. Barbe Harbour Light	51 12 15.3 056 46 22.0	Fl Y 6s	3.4	4	Mast. 2.6	Year round. Flash 1 s; eclipse 5 s.
216.35 H0146.5	Black Duck Cove Wharf Light	51 11 50.1 056 47 55.3	F R	2	Mast. 3.0	Seasonal.
216.4	Black Duck Cove light buoy XK3	51 11 51.7 056 47 53.5	Fl G 4s	Green, spar, marked "XK3".	Seasonal.
216.5	West Shoal light buoy XK2	Approaches to Black Duck Cove. 51 11 52.6 056 48 03.4	Fl R 4s	Red, spar, marked "XK2".	Seasonal.
216.55	Black Duck Cove Inner light buoy XK4	51 11 51.0 056 47 56.4	Fl R 4s	Red, spar, marked "XK4".	Seasonal.
216.6	East Shoal light buoy XK1	Approaches to Black Duck Cove. 51 11 55.4 056 47 59.3	Fl G 4s	Green, spar, marked "XK1".	Seasonal.
216.9	Old Ferolle Entrance light buoy XFF1	51 04 21.0 056 54 26.4	Fl G 4s	Green, spar, marked "XFF1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
217.1	New Ferolle Outer light buoy XFG2	51 02 05.1 057 03 08.9	Q R 1s	Red, spar, marked "XFG2".	Seasonal. Operates 24 h.
217.11	New Ferolle Inner light buoy XFG4	51 01 38.3 057 03 09.6	Fl R 4s	Red, spar, marked "XFG4".	Seasonal. Operates 24 h.
217.12	Shoal Cove West Breakwater Light	51 01 26.8 057 01 33.7	Fl G 4s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
217.13	Reefs Harbour light buoy XFG6	51 00 43.0 057 00 14.5	Fl R 4s	Red, spar, marked "XFG6".	Seasonal. Operates 24 h.
219.5 H0137	Raleigh Breakwater Light	Raleigh harbour. 51 33 51.1 055 43 59.2	Fl G 4s	4.5	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
219.6	Raleigh light buoy XR1	Raleigh harbour. 51 34 00.4 055 43 56.1	Fl G 4s	Green, spar, marked "XR1".	Seasonal. Operates 24 h.
220 H0148	New Ferolle Peninsula Light Station and Fog Signal	51 01 22.1 057 05 44.5	Fl(2) W 5s	27.7	20	White octagonal tower with red upper portion. 19.2	Year round. Operates 24 h. Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 3.75 s. Fog Horn Blast 4 s; sil. 56 s.
221 H0150	White Island Light	Approaches to Bartletts Harbour. 50 55 52.8 057 01 21.8	Fl W 6s	9.4	7	Square skeleton tower, red and white rectangular daymark. 6.7	Seasonal. Flash 1 s; eclipse 5 s.
221.31 H0149	Bartletts Cove Wharf Light	50 56 28.5 056 59 29.2	Fl G 4s	3.5	3	Mast. 2.6	Seasonal.
221.32 H0151	Castor River North Wharf Light	50 55 54.0 056 56 36.0	Fl G 5s	4.0	2	Mast. 2.3	Seasonal. Flash 1 s; eclipse 4 s.
222.1 H0140.5	Sandy Cove Wharf Light	51 20 35.8 056 40 36.8	Fl R 5s	3.6	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
222.12	Cooper Island light buoy XV2	Savage Cove Harbour. 51 19 55.0 056 42 17.8	Fl R 4s	Red, spar, marked "XV2".	Seasonal.
222.13 H0141.7	Savage Cove Wharf Light	51 19 52.0 056 42 08.6	Fl G 5s	3.6	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
223 H0140	Cape Norman Light Station	51 38 04.0 055 54 37.5	Fl(3) W 27s	38.7	21	White octagonal tower with red top. 15.2	Year round. Operates 24 h.
225 H0132	Cape Bauld Light Station	51 38 24.2 055 25 35.9	Fl W 15s	53.9	17	Red hexagonal tower. 14.6	Year round. Operates 24 h. Flash 0.5 s; eclipse 14 .5 s.
226.3 H0141.2	Green Island Cove Wharf Light	51 23 03.0 056 34 44.2	Fl R 5s	3.4	4	Cylindrical mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
STRAIT OF BELLE ISLE								
226.5 H0117	L'Anse au Clair Wharf Light	51 25 24.0 057 04 01.0	Fl G 5s	4.9	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.	
226.55	Pointe L'Anse au Clair light buoy NL1	51 24 37.2 057 04 42.0	Fl G 4s	Green, pillar, marked "NL1".	Seasonal.	
226.6	L'Anse au Clair light buoy NL2	51 24 43.9 057 03 33.0	Fl R 4s	Red, pillar, marked "NL2".	Seasonal.	
226.8 H0141	Green Island Brook Wharf Light	51 24 01.8 056 31 27.7	Fl R 5s	5.5	4	Mast. 3.1	Seasonal. Flash 1 s; eclipse 4 s.	
227 H0114	Amour Point Light Station	51 27 37.7 056 51 29.3	Oc W 20s	46.3	24	White cylindrical tower, black horizontal band. 33.3	Seasonal. Flash 16 s; eclipse 4 s.	
228 H0116	Forteau Wharf Light	51 28 09.9 056 57 11.9	Fl Y 4s	5.0	4	Mast. 2.6	Seasonal.	
228.1 H0112.55	L'Anse au Loup Inner Wharf Light	51 31 20.0 056 49 44.0	Fl R 4s	2	Mast. 2.4	Year round. Operates 24 h.	
228.2 H0112.6	L'Anse au Loup Outer Wharf Light	51 31 03.8 056 49 43.0	Fl G 4s	5.1	2	Mast. 2.6	Year round.	
228.3	L'Anse-au-Diable light buoy ND2	At entrance. 51 33 25.2 056 45 35.5	Fl R 4s	Red, spar, marked "ND2".	Seasonal.	
228.4	L'Anse-au-Diable light buoy ND1	At entrance. 51 33 25.1 056 45 39.9	Fl G 4s	Green, spar, marked "ND1".	Seasonal.	
229.1	Soldier Rock East Cardinal light buoy NPW	Two miles NE. of West St. Modeste. 51 37 30.6 056 37 01.0	VQ(3) W 5s	Black-yellow-black, pillar, marked "NPW".	Seasonal.	
229.6	Saddle Island light buoy NR6	Red Bay Harbour. 51 43 41.8 056 26 04.6	Fl R 4s	Red, pillar, marked "NR6".	Seasonal.	
229.65	Penney Island light buoy NR7	51 43 49.0 056 25 57.4	Fl G 4s	Green, pillar, marked "NR7".	Seasonal. Operates 24 h.	
229.7	The Basin light buoy NR8	51 44 03.8 056 25 55.2	Fl R 4s	Red, pillar, marked "NR8".	Seasonal. Operates 24 h.	
229.8	The Louse light buoy NR3	S. of Saddle Island. 51 42 20.8 056 26 20.6	Fl G 4s	Green, pillar, marked "NR3".	Seasonal.	
230 H0110	Red Bay Light Station	51 43 28.6 056 26 09.0	Fl W 5s	36.0	15	Square skeleton tower. 6.7	Seasonal.	
230.1	Scab Rock light buoy NR4	E. of Saddle Island. 51 43 08.3 056 25 28.3	Fl R 4s	Red, pillar, marked "NR4".	Seasonal.	
230.2	Thistle Rock South Cardinal light buoy NR	E. of Saddle Island. 51 43 10.1 056 23 43.6	Q(6) + LFl	W 15s	Yellow-black, pillar, marked "NR".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
232 H0096	Belle Isle North End Light Station	52 00 49.1 055 16 49.3	Fl W 10s	39.1	17	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 0.2 s; eclipse 9.8 s.
233 H0102	Belle Isle South End Upper Light Station	51 52 48.1 055 22 54.4	Fl W 20s	137.1	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 19 s. Visible 240°-110°30'.
233.14	<i>Norman Rock light buoy XC2</i>	51 37 29.0 055 49 51.1	Fl R 4s	<i>Red, pillar, marked "XC2".</i>	<i>Seasonal. Operates 24 h.</i>
233.15 H0138	Schooner Island Light	Approaches to Cooks Harbour, N. of island. 51 36 21.8 055 50 21.8	Fl W 6s	10.4	5	Square skeleton tower, red and white rectangular daymark. 4.9	Seasonal. Flash 1 s; eclipse 5 s.
233.17	<i>Cooks Harbour Outer light buoy XC6</i>	51 36 23.5 055 50 58.5	Q R 1s	<i>Red, spar, marked "XC6".</i>	<i>Seasonal.</i>
233.18	<i>Cooks Harbour Outer light buoy XC4</i>	51 36 30.1 055 50 41.1	Fl R 4s	<i>Red, spar, marked "XC4".</i>	<i>Seasonal.</i>
233.2	<i>Green Island light buoy XC1</i>	<i>Cooks Harbour entrance. 51 36 53.6 055 49 05.9</i>	Fl G 4s	<i>Green, spar, marked "XC1".</i>	<i>Seasonal.</i>
233.21	<i>Cooks Harbour Middle light buoy XC5</i>	51 36 20.0 055 51 21.3	Fl G 4s	<i>Green, spar, marked "XC5".</i>	<i>Seasonal.</i>
233.22	<i>Cooks Harbour light buoy XC7</i>	51 36 19.7 055 51 39.0	Fl G 4s	<i>Green, spar, marked "XC7".</i>	<i>Seasonal.</i>
233.25	Cooks Harbour Wharf Light	On outer edge of wharf. 51 36 23.7 055 51 43.6	Fl R 4s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
234 H0104	Belle Isle, South End Lower Light	51 52 38.0 055 23 03.0	Fl W 20s	49.7	18	Square skeleton tower, red and white rectangular daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 19 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
235 H0136	Quirpon Light	N. end of Jacques-Cartier Island. 51 35 59.5 055 27 22.0	Fl W 6s	22.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 5.5 s.
235.3	Brehat Shoal South Cardinal light buoy KQG	Great Brehat Harbour. 51 25 09.4 055 26 06.5	Q(6) + W LFl	15s	Yellow-black, pillar, marked "KQG".	Seasonal.
235.31	Broize Point light buoy KQ3	Griquet Harbour entrance. 51 32 29.4 055 26 42.2	Fl G 4s	Green, pillar, marked "KQ3".	Seasonal.
235.32	Griquet light buoy KQ5	Griquet Harbour. 51 32 23.9 055 27 43.7	Q G 1s	Green, spar, marked "KQ5".	Seasonal.
235.34	Alcock's Point light buoy KQ7	Griquet Harbour. 51 32 11.6 055 27 45.7	Fl G 4s	Green, spar, marked "KQ7".	Seasonal.
235.35	Sandy Point light buoy KQ8	Griquet Harbour. 51 31 59.7 055 27 38.2	Fl R 4s	Red, spar, marked "KQ8".	Seasonal.
235.5	Hay Cove Shoal North Cardinal light buoy XM	E. of Cape Ardoise. 51 36 22.8 055 30 10.2	Q W 1s	Black-yellow, pillar, marked "XM".	Seasonal.
235.6	L'Anse aux Meadows Shoal light buoy XM4	Medee Bay. 51 36 17.8 055 31 33.9	Fl R 4s	Red, spar, marked "XM4".	Seasonal.
235.7	L'Anse aux Meadows light buoy XM5	Medee Bay. 51 36 08.7 055 31 40.9	Fl G 4s	Green, spar, marked "XM5".	Seasonal. Operates 24 h.
235.8	L'Anse aux Meadows Harbour light buoy XM6	Medee Bay. 51 36 08.4 055 31 42.5	Fl R 4s	Red, spar, marked "XM6".	Seasonal. Operates 24 h.
235.91	Quirpon Approaches light buoy KQ1	51 36 08.2 055 27 29.6	Fl G 4s	Green, spar, marked "KQ1".	Seasonal.
235.92	Jacques Cartier Island light buoy KQ2	NE. of the island. 51 36 01.8 055 27 18.6	Fl R 4s	Red, spar, marked "KQ2".	Seasonal.
237.01	Quirpon Wharf Light	Seaward edge of the wharf. 51 35 20.5 055 27 31.1	Fl Y 4s	4	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
237.05	Jacques Cartier Road light buoy KQJ	Quirpon Harbour. 51 35 21.3 055 27 23.4	VQ W 0.5s	Black-yellow, spar, marked "KQJ".	Seasonal.
237.1	Vincent Shoal South Cardinal light buoy KQV	Quirpon Harbour. 51 35 16.8 055 27 11.4	Q(6) + W LFl	15s	Yellow-black, spar, marked "KQV".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
237.2	Vincent Shoal North Cardinal light buoy KQ	Quirpon Harbour. 51 35 14.4 055 27 12.7	Q W 1s	Black-yellow, spar, marked "KQ".	Seasonal.
237.3	Peaked Rock light buoy KQP	Quirpon Harbour. 51 35 00.6 055 26 45.6	VQ W 0.5s	Black-yellow, spar, marked "KQP".	Seasonal.
237.4	Butterpot Rock light buoy KQB	Quirpon Harbour entrance. 51 34 52.9 055 26 29.2	Fl(2) W 10s	Black-red-black, spar, marked "KQB".	Seasonal.
238.2	Cow Rock light buoy KU2	Griquet Harbour entrance. 51 31 58.5 055 26 48.6	Fl R 4s	Red, spar, marked "KU2".	Seasonal.
238.21	Gull Rock light buoy KU3	Griquet Harbour entrance. 51 31 54.7 055 26 51.2	Fl G 4s	Green, spar, marked "KU3".	Seasonal.
238.4	Garden Cove Point light buoy KU4	Griquet Harbour entrance. 51 31 47.2 055 26 59.4	Fl R 4s	Red, spar, marked "KU4".	Seasonal.
238.45	Smith's Point light buoy KU5	Griquet Harbour entrance. 51 31 23.6 055 27 19.0	Fl G 4s	Green, spar, marked "KU5".	Seasonal.
238.5	Leo's Rock light buoy KU6	Griquet Harbour entrance. 51 31 24.1 055 27 19.6	Fl R 4s	Red, spar, marked "KU6".	Seasonal.
239 H0736	Griquet Harbour Light	51 32 40.9 055 27 26.2	Fl W 5s	16.5	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
239.21 H0735.5	Doggy Point Light	Entrance to St. Lunaire Bay. 51 29 25.9 055 27 24.4	Fl W 5s	5	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
239.22	Vanguard Shoal light buoy KN1	Entrance to St. Lunaire Bay. 51 29 24.0 055 28 04.2	Fl G 4s	Green, pillar, marked "KN1".	Seasonal.
239.23 H0735	Garden Cove Point Light	St. Lunaire Bay. 51 29 45.5 055 28 18.0	Fl R 5s	3.1	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
239.24	St. Lunaire Harbour light buoy KN3	51 30 00.2 055 28 36.7	Fl G 4s	Green, spar, marked "KN3".	Seasonal.
239.25	Harbour Shoal light buoy KN5	St. Lunaire Harbour. 51 30 02.5 055 28 33.1	Q G 1s	Green, spar, marked "KN5".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
239.27 H0737	St. Lunaire Wharf Light	51 30 01.6 055 28 31.4	Fl R 5s	3.5	2	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
240 H0730	Fox Point (Fishing Point) Light Station and Fog Signal	Entrance to St. Anthony Harbour. 51 21 22.0 055 33 18.3	Fl W 10s	26.8	17	White square tower with red horizontal bands. 9.3	Year round. Flash 0.3 s; eclipse 9.7 s. Fog Horn Blast 4 s; sil. 56 s.
240.3	Flat Point, Goose Cove light buoy KG1	51 18 32.0 055 38 33.2	Fl G 4s	Green, spar, marked "KG1".	Seasonal.
240.6	Goose Cove (Mouse Island) light buoy KG2	51 18 31.3 055 38 30.4	Fl R 4s	Red, spar, marked "KG2".	Seasonal.
241 H0728	Mouse Island Light	St. Anthony Harbour. 51 18 30.5 055 38 27.2	Fl W 4s	9.1	6	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal.
241.1	Goose Cove (Ant Island) light buoy KG3	51 18 30.0 055 38 12.4	Fl G 4s	Green, spar, marked "KG3".	Seasonal.
241.16	Goose Cove Inner (Cigale Point) light buoy KG5	51 18 32.6 055 38 08.3	Fl G 4s	Green, spar, marked "KG5".	Seasonal.
242 H0732	St. Anthony Harbour Light	51 21 34.5 055 33 29.4	Fl W 4s	11.0	5	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal.
242.3	St. Anthony Harbour light buoy KA2	51 21 36.2 055 34 08.9	Fl R 4s	Red, spar, marked "KA2".	Year round.
242.31	North Harbour Rock light buoy KA1	St. Anthony Harbour. 51 21 35.0 055 34 11.4	Fl G 4s	Green, spar, marked "KA1".	Year round.
243 H0734	Harbour Rock Light	St. Anthony Harbour. 51 21 32.3 055 34 11.0	Fl G 4s	6.0	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal.
243.1	Marguerite Point light buoy KA4	St. Anthony Harbour. 51 21 57.9 055 34 43.1	Fl R 4s	Red, spar, marked "KA4".	Seasonal.
243.11	Middle Arm light buoy KA2.2	St. Anthony Harbour. 51 21 48.0 055 34 32.4	Q R 1s	Red, spar, marked "KA2.2".	Year round.
243.2	St. Anthony Outer light buoy KM1	51 22 02.5 055 34 50.9	Fl G 4s	Green, spar, marked "KM1".	Seasonal.
243.3	St. Anthony Inner light buoy KA6	51 22 05.1 055 35 00.3	Q R 1s	Red, spar, marked "KA6".	Seasonal.
243.31 H0734.5	Marguerite Point Wharf Light	51 21 55.0 055 34 36.8	Fl R 4s	2	Mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
244 H0725	Brent Islands Light	Main Brook entrance. 51 15 20.2 055 56 02.1	FI W 5s	8.5	7	Square skeleton tower, red and white square daymark. 4.0	Seasonal. Flash 1 s; eclipse 4 s.
245 H0724	Cailloux Island Light	Main Brook entrance. 51 12 04.2 055 59 28.1	FI R 5s	6.7	4	Square skeleton tower, red and white square daymark. 4.0	Seasonal. Flash 1 s; eclipse 4 s.
246 H0726	Main Brook Wharf Light	51 10 10.2 055 59 48.1	FI R 5s	5.0	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
247 H0722	Conche Light	Conche Harbour entrance. 50 53 09.9 055 53 50.2	FI R 5s	7.2	4	Square skeleton tower, red and white rectangular daymark. 6.7	Seasonal. Flash 1 s; eclipse 4 s.
247.1 H0723	Conche Wharf Light	50 53 09.9 055 53 40.9	Q R 1s	2	Mast. 2.6	Seasonal.
248 H0721	Cape Fox	50 51 40.2 055 53 24.0	FI W 5s	58.8	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
249 H0716	Nid Island Light	S. end of island, off La Crique. 50 42 18.0 055 37 46.7	LFI W 10s	12.5	8	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
249.9	Englee Harbour Outer East Cardinal light buoy KEN	50 42 59.0 056 06 13.0	Q(3) W 10s	Black-yellow-black, pillar, marked "KEN".	Seasonal. Operates 24 h.
250 H0718	Englee Harbour Light	Harbour entrance. 50 43 13.5 056 06 49.1	FI W 5s	15.2	7	Rectangular skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
250.1	Barred Island Light	50 43 20.5 056 06 23.5	FI G 5s	3	Cylindrical mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
250.2	Englee Harbour Inner light buoy KEN2	50 43 27.7 056 06 24.0	FI R 4s	Red, spar, marked "KEN2".	Seasonal. Operates 24 h.
251 H0718.4	Englee Wharf Light	Englee Harbour. 50 43 56.0 056 06 24.0	FI Y 5s	4.0	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
251.5	Marten's Rock light buoy KR2	Entrance to Chimney Bay. 50 45 22.7 056 09 14.9	FI R 4s	Red, spar, marked "KR2".	Seasonal.
252 H0719	Bad Rock Light	Chimney Channel. 50 46 58.7 056 09 35.9	FI G 5s	4.6	6	Square skeleton tower, green and white square daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
253 H0720	Roddickton-Bide Arm Breakwater Light	50 51 46.6 056 07 54.7	FI G 5s	3.7	4	Mast. 2.1	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
254 H0712	Duckbill Point	Entrance to N. arm. 50 35 48.2 056 12 08.2	Fl W 5s	21.6	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
255 H0710	Fourché Harbour Light	Granite Point. 50 30 44.5 056 16 32.5	LFI W 6s	24.7	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 2 s; eclipse 4 s.
256 H0708	Great Harbour Deep Light	50 22 38.9 056 24 40.8	Fl W 6s	18.6	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 5 s.
257 H0698	Partridge Point Light	N. end of point. 50 09 10.8 056 08 34.4	Fl W 5s	45.7	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
257.2 H0697.7	Fleur de Lys Entrance Light	Fleur de Lys Harbour. 50 06 52.9 056 07 12.9	Fl W 5s	4.0	5	Mast. 2.4	Year round. Flash 1 s; eclipse 4 s.
257.3	<i>Fleur de Lys light buoy KF1</i>	50 06 59.3 056 07 32.9	<i>Fl G 4s</i>	<i>Green, spar, marked "KF1".</i>	<i>Seasonal.</i>
257.31	<i>Fleur de Lys (Welsh Point) light buoy KF2</i>	Harbour. 50 07 03.0 056 07 33.7	<i>Q R 1s</i>	<i>Red, spar, marked "KF2".</i>	<i>Seasonal.</i>
257.4	<i>Fleur de Lys light buoy KF3</i>	Harbour. 50 07 02.3 056 07 38.9	<i>Q G 1s</i>	<i>Green, spar, marked "KF3".</i>	<i>Seasonal.</i>
257.41	<i>Fleur de Lys light buoy KF4</i>	50 07 06.1 056 07 46.8	<i>Fl R 4s</i>	<i>Red, spar, marked "KF4".</i>	<i>Seasonal.</i>
257.42	<i>Fleur de Lys light buoy KF5</i>	50 07 01.9 056 07 57.5	<i>Fl G 4s</i>	<i>Green, spar, marked "KF5".</i>	<i>Seasonal.</i>
257.5 H0693	St. Barbe Islands Light	SE. entrance to W. cove. 50 11 57.1 055 44 40.7	Fl W 5s	21.3	3	Rectangular skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
258 H0707	Jackson Arm Light	S. end of Eastern Head. 49 51 44.5 056 46 14.0	Fl W 6s	20.0	9	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 5 s.
260 H0704	Westport Cove Light	49 47 09.8 056 38 41.8	Fl W 4s	10.1	7	White octagonal tower. 5.5	Seasonal.
260.5	Westport Breakwater Light	49 47 06.7 056 38 36.7	Fl G 4s	2	Mast.	Seasonal (in place year round). Flash 1 s; eclipse 3 s.
261 H0705	Sops Arm Light	On White Point. 49 44 58.0 056 49 40.0	Fl W 4s	16.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics			Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)		Remarks ----- Audible Signals ----- AIS
WHITE BAY										
263 H0702	Seal Cove Wharf Light	Seal Cove Harbour. 49 56 09.1 056 23 37.4	FI	R	3s	3.4	3	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
263.5	Wild Cove Wharf Light	Seaward side of wharf. 49 59 35.0 056 20 30.2	FI	G	4s	4	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.	
264	Pacquet Harbour Entrance Light	49 58 41.1 055 51 20.6	FI	W	5s	30.2	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	
264.1	<i>Pacquet Harbour light buoy KP1</i>	49 59 12.8 055 52 18.5	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "KP1".</i>	<i>Seasonal.</i>	
264.2	<i>Pacquet Harbour light buoy KP2</i>	49 59 22.2 055 52 18.1	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "KP2".</i>	<i>Seasonal.</i>	
265 H0694.5	Pacquet Wharf Light	NW. end of Pacquet Harbour. 49 59 25.5 055 52 27.0	FI	R	5s	3.5	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.	
265.1	<i>Crocodile Shoal light buoy KE2</i>	<i>Harbour Round. 49 55 20.8 055 43 58.4</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "KE2".</i>	<i>Seasonal.</i>	
266.1	<i>Sleepy Point West Cardinal light buoy KL</i>	<i>Off the point in LaScie. 49 58 21.2 055 36 35.9</i>	<i>Q(9)</i>	<i>W</i>	<i>15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, pillar, marked "KL".</i>	<i>Seasonal.</i>	
267 H0692.4	La Scie Harbour Breakwater Light	49 57 42.5 055 36 10.3	FI	R	5s	5.0	3	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.	
267.1	<i>La Scie light buoy KL4</i>	49 57 30.0 055 35 53.4	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "KL4".</i>	<i>Seasonal.</i>	
267.3 H0692.55	La Scie Harbour Wharf Light	49 57 46.2 055 36 13.8	FI	G	5s	4.3	3	Mast.	Seasonal. Flash 1 s; eclipse 4 s.	
267.5 H0692.6	Ming's Bight Wharf Light	49 58 38.9 056 02 16.3	FI	G	5s	3.4	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.	
267.9	<i>The Sisters West light buoy KC1</i>	<i>E. of Coachman's Cove Harbour entrance. 50 03 59.7 056 02 59.8</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "KC1".</i>	<i>Seasonal.</i>	
268 H0696	Coachman's Cove Harbour Light	Coachman's Harbour. 50 03 13.3 056 05 41.2	FI	W	3s	11.9	5	Square skeleton tower, red and white square daymark. 5.2	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
268.1	<i>Gentile Island Shoal light buoy KC3</i>	<i>Coachman's Harbour. 50 03 13.0 056 06 31.3</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "KC3".</i>	<i>Seasonal.</i>	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

WHITE BAY

268.5 H0696.5	Coachman's Cove Wharf Light	50 03 01.1 056 06 35.3	Fl G 5s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
269.2	Sisters East light buoy KV4	E. of Coachman's Cove Harbour entrance. 50 03 26.5 056 01 52.9	Fl R 4s	Red, pillar, marked "KV4".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
269.99	Twelve Foot Rock (Henely Harbour) West Cardinal light buoy NJT	W. of Chateau. 51 58 53.3 055 51 47.5	VQ(9) W 10s	Yellow-black-yellow, spar, marked "NJT".	Seasonal.
270 H0108	Chateau Point Light	Henley Harbour entrance. 51 58 19.9 055 51 11.3	FI W 6s	20.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 5.5 s.
270.01	Flat Island Rock light buoy NJ1	Henley Harbour entrance. 51 59 14.9 055 51 58.6	FI G 4s	Green, spar, marked "NJ1".	Seasonal.
270.02	Freezer Rock light buoy NJ2	Henley Harbour entrance. 51 59 37.7 055 51 57.0	FI R 4s	Red, pillar, marked "NJ2".	Seasonal.
270.03	Allen Shoal East Cardinal light buoy NP	E. of Eastern Island. 52 03 56.5 055 38 55.4	Q(3) W 10s	Black-yellow-black, pillar, marked "NP".	Seasonal.
270.1 H0086.8	Cape St. Francis Light	E. of Granby Island. 52 33 51.0 055 42 13.8	FI W 5s	39.4	4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.
270.2	Williams Harbour light buoy NW5	52 33 14.8 055 46 17.2	FI G 4s	Green, spar, marked "NW5".	Seasonal.
270.23	Leg Island light buoy NW6	Williams Harbour Run. 52 34 11.4 055 51 00.2	FI R 4s	Red, pillar, marked "NW6".	Seasonal.
270.25	Main Tickle Shoal light buoy NW7	52 33 48.9 055 52 55.3	FI G 4s	Green, spar, marked "NW7".	Seasonal.
270.3	Shinney Rock light buoy NW3	Williams Harbour entrance. 52 32 19.9 055 44 39.2	FI G 4s	Green, pillar, marked "NW3".	Seasonal.
270.4	Red Point Bank East Cardinal light buoy NWW	NE. of Red Point, Denbigh Island. 52 31 21.7 055 44 21.7	Q(3) W 10s	Black-yellow-black, pillar, marked "NWW".	Seasonal.
270.45	Mad Moll Rocks light buoy NA1/1	Alexis Bay. 52 30 28.8 055 43 51.0	FI G 4s	Green, pillar, marked "NA1/1".	Seasonal.
270.5 H0087	Bobs Island Light	Alexis Bay. 52 30 47.0 055 45 54.0	FI R 5s	19.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
270.7	Gull Rock light buoy NA1	Northern Ships Run. 52 31 41.7 055 51 24.4	FI G 4s	Green, spar, marked "NA1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
270.9	Northern Ship light buoy NA3	52 32 11.5 055 59 37.2	Fl G 4s	Green, spar, marked "NA3".	Seasonal.
270.92	Brandies Shoal light buoy NA5	Northern Ships Run. 52 32 35.6 056 02 24.9	Fl G 4s	Green, spar, marked "NA5".	Seasonal.
270.93	Grove Island Tickle light buoy NA7	52 32 22.2 056 09 15.0	Fl G 4s	Green, spar, marked "NA7".	Seasonal.
271	Grove Island Tickle North light buoy NA8	E. of island. 52 32 22.9 056 09 21.5	Fl R 4s	Red, spar, marked "NA8".	Seasonal.
271.5	Groves Island Tickle light buoy NA10	52 32 11.8 056 10 46.0	Fl R 4s	Red, spar, marked "NA10".	Seasonal.
272	Grove Island Tickle South light buoy NA9	SE. of island. 52 32 06.7 056 09 35.8	Fl G 4s	Green, spar, marked "NA9".	Seasonal.
272.5	Seal Rocks light buoy NA11	Port Hope Simpson. 52 32 23.0 056 12 08.3	Fl G 4s	Green, spar, marked "NA11".	Seasonal. Operates 24 h.
272.7	Port Hope Simpson light buoy NA13	At the entrance. 52 32 26.7 056 13 41.3	Fl G 4s	Green, spar, marked "NA13".	Seasonal. Operates 24 h.
273 H0088	Grove Island, East- West front range light	Entrance to Port Hope Simpson. 52 31 56.3 056 09 31.4	Iso R 8s	7.9	11	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal.
274 H0088.1	Grove Island, East- West rear range light	52 31 53.9 056 09 17.5 106°26' 269.1 m from front.	Iso R 8s	15.8	11	Square skeleton tower, white daymark with red vertical stripe. 3.3	Seasonal.
275 H0089	Grove Island, North- South front range light	Entrance to Port Hope Simpson. 52 31 49.4 056 09 57.4	Iso R 8s	9.2	11	Square skeleton tower, white daymark with red vertical stripe. 7.8	Seasonal.
276 H0089.1	Grove Island, North- South rear range light	52 31 46.0 056 10 01.6 216°13' 134.7 m from front.	Iso R 8s	14.5	11	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal.
276.1	Port Hope Simpson Wharf Light	52 32 14.6 056 16 47.1	Fl G 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
276.2 H0089.5	Spears Point Light	52 26 41.5 055 37 48.3	Fl W 3s	39.1	5	Cylindrical mast, red and white daymark. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
276.3	Fox Harbour light buoy NF1	At the harbour entrance. 52 21 37.2 055 41 49.6	Fl G 4s	Green, spar, marked "NF1".	Seasonal. Operates 24 h.
276.4	Fox Harbour light buoy NF2	At the harbour entrance. 52 21 35.7 055 41 41.4	Fl R 4s	Red, pillar, marked "NF2".	Seasonal.
276.5	Fox Harbour light buoy NF3	At the harbour entrance. 52 21 55.0 055 41 04.5	Fl G 4s	Green, spar, marked "NF3".	Seasonal.
276.55	Shag Rocks light buoy NMS2	St. Lewis Sound. 52 20 27.7 055 44 34.1	Fl R 4s	Red, pillar, marked "NMS2".	Seasonal. Operates 24 h.
276.7	Captain Jacks light buoy NMS1	St. Lewis Sound. 52 19 47.6 055 46 46.9	Fl G 4s	Green, pillar, marked "NMS1".	Seasonal.
276.75	Duck Island Shoal light buoy NS2	St. Lewis Sound. 52 18 10.1 055 46 42.0	Fl R 4s	Red, spar, marked "NS2".	Seasonal.
276.77	Burnt Point Shoal light buoy NMH2	Entrance to Mary's Harbour. 52 18 48.0 055 49 00.5	Fl R 4s	Red, spar, marked "NMH2".	Seasonal.
276.771	Mary's Harbour Inner light buoy NMH4	52 18 37.0 055 50 02.9	Fl R 4s	Red, spar, marked "NMH4".	Seasonal.
276.78	Mary's Harbour Inner light buoy NMH3	52 18 34.8 055 50 01.6	Fl G 4s	Green, spar, marked "NMH3".	Seasonal.
276.8	Marley Rocks light buoy NS1	St. Lewis Sound. 52 17 44.8 055 45 43.5	Fl G 4s	Green, pillar, marked "NS1".	Seasonal.
276.81 H0089.7	Cape St. Lewis Light	Entrance to St. Lewis Sound. 52 22 04.8 055 37 48.0	Fl W 4s	40.7	4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
276.85 H0091	Killick Island Light	Entrance to Battle Harbour. 52 16 40.0 055 35 33.0	Fl G 5s	6.3	2	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
276.87 H0089.8	Green Island Light	St. Lewis Sound. 52 17 38.0 055 41 02.0	Fl W 5s	13.7	5	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
276.89 H0091.5	Tilcey Point Light	52 16 42.0 055 35 58.0	Fl R 5s	11.3	2	Pipe tower. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
277 H0090	Copper Island Light	Caribou Run. 52 15 50.1 055 40 11.6	Fl W 3s	9.1	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
277.2	Caribou Run South light buoy NU2	52 14 51.4 055 38 57.9	Fl R 4s	Red, pillar, marked "NU2".	Seasonal.
277.3	Caribou Run Inner light buoy NU1	52 14 50.0 055 39 01.5	Fl G 4s	Green, spar, marked "NU1".	Seasonal.
277.4	Caribou Run North light buoy NU4	52 15 32.3 055 39 51.0	Fl R 4s	Red, pillar, marked "NU4".	Seasonal.
277.5 H0093	Wall Island Point Light	52 13 10.2 055 36 48.4	Fl G 5s	30.6	4	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
277.56	Caribou Run Mid Rock light buoy NU6	52 15 55.2 055 39 49.2	Fl R 4s	Red, spar, marked "NU6".	Seasonal.
277.6	St. Charles Inner light buoy NUC2	52 13 13.2 055 36 17.4	Fl R 4s	Red, pillar, marked "NUC2".	Seasonal.
278 H0092	Double Island Light	SE. of Battle Harbour. 52 15 18.0 055 33 16.4	Fl W 6s	38.4	7	White cylindrical tower, black and white horizontal bands. 9.1	Seasonal. Flash 1 s; eclipse 5 s.
278.1	Hussey Shoal light buoy NUB1	Battle Harbour. 52 17 27.0 055 35 24.0	Fl G 4s	Green, pillar, marked "NUB1".	Seasonal. Operates 24 h.
279 H0094	Camp Islands Light Station	Strait of Belle Isle, Labrador side. 52 10 00.7 055 38 24.8	Fl W 5s	41.3	15	White octagonal tower with red upper portion. 9.9	Seasonal. Flash 0.2 s; eclipse 4.8 s.
279.282	Long Island light buoy NMP2	Pinsent's Arm. 52 42 08.2 055 51 02.6	Fl R 4s	Red, spar, marked "NMP2".	Seasonal.
279.283	Pinsent's Arm light buoy NMP1	52 42 06.3 055 50 06.8	Fl G 4s	Green, pillar, marked "NMP1".	Seasonal.
279.285	Pinsent's Arm Entrance light buoy NMP4	52 41 18.0 055 53 03.3	Fl R 4s	Red, spar, marked "NMP4".	Seasonal.
279.286	Pinsent's Arm light buoy NMP3	52 41 14.4 055 53 04.2	Fl G 4s	Green, spar, marked "NMP3".	Seasonal.
279.287	Pinsent's Arm Inner light buoy NMP6	52 41 17.0 055 53 13.7	Q R 1s	Red, spar, marked "NMP6".	Seasonal. Operates 24 h.
279.29	Mad Moll Rock light buoy NM2	St. Michaels Bay. 52 42 42.5 055 48 06.1	Fl R 4s	Red, pillar, marked "NM2".	Seasonal.
279.3 H0086.7	Twin Islands Light	N. of Ship Harbour Head. 52 40 18.0 055 44 50.0	Fl W 5s	30.8	4	Pipe tower, red and white cylindrical daymark. 3.0	Seasonal. Flash 1 s; eclipse 4 s.
279.31 H0086.65	Pigeon Island Light	St. Michaels Bay. 52 43 01.7 055 51 25.1	Fl G 5s	11.5	4	Square skeleton tower, green and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
279.4 H0086.4	Deepwater Island Light	St. Michaels Bay. 52 43 34.0 055 53 50.9	Fl W 5s	7.6	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 4 s.
279.45	St. Michaels Bay light buoy NM5	52 44 00.8 055 54 54.5	Fl G 4s	Green, pillar, marked "NM5".	Seasonal.
279.5	St. Michaels Bay light buoy NM6	52 44 12.0 055 55 20.6	Fl R 4s	Red, spar, marked "NM6".	Seasonal.
279.58	Curlew Island North light buoy NM9	St. Michaels Bay. 52 44 28.2 055 56 02.8	Fl G 4s	Green, pillar, marked "NM9".	Seasonal.
279.59	Narrows Island South light buoy NM8	St. Michaels Bay. 52 44 31.0 055 55 56.2	Fl R 4s	Red, spar, marked "NM8".	Seasonal.
279.6	St. Michaels Bay North light buoy NM7	52 44 20.4 055 55 35.5	Fl G 4s	Green, pillar, marked "NM7".	Seasonal. Operates 24 h.
279.62	Narrows Island light buoy NM10	St. Michaels Bay. 52 44 37.2 055 56 08.8	Fl R 4s	Red, spar, marked "NM10".	Seasonal.
279.65	Charlottetown Inner light buoy NM12	52 46 34.7 056 07 00.0	Fl R 4s	Red, spar, marked "NM12".	Seasonal.
279.66	Charlottetown Breakwater Light	52 46 25.6 056 07 16.5	Fl R 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
279.7 H0086.6	Goose Island Light	Charlottetown Harbour entrance. 52 47 36.0 056 06 09.0	Fl W 5s	7.6	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
279.72	Bar Tickle Shoal West Cardinal light buoy NM	52 46 33.5 055 54 18.3	VQ(9) W 10s	Yellow-black-yellow, spar, marked "NM".	Seasonal.
279.73	Square Island South Cardinal light buoy NMS	52 46 14.4 055 54 22.2	Q(6) + LF W 15s	Yellow-black, spar, marked "NMS".	Seasonal.
279.74 H0086.5	Bar Tickle Light	52 46 45.0 055 54 20.0	Fl R 5s	15.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
279.8 H0086.2	Cape Bluff Light	N. of St. Michaels Bay. 52 50 13.2 055 48 24.0	Fl W 5s	54.7	4	Pipe tower, red and white daymark.	Seasonal. Flash 1 s; eclipse 4 s.
279.809	Gull and Matthews Rock West Cardinal light buoy NGM	NNE. of Cape Bluff. 52 51 34.2 055 47 14.9	Q(9) W 15s	Yellow-black-yellow, pillar, marked "NGM".	Seasonal.
279.81	Lady Arm Shoal light buoy NG2	Entrance to Martin Bay. 52 56 18.4 055 53 35.8	Fl R 4s	Red, pillar, marked "NG2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NEWFOUNDLAND AND LABRADOR COAST								
279.83	The Sisters light buoy NM4	St. Michaels Bay. 52 43 03.7 055 49 16.7	Fl R 4s	Red, spar, marked "NM4".	Seasonal.	
279.84	Whales Back Shoal light buoy NE1	St. Michaels Bay. 52 56 42.6 055 49 38.2	Fl G 4s	Green, pillar, marked "NE1".	Seasonal.	
279.9	Barr Tickle North light buoy NMN1	St. Michaels Bay. 52 46 56.9 055 54 07.0	Q G 1s	Green, spar, marked "NMN1".	Seasonal. Operates 24 h.	
280	Red Island Light	SW. side of island. 53 00 37.6 055 45 36.7	Fl W 5s	28.0	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	
280.009	Ambush Rock South Cardinal light buoy ND	53 01 17.0 055 45 37.4	Q(6) + LFl W	15s	Yellow-black, pillar, marked "ND".	Seasonal. Operates 24 h.
280.01	Squasho North light buoy NE3	53 04 46.5 055 52 14.8	Fl G 4s	Green, spar, marked "NE3".	Seasonal.	
280.011	Deer Pass light buoy NE2	53 04 43.9 055 52 11.7	Fl R 4s	Red, spar, marked "NE2".	Seasonal.	
280.012	Squasho South North Cardinal light buoy NE	Hawke Island. 53 05 42.0 055 51 28.9	Q W 1s	Black-yellow, pillar, marked "NE".	Seasonal.	
280.013	Squasho South North Cardinal light buoy NEE	53 05 38.0 055 50 51.0	VQ W 0.5s	Black-yellow, pillar, marked "NEE".	Seasonal. Operates 24 h.	
280.015	Locks Rock West Cardinal light buoy NKK	53 07 01.6 055 46 33.8	Q(9) W 15s	Yellow-black-yellow, pillar, marked "NKK".	Seasonal. Operates 24 h.	
280.02	The Feather Bed North Cardinal light buoy NKF	N. of Big Island. 53 07 35.7 055 45 40.7	Q W 1s	Black-yellow, pillar, marked "NKF".	Seasonal.	
280.03	Old King East Cardinal light buoy NK	53 07 46.1 055 43 12.9	Q(3) W 10s	Black-yellow-black, pillar, marked "NK".	Seasonal.	
280.04	The Pippies South Cardinal light buoy NLP	53 11 36.5 055 41 32.5	Q(6) + LFl W	15s	Yellow-black, pillar, marked "NLP".	Seasonal.
280.05 H0085.7	Fish Island Light	53 12 45.4 055 43 13.7	Fl W 5s	17.7	5	Square skeleton tower, red and white square daymark.	Seasonal. Flash 1 s; eclipse 4 s.	
280.09	Squasho Run light buoy NE5	53 02 58.2 055 53 40.1	Fl G 4s	Green, spar, marked "NE5".	Seasonal. Operates 24 h.	
280.1	Bradbury Island South Cardinal light buoy NL	53 15 27.8 055 41 22.1	Q(6) + LFl W	15s	Yellow-black, pillar, marked "NL".	Seasonal.
280.13	Walker Island West Cardinal light buoy NLW	53 18 50.2 055 45 06.7	VQ(9) W 10s	Yellow-black-yellow, pillar, marked "NLW".	Seasonal.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NEWFOUNDLAND AND LABRADOR COAST								
280.15	Gushue Rock East Cardinal light buoy NLG	53 20 56.6 055 43 42.4	Q(3) W 10s	Black-yellow-black, pillar, marked "NLG".	Seasonal.	
280.16	Toole Rock light buoy NB2	53 23 45.8 055 45 20.5	Fl R 4s	Red, pillar, marked "NB2".	Seasonal.	
280.17	Outer Sandy Islands light buoy NLL	53 20 17.8 055 38 50.6	Fl(2) W 5s	Black-red-black, pillar, marked "NLL".	Seasonal. Operates 24 h. Flash 0.4 s; eclipse 0.6 s; flash 0.4 s; eclipse 3.6 s.	
280.4	Punchbowl Channel light buoy NL5	53 15 09.7 055 45 06.8	Fl G 4s	Green, spar, marked "NL5".	Seasonal.	
280.79	Spotted Islands Harbour light buoy NSP2	53 29 21.1 055 45 37.4	Fl R 4s	Red, pillar, marked "NSP2".	Seasonal.	
280.8	Roundhill Island Light	53 26 07.4 055 36 41.0	Fl W 3s	66.5	5	Trapezoidal skeleton tower, red daymark with white horizontal band.	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
280.85	Saddle Bank South Cardinal light buoy NBT	53 25 06.1 055 42 43.5	Q(6) + LFI	W 15s	Yellow-black, pillar, marked "NBT".	Seasonal.
280.9 H0085.7	Cod Bag Islets Light	53 25 58.9 055 44 39.5	Fl W 5s	32.6	5	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.	
280.91	Black Tickle light buoy NBT1	53 27 07.2 055 45 49.5	Fl G 4s	Green, spar, marked "NBT1".	Seasonal.	
280.95 H0083	Black Tickle Wharf Light	53 27 21.7 055 45 50.5	Fl G 5s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.	
281 H0084	Domino Point Light Racon Y (- - -) X & S Bands	53 27 42.4 055 44 31.0	Fl W 5s	38.7	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	
281.7	St. Mary Island South light buoy N12	53 33 02.2 055 58 35.6	Fl R 4s	Red, pillar, marked "N12".	Seasonal.	
281.8	Terra Nova Point light buoy N14	53 33 35.3 055 59 23.5	Fl R 4s	Red, spar, marked "N14".	Seasonal.	
281.9	White Rowsel Shoal light buoy N15	53 33 32.3 055 59 42.6	Fl G 4s	Green, spar, marked "N15".	Seasonal.	
282 H0082	White Point Light	53 34 38.4 056 01 31.0	Fl W 5s	20.9	7	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 4 s.	
283 H0081	South Wolf Island Light	53 41 06.4 055 54 12.3	Fl W 6s	88.1	6	Skeleton tower. 14.0	Seasonal. Flash 1 s; eclipse 5 s.	
284 H0080	Cape North Light	53 47 10.4 056 28 35.3	Fl W 5s	72.5	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
284.1	Tinker Rock South Cardinal light buoy NCT	53 48 33.4 056 34 53.2	VQ(6) W 10s + LFI	Yellow-black, pillar, marked "NCT".	Seasonal. Operates 24 h.
284.3	Hare Rock light buoy NC1	53 46 10.0 056 48 42.9	FI G 4s	Green, pillar, marked "NC1".	Seasonal. Operates 24 h.
284.35 H0079.7	Leading Mark Island Light	53 45 31.2 057 03 56.4	FI G 5s	8.9	2	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
284.351	Packs Harbour Approaches light buoy NX2	53 51 13.9 056 59 11.6	FI R 4s	Red, spar, marked "NX2".	Seasonal. Operates 24 h.
284.352	Packs Harbour Approaches light buoy NX1	53 51 18.9 056 59 18.5	FI G 4s	Green, spar, marked "NX1".	Seasonal. Operates 24 h.
284.354	Quebecer Shoal light buoy NCA2	53 47 03.1 057 02 39.5	FI R 4s	Red, spar, marked "NCA2".	Seasonal. Operates 24 h.
284.355	Diver Island Shoal light buoy NCA4	53 47 43.0 057 02 43.1	FI R 4s	Red, spar, marked "NCA4".	Seasonal. Operates 24 h.
284.4	Crab Head light buoy NC2	53 44 49.6 056 55 03.3	FI R 4s	Red, spar, marked "NC2".	Seasonal. Operates 24 h.
284.41	Crab Head Shoal light buoy NC3	Near Cartwright. 53 44 37.0 056 55 07.1	FI G 4s	Green, spar, marked "NC3".	Seasonal. Operates 24 h.
284.42	Crab Island Shoals light buoy NC2/2	Near Cartwright. 53 44 28.2 056 56 21.5	FI R 4s	Red, spar, marked "NC2/2".	Seasonal. Operates 24 h.
284.5	Cartwright light buoy NC5	Cartwright Harbour. 53 42 10.0 057 02 07.0	Q G 1s	Green, pillar, marked "NC5".	Seasonal. Operates 24 h.
284.51	Cartwright Fishermans Wharf Light	53 42 07.3 057 01 41.1	FI G 5s	3	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
284.6	Cartwright light buoy NC4	53 43 00.4 057 01 35.8	FI R 4s	Red, pillar, marked "NC4".	Seasonal. Operates 24 h.
284.71	Cartwright light buoy NC6	53 42 00.1 057 01 11.6	FI R 4s	Red, spar, marked "NC6".	Seasonal. Operates 24 h.
284.72 H0079.5	Cartwright Wharf Light	53 42 11.0 057 01 16.5	FI Y 5s	3.4	3	Pipe tower.	Seasonal. Flash 1 s; eclipse 4 s.
284.73	Woody Island Rock light buoy NCH1	Near Cartwright. 53 40 44.7 057 04 38.0	FI G 4s	Green, spar, marked "NCH1".	Seasonal. Operates 24 h.
284.74	Woody Island light buoy NCH3	Near Cartwright. 53 40 42.3 057 04 38.3	Q G 1s	Green, spar, marked "NCH3".	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
284.8	Hatten Shoal light buoy NCH2	53 39 29.2 057 04 24.4	FI R 4s	Red, spar, marked "NCH2".	Seasonal.
284.96 H0079	Snack Cove Light	53 47 39.2 056 48 11.4	FI W 5s	23.6	5	Rectangular skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
285 H0078	Packs Harbour Light	53 51 31.2 056 59 25.4	FI W 5s	32.3	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
285.2	Old Man Shoal East Cardinal light buoy HM	54 09 24.1 057 18 50.6	Q(3) W 10s	Black-yellow-black, pillar, marked "HM".	Seasonal. Operates 24 h.
287.2	George Island South Cardinal light buoy HGE	54 13 21.1 057 15 46.9	VQ(6) + LFI W 10s	Yellow-black, pillar, marked "HGE".	Seasonal. Operates 24 h.
287.3	South Duck Island Shoal light buoy HD1	54 13 28.3 057 21 22.0	FI G 4s	Green, pillar, marked "HD1".	Seasonal. Operates 24 h.
287.4	George Island Shoal light buoy HG	W. of island. 54 14 56.8 057 22 09.7	Q W 1s	Black-yellow, pillar, marked "HG".	Seasonal. Operates 24 h.
288 H0075	Little Black Island Light	54 18 24.6 057 50 03.9	FI W 6s	36.0	7	Square skeleton tower, red and white square daymark. 4.3	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 5.5 s.
289 H0075	Big Island Light	54 17 12.6 058 02 01.9	FI W 4s	12.2	2	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
290	Man of War Rock light buoy H1	54 13 19.7 058 20 03.2	FI G 4s	Green, pillar, marked "H1".	Seasonal. Operates 24 h.
290.3 H0075.55	Hart Head Light	Hamilton Inlet. 54 11 40.1 058 24 36.4	FI R 5s	7.1	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
290.31	Dart Rock light buoy HR1	54 10 52.3 058 25 27.9	FI G 4s	Green, pillar, marked "HR1".	Seasonal. Operates 24 h.
290.5 H0075.65	Rigolet Cove Wharf Light	54 10 53.0 058 25 34.5	FI Y 5s	4.8	3	Pipe tower. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
291 H0075.6	Rigolet Light	S. of Rigolet Point. 54 10 39.6 058 25 35.9	FI W 5s	12.3	5	Square skeleton tower. 8.8	Seasonal. Flash 1 s; eclipse 4 s.
292 H0075.7	Snooks Cove Light	54 04 38.3 058 34 08.1	FI W 6s	5.3	5	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 5.5 s.
293 H0075.8	Henrietta Island Light	54 04 12.2 058 33 36.6	FI W 5s	5.5	1	Square skeleton tower, red and white rectangular daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NEWFOUNDLAND AND LABRADOR COAST

294 H0075.9	Eskimo Island Light	54 03 11.7 058 33 39.5	FI W 3s	5.5	7	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 2.5 s.
295	Lareto Shoal light buoy H2	Lake Melville. 53 58 38.8 058 45 50.4	FI R 4s	Red, pillar, marked "H2".	Seasonal. Operates 24 h.
296 H0076	Green Island Light	Lake Melville. 53 55 37.3 058 59 36.6	FI W 5s	18.9	3	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
296.1 H0076.2	Long Point Light	Lake Melville. 53 41 45.7 059 19 06.1	FI W 5s	53.4	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
297	Cartier Shoal light buoy H4	Lake Melville. 53 35 48.4 059 50 53.5	FI R 4s	Red, pillar, marked "H4".	Seasonal. Operates 24 h.
297.5	Epinette Point light buoy H7	Lake Melville, W. of point. 53 31 20.6 059 56 56.4	FI G 4s	Green, spar, marked "H7".	Seasonal (in place year round).
297.51	Southern Epinette Shoal light buoy HC1	53 29 45.0 059 56 42.0	FI G 4s	Green, spar, marked "HC1".	Seasonal.
297.52	Carter Basin Outside light buoy HC2	53 30 02.2 059 53 10.1	FI R 4s	Red, spar, marked "HC2".	Seasonal.
297.53	Carter Basin Inside light buoy HC4	53 29 57.8 059 52 49.7	FI R 4s	Red, spar, marked "HC4".	Seasonal.
297.6	North West Point light buoy H8	Lake Melville. 53 30 02.4 060 00 25.2	FI R 4s	Red, spar, marked "H8".	Seasonal (in place year round).
298	North West River Entrance light buoy HN1	Lake Melville. 53 31 23.6 060 07 07.1	FI G 4s	Green, pillar, marked "HN1".	Seasonal.
Goose Bay							
298.1 H0077.6	Montagnais Islands Light	53 33 30.0 060 04 01.9	FI W 5s	3.8	2	Mast. 2.6	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
298.2	Montagnais Shoal light buoy HN	Outside the entrance to North West River. 53 33 50.3 060 00 52.6	Q(9) W 15s	Yellow-black-yellow, pillar, marked "HN".	Seasonal. Operates 24 h.
298.3	North West River light buoy HN3	53 31 19.7 060 08 02.7	FI G 4s	Green, spar, marked "HN3".	Seasonal.
298.5 H0077.5	Baikie Point Light	53 31 25.7 060 07 59.9	FI R 4s	3.2	2	Mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
299 H0076.4	Brule Point front range light	Lake Melville. 53 26 34.3 059 56 42.7	Oc G 6s	7.9	13	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal. Flash 4 s; eclipse 2 s.
300 H0076.5	Brule Point rear range light	53 26 31.6 059 56 41.5 163°30' 88.4 m from front.	Oc G 6s	19.2	13	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal. Flash 4 s; eclipse 2 s.
301 H0077	Kenamu River front range light	Lake Melville. 53 28 14.6 059 54 52.4	Oc G 6s	7.9	13	Square skeleton tower, white daymark with red vertical stripe. 6.4	Seasonal. Flash 4 s; eclipse 2 s.
302 H0077.1	Kenamu River rear range light	53 28 47.8 059 53 51.7 047°30' 1517.9 m from front.	Oc G 6s	18.9	13	Square skeleton tower, white daymark with red vertical stripe. 18.6	Seasonal. Flash 4 s; eclipse 2 s.
303	Sandy Point Turning light buoy H10	53 27 19.5 059 57 26.5	Q R 1s	Red, spar, marked "H10".	Seasonal (in place year round).
304	Sandy Point Channel light buoy H12	53 26 13.1 059 58 43.4	Fl R 4s	Red, spar, marked "H12".	Seasonal (in place year round).
305	Sandy Point Channel light buoy H11	53 26 09.0 059 58 33.0	Fl G 4s	Green, spar, marked "H11".	Seasonal (in place year round).
306	Sandy Point Channel light buoy H14	53 25 41.4 059 59 44.4	Fl R 4s	Red, spar, marked "H14".	Seasonal (in place year round).
307	Sandy Point Channel light buoy H13	53 25 39.0 059 59 33.0	Fl G 4s	Green, spar, marked "H13".	Seasonal (in place year round).
307.3	Sandy Point Channel light buoy H15	53 25 24.0 060 00 01.0	Fl G 4s	Green, spar, marked "H15".	Seasonal (in place year round).
307.6	Sandy Point Channel light buoy H16	53 25 25.2 060 00 09.0	Fl R 4s	Red, spar, marked "H16".	Seasonal (in place year round).
308	Sandy Point Channel light buoy H18	53 25 03.6 060 00 47.4	Fl R 4s	Red, spar, marked "H18".	Seasonal (in place year round).
308.1	Goose Bay Narrows Turning light buoy H18/2	53 24 29.6 060 02 00.2	Q R 1s	Red, spar, marked "H18/2".	Seasonal (in place year round). Operates 24 h.
309	Sandy Point Channel light buoy H17	53 25 03.3 060 00 38.9	Fl G 4s	Green, spar, marked "H17".	Seasonal (in place year round).
310	Rabbit Island East light buoy H19	53 24 36.4 060 07 16.5	Fl G 4s	Green, spar, marked "H19".	Seasonal (in place year round).
310.5	Rabbit Island West light buoy H21	53 23 53.2 060 11 29.3	Fl G 4s	Green, spar, marked "H21".	Seasonal (in place year round). Operates 24 h.
311	Rabbit Island North light buoy H20	53 25 04.4 060 10 45.0	Fl R 4s	Red, spar, marked "H20".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NEWFOUNDLAND AND LABRADOR COAST

312	Birch Island light buoy H22	53 23 21.8 060 14 16.9	Fl R 4s	Red, pillar, marked "H22".	Seasonal.
313	Chaulk Point light buoy H23	53 21 51.6 060 17 38.5	Fl G 4s	Green, pillar, marked "H23".	Seasonal.
313.5	Grebe Point light buoy H25	53 21 22.1 060 18 53.6	Fl G 4s	Green, pillar, marked "H25".	Seasonal.
313.6	Groves Point Entrance light buoy H27	53 21 01.5 060 20 57.1	Fl G 4s	Green, spar, marked "H27".	Seasonal (in place year round).
314	Terrington Narrows Channel light buoy H30	53 21 02.5 060 21 11.5	Fl R 4s	Red, spar, marked "H30".	Seasonal (in place year round).
315	Terrington Narrows Channel light buoy H29	53 20 59.5 060 21 11.8	Fl G 4s	Green, spar, marked "H29".	Seasonal (in place year round).
316	Terrington Narrows Channel light buoy H32	53 21 00.3 060 21 34.1	Fl R 4s	Red, spar, marked "H32".	Seasonal (in place year round).
317	Terrington Narrows Channel light buoy H33	53 20 57.3 060 21 33.8	Fl G 4s	Green, spar, marked "H33".	Seasonal (in place year round).
317.5 H0076.3	Terrington Narrows Sector Light	53 20 37.3 060 24 07.1	F R W G	10.5	19 Square skeleton tower, red and white rectangular daymark. 10.0	Seasonal. Operates 24 h. R 255°35'-256°55'; AI RW 256°55'-257°10'; W 257°10'-257°30'; AI GW 257°30'-257°45'; G 257°45'-259°05'.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
326 H0686	Gull Island Light Station (Cape St. John)	49 59 48.3 055 21 54.4	FI W 10s	160.0	17	Square skeleton tower, red and white rectangular daymark. 5.2	Seasonal. Flash 0.2 s; eclipse 9.8 s.
326.05	Shoe Cove Breakwater Light	49 54 50.4 055 33 31.3	FI G 5s	4	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
326.11 H0684	Round Harbour Wharf Light	49 51 10.1 055 39 22.5	FI G 5s	4.1	3	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
326.2	<i>Nippers Harbour light buoy DNR4</i>	49 47 41.3 055 51 43.6	FI R 4s	<i>Red, spar, marked "DNR4".</i>	<i>Seasonal.</i>
326.3	<i>Nippers Harbour light buoy DNR2</i>	49 47 28.0 055 51 14.0	FI R 4s	<i>Red, pillar, marked "DNR2".</i>	<i>Seasonal.</i>
326.4	<i>Nippers Harbour light buoy DNR3</i>	49 47 37.5 055 51 36.0	FI G 4s	<i>Green, spar, marked "DNR3".</i>	<i>Seasonal.</i>
327 H0681	Nippers Island Light	49 46 52.4 055 50 23.9	FI W 3s	33.8	7	Skeleton tower. 7.9	Seasonal. Flash 0.5 s; eclipse 2.5 s.
327.5 H0682	Smiths Harbour Wharf Light	49 44 20.9 055 58 05.3	FI R 4s	3.0	4	Red cylindrical mast. 2.1	Seasonal.
327.6	<i>Smiths Harbour Rock light buoy DSM4</i>	49 44 03.1 055 57 40.2	FI R 4s	<i>Red, spar, marked "DSM4".</i>	<i>Seasonal.</i>
327.8 H0682.5	Jackson's Cove Wharf Light	49 41 14.0 056 00 15.0	FI R 4s	4.0	2	Mast. 2.6	Seasonal.
327.9	<i>Middle Arm Rock light buoy DMM6</i>	49 42 19.0 056 02 32.7	FI R 4s	<i>Red, spar, marked "DMM6".</i>	<i>Seasonal.</i>
328 H0683	Middle Arm Wharf Light	49 42 10.7 056 05 36.1	FI R 3s	3.4	4	Mast. 2.5	Seasonal. Flash 0.5 s; eclipse 2.5 s.
331.9	<i>Black Rock Sunker East Cardinal light buoy DLB</i>	<i>Little Bay Islands. 49 38 11.5 055 45 55.6</i>	Q(3) W 10s	<i>Black-yellow-black, spar, marked "DLB".</i>	<i>Seasonal.</i>
332 H0679	Little Bay Island Light	49 38 05.2 055 46 16.3	FI W 6s	7.6	5	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal. Flash 0.5 s; eclipse 5.5 s.
332.2 H0679.2	Macks Island Light	49 38 30.2 055 46 54.3	FI G 4s	4.7	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal.
332.6 H0674.3	Miles Cove Wharf Light	49 32 27.4 055 46 48.5	FI G 4s	4	Mast. 2.6	Year round.
332.61	<i>Wilfred's Rock light buoy DR1</i>	<i>Island Rock Cove. 49 31 49.6 055 45 40.4</i>	FI G 4s	<i>Green, spar, marked "DR1".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
332.7 H0674.2	Pilley's Island Ferry Wharf Light	49 33 41.9 055 44 18.5	Fl R 4s	4.0	3	Mast, yellow and black daymark. 2.4	Year round.
332.9 H0676	Long Island Ferry Wharf Light	49 34 03.0 055 44 10.8	Fl R 4s	4.0	2	Mast. 2.6	Year round.
333	Lushes Bight light buoy DL1	49 35 22.6 055 43 35.2	Fl G 4s	Green, pillar, marked "DL1".	Seasonal.
334 H0677.6	Lushes Bight Light	49 35 18.2 055 43 19.3	Fl W 6s	6.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 5.5 s.
335 H0677	Lushes Bight Wharf Light	49 35 34.2 055 43 07.3	Fl R 3s	3.0	4	Skeleton tower. 2.3	Year round. Flash 0.5 s; eclipse 2.5 s.
335.5 H0680.7	Beachside Wharf Light	49 38 34.0 055 53 44.8	Fl R 5s	3.6	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
336	Tom Cod Rock West Cardinal light buoy DBB	E. of Otter Island. 49 36 41.9 055 53 11.3	Q(9) W 15s	Yellow-black-yellow, spar, marked "DBB".	Seasonal.
338.09	Island Rock Cove light buoy DHS	49 30 10.2 056 02 54.1	Q(6) + LFI W 15s	Yellow-black, spar, marked "DHS".	Seasonal.
339 H0678	Gull Rock Light	Little Bay. 49 41 01.2 055 41 41.5	Fl W 4s	18.9	5	Square skeleton tower. 14.0	Seasonal.
339.5 H0678.4	Giles Island Light	49 37 02.8 055 40 04.7	Fl R 3s	10.7	4	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.
340 H0675	East End Long Island Light	49 35 52.7 055 34 44.3	Fl W 6s	31.4	7	Square skeleton tower, red and white rectangular daymark. 9.4	Year round. Flash 0.5 s; eclipse 5.5 s.
340.1	League Rock East light buoy DLR1	49 34 33.7 055 30 03.2	Fl G 4s	Green, spar, marked "DLR1".	Seasonal.
340.3	League Rock West light buoy DLR3	49 34 18.6 055 31 00.9	Fl G 4s	Green, spar, marked "DLR3".	Seasonal.
340.5	Grassy Point East Cardinal light buoy DNC	Triton Area. 49 32 44.5 055 36 23.6	Q(3) W 10s	Black-yellow-black, spar, marked "DNC".	Seasonal.
341 H0674	Big Triton Island Light	49 32 41.2 055 36 01.3	Fl W 4s	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
341.1 H0674.1	Moses Point Light	49 32 45.0 055 38 59.3	Fl G 4s	4	Square skeleton tower, green and white rectangular daymark.	Seasonal.
341.2	Caplin Cove Rock light buoy DNC2	49 32 26.6 055 36 56.3	Fl R 4s	Red, spar, marked "DNC2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
341.3 H0673	Cards Harbour Point Light	Badger Bay. 49 30 26.0 055 37 50.0	Fl R 4s	4	Mast. 2.6	Year round.
341.32	Georgies Rock light buoy DBW2	Triton Area. 49 27 03.4 055 38 43.4	Fl R 4s	Red, spar, marked "DBW2".	Seasonal.
341.4 H0673.5	Jims Cove Point Light	49 30 38.7 055 37 10.4	Q R 1s	4	Mast. 2.6	Year round.
341.494	Haywards Gull Island light buoy DR1/1	Entrance to Robert's Arm. 49 29 57.9 055 46 30.1	Fl G 4s	Green, spar, marked "DR1/1".	Seasonal. Operates 24 h.
341.495	Moorey Cove Shoal light buoy DR2	49 29 42.8 055 47 06.2	Fl R 4s	Red, spar, marked "DR2".	Seasonal.
341.496	Bear Cove Head light buoy DR3	49 29 22.1 055 47 50.5	Fl G 4s	Green, spar, marked "DR3".	Seasonal.
341.5 H0674.4	Roberts Arm Wharf Light	49 29 18.8 055 48 20.8	Fl R 4s	2.7	4	Red cylindrical mast. 2.4	Seasonal.
342 H0672	Leading Ticks Light	49 30 21.8 055 24 25.4	Fl W 3s	25.3	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 2.5 s.
344 H0670.5	Cottrells Cove Light	49 28 56.5 055 18 16.4	Fl W 4s	16.8	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal.
344.39	Change Islands light buoy DWG1	49 40 41.3 054 22 58.1	Fl G 4s	Green, spar, marked "DWG1".	Seasonal. Operates 24 h.
344.4	Skinnners Rock light buoy DWG3	N. of Change Islands. 49 40 35.7 054 23 23.0	Fl G 4s	Green, spar, marked "DWG3".	Seasonal.
344.41	Skinner Rock light buoy DWG5	Change Islands. 49 40 32.5 054 23 38.0	Q G 1s	Green, spar, marked "DWG5".	Seasonal.
344.42	Old Tim light buoy DWG7	Change Islands. 49 40 23.1 054 24 05.9	Fl G 4s	Green, spar, marked "DWG7".	Seasonal.
344.5	Cottrells Cove Shoal light buoy DW4.2	49 29 09.8 055 17 23.4	Fl R 4s	Red, spar, marked "DW4.2".	Seasonal.
344.6	Seal Rock light buoy DW1	Cottrells Cove. 49 29 26.8 055 17 32.2	Fl G 4s	Green, spar, marked "DW1".	Seasonal.
344.8	Long Island Rock light buoy DDW1	Osmonton Arm. 49 28 44.8 055 22 08.2	Fl G 4s	Green, spar, marked "DDW1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NOTRE DAME BAY

344.9	Ritters Arm Shoal light buoy DW5	S. of Indian Cove. 49 22 52.6 055 15 45.2	Fl G 4s	Green, spar, marked "DW5".	Seasonal.
345 H0671.5	Point Leamington Wharf Light	49 20 23.8 055 23 51.4	Fl R 4s	3.4	4	Mast. 2.1	Seasonal.
345.3	Brandies Rock East Cardinal light buoy DWD	W. of Jacob Cove. 49 31 17.8 055 21 08.4	VQ(3) W 5s	Black-yellow-black, pillar, marked "DWD".	Seasonal. Operates 24 h.
345.41	White Ground Shoal light buoy DWG2	N. of Change Islands. 49 40 36.6 054 23 28.2	Fl R 4s	Red, spar, marked "DWG2".	Seasonal.
346.2	Western Bay Head light buoy DW2	49 32 33.6 055 14 14.7	Fl R 4s	Red, pillar, marked "DW2".	Seasonal.
346.3	Bed Rock Shoal light buoy DD2.2	N. of Fortune Harbour. 49 32 39.7 055 12 56.9	Fl R 4s	Red, spar, marked "DD2.2".	Seasonal.

Bay of Exploits

346.36	Ship Run light buoy DSR2	W. of Exploits. 49 32 02.3 055 08 35.5	Fl R 4s	Red, pillar, marked "DSR2".	Seasonal.
347 H0656	Surgeon Cove Point Light Station	49 31 06.6 055 07 01.0	Fl W 5s	73.8	16	Cylindrical tower, red and white vertical stripes. 4.3	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s.
347.11	Exploits Outer light buoy DE4	49 30 58.2 055 04 04.8	Fl R 4s	Red, spar, marked "DE4".	Seasonal.
347.2	Long Island Outer Shoal light buoy DBE1	49 29 07.0 055 01 13.9	Q G 1s	Green, spar, marked "DBE1".	Seasonal.
347.3	Long Island Rocks light buoy DBE3	49 28 52.1 055 01 12.4	Fl G 4s	Green, spar, marked "DBE3".	Seasonal.
347.37	Little Burnt Bay light buoy DBE3/1	NE. of Southern Head Cove. 49 21 27.1 055 04 39.4	Fl G 4s	Green, spar, marked "DBE3/1".	Seasonal.
347.4	Swan Island Rock light buoy DBE2	NE. of Southern Head Cove. 49 27 49.2 055 01 41.7	Fl R 4s	Red, spar, marked "DBE2".	Seasonal.
347.5 H0651.4	Bridgeport Wharf Light	49 32 58.6 054 52 21.8	Fl G 4s	2	Mast. 2.6	Seasonal.
348 H0658	Upper Black Island Light	49 24 47.3 055 08 08.5	Fl W 3s	16.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
348.2	Upper Black Island Rocks light buoy DBE5	W. of island. 49 24 18.4 055 08 16.0	Fl G 4s	Green, spar, marked "DBE5".	Seasonal.
349 H0660	Cabbage Harbour Head Light	49 19 43.2 055 12 14.3	Fl W 5s	34.7	5	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
349.5 H0662	Govers Point Island Light	49 19 39.9 055 14 11.9	Fl R 5s	4	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
350 H0664	Grassy Island Light	49 15 36.0 055 14 10.0	Fl R 5s	11.7	4	Square skeleton tower, red and white square daymark. 4.7	Year round. Flash 1 s; eclipse 4 s.
350.1 H0664.5	Point of Bay Wharf Light	49 15 37.9 055 14 36.9	Fl R 5s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
350.12	Point of Bay Shoal light buoy DPB	49 15 43.3 055 14 25.9	Fl(2) W 10s	Black-red-black, spar, marked "DPB".	Seasonal.
350.6 H0665.5	Phillips Head Wharf Light	49 13 30.0 055 18 23.0	Fl Y 5s	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
351 H0666	Lower Sandy Point Light	49 12 36.0 055 17 50.0	Fl G 5s	5.5	4	Square skeleton tower, green and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
351.2	Phillips Head light buoy DPH2	49 13 11.2 055 17 56.6	Q R 1s	Red, spar, marked "DPH2".	Seasonal. Operates 24 h.
351.4	Lower Sandy Shoal light buoy DPH1	49 13 07.0 055 17 04.3	Q G 1s	Green, spar, marked "DPH1".	Seasonal. Operates 24 h.
352 H0668	Mill Point Light (Botwood)	49 08 51.2 055 20 04.6	Fl R 1.5s	5.5	4	Cylindrical tower, red and white horizontal bands. 4.3	Year round. Flash 0.5 s; eclipse 1 s.
352.15	Sunker Rock West Cardinal light buoy DSR	Black Island. 49 32 32.4 054 57 19.2	VQ(9) W 10s	Yellow-black-yellow, spar, marked "DSR".	Seasonal.
352.16	Seal Rock light buoy DBT2	Black Island. 49 32 16.9 054 58 08.4	Q R 1s	Red, spar, marked "DBT2".	Seasonal.
352.18	Western Rock # 1 light buoy DBT7	49 31 55.3 054 58 36.5	Fl G 4s	Green, spar, marked "DBT7".	Seasonal.
352.19	Western Rock # 2 light buoy DBT6	Black Island. 49 31 55.8 054 58 37.1	Fl R 4s	Red, spar, marked "DBT6".	Seasonal.
352.2	Whale Back Rock North Cardinal light buoy DDN	49 31 10.3 054 58 24.1	Q W 1s	Black-yellow, pillar, marked "DDN".	Seasonal. Operates 24 h.
352.4	Jobs Island South Cardinal light buoy DLW	49 17 46.1 055 00 22.4	Q(6) + LFl W 15s	Yellow-black, spar, marked "DLW".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
352.6	Little Burnt Bay Shoal light buoy DBE4	W. of Birchy Island. 49 21 24.8 055 04 42.7	Fl R 4s	Red, spar, marked "DBE4".	Seasonal.
352.7 H0653	Little Burnt Bay Wharf Light	49 21 24.1 055 04 45.2	Fl G 4s	3.3	4	Mast. 2.4	Seasonal.
352.8	Mussel Bed Rocks light buoy DLW1	E. of Masons Cove. 49 18 55.9 054 58 21.7	Fl G 4s	Green, spar, marked "DLW1".	Seasonal (in place year round).
352.94	Shoal Tickle East Cardinal light buoy DSC	49 20 40.2 055 01 27.6	Q(3) W 10s	Black-yellow-black, spar, marked "DSC".	Seasonal.
352.95 H0652.8	Shoal Tickle Light	49 21 02.9 055 01 32.9	Fl R 4s	6.0	2	Mast. 2.6	Year round.
352.96	Shoal Tickle light buoy DSP1	49 21 08.0 055 01 35.6	Fl G 4s	Green, spar, marked "DSP1".	Seasonal.
352.97	Shoal Tickle light buoy DSP2	Little Burnt Bay. 49 21 14.2 055 01 44.8	Q R 1s	Red, spar, marked "DSP2".	Seasonal.
353 H0654	St. Michael's Island Light	49 17 21.6 054 59 51.2	Fl W 3s	56.7	5	Skeleton tower, red and white rectangular daymark. 8.6	Seasonal. Flash 0.5 s; eclipse 2.5 s.
353.1 H0654.5	Seal Island Rock Light	49 16 22.0 055 00 06.0	Fl G 4s	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal.
353.2 H0655.05	Lewisporte Floating Dock Light	49 14 30.5 055 03 26.4	Fl R 4s	2	Red cylindrical mast. 2.6	Year round.
353.25	Shoal Point (Lewisporte) light buoy DLW3	49 14 42.8 055 02 35.0	Fl G 4s	Green, spar, marked "DLW3".	Seasonal (in place year round).
353.5 H0655.15	Lewisport Marina Light	49 14 28.5 055 03 24.5	Fl R 4s	3.1	Mast.	Private aid. Year round.
353.6 H0654.9	Lewisporte Outer Dolphin Light	49 14 56.3 055 02 57.5	Fl W 4s	Square mast.	Private aid. Year round.
353.7 H0655.3	Lewisporte Middle Catwalk Light	49 14 55.4 055 02 57.5	Fl W 4s	Black cylindrical mast.	Private aid. Year round.
353.8 H0655.5	Lewisporte Inner Wharf Light	49 14 54.7 055 02 57.4	Fl R 4s	4	Mast. 2.6	Year round.
353.9 H0651.8	Comfort Cove Wharf Light	49 24 19.7 054 51 17.2	Fl Y 4s	2	Mast.	Seasonal.
353.91	Loon Bay Breakwater Light	49 24 23.7 054 51 16.6	Fl R 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
354 H0652	Knights Island Rock Light	49 25 20.0 054 54 58.6	Fl W 4s	13.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
354.5	Gleed Island Light	49 27 22.5 054 53 04.1	Fl W 6s	4	Square skeleton tower, red and white daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 5 s.
354.95	Summerford light buoy DU2	49 29 13.4 054 47 51.0	Fl R 4s	Red, spar, marked "DU2".	Seasonal.
355 H0651.6	Summerford Wharf Light	49 29 21.3 054 47 48.5	Fl G 5s	3.6	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
355.071	Dildo Run light buoy DY2	49 32 03.3 054 40 31.1	Fl R 4s	Red, spar, marked "DY2".	Seasonal.
355.072	Dildo Run light buoy DY3	49 31 54.4 054 41 04.4	Fl G 4s	Green, spar, marked "DY3".	Seasonal.
355.073	Dildo Run light buoy DY4	49 31 42.4 054 41 22.9	Fl R 4s	Red, spar, marked "DY4".	Seasonal.
355.074	Dildo Run light buoy DY5	49 31 35.8 054 41 30.0	Fl G 4s	Green, spar, marked "DY5".	Seasonal.
355.075	Dildo Run light buoy DY6	49 31 33.3 054 41 36.6	Fl R 4s	Red, spar, marked "DY6".	Seasonal.
355.076	Dildo Run light buoy DY7	49 31 05.7 054 42 07.2	Fl G 4s	Green, spar, marked "DY7".	Seasonal.
355.077	Sloping Rock light buoy DY8	Dildo Run. 49 30 54.4 054 42 17.0	Fl R 4s	Red, spar, marked "DY8".	Seasonal.
355.078	7/8 Point light buoy DY9	Dildo Run. 49 30 29.2 054 42 42.9	Fl G 4s	Green, spar, marked "DY9".	Seasonal.
355.079	Dildo Run light buoy DY10	49 30 29.5 054 42 46.9	Fl R 4s	Red, spar, marked "DY10".	Seasonal.
355.08	Dildo Run light buoy DY12	49 30 10.4 054 42 59.2	Fl R 4s	Red, spar, marked "DY12".	Seasonal.
355.081	Jermey Rock light buoy DY13	Dildo Run. 49 30 08.2 054 42 57.0	Fl G 4s	Green, spar, marked "DY13".	Seasonal.
355.082 H0651.5	Hare Island Light	Dildo Run. 49 29 55.1 054 43 05.1	Fl R 5s	4.4	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
355.083	Tanners Rock light buoy DY15	Dildo Run. 49 29 38.3 054 43 17.8	Fl G 4s	Green, spar, marked "DY15".	Seasonal.
355.084	Dildo Run light buoy DY17	49 29 27.5 054 43 24.8	Fl G 4s	Green, spar, marked "DY17".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
355.085 H0651.55	Tea Kettle Island Light	Dildo Run. 49 29 01.6 054 43 49.7	Fl R 5s	4.2	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
355.086	Curtis Causeway Outer light buoy DY19	Dildo Run. 49 28 58.1 054 43 48.1	Fl G 4s	Green, spar, marked "DY19".	Seasonal.
355.087	Curtis Causeway Outer light buoy DY21	Dildo Run. 49 28 35.9 054 44 20.0	Fl G 4s	Green, spar, marked "DY21".	Seasonal.
355.088	Curtis Causeway Inner light buoy DY23	Dildo Run. 49 27 59.7 054 45 27.4	Fl G 4s	Green, spar, marked "DY23".	Seasonal.
355.089	South Downkist light buoy DY24	Dildo Run. 49 27 51.0 054 45 54.3	Fl R 4s	Red, spar, marked "DY24".	Seasonal.
355.09	Curtis Causeway Inner light buoy DY25	Dildo Run. 49 27 33.9 054 46 21.3	Fl G 4s	Green, spar, marked "DY25".	Seasonal.
355.091	Dildo Channel light buoy DY27	Dildo Run. 49 27 24.2 054 46 53.8	Fl G 4s	Green, spar, marked "DY27".	Seasonal.
355.092	Dildo Run light buoy DY28	49 27 21.5 054 47 09.4	Fl R 4s	Red, spar, marked "DY28".	Seasonal.
355.093	Butterfly Rock light buoy DY29	Dildo Run. 49 27 17.9 054 47 12.8	Fl G 4s	Green, spar, marked "DY29".	Seasonal.
355.094 H0651.7	Butterfly Island Light	Dildo Run. 49 27 21.3 054 47 29.5	Fl R 5s	6.5	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
355.095	Solid Island light buoy DY30	Dildo Run. 49 27 23.9 054 48 17.8	Fl R 4s	Red, spar, marked "DY30".	Seasonal.
355.123	Joe Island Shoal light buoy DA1	49 30 38.5 054 52 38.4	Q G 1s	Green, spar, marked "DA1".	Seasonal. Operates 24 h.
355.13	Cottlesville Harbour light buoy DAA1	49 30 47.1 054 52 02.5	Fl G 4s	Green, spar, marked "DAA1".	Seasonal.
355.131	Cottlesville Wharf Light	49 30 44.9 054 52 01.2	Fl R 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
355.2	Bridgeport Rock light buoy DBP2	W. of Bridgeport. 49 32 15.9 054 53 49.6	Fl R 4s	Red, pillar, marked "DBP2".	Seasonal.
355.3	Bridgeport Harbour Light	49 32 37.3 054 52 40.9	Fl R 4s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
355.5 H0651.2	Pond Island Point Light	S. of Saltwater Pond. 49 33 55.3 054 54 02.5	Fl R 4s	4	Square skeleton tower, red and white square daymark. 4.3	Year round.
355.6	Sheers Rock light buoy DVP3	W. of Saltwater Pond. 49 33 57.2 054 54 04.3	Fl G 4s	Green, spar, marked "DVP3".	Seasonal.
355.7	Point of Lamb light buoy DVP4	W. of Saltwater Pond. 49 33 59.6 054 53 56.9	Fl R 4s	Red, spar, marked "DVP4".	Seasonal.
355.8	Bilge Rock light buoy DVP5	W. of Saltwater Pond. 49 34 00.2 054 53 57.1	Fl G 4s	Green, spar, marked "DVP5".	Seasonal.
356 H0651	Moreton's Harbour Wharf Light	49 34 39.4 054 52 17.4	Fl R 4s	4.0	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
356.05	Cross Cove light buoy DM2	49 34 40.6 054 51 57.4	Q R 1s	Red, spar, marked "DM2".	Seasonal. Operates 24 h.
356.1	Moreton's Harbour Outer light buoy DM3	49 34 23.8 054 51 48.4	Fl G 4s	Green, spar, marked "DM3".	Seasonal.
356.2	Moreton's Harbour Inner light buoy DM5	49 34 19.3 054 51 47.8	Fl G 4s	Green, spar, marked "DM5".	Seasonal.
357 H0650	Moreton's Harbour Light	49 34 51.7 054 51 35.8	Fl W 4s	18.0	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 3 s.
Twillingate							
358 H0640	Long Point (Twillingate) Light Station and Fog Signal	49 41 16.0 054 48 00.0	Fl W 5s	100.9	16	Red and white rectangular tower. 14.3	Year round. Fog Horn Blast 4 s; sil. 56 s.
358.1	Twillingate Harbour light buoy DT2	49 39 17.4 054 46 07.8	Fl R 4s	Red, spar, marked "DT2".	Seasonal.
358.11	White Ground light buoy D9	Burnt Island Tickle. 49 40 27.5 054 45 59.5	Fl G 4s	Green, spar, marked "D9".	Seasonal.
358.12	Burnt Island Channel light buoy D7	49 40 40.5 054 45 36.0	Fl G 4s	Green, spar, marked "D7".	Seasonal.
358.13	Hackett Cove Head light buoy D8	Burnt Island Tickle. 49 40 45.0 054 45 43.2	Fl R 4s	Red, spar, marked "D8".	Seasonal.
358.132 H0641	Upper Jenkins Cove Wharf Light	49 40 03.7 054 45 22.6	Fl G 4s	4.0	2	Mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
358.14	Little Red Rock light buoy D6	Burnt Island Tickle. 49 40 47.0 054 45 15.0	FI R 4s	Red, spar, marked "D6".	Seasonal.
358.15	Roses Head light buoy D4	Burnt Island Tickle. 49 40 52.0 054 44 54.0	FI R 4s	Red, spar, marked "D4".	Seasonal.
358.159	Burnt Island Channel light buoy D5	Burnt Island Tickle. 49 40 45.8 054 45 04.4	FI G 4s	Green, spar, marked "D5".	Seasonal.
358.16	9 Feet Rock light buoy D2	Burnt Island Tickle. 49 41 01.5 054 44 08.0	FI R 4s	Red, spar, marked "D2".	Seasonal.
358.161	Rodger light buoy D3	Burnt Island Tickle. 49 40 49.2 054 44 40.2	FI G 4s	Green, spar, marked "D3".	Seasonal.
358.17	Pauls Cap light buoy D1	Burnt Island Tickle. 49 40 54.0 054 44 06.0	FI G 4s	Green, spar, marked "D1".	Seasonal.
358.191	Twillingate light buoy DT3	Twillingate Harbour. 49 39 16.8 054 46 04.2	FI G 4s	Green, spar, marked "DT3".	Seasonal.
358.192	Twillingate (North Young Point) light buoy DT4	Twillingate Harbour. 49 39 13.9 054 46 07.3	FI R 4s	Red, spar, marked "DT4".	Seasonal (in place year round).
358.193	Twillingate light buoy DT5	Twillingate Harbour. 49 39 12.0 054 46 04.6	FI G 4s	Green, spar, marked "DT5".	Seasonal.
358.2	Twillingate (Young Point) light buoy DT6	Twillingate Harbour. 49 39 10.2 054 46 07.2	FI R 4s	Red, spar, marked "DT6".	Seasonal.
358.3	Twillingate light buoy DT8	Twillingate Harbour. 49 39 05.4 054 46 06.6	FI R 4s	Red, spar, marked "DT8".	Seasonal.
358.39	Twillingate light buoy DT9	Twillingate Harbour. 49 39 06.0 054 46 06.0	FI G 4s	Green, spar, marked "DT9".	Seasonal.
358.4	Twillingate light buoy DT10	Twillingate Harbour. 49 39 01.2 054 46 03.0	FI R 4s	Red, spar, marked "DT10".	Seasonal.
358.44	Twillingate light buoy DT12	49 39 00.1 054 46 02.0	FI R 4s	Red, spar, marked "DT12".	Seasonal. Operates 24 h.
358.55	Twillingate light buoy DT13	Near the CCG base. 49 38 57.0 054 46 03.5	FI G 4s	Green, spar, marked "DT13".	Seasonal (in place year round). Operates 24 h.
358.6	Twillingate Cautionary light buoy DT	Twillingate Harbour. 49 38 58.8 054 45 58.8	FI Y 4s	Yellow, spar, marked "DT".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NOTRE DAME BAY

359 H0644	Twillingate Wharf Light	Twillingate Harbour. 49 39 32.0 054 46 18.7	FI R 4s	4.6	4	Mast. 2.4	Seasonal.
359.2 H0642	Twillingate Harbour Light	49 39 15.3 054 46 01.5	FI G 4s	6.2	Square skeleton tower, green and white square daymark. 4.3	Seasonal.
359.5 H0646	Twillingate Breakwater Light	Twillingate Harbour. 49 39 05.8 054 46 04.6	FI G 4s	3.7	4	Mast. 2.4	Seasonal.
360 H0648	Duck Island Light	SW. of Main Tickle, Friday Bay. 49 35 33.0 054 43 32.7	FI W 4s	17.4	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
360.1	Harbour Rock light buoy DPU1	Purcell's Harbour. 49 36 48.5 054 42 03.0	FI G 4s	Green, spar, marked "DPU1".	Seasonal.
360.2	Shiphouse Rock light buoy DPU2	Purcell's Harbour. 49 36 47.2 054 42 06.8	FI R 4s	Red, spar, marked "DPU2".	Seasonal.
360.47	Virgin Arm Inner Shoal light buoy DVA5	49 31 56.6 054 45 58.6	FI G 4s	Green, spar, marked "DVA5".	Seasonal.
360.48	Virgin Arm light buoy DVA3	49 32 10.8 054 45 47.3	FI G 4s	Green, spar, marked "DVA3".	Seasonal.
360.49	Virgin Arm Shoal light buoy DVA2	49 32 43.0 054 45 35.0	FI R 4s	Red, spar, marked "DVA2".	Seasonal.
360.5 H0649	Hillgrade Wharf Light	49 34 24.4 054 42 15.3	FI Y 4s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
360.51 H0651.45	Virgin Arm Wharf Light	49 31 38.2 054 46 18.0	FI R 4s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
360.52	Carter's Cove Rock light buoy DCC2	49 32 19.9 054 47 25.2	FI R 4s	Red, spar, marked "DCC2".	Seasonal.
360.53	Captain Pierce Rock Shoal light buoy DCC	49 34 19.4 054 47 38.9	Q(9) W 15s	Yellow-black-yellow, pillar, marked "DCC".	Seasonal. Operates 24 h.
360.54	Black Island Shoal light buoy DHL2	49 34 29.1 054 43 10.4	FI R 4s	Red, spar, marked "DHL2".	Seasonal.
Twillingate							
361 H0645	Shoal Tickle Light	Twillingate. 49 38 40.0 054 46 18.1	FI G 4s	14.6	4	Square skeleton tower, green and white rectangular daymark. 5.4	Seasonal. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
Bay of Exploits							
361.02	Exploits Outer light buoy DE5	49 30 55.2 055 04 03.0	Fl G 4s	Green, spar, marked "DE5".	Seasonal.
361.03	Exploits Inner light buoy DE6	49 31 14.3 055 04 03.4	Fl R 4s	Red, spar, marked "DE6".	Seasonal.
361.04	Exploits Inner light buoy DE7	49 31 04.8 055 04 06.0	Fl G 4s	Green, spar, marked "DE7".	Seasonal.
Twillingate							
361.1	Primer Rock light buoy DUR1	Farmers Arm. 49 40 08.0 054 44 21.3	Fl G 4s	Green, spar, marked "DUR1".	Seasonal. Operates 24 h.
361.2	Durrell Outer Harbour light buoy DUR3	Farmers Arm. 49 40 03.1 054 44 32.0	Fl G 4s	Green, spar, marked "DUR3".	Seasonal. Operates 24 h.
361.3	Durrell Inner Harbour light buoy DUR4	Farmers Arm. 49 40 03.8 054 44 33.0	Fl R 4s	Red, spar, marked "DUR4".	Seasonal. Operates 24 h.
361.32	Durrell Inner Harbour light buoy DUR5	Farmers Arm. 49 39 59.7 054 44 38.5	Fl G 4s	Green, spar, marked "DUR5".	Seasonal. Operates 24 h.
361.33	Durrell Inner Harbour light buoy DUR6	Farmers Arm. 49 40 00.1 054 44 39.1	Fl R 4s	Red, spar, marked "DUR6".	Seasonal. Operates 24 h.
361.4	Parky Rock light buoy DUL2	49 40 31.9 054 44 05.8	Fl R 4s	Red, spar, marked "DUL2".	Seasonal. Operates 24 h.
361.5	Mad Rocks light buoy DUR2	49 40 12.2 054 44 14.3	Fl R 4s	Red, spar, marked "DUR2".	Seasonal. Operates 24 h.
361.52	Farmers Arm light buoy DUR1/3	49 40 05.2 054 44 24.9	Fl G 4s	Green, spar, marked "DUR1/3".	Seasonal. Operates 24 h.
361.6	Primer Rock light buoy DUL3	49 40 10.4 054 43 59.7	Fl G 4s	Green, spar, marked "DUL3".	Seasonal. Operates 24 h.
361.61	Durrell Arm light buoy DUL4	49 40 01.9 054 44 09.2	Fl R 4s	Red, spar, marked "DUL4".	Seasonal. Operates 24 h.
361.62	Durrell Arm light buoy DUL5	49 39 54.1 054 44 12.5	Fl G 4s	Green, spar, marked "DUL5".	Seasonal. Operates 24 h.
361.63	Durrell Arm Wharf light buoy DUL7	49 39 47.2 054 44 13.5	Fl G 4s	Green, spar, marked "DUL7".	Seasonal. Operates 24 h.
362 H0638	Ship Island Light	49 39 07.0 054 35 54.0	Fl W 3s	28.7	5	Skeleton tower, white slatwork daymark. 4.3	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
362.5 H0635	Bacalhao Island Sector Light	49 41 14.5 054 33 17.1	Al R W G	71.0	23	Square skeleton tower, red rectangular daymark with white vertical stripe. 3.6	Year round. Operates 24 h. R 301°-300.5°; AI RW 300.5°-299.5°; W 299.5°-297.5°; AI GW 297.5°-296.5°; G 296.5°-296°.
363 H0636	Bacalhao Island Light	49 41 12.8 054 33 24.6	Fl W 10s	106.0	17	Square skeleton tower, red and white rectangular daymark. 10.7	Year round. Flash 0.2 s; eclipse 9.8 s.
363.5 H0624.5	Barrack's Island Light	49 47 52.0 054 00 04.7	Fl W 6s	10.0	5	Square skeleton tower, red and white square daymark. 4.3	Seasonal. Flash 1 s; eclipse 5 s.
364 H0622	Little Fogo Islands Light	49 49 12.2 054 05 37.1	Fl W 4s	48.2	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
364.5 H0623	Storehouse Island Light	49 48 59.8 054 10 52.5	Iso W 6s	46.0	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
364.7	<i>Deans Rock North Cardinal light buoy DJD</i>	49 44 54.5 054 12 01.0	Q W 1s	<i>Black-yellow, pillar, marked "DJD".</i>	<i>Seasonal.</i>
364.8 H0623.5	Gappy Island Light	49 46 31.5 054 16 43.8	Fl W 3s	24.2	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 2 s.
365 H0618	Rags Island (Fogo Island) Light	49 43 46.4 054 15 35.2	Fl W 4s	25.0	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
365.22	<i>Eastern Tickle East Cardinal light buoy DFE</i>	<i>Fogo Harbour Entrance. 49 43 43.8 054 15 42.6</i>	Q(3) W 10s	<i>Black-yellow-black, spar, marked "DFE".</i>	<i>Seasonal.</i>
365.26	<i>Simms Island light buoy DF2</i>	<i>Fogo. 49 43 40.6 054 16 02.4</i>	Fl R 4s	<i>Red, spar, marked "DF2".</i>	<i>Seasonal.</i>
365.3	<i>Pilly Rock light buoy DF3</i>	<i>Fogo Harbour. 49 43 37.0 054 16 17.5</i>	Q G 1s	<i>Green, spar, marked "DF3".</i>	<i>Seasonal.</i>
365.4	<i>Garrison Point North Cardinal light buoy DFN</i>	49 43 34.7 054 16 39.6	Q W 1s	<i>Black-yellow, spar, marked "DFN".</i>	<i>Seasonal. Operates 24 h.</i>
365.5	<i>Harbour Rock light buoy DF4</i>	<i>Fogo Harbour. 49 43 25.0 054 16 22.6</i>	Fl R 4s	<i>Red, spar, marked "DF4".</i>	<i>Seasonal.</i>
365.508	<i>Fogo Harbour light buoy DF4/2</i>	49 43 09.2 054 16 27.4	Fl R 4s	<i>Red, spar, marked "DF4/2".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
365.509	Fogo Harbour light buoy DF5/1	49 43 09.4 054 16 24.8	Fl G 4s	Green, spar, marked "DF5/1".	Seasonal.
365.515	Fogo Harbour light buoy DF6	49 43 05.5 054 16 23.9	Q R 1s	Red, spar, marked "DF6".	Seasonal. Operates 24 h.
365.52	Fogo Harbour light buoy DF7	49 43 04.6 054 16 22.3	Fl G 4s	Green, spar, marked "DF7".	Seasonal. Operates 24 h.
365.7 H0618.5	Fogo Harbour Wharf Light	49 43 03.3 054 16 24.6	Fl R 4s	4.2	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
367.51	Shag Island light buoy DV3	49 42 25.5 054 17 47.6	Fl G 4s	Green, spar, marked "DV3".	Seasonal.
368 H0626	Change Island Light	49 34 10.3 054 24 27.6	Fl W 3s	13.7	5	Square skeleton tower, red and white rectangular daymark. 9.5	Seasonal. Flash 1 s; eclipse 2 s.
369 H0628	Ruth Island Light	E. of Change Island. 49 40 46.3 054 22 50.7	Fl W 3s	10.7	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 2 s.
370 H0629	Change Islands Tickle - front range light	49 40 25.3 054 24 18.2	F R	20.1	13 Square skeleton tower, red daymark with white vertical stripe. 9.6	Seasonal.
371 H0629.1	Change Islands Tickle rear range light	49 40 24.2 054 24 23.7 252°45' 121.9 m from front.	F R	24.4	13 Square skeleton tower, white daymark with red vertical stripe. 5.8	Seasonal.
371.1	Woody Island Light	On a rock at N. tip of the island. 49 34 34.3 054 22 09.4	Fl W 4s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
372 H0630	Tickle Point Light	Change Island. 49 40 07.5 054 24 49.0	Fl G 5s	9.4	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
372.2	Stag Harbour light buoy DG2	49 34 29.3 054 16 29.5	Fl R 4s	Red, spar, marked "DG2".	Seasonal.
372.21	Fox Head light buoy DXY3	49 40 00.8 054 25 05.1	Fl G 4s	Green, spar, marked "DXY3".	Seasonal.
372.3 H0625.5	Cork Rock Light	Change Island. 49 33 42.6 054 22 59.4	Fl W 6s	6.0	6	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 5 s.
372.4	John Wheaton Rock cautionary light buoy DHJ	Fogo Island and Change Island ferry route. 49 33 20.8 054 24 50.2	Fl Y 4s	Yellow, spar, marked "DHJ".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
372.5 H0606.5	Man O'War Cove Wharf Light	Fogo Island. 49 34 15.6 054 18 17.8	FI G 4s	6.7	4	Mast. 2.4	Year round.
372.6	Stag Harbour Run East Cardinal light buoy DX	49 34 07.7 054 15 55.5	Q(3) W 10s	Black-yellow-black, spar, marked "DX".	Seasonal. Operates 24 h.
372.61	Stag Harbour Run light buoy DX7	49 33 37.2 054 16 29.1	FI G 4s	Green, spar, marked "DX7".	Seasonal. Operates 24 h.
372.62	Stag Harbour Run light buoy DX6	49 33 39.8 054 16 38.6	FI R 4s	Red, spar, marked "DX6".	Seasonal.
372.63	Stag Harbour light buoy DX5	49 33 45.6 054 16 13.5	FI G 4s	Green, spar, marked "DX5".	Seasonal.
372.7 H0606.6	Man O'War Cove Dolphin Light	Fogo Island. 49 34 15.8 054 18 05.5	FI R 4s	4.1	4	Mast. 2.4	Year round.
372.9	Indian Lookout South Cardinal light buoy DHL	49 33 21.9 054 19 58.8	Q(6) + LFI W 15s	Yellow-black, spar, marked "DHL".	Seasonal (in place year round).
373	Stag Rock light buoy DX8	Stag Harbour. 49 33 34.2 054 17 12.3	FI R 4s	Red, pillar, marked "DX8".	Seasonal.
373.1	Rogers Point Shoal light buoy DH1	S. of Fogo Island. 49 34 13.5 054 19 13.3	FI G 4s	Green, spar, marked "DH1".	Seasonal (in place year round).
374 H0606	Stag Harbour Run Light	Fogo Island. 49 33 18.9 054 17 46.4	FI W 4s	6.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.
374.3	Perry Island light buoy DX3	49 34 02.9 054 13 58.6	FI G 4s	Green, spar, marked "DX3".	Seasonal.
374.5 H0625	Farewell Harbour Ferry Wharf Light	49 33 24.2 054 28 31.2	FI R 4s	3.1	4	Mast. 2.6	Year round.
375 H0634	Dram Island Light	W. of New World Island. 49 35 14.8 054 31 47.6	FI W 5s	10.1	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
375.1	Pikes Arm #1 light buoy DPA2	49 38 56.0 054 34 00.0	Q R 1s	Red, spar, marked "DPA2".	Seasonal.
375.2	Pikes Arm #2 light buoy DPA1	49 38 54.0 054 34 12.0	Q G 1s	Green, spar, marked "DPA1".	Seasonal.
375.34	Pikes Arm #3 light buoy DPA4	49 38 55.0 054 34 22.0	FI R 4s	Red, spar, marked "DPA4".	Seasonal.
375.43	Pikes Arm #4 light buoy DPA3	49 38 56.0 054 34 28.0	FI G 4s	Green, spar, marked "DPA3".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NOTRE DAME BAY								
375.5	Pikes Arm #5 light buoy DPA6	49 38 56.0 054 34 36.0	Fl R 4s	Red, spar, marked "DPA6".	Seasonal.	
375.6	Pikes Arm #6 light buoy DPA5	49 38 51.0 054 34 41.0	Fl G 4s	Green, spar, marked "DPA5".	Seasonal.	
375.7	Pikes Arm #7 light buoy DPA8	49 38 39.0 054 34 48.0	Q R 1s	Red, spar, marked "DPA8".	Seasonal.	
375.8	Pikes Arm #8 light buoy DPA7	49 38 34.0 054 34 53.0	Q G 1s	Green, spar, marked "DPA7".	Seasonal.	
376	Five Fathoms West Cardinal light buoy DHC	W. of Change Island. 49 38 02.4 054 28 55.8	Q(9) W 15s	Yellow-black-yellow, pillar, marked "DHC".	Seasonal.	
376.1	Cobbs Arm light buoy DCB1	New World Island. 49 37 13.8 054 33 48.0	Fl G 4s	Green, spar, marked "DCB1".	Seasonal.	
376.2	Cobbs Arm light buoy DCB2	New World Island. 49 37 11.2 054 33 54.7	Fl R 4s	Red, spar, marked "DCB2".	Seasonal.	
377 H0632	Smoker Island Light	W. of Change Island. 49 36 41.8 054 27 09.6	Fl W 5s	10.7	5	Square skeleton tower, red and white rectangular daymark. 5.3	Year round. Flash 1 s; eclipse 4 s.	
377.85	East Farewell Reef East Cardinal light buoy DHE	N. of Farewell Harbour. 49 35 32.8 054 26 59.6	Q(3) W 10s	Black-yellow-black, pillar, marked "DHE".	Seasonal.	
377.87	Smoker Island South Cardinal light buoy DHF	W. of Change Island. 49 36 21.8 054 27 11.6	Q(6) + LFI	W 15s	Yellow-black, pillar, marked "DHF".	Seasonal. Operates 24 h.
377.91 H0627	Change Island Southwest front range light	49 34 33.1 054 24 32.2	Oc R 6s	11.7	13	Square skeleton tower, white daymark with red vertical stripe. 5.3	Year round. Flash 4 s; eclipse 2 s.	
377.92 H0627.1	Change Island Southwest rear range light	49 34 31.2 054 24 28.8 130°24' 91.1 m from front.	Oc R 6s	18.1	13	Square skeleton tower, white daymark with red vertical stripe. 4.6	Year round. Flash 4 s; eclipse 2 s.	
378 H0612	Burnt Point Light Station	49 36 03.6 054 09 29.3	Fl W 5s	13.1	11	Square skeleton tower with octagonal upper portion. 9.3	Year round. Flash 1 s; eclipse 4 s.	
378.5	Burnt Point Shoal light buoy DD2	49 35 51.1 054 09 36.1	Fl R 4s	Red, pillar, marked "DD2".	Seasonal.	
378.6	Black Reef light buoy DD3	Seldom Cove. 49 35 40.7 054 10 35.6	Fl G 4s	Green, pillar, marked "DD3".	Seasonal.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
378.7 H0613	Seldom Breakwater Light	49 36 38.5 054 10 56.4	FI G 4s	3.4	Mast. 2.4	Seasonal.
378.9	<i>Pennys Rock (Seldom) light buoy DS2</i>	<i>Seldom Cove. 49 36 41.4 054 11 01.2</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DS2".</i>	<i>Seasonal.</i>
379 H0608	Tinker Rock Light	S. of Seldom, Fogo Island. 49 35 00.9 054 10 31.6	FI W 4s	10.4	6	White cylindrical tower with red horizontal bands. 4.3	Year round.
380.2	<i>Mouse Island Shoal North Cardinal light buoy DDS</i>	<i>S. of Little Seldom. 49 35 20.9 054 12 11.6</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow, pillar, marked "DDS".</i>	<i>Seasonal.</i>
381	<i>Grandfather Rock light buoy DX1</i>	<i>S. of Fogo Island. 49 33 06.8 054 08 35.6</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "DX1".</i>	<i>Seasonal.</i>
382 H0605	Blundon's Island (Sir Charles Hamilton Sound) Light	S. of Fogo Island. 49 32 55.4 054 13 43.0	FI W 4s	3.7	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
382.5 H0617.6	Barr'd Island Light	49 43 48.2 054 11 40.0	FI R 4s	10.1	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
383 H0617	Middle Rock Light	49 43 58.2 054 10 05.8	FI R 4s	5.5	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
383.3	<i>Drovers Rock light buoy DDR</i>	<i>49 46 53.9 054 06 35.0</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow, pillar, marked "DDR".</i>	<i>Seasonal. Operates 24 h.</i>
383.5 H0617.4	Joe Batt's Arm Wharf Light	49 43 49.2 054 09 30.5	FI G 4s	3.7	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
383.55	<i>Baker Rock light buoy DJ10</i>	<i>Joe Batt's Arm, Fogo Island. 49 43 50.2 054 09 34.7</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DJ10".</i>	<i>Seasonal.</i>
383.551	<i>Joe Batt's Arm Outer light buoy DJ13</i>	<i>Fogo Island. 49 43 46.7 054 09 54.1</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DJ13".</i>	<i>Seasonal.</i>
383.552	<i>Joe Batt's Arm Inner light buoy DJ14</i>	<i>Fogo Island. 49 43 40.7 054 09 58.6</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DJ14".</i>	<i>Seasonal.</i>
383.553	<i>Joe Batt's Arm Inner light buoy DJ15</i>	<i>Fogo Island. 49 43 37.4 054 09 58.4</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DJ15".</i>	<i>Seasonal.</i>
383.56	<i>Joe Batt's Arm Outer light buoy DJ12</i>	<i>Fogo Island. 49 43 46.5 054 10 00.6</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DJ12".</i>	<i>Seasonal.</i>
383.6 H0617.5	Joe Batt's Arm Wharf Light	Fogo Island. 49 43 32.9 054 10 05.3	FI R 4s	3.5	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
383.78	Browns Point light buoy DJ1/3	49 44 06.8 054 10 19.0	Q G 1s	Green, spar, marked "DJ1/3".	Seasonal. Operates 24 h.
383.8	Pomeroy Rock light buoy DJ2	Joe Batt's Arm, Fogo Island. 49 43 55.5 054 09 53.7	Q R 1s	Red, spar, marked "DJ2".	Seasonal.
383.81	Foots Rock Sandbar light buoy DJ5	Joe Batt's Arm, Fogo Island. 49 43 52.4 054 09 42.4	FI G 4s	Green, spar, marked "DJ5".	Seasonal.
383.82	Foots Rock light buoy DJ4	Joe Batt's Arm, Fogo Island. 49 43 51.1 054 09 43.6	FI R 4s	Red, spar, marked "DJ4".	Seasonal.
383.84	Duck Island Point light buoy DJ3	Joe Batt's Arm, Fogo Island. 49 44 02.5 054 10 04.8	FI G 4s	Green, spar, marked "DJ3".	Seasonal.
383.9	Joe Batts Arm light buoy DJ1	Fogo Island. 49 44 41.2 054 10 26.5	FI G 4s	Green, pillar, marked "DJ1".	Seasonal.
384 H0616	Joe Batt's Point Light	Fogo Island. 49 45 06.8 054 09 11.9	LFI W 6s	29.6	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 2 s; eclipse 4 s.
384.9	Vesuvius Rock West Cardinal light buoy DHV	SW. of Middle Dog Bay Island. 49 31 18.0 054 26 40.8	Q(9) W 15s	Yellow-black-yellow, pillar, marked "DHV".	Seasonal.
385 H0624	Steering Island Light	SW. of Middle Dog Bay Island. 49 31 00.7 054 27 35.9	FI W 5s	11.6	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
385.1	Gulnare Rocks East Cardinal light buoy DHG	SW. of Middle Dog Bay Island. 49 30 34.8 054 26 38.8	Q(3) W 10s	Black-yellow-black, pillar, marked "DHG".	Seasonal.
387	Frederickton Harbour light buoy DK6	Frederickton Harbour. 49 25 53.7 054 21 12.8	FI R 4s	Red, spar, marked "DK6".	Seasonal.
387.91	Bloody Arm Point light buoy DK2	Frederickton Harbour. 49 26 33.3 054 21 21.1	FI R 4s	Red, spar, marked "DK2".	Seasonal.
388 H0601	Noggin Cove Islands (Grass Islands) Light	49 27 49.8 054 18 59.6	FI W 3s	6.7	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
388.2	Noggin Cove light buoy DN4	49 25 00.0 054 18 40.2	FI R 4s	Red, spar, marked "DN4".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
388.3	Noggin Cove light buoy DN5	49 25 00.6 054 18 36.0	Fl G 4s	Green, spar, marked "DN5".	Seasonal.
389 H0597	Green Island Light	Rocky Bay. 49 26 55.9 054 13 41.6	Fl W 5s	9.8	5	Rectangular skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
389.7	Lord Rock light buoy DC2	N. of Carmanville. 49 26 17.9 054 15 42.6	Fl R 4s	Red, spar, marked "DC2".	Seasonal (in place year round). Operates 24 h.
389.71	Wabby Rock light buoy DC3	N. of Carmanville. 49 26 13.9 054 15 04.6	Fl G 4s	Green, spar, marked "DC3".	Seasonal (in place year round). Operates 24 h.
390	Carters Rock light buoy DC7	Carmanville. 49 24 46.9 054 16 11.6	Fl G 4s	Green, spar, marked "DC7".	Seasonal (in place year round). Operates 24 h.
390.12	Carmanville Harbour light buoy DC8	49 24 31.9 054 16 37.6	Fl R 4s	Red, spar, marked "DC8".	Seasonal. Operates 24 h.
390.13	Paytrick Rock light buoy DC9	Carmanville. 49 24 26.9 054 16 27.6	Fl G 4s	Green, spar, marked "DC9".	Seasonal. Operates 24 h.
390.131	Carmanville light buoy DC	49 23 34.9 054 16 54.6	Fl(2) W 10s	Black-red-black, spar, marked "DC".	Seasonal. Operates 24 h.
390.14	Tucks High Point light buoy DC11	Carmanville. 49 24 15.9 054 16 28.6	Fl G 4s	Green, spar, marked "DC11".	Seasonal. Operates 24 h.
390.15	Kim's Shoal Cautionary light buoy DCK	Carmanville Harbour. 49 24 12.6 054 16 57.5	Fl Y 4s	Yellow, spar, marked "DCK".	Seasonal. Operates 24 h.
391 H0600	Carmanville Wharf Light	49 24 13.9 054 16 50.1	Fl R 4s	5.2	Mast. 2.4	Year round. Flash 1 s; eclipse 3 s.
392 H0599	Carmanville Sector Light	49 23 31.4 054 17 08.8	F R W G	7.9	Square skeleton tower.	Year round. Operates 24 h. R 201°-202°; AI RW 202°-202°30'; W 202°30'-204°30'; AI WG 204°30'-205°; G 205°-206°.
393.4 H0590	Grassy Island Light	Ladle Cove. 49 28 28.9 054 03 17.6	Fl R 5s	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
393.5	Ladle Cove Outer light buoy JA1	49 28 34.8 054 02 58.2	Fl G 4s	Green, spar, marked "JA1".	Seasonal.
393.6	Ladle Cove Inner light buoy JA2	49 28 28.2 054 03 12.0	Fl R 4s	Red, spar, marked "JA2".	Seasonal.
393.62	Ladle Cove light buoy JA3	49 28 27.7 054 03 14.7	Fl R 4s	Red, spar, marked "JA3".	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NOTRE DAME BAY

393.7 H0590.2	Ladle Cove Wharf Light	49 28 25.0 054 03 27.0	Fl R 5s	3	Red mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
394 H0614	Tilton Harbour Light	49 42 32.9 054 03 49.0	Fl R 4s	27.7	5	Skeleton tower, white daymark. 6.4	Seasonal.
394.1	<i>Tilting Harbour light buoy DTL1</i>	49 42 30.2 054 03 37.0	Fl G 4s	Green, spar, marked "DTL1".	Seasonal.
394.2	<i>Tilting Harbour light buoy DTL2</i>	49 42 27.7 054 03 38.6	Fl R 4s	Red, spar, marked "DTL2".	Seasonal.
394.3	<i>Tilting Harbour light buoy DTL3</i>	49 42 24.6 054 03 40.3	Fl G 4s	Green, spar, marked "DTL3".	Seasonal.
394.31	<i>Tilting Harbour light buoy DTL4</i>	49 42 23.5 054 03 43.4	Fl R 4s	Red, spar, marked "DTL4".	Seasonal.
395 H0586	Peckford Island Light	49 31 49.3 053 51 07.3	Fl W 10s	15.5	17	Square skeleton tower, red and white rectangular daymark. 9.6	Year round. Flash 0.2 s; eclipse 9.8 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

BONAVISTA BAY

396 H0584	Offer Wadham Island Light	49 35 36.3 053 45 46.1	FI W 5s	30.5	5	Square skeleton tower, red and white rectangular daymark. 7.1	Seasonal. Flash 1 s; eclipse 4 s.	
396.75	Musgrave Harbour Outer Breakwater Light	49 27 36.2 053 57 19.7	FI W 4s	2	Cylindrical mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.	
397 H0591	Musgrave Harbour Breakwater Light	49 27 32.6 053 57 22.2	FI R 3s	3.0	4	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
397.1	Musgrave Harbour Inner Breakwater Light	49 27 32.3 053 57 24.7	FI Y 4s	3	Cylindrical mast.	Seasonal. Flash 1 s; eclipse 3 s.	
399 H0594	Muddy Hole Point Light	49 27 23.1 053 56 28.5	FI G 4s	7.9	2	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.	
399.1	<i>Musgrave Harbour light buoy JM3</i>	<i>49 27 32.5 053 57 05.8</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JM3".</i>	<i>Seasonal.</i>	
399.12	<i>Musgrave Harbour light buoy JM5</i>	<i>49 27 31.0 053 57 28.0</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JM5".</i>	<i>Seasonal. Operates 24 h.</i>	
399.125	<i>Musgrave Harbour light buoy JM3/1</i>	<i>49 27 31.0 053 57 16.3</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JM3/1".</i>	<i>Seasonal. Operates 24 h.</i>	
399.126	<i>Musgrave Harbour light buoy JM4/2</i>	<i>49 27 36.7 053 57 10.0</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JM4/2".</i>	<i>Seasonal. Operates 24 h.</i>	
399.127	<i>Walter's Shoal light buoy JM3/3</i>	<i>49 27 30.2 053 57 21.7</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JM3/3".</i>	<i>Seasonal. Operates 24 h.</i>	
399.41	<i>Little Horse Stone light buoy JM1</i>	<i>49 27 44.6 053 56 55.4</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JM1".</i>	<i>Seasonal. Operates 24 h.</i>	
400	<i>Musgrave Harbour light buoy JM2</i>	<i>49 27 46.7 053 57 02.7</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JM2".</i>	<i>Seasonal. Operates 24 h.</i>	
401 H0596	Muddy Shag Island Light	49 29 27.0 053 56 36.9	FI W 5s	7.9	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.	
402	<i>South Rock South Cardinal light buoy JMS</i>	<i>49 28 44.9 053 54 08.6</i>	<i>Q(6) + LFI W</i>	<i>15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black, pillar, marked "JMS".</i>	<i>Seasonal.</i>
403 H0588	North Penguin Island Light	49 26 56.7 053 48 43.5	FI W 6s	14.4	5	Square skeleton tower, red and white rectangular daymark. 7.1	Year round. Flash 0.5 s; eclipse 5.5 s.	
403.9	<i>Ships Run light buoy JL3</i>	<i>49 18 28.6 053 35 48.1</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "JL3".</i>	<i>Seasonal.</i>	
403.91	<i>Lumsden Inner light buoy JL4</i>	<i>49 18 12.3 053 35 42.5</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JL4".</i>	<i>Seasonal.</i>	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
BONAVISTA BAY								
403.92	Southern Cat Island light buoy JL5	Lumsden. 49 18 15.9 053 35 38.4	Fl G 4s	Green, spar, marked "JL5".	Seasonal.	
404 H0582	Lumsden front range light	49 18 13.8 053 36 25.0	F R	17.5	13 Skeleton tower, white daymark, with red vertical stripe. 4.2	Seasonal.	
405 H0582.1	Lumsden rear range light	49 18 12.0 053 36 29.1 236°11' 101.5 m from front.	F R	29.6	13 Square skeleton tower, white daymark with red vertical stripe. 4.2	Seasonal.	
405.3 H0583	Lumsden Breakwater South Light	Lumsden Harbour. 49 18 04.4 053 35 19.8	Fl G 4s	7.8	4	Mast. 2.4	Year round.	
405.4 H0583.2	South Tickle Breakwater Light	Lumsden Harbour. 49 18 03.6 053 35 22.7	Fl R 4s	7.8	4	Mast. 2.4	Year round.	
406 H0576	Cabot Islands Light Station (Bonavista Bay)	49 10 28.1 053 22 03.3	Fl W 10s	22.6	17	Octagonal tower, red and white horizontal bands. 15.6	Seasonal. Flash 0.2 s; eclipse 9.8 s.	
407.1	Cape Freels Harbour light buoy JF2	49 15 47.0 053 28 49.8	Fl R 4s	Red, spar, marked "JF2".	Seasonal.	
407.18	Crackers #1 South Cardinal light buoy JFC	Cape Freels. 49 15 58.2 053 28 25.2	VQ(6) + LFI	W 10s	Yellow-black, spar, marked "JFC".	Seasonal.
407.19	Cape Freels Harbour light buoy JF2/2	49 15 41.3 053 29 20.1	Fl R 4s	Red, spar, marked "JF2/2".	Seasonal.	
407.2	Cape Freels Harbour light buoy JF1	49 15 37.2 053 29 34.2	Fl G 4s	Green, spar, marked "JF1".	Seasonal.	
407.25 H0580.1	Cape Freels Breakwater Light	49 15 35.7 053 29 38.2	Fl G 4s	4.0	2	Mast. 2.6	Seasonal.	
407.251 H0580.25	Cape Freels Wharf Light No. 2	49 15 34.8 053 29 40.7	Fl R 4s	3.7	2	Mast. 2.6	Seasonal.	
407.3	Cape Freels Harbour light buoy JF4	49 15 37.8 053 29 36.0	Fl R 4s	Red, spar, marked "JF4".	Seasonal.	
407.7	Crackers # 2 North Cardinal light buoy JFR	Cape Freels. 49 15 52.8 053 28 10.2	Q W 1s	Black-yellow, spar, marked "JFR".	Seasonal.	
408 H0580	Gull Island Light	Cape Freels. 49 15 23.5 053 25 46.3	Fl W 5s	23.5	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.	
409	Charge Rock North Cardinal light buoy JX	49 14 56.8 053 22 01.1	Q W 1s	Black-yellow, pillar, marked "JX".	Seasonal.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
BONAVISTA BAY								
410 H0578	Kenny's Rocks Light	49 12 58.2 053 28 24.6	Fl W 5s	7.9	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.	
410.51	Tucker's Rock light buoy JW5	49 07 50.0 053 33 44.0	Fl G 4s	Green, spar, marked "JW5".	Seasonal.	
410.52	Harbour Rock light buoy JW7	49 08 12.0 053 34 00.0	Fl G 4s	Green, spar, marked "JW7".	Seasonal.	
411 H0567	Wesleyville Wharf Light	49 08 35.5 053 33 46.0	Fl R 6s	3.7	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 5 s.	
412 H0566	Wesleyville (Bennets High Island)	49 08 12.8 053 33 45.7	Fl W 3s	22.2	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.	
413	Ledger Rock light buoy JW2	49 07 30.0 053 33 04.0	Fl R 4s	Red, spar, marked "JW2".	Seasonal.	
414.1	Black Island South Cardinal light buoy JWB	Wesleyville. 49 07 55.2 053 32 36.6	Q(6) + LFl W	15s	Yellow-black, spar, marked "JWB".	Seasonal (in place year round).	
415 H0568	Newtown Light	49 10 42.7 053 30 45.1	Fl R 5s	8.6	4	Square skeleton tower, red and white daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.	
415.01	Halfway Reef light buoy JN1	49 12 44.2 053 29 17.7	Fl G 4s	Green, spar, marked "JN1".	Seasonal.	
415.02	Newtown Outer light buoy JN2	49 12 07.5 053 30 15.5	Fl R 4s	Red, spar, marked "JN2".	Seasonal.	
415.03	Newtown Outer light buoy JN3	49 12 06.1 053 30 22.6	Fl G 4s	Green, spar, marked "JN3".	Seasonal.	
415.04	Newtown Inner light buoy JN4	49 12 09.2 053 30 23.3	Fl R 4s	Red, spar, marked "JN4".	Seasonal.	
415.05	Newtown Inner light buoy JN5	49 12 06.8 053 30 25.3	Fl G 4s	Green, spar, marked "JN5".	Seasonal.	
415.3	Newtown Wharf Light	49 12 09.6 053 30 31.1	Fl G 5s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.	
416 H0563	Valleyfield front range light	49 06 21.0 053 36 31.0	F R	5.2	11	Square skeleton tower, white daymark with red vertical stripe. 6.5	Seasonal.
417 H0563.1	Valleyfield rear range light	49 06 25.3 053 36 53.4 286°30' 457.2 m from front.	F R	12.5	11	Square skeleton tower, white daymark with red vertical stripe. 6.5	Seasonal.
417.05	Squid Rocks light buoy JV5	49 06 41.6 053 36 16.8	Fl G 4s	Green, spar, marked "JV5".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
BONAVISTA BAY								
417.1	Heart Island light buoy JV7	49 07 01.6 053 36 24.9	Fl G 4s	Green, spar, marked "JV7".	Seasonal.	
418	Benburry light buoy JV4	49 06 34.2 053 36 09.4	Fl R 4s	Red, spar, marked "JV4".	Seasonal (in place year round).	
419 H0563.4	Candle Cove Rocks Light	49 05 46.9 053 35 55.2	Fl W 3s	6.1	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
419.52	Walker's Point light buoy JV8	49 07 02.8 053 36 23.1	Fl R 4s	Red, spar, marked "JV8".	Seasonal.	
420 H0563.6	Valleyfield Wharf Light	49 07 14.8 053 36 26.3	Fl Y 4s	3.4	2	Mast. 2.4	Seasonal.	
424 H0558	Pound Rocks Light	49 04 04.6 053 33 35.4	Fl R 5s	7.9	4	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal. Flash 1 s; eclipse 4 s.	
424.52	Harbour Rock light buoy JG3	49 04 00.8 053 33 44.5	Fl G 4s	Green, spar, marked "JG3".	Seasonal.	
425 H0560	Scammels Lookout Light	49 04 01.2 053 34 11.2	Fl Y 5s	6.1	2	Mast. 3.3	Seasonal. Flash 1 s; eclipse 4 s.	
426 H0560.2	Seine Rock Light	49 03 56.1 053 34 18.4	Fl R 5s	5.5	4	Square skeleton tower, red and white square daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	
427 H0561	Greenspond front range light	49 04 02.7 053 33 59.3	F R	5.5	13	Skeleton tower, white daymark, with red vertical stripe. 3.4	Seasonal.
428 H0561.1	Greenspond rear range light	49 04 03.2 053 34 04.4 278°50' 61.4 m from front.	F R	8.5	13	Skeleton tower, white daymark, with red vertical stripe. 7.4	Seasonal.
429 H0562	South Pound Island Light	49 05 33.9 053 33 24.5	Fl W 4s	17.9	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.	
430 H0556	Puffin Island Light Station and Fog Signal	49 03 42.0 053 33 03.2	Fl W 5s	21.0	16	Red and white hexagonal tower, white daymark with red horizontal band. 4.9	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. Fog Horn Blast 3 s; sil. 27 s.	
431 H0555	Shoe Cove Point Light	49 02 11.6 053 36 20.9	Fl W 3s	26.1	5	Square skeleton tower, red and white rectangular daymark. 3.9	Seasonal.	
431.2	Steering Rock light buoy JCW2	49 01 11.6 053 46 05.0	Fl R 4s	Red, spar, marked "JCW2".	Seasonal. Operates 24 h.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BONAVISTA BAY							
431.5 H0554.6	Wareham Fishermen's Wharf Light	49 01 05.8 053 52 41.6	Fl Y 5s	3.1	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
432 H0554	Fair Islands Light	48 59 10.7 053 43 05.8	Fl W 5s	20.7	6	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 4 s.
437 H0549	Hare Cut Point Light	48 52 47.6 053 39 43.8	Fl W 4s	24.4	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 3 s.
437.5	Gooseberry Island light buoy JGS	48 52 45.2 053 38 36.2	Q(6) + LFl W	15s	Yellow-black, spar, marked "JGS". Seasonal. Operates 24 h.
438 H0548	Gooseberry Island Light	48 52 41.7 053 37 15.3	Fl W 6s	15.5	5	Red and white cylindrical tower. 5.0	Seasonal. Flash 0.5 s; eclipse 5.5 s.
438.5 H0547.4	Penneys Cove Ferry Wharf Light	48 50 07.5 053 41 54.4	Fl R 4s	5.0	4	Mast. 2.4	Year round.
438.6	Pennys Cove Point light buoy JPC1	Willis Reach. 48 50 02.0 053 41 53.5	Fl G 4s	Green, spar, marked "JPC1".	Year round.
438.9	Linton Rock light buoy JGM4	Glovertown. 48 43 32.7 053 56 39.1	Fl R 4s	Red, spar, marked "JGM4".	Seasonal.
439 H0547	Puffin Flat Island Light	48 47 32.0 053 36 41.8	Fl W 4s	36.1	5	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal.
439.1 H0547.7	Glovertown Wharf Light	48 41 27.0 054 01 18.0	Fl R 4s	2.8	4	Mast. 3.0	Seasonal.
439.2	Glovertown Harbour Rock light buoy JGM6	48 41 40.0 054 00 39.0	Fl R 4s	Red, spar, marked "JGM6".	Seasonal.
439.21	Middle Arm light buoy JGM7	Glovertown. 48 40 55.3 054 01 16.3	Fl G 4s	Green, spar, marked "JGM7".	Seasonal.
439.22	Middle Arm light buoy JGM5	Glovertown. 48 42 36.0 053 57 07.2	Fl G 4s	Green, spar, marked "JGM5".	Seasonal.
439.23 H0547.6	Glovertown Yacht Club Breakwater Light	48 40 26.7 054 01 35.1	Fl G 4s	2	Mast. 2.6	Seasonal.
439.29	Hail Island East Cardinal light buoy JR	Willis Reach. 48 45 41.8 053 45 41.2	Q(3) W	10s	Black-yellow-black, spar, marked "JR". Year round.
439.3	Varket Channel West Cardinal light buoy JRR	48 46 28.9 053 45 19.3	Q(9) W	15s	Yellow-black-yellow, spar, marked "JRR". Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BONAVISTA BAY							
439.305	Willis Reach East Cardinal light buoy JWR	48 49 18.1 053 42 08.9	VQ(3) W 5s	Black-yellow-black, spar, marked "JWR".	Year round.
439.31	Bacon Bone Rock light buoy JR1	48 37 06.0 053 28 57.0	Fl G 4s	Green, pillar, marked "JR1".	Seasonal.
439.35	Burnside light buoy JR4	48 43 22.0 053 46 53.4	Fl R 4s	Red, spar, marked "JR4".	Year round.
439.36	Burnside light buoy JR6	48 43 06.6 053 47 03.8	Fl R 4s	Red, spar, marked "JR6".	Year round.
439.37 H0545.7	Burnside Rock Light	48 43 04.9 053 47 02.1	Fl G 4s	4	Mast.	Year round.
439.4 H0544.5	Happy Adventure East Wharf Light	Next to the fishplant. 48 38 04.9 053 45 19.3	Fl R 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
439.5 H0546	Burnside Ferry Wharf Light	48 42 56.4 053 47 10.7	Fl R 4s	3.5	4	Mast. 2.4	Year round.
439.6	Salvage light buoy JSA6	48 41 26.5 053 38 38.0	Fl R 4s	Red, spar, marked "JSA6".	Seasonal.
439.61	Salvage light buoy JSA3	48 41 31.4 053 38 42.9	Fl G 4s	Green, spar, marked "JSA3".	Seasonal.
439.62	Salvage light buoy JSA4	48 41 29.5 053 38 42.2	Fl R 4s	Red, spar, marked "JSA4".	Seasonal.
439.64	Salvage light buoy JSA2	48 41 35.6 053 38 43.8	Fl R 4s	Red, spar, marked "JSA2".	Seasonal.
439.65 H0543.7	Salvage Wharf Light	48 41 15.5 053 38 36.2	Fl G 4s	2	Mast. 2.1	Year round.
440 H0543.5	Salvage Harbour Light	48 41 32.7 053 38 42.9	Fl G 4s	5.7	4	Square skeleton tower, green and white rectangular daymark. 4.2	Seasonal. Flash 1 s; eclipse 3 s.
441 H0543	Little Denier Island Light	48 41 05.0 053 35 24.0	LFI W 6s	90.8	7	Cylindrical tower, red and white vertical stripes. 7.6	Seasonal. Flash 2 s; eclipse 4 s.
441.1 H0544	Happy Adventure Light	48 37 57.6 053 45 18.0	Oc W 6s	12.5	7	Square skeleton tower. 6.4	Seasonal. Flash 4 s; eclipse 2 s.
441.2 H0545	Happy Adventure West Wharf Light	48 37 53.4 053 46 05.0	Fl Y 5s	4.0	2	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
441.3	Canning Cove Wharf Light	48 26 41.3 053 50 42.0	Fl R 4s	2	Mast. 2.6	Seasonal.
441.4	Long Toms Cove Rock light buoy JCG2	48 25 58.2 053 50 32.4	Fl R 4s	Red, spar, marked "JCG2".	Seasonal.
441.49 H0541.3	Musgravetown Breakwater Light	48 24 40.0 053 52 35.0	Fl G 4s	4.0	2	Mast. 2.1	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BONAVISTA BAY							
441.5	Shag Island Rock light buoy JCG3	Sweet Bay. 48 23 13.8 053 53 36.0	Fl G 4s	Green, spar, marked "JCG3".	Seasonal.
442	Big Rock light buoy JC6	48 26 12.0 054 00 06.0	Fl R 4s	Red, spar, marked "JC6".	Seasonal (in place year round).
442.1	Chaffey's Rock light buoy JC2	48 31 04.2 053 45 45.0	Fl R 4s	Red, spar, marked "JC2".	Seasonal.
442.12 H0540.7	Open Hall Wharf Light	48 32 47.5 053 29 08.0	Fl G 5s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
442.13 H0540.6	Tickle Cove Wharf Light	48 35 01.8 053 28 59.7	Fl G 4s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
442.14 H0540.75	Sweet Bay Wharf Light	48 26 45.8 053 39 04.3	Fl G 5s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
442.15	Wolf Island light buoy JSB4	48 29 06.0 053 38 42.0	Fl R 4s	Red, spar, marked "JSB4".	Seasonal.
442.16	Mustard Gull Island Rock light buoy JSB2	Sweet Bay. 48 31 41.8 053 38 14.2	Fl R 4s	Red, spar, marked "JSB2".	Seasonal.
442.17	Chance Cove Ledge light buoy JSB	Sweet Bay. 48 33 21.0 053 36 21.0	Fl(2+1) R 6s	Red-green-red, pillar, marked "JSB".	Seasonal.
442.18	Clay Cove Rock light buoy JT1	48 35 24.0 053 47 54.0	Fl G 4s	Green, spar, marked "JT1".	Seasonal.
442.19	White Islets North Cardinal light buoy JWT	Newman Sound. 48 35 08.0 053 47 40.7	Q W 1s	Black-yellow, spar, marked "JWT".	Seasonal.
442.2	Saltons Brook light buoy JT	48 34 44.2 053 56 39.0	Fl(2+1) G 6s	Green-red-green, spar, marked "JT".	Seasonal.
442.3 H0541	Plate Cove West Breakwater Light	48 30 00.8 053 30 18.6	Fl R 5s	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
442.4	Saltons Brook light buoy JT2	48 34 45.8 053 56 41.6	Fl R 4s	Red, spar, marked "JT2".	Seasonal.
442.45	Saltons Brook light buoy JTT1	48 34 42.4 053 56 46.1	Fl G 4s	Green, spar, marked "JTT1".	Seasonal.
442.5 H0543.8	Headquarters Wharf Light	48 33 43.0 053 57 45.3	Fl G 4s	2	Mast. 2.6	Seasonal.
442.51	Hubley's Rock light buoy JS2	48 27 15.8 053 33 09.7	Fl R 4s	Red, spar, marked "JS2".	Seasonal.
442.513	Tilley's Rock light buoy JS3	48 27 13.1 053 33 12.0	Fl G 4s	Green, spar, marked "JS3".	Seasonal.
442.518	Abbotts Shoal light buoy JS4	Summerville. 48 27 15.2 053 33 12.9	Q R 1s	Red, spar, marked "JS4".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BONAVISTA BAY							
442.519 H0540.68	Summerville Wharf Light	48 27 14.0 053 33 17.2	Fl Y 5s	2	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
442.52	Summerville Outer light buoy JS1	48 27 10.5 053 33 07.9	Fl G 4s	Green, spar, marked "JS1".	Seasonal.
442.6 H0540.65	Princeton Wharf Light	48 25 10.0 053 35 37.0	Fl G 4s	2	Mast. 2.6	Seasonal.
442.7	Western Head light buoy J9	48 38 17.7 053 26 17.5	Fl G 4s	Green, pillar, marked "J9".	Seasonal.
442.75	Cary Rock light buoy JK3	48 37 42.0 053 24 03.0	Fl G 4s	Green, pillar, marked "JK3".	Seasonal.
442.8 H0540.4	Duntara Wharf Light	48 35 58.5 053 22 16.5	Fl R 4s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
442.9	The Brandishes light buoy JK4	48 37 14.7 053 24 56.1	Q R 1s	Red, pillar, marked "JK4".	Seasonal.
442.95	Keels Wharf Light	48 36 27.7 053 24 27.1	Fl Y 4s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
443 H0540	Kings Cove Head Light	48 34 32.0 053 19 25.0	Fl W 4s	53.6	5	White cylindrical tower. 8.3	Seasonal. Flash 1 s; eclipse 3 s.
443.1 H0540.1	Kings Cove Wharf Light	48 34 03.9 053 19 57.4	Fl R 4s	4	Mast.	Seasonal. Flash 1 s; eclipse 3 s.
445.2	Bonavista Outer Shoal light buoy JB5	48 39 02.5 053 07 54.8	Fl G 4s	Green, spar, marked "JB5".	Seasonal (in place year round).
445.4	Bonavista Entrance light buoy JB7	48 39 00.1 053 07 11.6	Fl G 4s	Green, spar, marked "JB7".	Seasonal.
447 H0538	Bonavista Breakwater Light	48 38 58.1 053 07 06.2	Q R 1s	5.5	5	Mast. 2.4	Seasonal.
447.1	Bonavista Outer light buoy JB6	48 38 55.9 053 06 58.2	Fl R 4s	Red, spar, marked "JB6".	Seasonal.
448 H0539	Long Liner Wharf Light	48 39 00.8 053 06 50.5	Fl G 4s	2.8	2	Mast. 1.9	Seasonal.
448.1 H0539.5	Bonavista Floating Wharf Light	48 38 59.7 053 06 53.2	Fl G 4s	2	Mast. 2.1	Year round.
448.3	Red Rock Shoal light buoy JB3	48 40 14.0 053 07 30.1	Fl G 4s	Green, pillar, marked "JB3".	Seasonal.
448.4	Stone Island light buoy JB2	48 41 48.0 053 07 48.0	Fl R 4s	Red, pillar, marked "JB2".	Seasonal.
449 H0536	Cape Bonavista Light Station and Fog Signal	48 42 05.8 053 05 07.4	Fl W 10s	50.3	17	Skeleton tower, red and white rectangular daymark. 12.7	Year round. Flash 1 s; eclipse 9 s. Fog Horn Blast 3 s; sil. 27 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

BONAVISTA BAY

449.5	Brandy Rocks West Cardinal light and bell buoy JBR	48 42 04.8 053 03 36.0	Q(9) W 15s	Yellow-black-yellow, pillar, marked "JBR".	Seasonal.
-------	--	---------------------------	------------	-------	-------	---	-----------

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
TRINITY BAY								
450.1	Shag Rock light buoy TM1	Melrose Harbour. 48 28 26.3 053 03 32.8	Fl G 4s	Green, spar, marked "TM1".	Seasonal.	
450.2	Bill's Shoal light buoy TM2	Melrose Harbour. 48 28 43.2 053 03 58.1	Fl R 4s	Red, spar, marked "TM2".	Seasonal.	
450.3	Harbour Rock light buoy TM3	Melrose Harbour. 48 28 44.0 053 04 04.4	Fl G 4s	Green, spar, marked "TM3".	Seasonal. Operates 24 h.	
452	Brandies light buoy TC2	E. of Green Island. 48 30 12.9 053 01 26.5	Fl R 4s	Red, pillar, marked "TC2".	Seasonal.	
453 H0526	Green Island (Catalina) Light Station and Fog Signal	48 30 14.8 053 02 36.4	Fl W 3.33 s	28.0	15	Red and white octagonal tower.	Year round. Flash 0.07 s; eclipse 3.26 s. Fog Horn Blast 4 s; sil. 56 s.	
453.2 H0526.5	Burnt Point (Catalina) Light	48 30 32.8 053 02 58.4	Fl W 6s	5.2	6	Square skeleton tower, red and white rectangular daymark. 4.6	Year round. Flash 0.5 s; eclipse 5.5 s.	
453.5	Charlton Rock light buoy TC4	Catalina Harbour. 48 30 44.0 053 03 13.5	Fl R 4s	Red, spar, marked "TC4".	Seasonal (in place year round).	
454 H0527	Catalina Harbour Outer front range light	48 30 56.0 053 03 43.5	F R	14.6	13	Skeleton tower, red daymark with black vertical stripe. 4.3	Year round. Operates 24 h.
455 H0527.1	Catalina Harbour Outer rear range light	48 30 57.0 053 03 46.4 297°10' 65.5 m from front.	F R	22.9	13	Skeleton tower, red daymark with black vertical stripe. 5.0	Year round. Operates 24 h.
456 H0530	Catalina Harbour Inner front range light	48 30 21.7 053 04 32.8	F G	10.0	14	Skeleton tower, black daymark with red vertical stripe. 7.3	Year round. Operates 24 h.
457 H0530.1	Catalina Harbour Inner rear range light	48 30 19.0 053 04 45.6 252°00' 269.7 m from front.	F G	17.1	14	Skeleton tower, black daymark with red vertical stripe. 5.2	Year round. Operates 24 h.
457.5	Lowe Rock light buoy TC5	Catalina Harbour. 48 30 28.6 053 03 52.2	Fl G 4s	Green, spar, marked "TC5".	Seasonal (in place year round).	
458.81	Catalina Harbour Channel light buoy TC6	48 30 41.0 053 04 16.5	Fl R 4s	Red, spar, marked "TC6".	Seasonal (in place year round).	
459	Catalina Harbour Channel light buoy TC7	48 30 42.0 053 04 19.8	Fl G 4s	Green, spar, marked "TC7".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
459.1	Catalina Harbour Channel light buoy TC10	48 30 51.0 053 04 14.8	Fl R 4s	Red, spar, marked "TC10".	Seasonal (in place year round).
460	Catalina Harbour Channel light buoy TC11	48 30 51.4 053 04 18.1	Q G 1s	Green, spar, marked "TC11".	Seasonal (in place year round).
460.2	Catalina Harbour Basin North light buoy TC14	48 30 58.6 053 04 22.2	Fl R 4s	Red, spar, marked "TC14".	Seasonal.
461 H0531	Catalina Wharf Light	48 30 55.3 053 04 30.1	Fl R 3s	3.6	4	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.
462 H0520	Fort Point Light Station and Fog Signal	48 21 55.9 053 20 45.2	Fl W 5s	23.9	15	Square skeleton tower. 12.4	Year round. Operates 24 h. Fog Horn Blast 2 s; sil. 18 s.
462.31	Port Rexton Shoal light buoy TR1	48 23 18.7 053 19 33.9	Q G 1s	Green, spar, marked "TR1".	Seasonal.
462.5	Bennett's Point Rock light buoy TCW1	Entrance to Champney's West. 48 22 32.4 053 17 27.6	Fl G 4s	Green, spar, marked "TCW1".	Seasonal.
462.51	Pinchgut Island Light	48 22 58.4 053 17 45.1	Fl G 5s	4	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
463 H0522	Flat Rock Fog Signal Station	On building. 48 20 58.0 053 12 27.0	Year round. Fog Horn Blast 4 s; sil. 56 s.
463.1	Old Bonaventure Entrance light buoy TRB3	48 17 03.8 053 25 37.5	Q G 1s	Green, spar, marked "TRB3".	Seasonal.
463.2 H0520.5	Trinity East Wharf Light	48 22 40.9 053 20 43.0	Fl R 4s	2	Mast. 2.1	Year round.
463.29	Old Bonaventure Inner light buoy TRB4	48 17 01.7 053 25 35.3	Q R 1s	Red, spar, marked "TRB4".	Seasonal.
463.3 H0519	Old Bonaventure Wharf Light	Outer corner of wharf. 48 17 06.2 053 25 39.5	Fl G 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
463.35	Old Bonaventure Inner light buoy TRB6	Inner part of harbour. 48 17 05.3 053 25 36.3	Fl R 4s	Red, spar, marked "TRB6".	Seasonal. Operates 24 h.
464 H0518	Ragged Islands Light	48 14 29.5 053 26 32.7	Fl W 4s	33.8	5	Red and white cylindrical tower. 3.7	Year round.
464.5 H0516.5	Lower Lance Cove Wharf Light	48 08 49.2 053 41 45.6	Fl R 4s	3.3	4	Mast. 2.4	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
464.6	Indian Rock West Cardinal light buoy TRP	48 12 32.4 053 31 52.7	VQ(9) W 10s	Yellow-black-yellow, spar, marked "TRP".	Seasonal.
465 H0514	Random Head Harbour Light	Motion Islands. 48 05 41.1 053 32 43.1	Fl W 5s	38.4	5	Red and white cylindrical tower. 10.2	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
465.2	Little Heart's Ease Shoal light buoy TS1	48 01 17.1 053 41 22.9	Fl G 4s	Green, spar, marked "TS1".	Seasonal. Operates 24 h.
465.3	Gooseberry Cove Breakwater Light	48 01 49.0 053 38 22.9	Fl R 4s	5.6	4	Mast. 2.5	Year round.
465.37 H0514.4	Southport Shore Light	48 02 43.5 053 38 47.0	Q G 1s	4	Mast. 2.6	Year round.
465.38	Southport Rock #1 light buoy TSP2	48 02 37.9 053 38 47.6	Fl R 4s	Red, spar, marked "TSP2".	Seasonal.
465.39	Southport Rock #2 light buoy TSP4	48 02 37.6 053 38 42.3	Fl R 4s	Red, spar, marked "TSP4".	Seasonal.
465.4 H0514.5	Southport Wharf Light	48 02 41.2 053 38 37.2	Fl R 4s	4.0	4	Mast. 2.5	Seasonal.
465.6 H0515	Little Heart's Ease Wharf Light	48 00 53.8 053 41 22.1	Fl Y 5s	3.0	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
465.7 H0513.5	Sunnyside Wharf Light	47 51 13.1 053 53 01.4	Fl R 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
465.8	Quarry Rock light buoy TV4	48 05 21.7 053 42 26.9	Fl R 4s	Red, spar, marked "TV4".	Seasonal.
465.9 H0513.7	Lower Harbour Point Light	48 05 38.0 053 43 42.0	Fl R 4s	7.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 3 s.
466.01	Fosters Point Rock light buoy TV10	48 06 35.8 053 53 57.0	Fl R 4s	Red, spar, marked "TV10".	Seasonal.
466.08	Weybridge Shoal light buoy TV6	48 05 44.0 053 53 01.4	Fl R 4s	Red, spar, marked "TV6".	Seasonal.
466.1	Gooseberry Cove Shoal light buoy TVG	48 01 45.0 053 38 21.0	Fl(2) W 10s	Black-red-black, spar, marked "TVG".	Seasonal.
466.2	Clarenville Marina Breakwater Light	48 09 35.2 053 57 34.2	Fl R 4s	4	Cylindrical mast. 2.1	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
466.6 H0513.9	Hickman's Harbour Wharf Light	48 05 58.8 053 44 24.8	Fl G 4s	3.4	3	Mast. 2.6	Year round.
466.75	Petley Rock light buoy TRP2	48 09 21.4 053 44 30.1	Fl R 4s	Red, spar, marked "TRP2".	Seasonal.
466.8 H0517	Petley Wharf Light	48 09 15.8 053 44 41.3	Fl R 5s	3.8	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
466.84	Long Cove Outer light buoy TL1	47 34 05.4 053 40 01.8	Fl G 4s	Green, spar, marked "TL1".	Seasonal.
466.86	Long Cove Inner light buoy TL3	47 34 02.4 053 39 54.0	Fl G 4s	Green, spar, marked "TL3".	Seasonal.
466.88	Long Cove North Light	On N. side of the entrance to Long Cove Harbour. 47 34 04.1 053 39 57.7	Q G 1s	2	Mast.	Seasonal. Operates 24 h.
466.89 H0511.1	Long Cove Wharf Light	Inner corner of the wharf. 47 34 02.4 053 39 56.5	Fl R 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
466.9 H0511.15	Long Cove Light	47 34 03.5 053 39 59.2	Fl R 4s	10.8	4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
466.91	New Harbour Outer light buoy TN2	47 35 39.0 053 33 17.4	Fl R 4s	Red, spar, marked "TN2".	Seasonal.
466.92	New Harbour (Middle) light buoy TN4	47 35 29.9 053 33 12.9	Fl R 4s	Red, spar, marked "TN4".	Seasonal.
466.93	New Harbour Inner light buoy TN5	47 35 21.5 053 33 05.1	Fl G 4s	Green, spar, marked "TN5".	Seasonal.
467 H0512	Hopeall Head Light	47 37 57.4 053 33 47.8	Fl W 5s	62.4	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
467.02	Hopeall Wharf Light	47 36 59.5 053 30 42.1	Fl G 5s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
467.05	Chapel Arm light buoy TA2	47 31 15.8 053 40 10.5	Fl R 4s	Red, spar, marked "TA2".	Seasonal. Operates 24 h.
467.06 H0511.5	Dildo Head Light	47 34 06.0 053 34 24.0	Fl G 4s	24.4	4	Square skeleton tower, green and white rectangular daymark. 4.3	Year round.
467.08 H0511.55	South Dildo Wharf Light	47 31 56.2 053 33 09.1	Fl G 4s	3.0	2	Mast. 2.4	Seasonal.
467.09 H0511.6	Dildo Breakwater Light	47 34 07.5 053 33 41.0	Fl G 4s	3.4	4	Mast. 2.6	Seasonal.
467.14	Tobin' Rock light buoy TG1	Bellevue. 47 38 25.3 053 44 46.8	Fl G 4s	Green, spar, marked "TG1".	Seasonal.
467.15	Bellevue Outer light buoy TG3	47 38 15.0 053 44 42.6	Fl G 4s	Green, spar, marked "TG3".	Seasonal.
467.16	Bellevue Inner light buoy TG5	47 38 15.4 053 44 27.9	Fl G 4s	Green, spar, marked "TG5".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
467.17	Bellevue Inner light buoy TG6	47 38 20.4 053 44 48.0	Fl R 4s	Red, spar, marked "TG6".	Seasonal.
467.18	Bellevue Inner light buoy TG7	47 38 17.6 053 44 12.6	Q G 1s	Green, spar, marked "TG7".	Seasonal. Operates 24 h.
467.19	Bellevue Inner light buoy TG8	47 38 15.0 053 44 12.3	Fl R 4s	Red, spar, marked "TG8".	Seasonal. Operates 24 h.
467.24	Black Rock light buoy TB1	Chance Cove. 47 40 58.5 053 48 28.5	Fl G 4s	Green, pillar, marked "TB1".	Seasonal.
467.25	Black Cove Rock light buoy TB3	Chance Cove. 47 40 48.7 053 49 10.8	Q G 1s	Green, spar, marked "TB3".	Seasonal.
467.26	Carney's Point light buoy TB2	Chance Cove. 47 40 54.5 053 49 17.2	Fl R 4s	Red, spar, marked "TB2".	Seasonal.
467.27 H0512.5	Chance Cove Breakwater Light	47 40 49.6 053 49 36.7	Fl R 5s	2.6	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
467.28	Chance Cove Rock light buoy TB5	47 40 47.3 053 49 40.2	Fl G 4s	Green, spar, marked "TB5".	Seasonal.
467.45	Islington Wharf Light	47 45 45.2 053 28 50.5	Fl G 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
467.5 H0511	Whiteway Breakwater Light	47 41 45.3 053 28 53.5	Fl G 4s	4.4	4	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
467.506	Heart's Delight North Wharf Light	47 46 39.4 053 28 17.3	Fl G 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
467.51 H0510.8	Heart's Delight Breakwater Light	47 46 19.9 053 28 00.5	Fl R 5s	2	Cylindrical mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
468 H0510	Heart's Content Light	47 52 56.1 053 23 06.3	Fl W 4s	25.2	Red and white cylindrical tower. 8.7	Year round.
468.7 H0508	Bloody Point Light	47 54 53.8 053 21 34.0	Fl R 5s	11.4	9	Square skeleton tower, red and white rectangular daymark. 4.2	Year round. Flash 1 s; eclipse 4 s.
468.8 H0510.5	Heart's Content Wharf Light	47 52 46.2 053 22 16.3	Fl G 5s	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
469 H0506	Jeans Head Light	47 55 37.3 053 21 48.5	Fl W 4s	48.5	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round.
469.21	Northern Point Rock light buoy TW1	47 57 45.0 053 20 06.0	Fl G 4s	Green, spar, marked "TW1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
469.22	Winterton Shoal light buoy TW2	47 57 23.0 053 19 59.0	Fl R 4s	Red, spar, marked "TW2".	Seasonal.
469.8	West light buoy TW	W. of Hants Harbour. 48 01 37.8 053 17 28.6	Mo(A) W 6s	Red-white, pillar, marked "TW".	Seasonal.
469.89	Rift Raft Rocks light buoy TH1	Hants Harbour. 48 03 06.0 053 14 25.0	Q G 1s	Green, spar, marked "TH1".	Seasonal.
470 H0504	Hant's Harbour Light	48 01 18.4 053 15 16.0	Iso W 6s	19.8	13	Red and white structure. 8.0	Year round.
470.1 H0504.4	Hant's Harbour Breakwater Light	48 01 09.4 053 15 34.4	Fl R 4s	4.9	4	Mast. 2.6	Year round.
470.2	Sibley's Cove light buoy TSC2	48 02 40.8 053 06 13.4	Fl R 4s	Red, spar, marked "TSC2".	Seasonal.
470.3	Sibley's Cove light buoy TSC1	48 02 42.2 053 06 11.4	Fl G 4s	Green, spar, marked "TSC1".	Seasonal.
470.4 H0503.3	Sibley's Cove Breakwater Light	48 02 38.6 053 06 13.8	Fl R 6s	4.6	4	Cylindrical mast, red and white spiral bands. 2.6	Seasonal. Flash 1 s; eclipse 5 s.
470.5 H0503.2	Old Perlican Inner Breakwater Light	48 05 14.0 053 00 29.6	Fl R 3s	4.6	4	Mast. 2.6	Seasonal. Flash 0.5 s; eclipse 2.5 s.
470.51	Old Perlican Inner light buoy TP9	48 05 15.3 053 00 31.4	Fl G 4s	Green, spar, marked "TP9".	Seasonal.
470.52	Old Perlican Inner light buoy TP	48 05 17.8 053 00 25.9	Fl Y 4s	Yellow, spar, marked "TP".	Seasonal. Operates 24 h.
470.53	Old Perlican Inner Harbour light buoy TP11	48 05 17.8 053 00 27.5	Fl G 4s	Green, spar, marked "TP11".	Seasonal.
470.55	Old Perlican Inner Harbour light buoy TP8	48 05 10.3 053 00 36.2	Fl R 4s	Red, spar, marked "TP8".	Seasonal.
470.7 H0503	Old Perlican Inner Breakwater Light	48 05 12.6 053 00 36.3	Fl G 3s	4.0	4	Mast. 2.6	Seasonal. Flash 0.5 s; eclipse 2.5 s.
470.71	Old Perlican Inner light buoy TP6	48 05 18.9 053 00 48.2	Fl R 4s	Red, spar, marked "TP6".	Seasonal.
470.72	Old Perlican Inner light buoy TP7	48 05 19.8 053 00 47.9	Fl G 4s	Green, spar, marked "TP7".	Seasonal.
470.73	Old Perlican Outer light buoy TP4	48 05 25.5 053 00 53.4	Fl R 4s	Red, spar, marked "TP4".	Seasonal.
470.74	Old Perlican Outer light buoy TP5	48 05 25.7 053 00 51.8	Fl G 4s	Green, spar, marked "TP5".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

TRINITY BAY

470.75	Old Perlican Outer light buoy TP3	At the entrance to channel. 48 05 30.3 053 00 57.2	Fl G 4s	Green, spar, marked "TP3".	Seasonal. Operates 24 h.
470.76	Old Perlican Outer light buoy TP2	At the entrance to channel. 48 05 34.1 053 01 05.0	Fl R 4s	Red, spar, marked "TP2".	Seasonal. Operates 24 h.
471 H0502	Old Perlican Light	48 05 22.4 053 01 34.2	Fl W 5s	38.4	7	Rectangular skeleton tower, red and white rectangular daymark. 6.9	Year round. Flash 1 s; eclipse 4 s.
471.51	Old Perlican Outer light buoy TP1	At the entrance to channel. 48 05 56.5 053 01 19.7	Fl G 4s	Green, spar, marked "TP1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CONCEPTION BAY							
471.7 H0500.5	Grates Cove Light	48 10 11.8 052 56 09.1	FI W 5s	46.6	4	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Flash 1 s; eclipse 4 s.
471.8	Martin Ledge North Cardinal light buoy TG	48 11 41.5 052 54 57.1	Q W 1s	Black-yellow, pillar, marked "TG".	Seasonal.
471.9 H0511.2	Thornlea Wharf Light	47 36 23.5 053 43 08.6	FI R 4s	3.1	4	Mast. 2.6	Year round.
472 H0498	Baccalieu Island Light	48 08 59.7 052 47 53.3	FI W 6s	176.0	7	Square skeleton tower, red and white rectangular daymark. 19.2	Year round. Flash 1 s; eclipse 5 s. The light is often obscured by fog when the lower part of the island is clear.
473 H0500	Baccalieu Island (Southwest Point) Light Station	48 06 26.0 052 48 39.1	FI W 4s	53.3	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
473.1 H0501	Grates Cove Wharf Light	48 09 53.2 052 56 15.7	FI R 5s	5.7	3	Mast. 3.0	Seasonal. Flash 1 s; eclipse 4 s.
474	Bay de Verde light buoy CV2	48 05 01.5 052 54 04.9	FI R 4s	Red, spar, marked "CV2".	Seasonal.
474.3 H0497.5	Bay de Verde Wharf Light	48 05 03.2 052 54 00.0	FI G 5s	5.5	4	Mast. 6.0	Year round. Flash 1 s; eclipse 4 s.
474.4 H0497	Bay de Verde Breakwater Light	48 05 00.4 052 54 03.2	FI R 5s	4.7	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
475 H0494	Western Bay Head Light	47 53 11.9 053 03 23.6	FI W 5s	28.8	10	Rectangular skeleton tower, red and white rectangular daymark. 6.6	Year round. Flash 1 s; eclipse 4 s.
475.1 H0495	Ochre Pit Cove Breakwater Light	47 54 46.3 053 04 00.1	FI G 5s	3.6	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
475.3 H0496	Job's Cove Wharf Light	47 58 11.2 053 00 59.4	FI Y 5s	Mast. 2.1	Seasonal. Flash 1 s; eclipse 4 s.
475.4	Salvage Shoal light buoy CJ4	47 55 24.2 053 03 27.0	FI R 4s	Red, spar, marked "CJ4".	Seasonal.
475.5	Ochre Pit Cove East light buoy CJ5	47 54 58.0 053 03 38.0	FI G 4s	Green, spar, marked "CJ5".	Seasonal.
475.6	Ochre Pit Cove West light buoy CJ6	47 55 07.0 053 03 46.0	FI R 4s	Red, spar, marked "CJ6".	Seasonal.
476.1	Bradley Rock light buoy CR2	47 45 09.6 053 10 18.0	FI R 4s	Red, pillar, marked "CR2".	Seasonal.
476.2	Freshwater Cove East cardinal light buoy CF	47 45 29.7 053 10 18.4	Q(3) W 10s	Black-yellow-black, spar, marked "CF".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CONCEPTION BAY							
477 H0490	Carbonear Island Light	47 44 22.6 053 09 51.7	Fl W 6s	54.3	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 0.5 s; eclipse 5.5 s.
477.5	Carbonear Breakwater Light	47 44 13.0 053 13 23.6	Fl R 5s	4	Cylindrical mast. 2.1	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
478 H0492	Carbonear Wharf Light	47 44 14.4 053 13 26.6	Fl Y 5s	4.3	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
478.5	Harbour Grace Channel Fairway light buoy CG	47 44 06.0 053 07 42.0	Mo(A) W 6s	Red-white, pillar, marked "CG".	Seasonal.
479 H0484	Harbour Grace Islands Light	47 42 42.4 053 08 30.5	Fl W 5s	41.4	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
480	The Bar Harbour Grace light buoy CG3	47 41 37.5 053 12 11.7	Fl G 4s	Green, spar, marked "CG3".	Year round.
480.5	Caplin Cove Point light buoy CG4	47 41 42.0 053 12 15.0	Q R 1s	Red, spar, marked "CG4".	Year round.
480.7	Point of Beach light buoy CG6	Harbour Grace. 47 41 30.0 053 12 35.0	Fl R 4s	Red, spar, marked "CG6".	Year round.
481.1 H0487	Point of Beach Sector	Harbour Grace. 47 41 24.0 053 12 52.0	F R W G	6.3	14 Square skeleton tower, red and white rectangular daymark.	Year round. Operates 24 h. R 234°30'-235°30'; AI RW 235°30'-236°; W 236°-238°; AI GW 238°-238°30'; G 238°30'-239°30'.
482.5	Harbour Grace light buoy CG7	47 40 27.5 053 14 29.9	Fl G 4s	Green, spar, marked "CG7".	Seasonal.
482.708	Harbour Grace Inner light buoy CG9	47 40 25.5 053 14 26.0	Fl G 4s	Green, spar, marked "CG9".	Seasonal.
482.72 H0486.3	Long Beach North Breakwater Light	Harbour Grace. 47 40 24.2 053 14 22.2	Fl G 5s	3.4	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
482.73 H0485	Harbour Grace Small Boat Basin South Wharf Light	47 40 23.7 053 14 21.0	Fl R 5s	3.3	2	Mast. 2.2	Year round. Flash 1 s; eclipse 4 s.
482.789 H0485.6	Harbour Grace Marina	47 40 24.5 053 14 27.6	Fl R 5s	3.7	2	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
483 H0483.5	Spaniard's Bay Breakwater Light	47 37 20.5 053 16 16.9	Fl R 4s	2	Mast. 2.6	Seasonal.
484 H0483	Bay Roberts Wharf Light	47 35 31.0 053 15 48.5	Fl R 5s	4	Mast.	Year round. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CONCEPTION BAY							
484.1	Bay Roberts Channel East light buoy CB2	47 35 37.8 053 14 54.0	Fl R 4s	Red, spar, marked "CB2".	Year round.
484.2	Bay Roberts Channel West light buoy CB4	47 35 37.2 053 15 06.0	Fl R 4s	Red, spar, marked "CB4".	Year round.
484.3	Bay Roberts Inner Channel light buoy CB5	47 35 32.7 053 15 00.3	Fl G 4s	Green, spar, marked "CB5".	Year round.
485 H0482.5	Coley's Point Light	47 35 22.5 053 15 10.6	Fl G 4s	6.1	5	Square skeleton tower, green and white rectangular daymark. 4.3	Year round.
486 H0482	Green Point (Bay Roberts) Light	47 36 41.3 053 10 36.1	LFl W 6s	17.1	7	Cylindrical tower, red and white horizontal bands. 7.5	Year round. Flash 2 s; eclipse 4 s.
486.05	Ship Cove Wharf Light	47 35 25.4 053 12 03.3	Fl G 5s	2	Mast.	Year round. Flash 1 s; eclipse 4 s.
486.1 H0480.3	Port de Grave Breakwater East Light	47 35 02.5 053 12 44.0	Fl R 4s	7.4	4	Mast. 2.6	Year round.
486.2 H0480.2	Port de Grave Breakwater West Light	47 35 03.0 053 12 47.0	Fl G 4s	5.1	2	Mast. 2.6	Year round.
486.65	Mouse Rock light buoy CP2	47 26 54.2 053 11 35.6	Fl R 4s	Red, spar, marked "CP2".	Seasonal.
487	Terry's Shoal light buoy CP4	47 35 04.6 053 12 30.2	Q R 1s	Red, pillar, marked "CP4".	Seasonal.
487.1 H0480.6	Port de Grave Inner East Breakwater Light	47 35 05.7 053 12 42.0	Fl R 4s	3.0	2	Mast. 1.6	Year round.
487.2 H0480.7	Port de Grave Inner West Breakwater Light	47 35 06.5 053 12 43.7	Fl G 4s	3.0	2	Mast. 1.6	Year round.
487.28	Cupids Inner #2 light buoy CC4	Cupids Harbour. 47 32 56.4 053 13 57.6	Fl R 4s	Red, spar, marked "CC4".	Seasonal.
487.29	Cupids Inner #1 light buoy CC3	Cupids Harbour. 47 32 56.4 053 13 56.4	Fl G 4s	Green, spar, marked "CC3".	Seasonal.
487.3	Cupids Outer #1 light buoy CC1	Cupids Harbour. 47 32 57.6 053 13 54.6	Fl G 4s	Green, spar, marked "CC1".	Seasonal.
487.4	Cupids Outer #2 light buoy CC2	Cupids Harbour. 47 32 58.2 053 13 55.2	Fl R 4s	Red, spar, marked "CC2".	Seasonal.
487.5 H0479.5	Cupids Gut Wharf Light	47 32 48.1 053 14 02.9	Fl G 4s	2	Mast. 2.6	Year round.
488 H0478	Brigus Light	47 32 54.6 053 10 55.3	Fl W 3s	34.4	7	Cylindrical tower, red and white vertical stripes. 9.5	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
CONCEPTION BAY								
488.1 H0479.2	Cupids Wharf Light	47 33 03.3 053 13 24.8	Fl G 4s	2	Mast. 2.6	Year round.	
488.2 H0479	Brigus Wharf Light	47 32 21.8 053 12 20.6	Fl R 4s	5.2	4	Mast. 3.4	Seasonal. Flash 1 s; eclipse 3 s.	
488.3	Brigus Point Light	47 32 21.4 053 12 22.8	Fl G 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.	
488.5	Harbour Rock Shoal light buoy CH2	Colliers Bay. 47 30 00.0 053 11 21.6	Fl R 4s	Red, pillar, marked "CH2".	Seasonal. Operates 24 h.	
488.7 H0474.8	Harbour Main Wharf Light	47 26 07.6 053 09 30.7	Fl R 4s	2	Mast. 2.1	Year round.	
489 H0476	Ballyhack Point Light	47 26 46.0 053 11 27.8	Fl W 6s	11.3	5	Square skeleton tower, trapezoid red daymark with white vertical stripe. 4.9	Year round. Flash 0.5 s; eclipse 5.5 s.	
490 H0477	Conception Harbour Wharf Light	At eastern end of public wharf. 47 26 26.0 053 12 32.0	Fl R 4s	3.7	3	Pipe tower. 3.3	Year round.	
491 H0475	Salmon Cove Point Light	47 27 47.7 053 08 59.8	Fl W 5s	25.9	7	Square skeleton tower, red and white rectangular daymark. 6.4	Year round. Flash 1 s; eclipse 4 s.	
491.58 H0473.5	St. Phillips Wharf Light	47 35 34.0 052 53 12.0	Fl G 5s	4	Pipe tower. 2.6	Seasonal. Flash 1 s; eclipse 4 s.	
491.6 H0474.42	Holyrood Generating Plant Wharf Light	47 26 35.4 053 06 28.0	R	Mast.	Private aid. Year round. Operates 24 h.	
492.5	South Arm light buoy CH4	47 23 57.5 053 08 04.8	Fl R 4s	Red, pillar, marked "CH4".	Seasonal.	
492.55	North Arm Wharf Light	On seaward end of SCH wharf. 47 23 46.6 053 09 10.7	Fl Y 4s	2	Pipe tower.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.	
492.6 H0474.67	Holyrood Breakwater Light	47 23 19.2 053 07 40.4	Iso G 1s	3.7	2	Mast. 2.3	Year round.	
492.7 H0474.7	Holyrood Bay front range light	47 23 19.6 053 07 39.8	F R	8.3	9	Square skeleton tower, red daymark with white vertical stripe. 6.4	Year round.
492.8 H0474.71	Holyrood Bay rear range light	47 23 10.6 053 07 40.7 183°32' 279.6 m from front.	F R	19.4	9	Skeleton tower, red daymark with white vertical stripe. 17.0	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CONCEPTION BAY							
493 H0470	Bell Island Light Station	47 39 18.1 052 54 59.2	FI W 6s	52.7	17	White block. 3.1	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.
493.5 H0468.5	Bauline Light	47 43 23.0 052 50 05.0	FI W 5s	9.9	6	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Flash 1 s; eclipse 4 s.
493.52 H0469	Bauline North Breakwater Light	47 43 22.0 052 50 05.0	FI G 5s	3.2	2	Mast. 2.3	Seasonal. Flash 1 s; eclipse 4 s.
493.54	Bauline Wharf Light	47 43 21.7 052 50 04.3	FI R 4s	2	Cylindrical mast. 2.3	Seasonal. Flash 1 s; eclipse 3 s. Radar reflector.
493.55	<i>Fishing Island light buoy CWB</i>	47 43 26.5 052 50 07.8	VQ(9) W 10s	<i>Yellow-black-yellow, spar, marked "CWB".</i>	<i>Seasonal. Operates 24 h.</i>
494 H0471	Bell Island Ferry Wharf Light	47 37 45.9 052 55 26.0	Iso R 6s	7.0	4	Square skeleton tower, red and white rectangular daymark. 5.2	Year round.
495 H0473	Portugal Cove front range light	47 37 30.6 052 51 22.6	F G	10.4	14	Square skeleton tower, white daymark with red vertical stripe. 6.5	Year round. Operates 24 h.
496 H0473.1	Portugal Cove rear range light	47 37 30.5 052 51 19.7 093°41' 62.4 m from front.	F G	20.8	14	Square skeleton tower, white daymark with red vertical stripe. 3.9	Year round. Operates 24 h.
496.8	<i>Long Pond Harbour Turning light buoy CN1</i>	47 31 02.4 052 58 33.3	FI G 4s	<i>Green, spar, marked "CN1".</i>	<i>Seasonal.</i>
496.9	<i>Long Pond Harbour Turning light buoy CN3</i>	47 30 59.0 052 58 34.2	FI G 4s	<i>Green, spar, marked "CN3".</i>	<i>Seasonal.</i>
497 H0472	Portugal Cove Breakwater Light	47 37 34.7 052 51 31.2	FI G 4s	6.1	7	Square skeleton tower, green and white rectangular daymark.	Year round. Flash 1 s; eclipse 3 s.
497.01	<i>Long Pond Beach light buoy CB</i>	47 31 28.2 052 58 22.2	FI Y 4s	<i>Yellow, spar, marked "CB".</i>	<i>Private aid. Seasonal.</i>
497.02	<i>Long Pond Beach light buoy CBB</i>	47 31 33.6 052 58 30.0	FI Y 4s	<i>Yellow, spar, marked "CBB".</i>	<i>Private aid. Seasonal.</i>
497.1	<i>Bell Rock South Cardinal light buoy CW</i>	47 34 45.0 053 01 20.4	Q(6) + LFI W 15s	<i>Yellow-black, pillar, marked "CW".</i>	<i>Seasonal.</i>
497.11	<i>Manuels River light buoy CW5</i>	47 32 25.0 052 57 12.0	FI G 4s	<i>Green, spar, marked "CW5".</i>	<i>Seasonal.</i>
497.12	<i>Little Bell Island light buoy CW4</i>	47 34 21.0 052 57 28.0	FI R 4s	<i>Red, pillar, marked "CW4".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CONCEPTION BAY							
497.14	Kellys Island light buoy CW8	47 32 15.0 053 02 45.0	Fl R 4s	Red, pillar, marked "CW8".	Seasonal.
497.15	Kelligrews Point light buoy CW9	47 30 30.0 053 01 48.0	Fl G 4s	Green, spar, marked "CW9".	Seasonal.
497.2	Long Pond Channel light buoy CL3	47 31 13.4 052 58 47.2	Fl G 4s	Green, spar, marked "CL3".	Year round.
497.3	Long Pond Channel light buoy CL2	47 31 12.6 052 58 49.9	Fl R 4s	Red, spar, marked "CL2".	Year round.
497.4	Long Pond Harbour light buoy CL12	47 31 04.6 052 58 33.9	Fl R 4s	Red, spar, marked "CL12".	Year round.
497.5	Long Pond Yacht Channel light buoy CL14	47 31 10.2 052 58 28.5	Fl R 4s	Red, spar, marked "CL14".	Seasonal.
498 H0474	Long Pond East Breakwater Light	47 31 08.6 052 58 41.9	Fl G 3s	5.9	4	Square skeleton tower, green and white rectangular daymark. 4.3	Year round. Flash 0.5 s; eclipse 2.5 s.
498.01	Long Pond Channel light buoy CL15	47 31 10.7 052 58 29.0	Fl G 4s	Green, spar, marked "CL15".	Seasonal.
498.02	Long Pond West Breakwater Light	47 31 06.8 052 58 45.9	Fl R 3s	4	Pipe tower.	Year round. Operates 24 h. Flash 0.5 s; eclipse 2.5 s.
498.04	Long Pond Channel light buoy CL19	47 31 15.2 052 58 20.8	Fl G 4s	Green, spar, marked "CL19".	Seasonal.
498.05	Long Pond Yacht Channel light buoy CL20	47 31 14.9 052 58 19.2	Fl R 4s	Red, spar, marked "CL20".	Seasonal.
498.06	Long Pond Yacht Channel light buoy CL23	47 31 18.4 052 58 14.7	Fl G 4s	Green, spar, marked "CL23".	Seasonal.
498.09	Long Pond Harbour light buoy CL	47 31 14.6 052 57 52.6	Fl Y 4s	Yellow, spar, marked "CL".	Seasonal.
498.1 H0474.2	Foxtrap Outer Breakwater Light	47 30 49.6 052 59 44.5	Fl R 4s	3.4	4	Mast. 2.6	Seasonal. Operates 24 h.
498.16	Topsail Head light buoy CW3	47 33 11.0 052 55 20.0	Fl G 4s	Green, spar, marked "CW3".	Seasonal.
498.2 H0474.3	Foxtrap Inner Breakwater Light	47 30 49.0 052 59 45.3	Fl G 4s	4.2	2	Mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE ST. FRANCIS TO RENEWS							
499 H0468	Cape St. Francis Light Station	Northeast point of cape. 47 48 31.4 052 47 11.7	FI W 5s	29.0	16	Octagonal lantern house on rectangular building. 3.3	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. Visible 084°-316°.
499.1	<i>Cape St. Francis North Cardinal light buoy MSF</i>	47 48 46.2 052 46 01.9	Q W 1s	<i>Black-yellow, pillar, marked "MSF".</i>	<i>Seasonal.</i>
499.2 H0459.2	Torbay Wharf Light	47 39 54.7 052 43 35.0	FI R 4s	2	Mast. 2.1	Year round.
500 H0460	Chain Rock Light	St. John's Harbour. 47 34 00.7 052 41 15.7	FI R 3s	6.0	4	Red and white octagonal tower. 4.1	Year round. Flash 0.5 s; eclipse 2.5 s. Physical AIS AtoN MMSI: 993161048
501.1 H0460.5	Quidi Vidi Breakwater Light	47 34 51.2 052 40 23.0	FI G 4s	2	Mast. 2.6	Year round.
502	<i>Pancake Shoal light buoy S1</i>	<i>St. John's Harbour. 47 33 56.8 052 41 13.0</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "S1".</i>	<i>Year round.</i>
503	<i>Prosser Rock light buoy S3</i>	<i>St. John's Harbour. 47 33 57.8 052 41 26.5</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "S3".</i>	<i>Year round.</i>
503.5	<i>Ellinor Rock light buoy S2</i>	<i>St. John's Harbour. 47 33 58.8 052 40 59.4</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "S2".</i>	<i>Year round.</i>
503.6 H0462.2	Newfoundland Dock Yard Pier Light	St. John's Harbour. 47 33 24.6 052 42 31.1	F R	5.4	4	Mast.	Private aid. Year round. Operates 24 h.
504 H0459	St. John's Harbour front range light	47 34 02.0 052 42 09.0	F G	28.6	24	Red and white skeleton tower, white daymark with red vertical stripe.	Year round. Operates 24 h.
505 H0459.1	St. John's Harbour rear range light	47 34 03.5 052 42 29.8 276°07' 430.3 m from front.	F G	58.9	24	On side of church, white rectangular daymark with red stripe. 14.0	Year round. Operates 24 h. An increased lantern intensity of the range lights is available from a distance on channel 20A (157.00 Hz). To increase to the high intensity setting, 24 NM nominal range, key the microphone of the VHF radio 5 consecutive times within 5 seconds on channel 20A. The high intensity setting will be activated for 30 minutes. The high intensity setting can be reduced to the low intensity setting, 18 NM nominal range, by keying the microphone 3 times within 5 seconds.
505.5 H0458.4	North Head Light	Entrance to St. John's Harbour. 47 33 59.6 052 40 39.4	FI R 4s	23.8	4	Mast. 2.6	Year round. Visible 232°-014°.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE ST. FRANCIS TO RENEWS							
506 H0458	Fort Amherst Light Station and Fog Signal	Entrance to St. John's Harbour. 47 33 47.9 052 40 49.6	FI W 15s	40.1	17	White structure. 7.6	Year round. Flash 1 s; eclipse 14 s. Fog Horn Blast 2 s; sil. 18 s. Synthetic AIS AtoN MMSI: 993161065
507 H0454	Cape Spear Light Station and Fog Signal	47 31 16.2 052 37 20.3	FI W	71.1	20	White hexagonal tower. 13.7	Year round. Operates 24 h. Fog Horn Blast 4 s; sil. 56 s.
507.5	<i>Petty Harbour Shoal light buoy MP2</i>	47 27 53.3 052 42 04.0	FI R 4s	<i>Red, spar, marked "MP2".</i>	<i>Seasonal.</i>
507.51	<i>Petty Harbour Shoal light buoy MP1</i>	47 27 51.7 052 42 05.3	FI G 4s	<i>Green, spar, marked "MP1".</i>	<i>Seasonal.</i>
507.6 H0453	Petty Harbour North Breakwater Light	47 27 51.2 052 42 16.2	FI R 4s	2.6	2	Mast. 2.3	Year round.
507.7 H0453.5	Petty Harbour South Breakwater Light	47 27 51.0 052 42 16.0	FI G 4s	3.2	4	Mast. 2.3	Year round. Flash 1 s; eclipse 3 s.
507.91 H0452.1	Bay Bulls Wharf Light	47 18 51.8 052 48 43.6	FI G 4s	3.5	2	Mast. 2.6	Year round.
507.93 H0451.8	Witless Bay Wharf Light	47 16 42.1 052 49 26.3	FI R 4s	3.0	2	Mast. 2.6	Year round.
508 H0452	Bull Head (Bay Bulls) Light	47 18 38.7 052 44 48.6	FI W 6s	60.0	7	White lighthouse. 12.0	Year round. Flash 0.5 s; eclipse 5.5 s.
508.16	<i>Little Islands East Cardinal light buoy MBE</i>	47 10 52.0 052 50 17.3	VQ(3) W 5s	<i>Black-yellow-black, pillar, marked "MBE".</i>	<i>Seasonal. Operates 24 h.</i>
508.2 H0451.3	Bauline East Wharf Light	47 10 48.3 052 50 37.2	FI R 4s	2	Mast. 2.6	Seasonal.
508.21	<i>Saturday Ledge light buoy MB2</i>	<i>Cape Broyle Harbour. 47 05 27.4 052 55 02.3</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "MB2".</i>	<i>Seasonal.</i>
508.211	<i>Old Harry East Cardinal light buoy MCB</i>	<i>Off Cape Broyle. 47 04 20.3 052 50 17.5</i>	<i>Q(3) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow-black, pillar, marked "MCB".</i>	<i>Year round.</i>
508.22	<i>Harbour Rock light buoy MB4</i>	<i>Cape Broyle Harbour. 47 05 28.7 052 56 31.2</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "MB4".</i>	<i>Seasonal.</i>
508.23 H0451.5	Cape Broyle Public Wharf Light	Cape Broyle Harbour. 47 05 42.0 052 56 45.0	FI R 4s	3.0	2	Mast. 2.4	Year round.
508.5 H0451	Calvert Wharf Light	47 03 24.7 052 54 35.7	FI R 5s	3.4	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE ST. FRANCIS TO RENEWS							
509 H0450	Ferryland Head Light	47 01 00.4 052 51 26.7	FI W 10s	57.9	15	Red and white cylindrical tower. 10.3	Year round. Flash 0.2 s; eclipse 9.8 s.
509.1	<i>Ferryland Shoal light buoy MFL3</i>	47 01 29.9 052 52 45.3	Q G 1s	<i>Green, spar, marked "MFL3".</i>	<i>Seasonal. Operates 24 h.</i>
509.11	Ferryland Head Wharf	47 01 24.5 052 52 52.4	FI G 4s	2	Pipe tower.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
509.5	<i>Aquaforte Breakwater Shoal light buoy MA2</i>	47 00 18.4 052 57 40.4	FI R 4s	<i>Red, spar, marked "MA2".</i>	<i>Year round.</i>
509.51	Aquaforte Wharf Light	Seaward side of the public wharf. 47 00 22.1 052 57 23.3	FI Y 4s	2	Pipe tower.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
509.52	<i>Aquaforte Harbour light buoy MA1</i>	47 00 18.6 052 57 43.8	FI G 4s	<i>Green, spar, marked "MA1".</i>	<i>Year round.</i>
509.53	Aquaforte Inner Wharf Light	On outside corner of inner wharf. 47 00 22.3 052 57 44.7	FI R 4s	2	Cylindrical mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
510 H0449	Northern Head Light	Fermeuse Harbour entrance. 46 57 47.2 052 54 03.5	FI W 4s	27.4	7	Mast. 2.5	Year round. Flash 1 s; eclipse 3 s.
510.1	<i>Port Kirwan light buoy MK2</i>	46 58 10.0 052 54 41.0	Q R 1s	<i>Red, spar, marked "MK2".</i>	<i>Year round.</i>
510.5 H0449.5	Port Kirwan Wharf Light	46 58 10.1 052 54 43.1	FI G 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
511	<i>Bar Shoal light buoy MF</i>	<i>Fermeuse Harbour Channel.</i> 46 58 18.8 052 56 23.0	Q(3) W 10s	<i>Black-yellow-black, pillar, marked "MF".</i>	<i>Year round.</i>
511.22	<i>Lumley Cove Middle light buoy MF4</i>	<i>Fermeuse Harbour.</i> 46 58 18.1 052 56 32.8	FI R 4s	<i>Red, spar, marked "MF4".</i>	<i>Year round.</i>
511.23	<i>Lumley Cove Inner light buoy MF6</i>	<i>Fermeuse Harbour.</i> 46 58 15.5 052 56 43.8	FI R 4s	<i>Red, spar, marked "MF6".</i>	<i>Year round.</i>
511.25 H0448.3	Fermeuse Wharf Light	46 58 13.9 052 56 42.9	FI G 4s	2	Mast. 2.1	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
511.3 H0448.5	Fermeuse Harbour Inner Wharf Light	Sheeps Head Cove. 46 58 20.9 052 56 58.4	FI Y 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

CAPE ST. FRANCIS TO RENEWS

512 H0448	Bear Cove Point Light Station and Fog Signal	S. of Fermeuse Harbour entrance. 46 56 25.9 052 53 34.4	Fl W 5s	32.9	15	Trapezoidal skeleton tower, red rectangular daymark with white vertical stripe. 2.9	Year round. Operates 24 h. Flash 1 s; eclipse 4 s. Fog Horn Blast 4 s; sil. 56 s.
515.4	<i>White Horse Rock light buoy MR2</i>	46 54 59.2 052 55 52.2	Fl W 4s	<i>Red, spar, marked "MR2".</i>	<i>Seasonal.</i>
515.5	<i>Renews Head light and bell buoy MR1</i>	46 54 26.9 052 54 47.5	Fl G 4s	<i>Green, pillar, marked "MR1".</i>	<i>Year round.</i> Audible signal: Bell
515.51 H0447	Renews Wharf Light	46 55 20.9 052 55 59.4	Fl R 4s	2	Mast.	Year round.
515.53	<i>Renews Harbour #1 light buoy MR4</i>	46 55 34.5 052 56 39.7	Fl R 4s	<i>Red, spar, marked "MR4".</i>	<i>Seasonal.</i>
515.54	<i>Renews Harbour #2 light buoy MR3</i>	46 55 32.0 052 56 37.0	Fl G 4s	<i>Green, spar, marked "MR3".</i>	<i>Seasonal.</i>
515.55	<i>Renews Harbour #3 light buoy MR5</i>	46 55 37.4 052 56 44.3	Q G 1s	<i>Green, spar, marked "MR5".</i>	<i>Seasonal.</i>
515.56	<i>Renews Harbour #4 light buoy MR6</i>	46 55 39.3 052 56 46.1	Fl R 4s	<i>Red, spar, marked "MR6".</i>	<i>Seasonal.</i>
515.57 H0447.2	Renews Breakwater Light	46 55 43.6 052 56 51.1	Fl R 4s	4.0	2	Mast. 2.6	Year round.
515.58 H0447.3	Renews Southside Wharf Light	46 55 45.6 052 56 56.8	Fl G 4s	2	Mast. 2.6	Year round.
516	<i>Renews Rocks East Cardinal light and whistle buoy MR</i>	46 52 14.9 052 53 26.5	Q(3) W 10s	<i>Black-yellow-black, pillar, marked "MR".</i>	<i>Year round.</i> Audible signal: Whistle

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

#	NO.
2 Fathom Shoal light buoy PK3	73.81
4 Foot Shoal light buoy QK4	160.3
7/8 Point light buoy DY9	355.078
9 Feet Rock light buoy D2	358.16

A	NO.
Abbotts Shoal light buoy JS4	442.518
Admirals Beach Wharf Light	8.5
Alcock's Point light buoy KQ7	235.34
Allan Rock light buoy PL7	76.1
Allan's Island Breakwater Light	75.52
Allan's Island Light Station and Fog Signal	76
Allen Shoal East Cardinal light buoy NP	270.03
Allen's light buoy XCB2	194.5
Ambush Rock South Cardinal light buoy ND	280.009
Amour Point Light Station	227
Anchor Cove Light	215.3
Anchor Point Inner light buoy XA3	215.42
Anchor Point Light	215.4
Anchor Point light buoy XA2	215.41
Anchor Point Outer light buoy XA1	215.43
Aquaforce Breakwater Shoal light buoy MA2	509.5
Aquaforce Harbour light buoy MA1	509.52
Aquaforce Inner Wharf Light	509.53
Aquaforce Wharf Light	509.51
Ardent Rock light buoy XP4	211.7
Argentia Fleet Dock Wharf	28.2
Argentia Harbour front range light	29
Argentia Harbour light buoy A10	28
Argentia Harbour light buoy A13	28.1
Argentia Harbour rear range light	30
Argentia light buoy A2	20
Argentia light buoy A4	23
Argentia light buoy A6	26
Argentia light buoy A8	26.5
Arnold's Cove Breakwater Light	38.7
Arnold's Cove light buoy EA	38.8
Arnold's Cove Inner light buoy EA2	38.75
Art Coley's Rock light buoy QA2	139.82

B	NO.
Bacalhao Island Light	363
Bacalhao Island Sector Light	362.5
Baccalieu Island (Southwest Point) Light Station	473
Baccalieu Island Light	472
Back Arm light buoy XP6	211.74
Back Arm South Cautionary Light	211.82
Back Arm West Wharf Light	211.83
Back Arm Wharf Light	211.815
Bacon Bone Rock light buoy JR1	439.31
Bad Neighbour light and bell buoy Q34	156.3
Bad Rock Light	252
Bad Rock light buoy QQ2	140.5
Baikie Point Light	298.5
Baine Harbour light buoy PJ2	55.2
Baine Harbour light buoy PJ4	55.4
Baine Harbour light buoy PJ5	55.3
Baine Harbour light buoy PJ6	55.5
Baine Harbour Wharf Light	55.41
Baker Rock light buoy DJ10	383.55
Ballyhack Point Light	489
Bar Shoal light buoy MF	511
Bar Tickle Light	279.74
Bar Tickle Shoal West Cardinal light buoy NM	279.72
Barachois Head light buoy EC1	38.2
Barbace Point North Cardinal light buoy XPB	211.15
Barr Tickle North light buoy NMN1	279.9
Barr'd Island Light	382.5
Barrack's Island Light	363.5
Barred Island Light	250.1

B	NO.
Bartletts Cove Wharf Light	221.31
Bauline East Wharf Light	508.2
Bauline Light	493.5
Bauline North Breakwater Light	493.52
Bauline Wharf Light	493.54
Bay Bulls Wharf Light	507.91
Bay de Loup Point Light	142.5
Bay de Verde Breakwater Light	474.4
Bay de Verde light buoy CV2	474
Bay de Verde Wharf Light	474.3
Bay L'Argent Wharf Light	113.2
Bay Roberts Channel East light buoy CB2	484.1
Bay Roberts Channel West light buoy CB4	484.2
Bay Roberts Inner Channel light buoy CB5	484.3
Bay Roberts Wharf Light	484
Beach Point Breakwater Light	185.2
Beach Point light buoy XY4	174.3
Beach Point South Light	185.3
Beachside Wharf Light	335.5
Bear Cove Head light buoy DR3	341.496
Bear Cove Point Light Station and Fog Signal	512
Bed Rock Shoal light buoy DD2.2	346.3
Bell Island Ferry Wharf Light	494
Bell Island Light Station	493
Bell Rock South Cardinal light buoy CW	497.1
Belle Bay Shoal North Cardinal light buoy VB	116.6
Belle Isle North End Light Station	232
Belle Isle South End Upper Light Station	233
Belle Isle, South End Lower Light	234
Belleoram Light	117
Belleoram Wharf Light	116.9
Bellevue Inner light buoy TG5	467.16
Bellevue Inner light buoy TG6	467.17
Bellevue Inner light buoy TG7	467.18
Bellevue Inner light buoy TG8	467.19
Bellevue Outer light buoy TG3	467.15
Benbury light buoy JV4	418
Bengy light buoy QQ4	140.6
Bennett's Point Rock light buoy TCW1	462.5
Big Island Light	289
Big Rock light buoy JC6	442
Big Shoal light and bell buoy E9	39.1
Big Shoal light buoy PFH2	37.7
Big Shoal South light buoy EW2	38.65
Big Shoal West cardinal light buoy EWC	38.67
Big Sunkers Outer light buoy QX1	158.76
Big Triton Island Light	341
Bilge Rock light buoy DVP5	355.8
Bill's Shoal light buoy TM2	450.2
Bingham Shoal light and whistle buoy PT	51
Birch Island light buoy H22	312
Bird Cove Wharf Light	215.99
Black Cove Rock light buoy TB3	467.25
Black Duck Cove Inner light buoy XK4	216.55
Black Duck Cove light buoy XK3	216.4
Black Duck Cove Wharf Light	216.35
Black Head Light	74
Black Island Shoal light buoy DHL2	360.54
Black Island South Cardinal light buoy JWB	414.1
Black Reef light buoy DD3	378.6
Black Rock Light	127.8
Black Rock light buoy TB1	467.24
Black Rock Shoal light buoy QM2.2	159.1
Black Rock Sunker East Cardinal light buoy DLB	331.9
Black Tickle light buoy NBT1	280.91
Black Tickle Wharf Light	280.95
Bloody Arm Point light buoy DK2	387.91
Bloody Point Light	468.7
Blow Me Down light and bell buoy PM3	64.82
Blundon's Island (Sir Charles Hamilton Sound) Light	382
Boar Island Light Station and Fog Signal	144
Boar Rock light and bell buoy QG2	143
Bobs Island Light	270.5
Bonavista Breakwater Light	447

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

B	NO.
Bonavista Entrance light buoy JB7	445.4
Bonavista Floating Wharf Light	448.1
Bonavista Outer light buoy JB6	447.1
Bonavista Outer Shoal light buoy JB5	445.2
Bordeaux Island Light	39
Boxey Breakwater Light	119.5
Boxey Point Light	120
Boxey Rock light and whistle buoy VB9	120.1
Bradbury Island South Cardinal light buoy NL	280.1
Bradley Rock light buoy CR2	476.1
Branch Cove light buoy MB3	11
Branch East Breakwater Light	10.5
Branch East Inner Breakwater Light	10.51
Branch Fish Plant Wharf	10.2
Branch West Breakwater Light and Fog Signal	10
Branch West Inner Breakwater Light	10.1
Brandies light buoy TC2	452
Brandies Rock East Cardinal light buoy DWD	345.3
Brandies Rock West Cardinal light buoy QBR	173.1
Brandies Shoal light buoy NA5	270.92
Brandies South Cardinal light buoy PBR	72.8
Brandy Rocks West Cardinal light and bell buoy JBR	449.5
Bread Island Shoal light and bell buoy E7	43
Brehat Shoal South Cardinal light buoy KQG	235.3
Brent Islands Light	244
Bridgeport Harbour Light	355.3
Bridgeport Rock light buoy DBP2	355.2
Bridgeport Wharf Light	347.5
Brigus Light	488
Brigus Point Light	488.3
Brigus Wharf Light	488.2
Broad Cove Point Light	188
Broize Point light buoy KQ3	235.31
Browns Point light buoy DJ1/3	383.78
Brule Point front range light	299
Brule Point rear range light	300
Brunette Island Light	101
Buffett Bank light and bell buoy E3	44.8
Bufford Cove South Cardinal light buoy VW	122.6
Bull Head (Bay Bulls) Light	508
Bull Island Point Fog Signal	13.5
Burgeoy Ferry Wharf	145
Burin Breakwater Light	68.55
Burin Fairway light and bell buoy PB	71.5
Burin Passage light buoy PB4	68.5
Burnside Ferry Wharf Light	439.5
Burnside light buoy JR4	439.35
Burnside light buoy JR6	439.36
Burnside Rock Light	439.37
Burnt Island Channel light buoy D5	358.159
Burnt Island Channel light buoy D7	358.12
Burnt Islands Deep Water Wharf Light	150.2
Burnt Islands front range light	154
Burnt Islands light and bell buoy QB1	153.6
Burnt Islands light buoy QB3	156.2
Burnt Islands rear range light	155
Burnt Islands West Wharf	150.3
Burnt Point (Catalina) Light	453.2
Burnt Point Light Station	378
Burnt Point Shoal light buoy DD2	378.5
Burnt Point Shoal light buoy NMH2	276.77
Butterfly Island Light	355.094
Butterfly Rock light buoy DY29	355.093
Butterpot Rock light buoy QQB	237.4

C	NO.
Cabbage Harbour Head Light	349
Cabot Islands Light Station (Bonavista Bay)	406
Cailloux Island Light	245
Cains Island Light	151.07
Calapoose Rocks light buoy QT8	149.3
Calvert Wharf Light	508.5

C	NO.
Camp Islands Light Station	279
Candle Cove Rocks Light	419
Canning Cove Wharf Light	441.3
Cape Anguille Light Station and Fog Signal	175
Cape Bauld Light Station	225
Cape Bluff Light	279.8
Cape Bonavista Light Station and Fog Signal	449
Cape Broyle Public Wharf Light	508.23
Cape Fox	248
Cape Freels Breakwater Light	407.25
Cape Freels Harbour light buoy JF1	407.2
Cape Freels Harbour light buoy JF2	407.1
Cape Freels Harbour light buoy JF2/2	407.19
Cape Freels Harbour light buoy JF4	407.3
Cape Freels Wharf Light No. 2	407.251
Cape La Hune Light	138
Cape Mark Light	133.2
Cape Norman Light Station	223
Cape North Light	284
Cape Pine light buoy M14	6.5
Cape Pine Light Station and Fog Signal	6
Cape Race Light Station & Fog Signal	1
Cape Ray Light Station and Fog Signal	173
Cape Spear Light Station and Fog Signal	507
Cape St. Francis Light	270.1
Cape St. Francis Light Station	499
Cape St. Francis North Cardinal light buoy MSF	499.1
Cape St. Lewis Light	276.81
Cape St. Mary's Light Station and Fog Signal	14
Caplin Cove Point light buoy CG4	480.5
Caplin Cove Rock light buoy DNC2	341.2
Capstan Point light buoy XF3	212.54
Captain Jacks light buoy NMS1	276.7
Captain Pierce Rock Shoal light buoy DCC	360.53
Carbonear Breakwater Light	477.5
Carbonear Island Light	477
Carbonear Wharf Light	478
Cards Harbour Point Light	341.3
Caribou Run Inner light buoy NU1	277.3
Caribou Run Mid Rock light buoy NU6	277.56
Caribou Run North light buoy NU4	277.4
Caribou Run South light buoy NU2	277.2
Carmanville Harbour light buoy DC8	390.12
Carmanville light buoy DC	390.131
Carmanville Sector Light	392
Carmanville Wharf Light	391
Carney's Point light buoy TB2	467.26
Carter Basin Inside light buoy HC4	297.53
Carter Basin Outside light buoy HC2	297.52
Carters Rock light buoy DC7	390
Carter's Cove Rock light buoy DCC2	360.52
Cartier Shoal light buoy H4	297
Cartwright Fishermans Wharf Light	284.51
Cartwright light buoy NC4	284.6
Cartwright light buoy NC5	284.5
Cartwright light buoy NC6	284.71
Cartwright Wharf Light	284.72
Cary Rock light buoy JK3	442.75
Castor River North Wharf Light	221.32
Catalina Harbour Basin North light buoy TC14	460.2
Catalina Harbour Channel light buoy TC6	458.81
Catalina Harbour Channel light buoy TC7	459
Catalina Harbour Channel light buoy TC10	459.1
Catalina Harbour Channel light buoy TC11	460
Catalina Harbour Inner front range light	456
Catalina Harbour Inner rear range light	457
Catalina Harbour Outer front range light	454
Catalina Harbour Outer rear range light	455
Catalina Wharf Light	461
Chaffey's Rock light buoy JC2	442.1
Chain Rock Light	500
Chance Cove Breakwater Light	467.27
Chance Cove Ledge light buoy JSB	442.17
Chance Cove Rock light buoy TB5	467.28

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

C	NO.
Chance Rock light buoy PFH5	37.51
Change Island Light	368
Change Island Southwest front range light	377.91
Change Island Southwest rear range light	377.92
Change Islands light buoy DWG1	344.39
Change Islands Tickle - front range light	370
Change Islands Tickle rear range light	371
Channel Gut Five Foot Rock light buoy QG1	160.2
Channel Gut Wharf Light	160.7
Channel Head light and whistle buoy QP	168
Channel Head Light Station	160
Chapel Arm light buoy TA2	467.05
Charge Rock North Cardinal light buoy JX	409
Charlottetown Breakwater Light	279.66
Charlottetown Inner light buoy NM12	279.65
Charlton Rock light buoy TC4	453.5
Chateau Point Light	270
Chaulk Point light buoy H23	313
Church Yard Gut Light	51.5
Clarenville Marina Breakwater Light	466.2
Clay Cove Rock light buoy JT1	442.18
Coachman's Cove Harbour Light	268
Coachman's Cove Wharf Light	268.5
Cobbs Arm light buoy DCB1	376.1
Cobbs Arm light buoy DCB2	376.2
Cock Bank light and whistle buoy P20	79
Cod Bag Islets Light	280.9
Codroy Breakwater Light	174.5
Codroy Fairway light buoy XY	173.5
Codroy Island Outer light buoy XY1	174.1
Codroy Light	174
Codroy light buoy XY3	174.12
Codroy Outer Breakwater Light	174.6
Codroy Outer light buoy XY2	174.2
Coley's Point Light	485
Colombier Islands Light Station	156
Come By Chance Harbour front range light	39.41
Come By Chance Harbour rear range light	39.42
Come by Chance light and whistle fairway buoy PCC	19
Come By Chance VTS light and bell buoy E11	39.3
Comfort Cove Wharf Light	353.9
Conception Harbour Wharf Light	490
Conche Light	247
Conche Wharf Light	247.1
Conne River Wharf Light	132.51
Cooks Harbour light buoy XC7	233.22
Cooks Harbour Middle light buoy XC5	233.21
Cooks Harbour Outer light buoy XC4	233.18
Cooks Harbour Outer light buoy XC6	233.17
Cooks Harbour Wharf Light	233.25
Coomb's Cove Light	121
Coombes Rock light and whistle buoy E6	43.5
Cooper Island light buoy XV2	222.12
Coopers Ledge light buoy PFH1	37.6
Copper Island Light	277
Cork Rock Light	372.3
Corner Brook Breakwater East Light	194.7
Corner Brook Breakwater West Light	194.6
Corner Brook East Cardinal light buoy XCB	194.8
Cottlesville Harbour light buoy DAA1	355.13
Cottlesville Wharf Light	355.131
Cotton Shoal light buoy XPS2	208.05
Cottrells Cove Light	344
Cottrells Cove Shoal light buoy DW4.2	344.5
Cow Head Harbour light buoy XW1	202.6
Cow Head Harbour light buoy XW3	202.4
Cow Head light buoy PY	63.7
Cow Head Outer light buoy XW4	202.5
Cow Head Wharf Light	202.2
Cow Rock light buoy KU2	238.2
Cox Rock light buoy QE3	145.82
Crab Head light buoy NC2	284.4
Crab Head Shoal light buoy NC3	284.41
Crab Island Shoals light buoy NC2/2	284.42

C	NO.
Crabbes River Channel #2 light buoy XD1	176.12
Crabbes River Channel light buoy XD6	176.3
Crabbes River Entrance light buoy XD2	176
Crabbes River Harbour light buoy XD4	176.2
Crabbes River Harbour light buoy XD5	176.1
Crabbes River Inner Cautionary light buoy X	176.4
Crabbes River Light	176.35
Crabbes River light buoy XD3	176.11
Crackers #1 South Cardinal light buoy JFC	407.18
Crackers # 2 North Cardinal light buoy JFR	407.7
Crocodile Shoal light buoy KE2	265.1
Cross Cove light buoy DM2	356.05
Cuff Island light buoy QD5	153
Cupids Gut Wharf Light	487.5
Cupids Inner #1 light buoy CC3	487.29
Cupids Inner #2 light buoy CC4	487.28
Cupids Outer #1 light buoy CC1	487.3
Cupids Outer #2 light buoy CC2	487.4
Cupids Wharf Light	488.1
Curb Rocks West Cardinal light buoy VC	111.095
Curlew Island North light buoy NM9	279.58
Curtis Causeway Inner light buoy DY23	355.088
Curtis Causeway Inner light buoy DY25	355.09
Curtis Causeway Outer light buoy DY19	355.086
Curtis Causeway Outer light buoy DY21	355.087
Curzon Village Light	200.1
Cuttail Island #1 light buoy QV7	144.58
Cuttail Island #2 light buoy QV8	144.59
Cuttail Island #3 light buoy QV9	144.6

D	NO.
Daniel's Harbour light buoy XDH2	207.2
Dart Rock light buoy HR1	290.31
Davis Cove Wharf Light	44.09
Davis Island East Cardinal light buoy PFD	56
Davis Island Light	60
Davis Island light buoy PFD3	56.21
Dawson's Point Light Station	134
Day Point Light	133.4
Dead Head Shoal light buoy QW3	158.721
Deans Rock North Cardinal light buoy DJD	364.7
Deepwater Island Light	279.4
Deer Pass light buoy NE2	280.011
Diamond Cove (Rose Blanche) light buoy QD2	151.6
Dildo Breakwater Light	467.09
Dildo Channel light buoy DY27	355.091
Dildo Head Light	467.06
Dildo Run light buoy DY2	355.071
Dildo Run light buoy DY3	355.072
Dildo Run light buoy DY4	355.073
Dildo Run light buoy DY5	355.074
Dildo Run light buoy DY6	355.075
Dildo Run light buoy DY7	355.076
Dildo Run light buoy DY10	355.079
Dildo Run light buoy DY12	355.08
Dildo Run light buoy DY17	355.084
Dildo Run light buoy DY28	355.092
Diver Island Shoal light buoy NCA4	284.355
Divers Shoal light buoy V25	130.33
Dodding Head Light	68
Doggy Point Light	239.21
Domino Point Light	281
Double Island Light	278
Dram Island Light	375
Drovers Rock light buoy DDR	383.3
Drunkards Point light buoy PK2	73.7
Ducie Rock light and bell buoy VD1	116.5
Duck Island Light	360
Duck Island Point light buoy DJ3	383.84
Duck Island Shoal light buoy NS2	276.75
Duck Rock Light	64.8
Duck Rock light buoy PF	60.2

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

D	NO.
Duckbill Point	254
Duntara Wharf Light	442.8
Durrell Arm light buoy DUL4	361.61
Durrell Arm light buoy DUL5	361.62
Durrell Arm Wharf light buoy DUL7	361.63
Durrell Inner Harbour light buoy DUR4	361.3
Durrell Inner Harbour light buoy DUR5	361.32
Durrell Inner Harbour light buoy DUR6	361.33
Durrell Outer Harbour light buoy DUR3	361.2

E	NO.
Eagle Island Light (Bay of Islands)	190
East Baldwin Rock light and bell buoy QP2	161
East Black Rock light buoy PL4	78.18
East End Long Island Light	340
East Farewell Reef East Cardinal light buoy DHE	377.85
East Mark Rock light buoy PL2	78.1
East Point Light	73.83
East Shoal light buoy XK1	216.6
Eastern Passage light and whistle buoy QA	139.7
Eastern Tickle East Cardinal light buoy DFE	365.22
Eclipse Island light buoy QV5	144.57
Ellinor Rock light buoy S2	503.5
Emerald Shoal light buoy ME2	3
Englee Harbour Inner light buoy KEN2	250.2
Englee Harbour Light	250
Englee Harbour Outer East Cardinal light buoy KEN	249.9
Englee Wharf Light	251
English Harbour East Wharf Light	113.06
English Harbour West Light	119
English Harbour West light buoy VE1	116.41
Enragee light and bell buoy VFC6	111.7
Epinette Point light buoy H7	297.5
Eskimo Island Light	294
Exploits Inner light buoy DE6	361.03
Exploits Inner light buoy DE7	361.04
Exploits Outer light buoy DE4	347.11
Exploits Outer light buoy DE5	361.02

F	NO.
Fair Haven Breakwater Light	37.52
Fair Haven Point Shoal light buoy PFH3	37.53
Fair Islands Light	432
Farewell Harbour Ferry Wharf Light	374.5
Farmers Arm light buoy DUR1/3	361.52
Fermeuse Harbour Inner Wharf Light	511.3
Fermeuse Wharf Light	511.25
Ferryland Head Light	509
Ferryland Head Wharf	509.11
Ferryland Shoal light buoy MFL3	509.1
Fischells Entrance Inner light buoy XE1	175.99
Fischells Entrance Outer light buoy XE2	175.98
Fish Island Light	280.05
Fish Island Rock light buoy QG3	143.5
Fish Point light buoy QX2	157.5
Fish Rock light buoy PJF2	55.16
Fish Rocks South Cardinal light buoy ELH	37.4
Fishing Island light buoy CWB	493.55
Five Fathoms West Cardinal light buoy DHC	376
Five Foot Shoal light buoy QW2	158.72
Flat Island Harbour light buoy PF3	60.3
Flat Island Rock light buoy NJ1	270.01
Flat Islands light buoy QM2	159.2
Flat Point, Goose Cove light buoy KG1	240.3
Flat Rock Fog Signal Station	463
Fleur de Lys (Welsh Point) light buoy KF2	257.31
Fleur de Lys Entrance Light	257.2
Fleur de Lys light buoy KF1	257.3
Fleur de Lys light buoy KF3	257.4
Fleur de Lys light buoy KF4	257.41

F	NO.
Fleur de Lys light buoy KF5	257.42
Flintkote Wharf Light	183.5
Flowers Cove front range light	214
Flowers Cove Inner light buoy XF8	213.58
Flowers Cove Light	213
Flowers Cove light buoy XF	212.5
Flowers Cove Outer light buoy XF6	213.51
Flowers Cove rear range light	215
Flowers Cove Wharf Light	213.59
Fogo Harbour light buoy DF4/2	365.508
Fogo Harbour light buoy DF5/1	365.509
Fogo Harbour light buoy DF6	365.515
Fogo Harbour light buoy DF7	365.52
Fogo Harbour Wharf Light	365.7
Foots Rock light buoy DJ4	383.82
Foots Rock Sandbar light buoy DJ5	383.81
Fort Amherst Light Station and Fog Signal	506
Fort Point Light Station and Fog Signal	462
Forteau Wharf Light	228
Fortune Gut Western Breakwater Light	103.5
Fortune Harbour Fisherman's Wharf Light	103.4
Fortune Harbour Floating Dock Wharf Light	105.3
Fortune Harbour Inner light buoy VF2	105.2
Fortune Harbour Inner light buoy VF4	105.1
Fortune Harbour light buoy VF1	103
Fortune Harbour Wharf Light	103.3
Fortune Head Light Station and Fog Signal	102
Fortune Wharf Light	105
Fosters Point Rock light buoy TV10	466.01
Fouché Harbour Light	255
Fox Brook Light	185.9
Fox Brook South Wharf Light	185.8
Fox Cove West Cardinal light buoy VF	112.5
Fox Harbour Inner light buoy AF4	36.2
Fox Harbour light buoy AF5	36.3
Fox Harbour light buoy NF1	276.3
Fox Harbour light buoy NF2	276.4
Fox Harbour light buoy NF3	276.5
Fox Harbour Outer light buoy AF2	36
Fox Head light buoy DXY3	372.21
Fox Head light buoy E12	39.4
Fox Island	37
Fox Island Light (Hermitage Bay)	128
Fox Point (Fishing Point) Light Station and Fog Signal	240
Fox Roost Breakwater Light	159.01
Foxtrap Inner Breakwater Light	498.2
Foxtrap Outer Breakwater Light	498.1
François Entrance light and bell buoy QL4	136.9
François North Wharf Light	137.15
François West Wharf Light	137.1
Frederickton Harbour light buoy DK6	387
Freezer Rock light buoy NJ2	270.02
Frenchman's Cove Wharf Light	193.83
Frenchman's Head Light	198
Freshwater Cove East cardinal light buoy CF	476.2

G	NO.
Gadds Point Light	205
Galloper Rock light and whistle buoy PR1	66
Gappy Island Light	364.8
Garden Cove Point Light	239.23
Garden Cove Point light buoy KU4	238.4
Garden Cove Wharf Light	40.5
Garnish Fairway light and bell buoy VFD	111.9
Garnish Inner Breakwater Light	112.1
Garnish Light	112
Garnish Outer light buoy VFG1	111.94
Garnish Sunker North Cardinal light buoy VFC	111.8
Garrison Point North Cardinal light buoy DFN	365.4
Gaultois Dolphin Light	131.5
Gaultois Harbour Light	131
Gaultois light buoy VU4	130.82

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

G	NO.
Gentile Island Shoal light buoy KC3	268.1
George Island Shoal light buoy HG	287.4
George Island South Cardinal light buoy HGE	287.2
Georgies Rock light buoy DBW2	341.32
Gibraltar Rock light buoy PX2	15.5
Giles Island Light	339.5
Gleed Island Light	354.5
Glovertown Harbour Rock light buoy JGM6	439.2
Glovertown Wharf Light	439.1
Glovertown Yacht Club Breakwater Light	439.23
Go By Point Light	64
Goose Bay Narrows Turning light buoy H18/2	308.1
Goose Cove (Ant Island) light buoy KG3	241.1
Goose Cove (Mouse Island) light buoy KG2	240.6
Goose Cove Inner (Cigale Point) light buoy KG5	241.16
Goose Island Light	279.7
Goose Island light buoy QD3	152
Goose Rock light buoy VU2	130.8
Gooseberry Cove Breakwater Light	465.3
Gooseberry Cove Shoal light buoy TVG	466.1
Gooseberry Island Light	438
Gooseberry Island light buoy JGS	437.5
Govers Point Island Light	349.5
Grand Bank Breakwater Light	108
Grand Bank light buoy VA1	111.09
Grand Bank Sector Light	106.5
Grand Bank West Pier Light	107
Grand Bank Wharf Light	106
Grand Bruit Light	147
Grandfather Rock light buoy DX1	381
Grassy Island Light	350
Grassy Island Light	393.4
Grassy Point East Cardinal light buoy DNC	340.5
Grates Cove Light	471.7
Grates Cove Wharf Light	473.1
Graveyard Point Breakwater light buoy QP3	162.5
Graveyard Point Light	162
Graveyard Point Light	51.6
Great Burin Harbour Inner light buoy PU3	69.3
Great Burin Harbour Inner light buoy PU4	69.4
Great Burin Harbour Outer light buoy PU1	69.1
Great Burin Harbour Outer light buoy PU2	69.2
Great Colinet Island Light	9
Great Harbour Deep Light	256
Great Southern Harbour Shoal light buoy EGS	38.55
Grebe Point light buoy H25	313.5
Green Island (Catalina) Light Station and Fog Signal	453
Green Island Brook Wharf Light	226.8
Green Island Cove Wharf Light	226.3
Green Island Light	296
Green Island Light	389
Green Island Light	276.87
Green Island light buoy XC1	233.2
Green Island Light Station and Fog Signal	100
Green Island Sunkers light buoy QH1	151.5
Green Point (Bay Roberts) Light	486
Greenspond front range light	427
Greenspond rear range light	428
Gregory Rock light buoy PR3	66.5
Grey River light and bell buoy QJ	139.3
Grey River Point Light	139.5
Grey River Rocks North Cardinal light and whistle buoy QGR	139.21
Grey River Wharf Light	139.51
Griquet Harbour Light	239
Griquet light buoy KQ5	235.32
Grove Island Tickle light buoy NA7	270.93
Grove Island Tickle North light buoy NA8	271
Grove Island Tickle South light buoy NA9	272
Grove Island, East-West front range light	273
Grove Island, East-West rear range light	274
Grove Island, North-South front range light	275
Grove Island, North-South rear range light	276
Groves Island Tickle light buoy NA10	271.5

G	NO.
Groves Point Entrance light buoy H27	313.6
Gull and Matthews Rock West Cardinal light buoy NGM	279.809
Gull Island Light	408
Gull Island Light Station (Cape St. John)	326
Gull Rock Light	339
Gull Rock light buoy KU3	238.21
Gull Rock light buoy NA1	270.7
Gulnare Rocks East Cardinal light buoy DHG	385.1
Gushue Rock East Cardinal light buoy NLG	280.15

H	NO.
Hackett Cove Head light buoy D8	358.13
Hail Island East Cardinal light buoy JR	439.29
Halfway Reef light buoy JN1	415.01
Halibut Rock West Cardinal light buoy QHR	173.12
Hant's Harbour Breakwater Light	470.1
Hant's Harbour Light	470
Happy Adventure East Wharf Light	439.4
Happy Adventure Light	441.1
Happy Adventure West Wharf Light	441.2
Harbour Breton Wharf Light	126.1
Harbour Buffet Light	45
Harbour Grace Channel Fairway light buoy CG	478.5
Harbour Grace Inner light buoy CG9	482.708
Harbour Grace Islands Light	479
Harbour Grace light buoy CG7	482.5
Harbour Grace Marina	482.789
Harbour Grace Small Boat Basin South Wharf Light	482.73
Harbour Island Light	139
Harbour Le Cou Breakwater Light	149.2
Harbour Main Wharf Light	488.7
Harbour Mille light buoy VM4	113.09
Harbour Point Light	178
Harbour Point Light	216
Harbour Point light buoy XB4	216.13
Harbour Rock Light	243
Harbour Rock light buoy DF4	365.5
Harbour Rock light buoy DPU1	360.1
Harbour Rock light buoy JG3	424.52
Harbour Rock light buoy JW7	410.52
Harbour Rock light buoy MB4	508.22
Harbour Rock light buoy PW2	73.2
Harbour Rock light buoy TM3	450.3
Harbour Rock light buoy VB1	125
Harbour Rock light buoy XW2	202.3
Harbour Rock Shoal light buoy CH2	488.5
Harbour Shoal light buoy KN5	239.25
Harbour Shoal light buoy QG5/3	143.74
Hare Cut Point Light	437
Hare Island Light	355.082
Hare Rock light buoy NC1	284.3
Hare Rock light buoy VD5	116.4
Harrys Rock light buoy QXX	158.3
Hart Head Light	290.3
Hatten Shoal light buoy NCH2	284.8
Hay Cove Shoal North Cardinal light buoy XM	235.5
Haystack Bank light and whistle buoy E4	44.5
Haystack Point	43.7
Haywards Gull Island light buoy DR1/1	341.494
Head Harbour Wharf Light (Pic à Denis Harbour)	185.7
Headquarters Wharf Light	442.5
Heart Island light buoy JV7	417.1
Heart's Content Light	468
Heart's Content Wharf Light	468.8
Heart's Delight Breakwater Light	467.51
Heart's Delight North Wharf Light	467.506
Henrietta Island Light	293
Hermitage East Breakwater Light	127.52
Hermitage light buoy VH3	127.5
Hermitage West Breakwater Light	127.51
Hermitage Wharf Light	127.4

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

H	NO.
Hickman's Harbour Wharf Light	466.6
Hillgrade Wharf Light	360.5
Holyrood Bay front range light	492.7
Holyrood Bay rear range light	492.8
Holyrood Breakwater Light	492.6
Holyrood Generating Plant Wharf Light	491.6
Hopeall Head Light	467
Hopeall Wharf Light	467.02
Hubley's Rock light buoy JS2	442.51
Hussey Shoal light buoy NUB1	278.1

I	NO.
Indian Lookout South Cardinal light buoy DHL	372.9
Indian Rock West Cardinal light buoy TRP	464.6
Inner Shoal light buoy VW3	122.5
Ireland Island Light	146
Iron Island Light	67
Ironskull Rock Light	45.2
Island Rock Cove light buoy DHS	338.09
Isle aux Morts light and whistle buoy QX	158
Isle aux Morts light buoy QX7	158.42
Isle aux Morts North Wharf Light	158.75
Isle aux Morts Wharf Light	156.8
Isle Valen light buoy PV1	49.41
Isle Valen light buoy PV2	49.42
Islington Wharf Light	467.45

J	NO.
Jackson Arm Light	258
Jackson's Cove Wharf Light	327.8
Jacques Cartier Island light buoy KQ2	235.92
Jacques Cartier Road light buoy KQJ	237.05
Jacques Fontaine Rock light buoy VJF1	113.6
Jeans Head Light	469
Jermey Rock light buoy DY13	355.081
Jersey Island light buoy PB10	67.5
Jerseyside Wharf Light	18.4
Jims Cove Point Light	341.4
Job's Cove Wharf Light	475.3
Jobs Island South Cardinal light buoy DLW	352.4
Joe Batts Arm light buoy DJ1	383.9
Joe Batt's Arm Inner light buoy DJ14	383.552
Joe Batt's Arm Inner light buoy DJ15	383.553
Joe Batt's Arm Outer light buoy DJ12	383.56
Joe Batt's Arm Outer light buoy DJ13	383.551
Joe Batt's Arm Wharf Light	383.5
Joe Batt's Arm Wharf Light	383.6
Joe Batt's Point Light	384
Joe Island Shoal light buoy DA1	355.123
John Wheaton Rock cautionary light buoy DHJ	372.4
Jones Rock light buoy PM6	63.52

K	NO.
Keels Wharf Light	442.95
Kelligrews Point light buoy CW9	497.15
Kellys Island light buoy CW8	497.14
Kenamu River front range light	301
Kenamu River rear range light	302
Kenny's Rocks Light	410
Keppel Island Light Station	208
Killick Island Light	276.85
Kim's Shoal Cautionary light buoy DCK	390.15
Kings Cove Head Light	443
Kings Cove Wharf Light	443.1
Knights Island Rock Light	354

L	NO.
La Haye Point Light Station and Fog Signal	8
La Plante Sunker West Cardinal light buoy PLS	44.4
La Poile Approach light and bell buoy QE2	145.8
La Poile North Shore light buoy QE4	145.83
La Poile Wharf Light	148.4
La Scie Harbour Breakwater Light	267
La Scie Harbour Wharf Light	267.3
La Scie light buoy KL4	267.1
Ladle Cove Inner light buoy JA2	393.6
Ladle Cove light buoy JA3	393.62
Ladle Cove Outer light buoy JA1	393.5
Ladle Cove Wharf Light	393.7
Lady Arm Shoal light buoy NG2	279.81
Lamaline front range light	77
Lamaline Inner light buoy PL5	78.13
Lamaline rear range light	78
Lamaline Wharf Light	75.51
Lamb Rock North Cardinal light buoy MLR	7.4
Lance Cove Inner light buoy PJL2	55.12
Lance Cove Outer light buoy PJL1	55.11
Lareto Shoal light buoy H2	295
Lark Harbour Entrance light buoy XL1	193.4
Lark Harbour Spit light buoy XL2	193.5
Lark Harbour Wharf Light	196.6
Lawn West Breakwater Light	73.84
Leading Mark Island Light	284.35
Leading Tickles Light	342
League Rock East light buoy DLR1	340.1
League Rock West light buoy DLR3	340.3
Ledger Rock light buoy JW2	413
Leg Island light buoy NW6	270.23
Leo's Rock light buoy KU6	238.5
Lewisport Marina Light	353.5
Lewisporte Floating Dock Light	353.2
Lewisporte Inner Wharf Light	353.8
Lewisporte Middle Catwalk Light	353.7
Lewisporte Outer Dolphin Light	353.6
Linton Rock light buoy JGM4	438.9
Little Bay Cautionary light buoy PML	63.535
Little Bay Island Light	332
Little Bay Light (Tinker Rock)	132
Little Bell Island light buoy CW4	497.12
Little Black Island Light	288
Little Burin Harbour Entrance light buoy PB8	67.4
Little Burin Harbour light buoy PB12	67.6
Little Burin Island Light Station and Fog Signal	71
Little Burnt Bay light buoy DBE3/1	347.37
Little Burnt Bay Shoal light buoy DBE4	352.6
Little Burnt Bay Wharf Light	352.7
Little Denier Island Light	441
Little Fogo Islands Light	364
Little Fox Island Light	127.7
Little Grave Island Rock light buoy QW5	158.74
Little Harbour East Inner light buoy EE4	38.09
Little Harbour East light buoy EE	38
Little Harbour East Outer light buoy EE3	38.08
Little Harbour East Wharf Light	38.1
Little Harbour Light (La Poile)	148
Little Heart's Ease Shoal light buoy TS1	465.2
Little Heart's Ease Wharf Light	465.6
Little Horse Stone light buoy JM1	399.41
Little Island Light	133.6
Little Islands East Cardinal light buoy MBE	508.16
Little Paradise Point Light	49.8
Little Port Head Light	196
Little Port light buoy XLH1	196.1
Little Red Rock light buoy D6	358.14
Little Southern Harbour Breakwater Light	38.56
Little Southern Harbour light buoy ES	38.5
Lobster Cove Head Light	201
Locks Rock West Cardinal light buoy NKK	280.015
Long Beach North Breakwater Light	482.72
Long Cove Inner light buoy TL3	466.86
Long Cove Light	466.9

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

L	NO.
Long Cove North Light	466.88
Long Cove Outer light buoy TL1	466.84
Long Cove Wharf Light	466.89
Long Island Ferry Wharf Light	332.9
Long Island Light	52
Long Island light buoy NMP2	279.282
Long Island Outer Shoal light buoy DBE1	347.2
Long Island Point Light	44
Long Island Rock light buoy DDW1	344.8
Long Island Rocks light buoy DBE3	347.3
Long Liner Wharf Light	448
Long Point (Twillingate) Light Station and Fog Signal	358
Long Point Light	185
Long Point Light	296.1
Long Point Rock South Cardinal light buoy VL	114.9
Long Pond Beach light buoy CB	497.01
Long Pond Beach light buoy CBB	497.02
Long Pond Channel light buoy CL2	497.3
Long Pond Channel light buoy CL3	497.2
Long Pond Channel light buoy CL15	498.01
Long Pond Channel light buoy CL19	498.04
Long Pond East Breakwater Light	498
Long Pond Harbour light buoy CL	498.09
Long Pond Harbour light buoy CL12	497.4
Long Pond Harbour Turning light buoy CN1	496.8
Long Pond Harbour Turning light buoy CN3	496.9
Long Pond West Breakwater Light	498.02
Long Pond Yacht Channel light buoy CL14	497.5
Long Pond Yacht Channel light buoy CL20	498.05
Long Pond Yacht Channel light buoy CL23	498.06
Long Toms Cove Rock light buoy JCG2	441.4
Loon Bay Breakwater Light	353.91
Lord Rock light buoy DC2	389.7
Lord's Cove Fog Signal	75
Lord's Cove Wharf Light	75.1
Lowe Rock light buoy TC5	457.5
Lower Cove light buoy XLC	183.7
Lower Harbour Point Light	465.9
Lower Lance Cove Wharf Light	464.5
Lower Rock South Cardinal light buoy QLC	137.23
Lower Sandy Point Light	351
Lower Sandy Shoal light buoy DPH1	351.4
Lumley Cove Inner light buoy MF6	511.23
Lumley Cove Middle light buoy MF4	511.22
Lumsden Breakwater South Light	405.3
Lumsden front range light	404
Lumsden Inner light buoy JL4	403.91
Lumsden rear range light	405
Lushes Bight Light	334
Lushes Bight light buoy DL1	333
Lushes Bight Wharf Light	335
L'Anse au Clair light buoy NL2	226.6
L'Anse au Clair Wharf Light	226.5
L'Anse au Loup Inner Wharf Light	228.1
L'Anse au Loup Outer Wharf Light	228.2
L'Anse aux Meadows Harbour light buoy XM6	235.8
L'Anse aux Meadows light buoy XM5	235.7
L'Anse aux Meadows Shoal light buoy XM4	235.6
L'Anse-au-Diable light buoy ND1	228.4
L'Anse-au-Diable light buoy ND2	228.3

M	NO.
Macks Island Light	332.2
Mad Moll Rock light buoy NM2	279.29
Mad Moll Rocks light buoy NA1/1	270.45
Mad Rocks light buoy DUR2	361.5
Main Brook Wharf Light	246
Main Tickle Shoal light buoy NW7	270.25
Man O'War Cove Dolphin Light	372.7
Man O'War Cove Wharf Light	372.5
Man of War Rock light buoy H1	290
Manuels River light buoy CW5	497.11

M	NO.
Marchand Rock light buoy QV2.4	144.52
Margaree Harbour light buoy QM4	159.13
Margaree Point Light	159.5
Margaree Ruin light buoy QM6	159.42
Margaree Wharf Light	159.14
Margery Rock light buoy VG1/1	133.1
Marguerite Point light buoy KA4	243.1
Marguerite Point Wharf Light	243.31
Marley Rocks light buoy NS1	276.8
Marten's Rock light buoy KR2	251.5
Marticot Island Light Station	50
Martin Ledge North Cardinal light buoy TG	471.8
Marystown Wharf Light	63.55
Mary's Harbour Inner light buoy NMH3	276.78
Mary's Harbour Inner light buoy NMH4	276.771
McCallum (Whale Rock) light and whistle buoy Q23	133.8
McCallum Marine Wharf Light	135.1
Meadows Point Light	195
Merashen Harbour Fairway light buoy PH	49.5
Merashen Harbour Inner light buoy PH4	49.44
Merashen Harbour Outer light buoy PH2	49.4
Middle Arm light buoy JGM5	439.22
Middle Arm light buoy JGM7	439.21
Middle Arm light buoy KA2.2	243.11
Middle Arm Point Light	191
Middle Arm Rock light buoy DMM6	327.9
Middle Arm Wharf Light	328
Middle Baldwin light and bell buoy QP4	169
Middle Head Light Station and Fog Signal	73
Middle Rock Light	383
Middle Sunker light buoy QX3	158.77
Miles Cove Wharf Light	332.6
Mill Point Light (Botwood)	352
Mille Harbour Entrance light buoy VM2	113.08
Ming's Bight Wharf Light	267.5
Monkstown light buoy PQ3	51.66
Monkstown Wharf Light	51.68
Montagnais Islands Light	298.1
Montagnais Shoal light buoy HN	298.2
Moorey Cove Shoal light buoy DR2	341.495
Moreton's Harbour Inner light buoy DM5	356.2
Moreton's Harbour Light	357
Moreton's Harbour Outer light buoy DM3	356.1
Moreton's Harbour Wharf Light	356
Morgan Island light buoy QV4	144.56
Mortier Bay light and whistle buoy PM	64.84
Moses Point Light	341.1
Motherlake Bay West light buoy QK2	160.1
Mount Arlington Heights Wharf Light	37.509
Mouse Island Light	241
Mouse Island Shoal North Cardinal light buoy DDS	380.2
Mouse Rock light buoy CP2	486.65
Muddy Hole Point Light	399
Muddy Shag Island Light	401
Murphy Rock light buoy PK6	73.82
Musgrave Harbour Breakwater Light	397
Musgrave Harbour Inner Breakwater Light	397.1
Musgrave Harbour light buoy JM2	400
Musgrave Harbour light buoy JM3	399.1
Musgrave Harbour light buoy JM3/1	399.125
Musgrave Harbour light buoy JM4/2	399.126
Musgrave Harbour light buoy JM5	399.12
Musgrave Harbour Outer Breakwater Light	396.75
Musgravetown Breakwater Light	441.49
Mussel Bed Rocks light buoy DLW1	352.8
Mustard Gull Island Rock light buoy JSB2	442.16

N	NO.
Naked Man North Cardinal light buoy QEN	145.86
Nameless Point Light	212.56
Narrows Island light buoy NM10	279.62
Narrows Island South light buoy NM8	279.59

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

N	NO.
Neddy Harbour Breakwater Light	205.2
Net Rocks light buoy V23	130.31
Net Shoal light buoy QM1	159.11
New Ferolle Inner light buoy XFG4	217.11
New Ferolle Outer light buoy XFG2	217.1
New Ferolle Peninsula Light Station and Fog Signal	220
New Harbour (Middle) light buoy TN4	466.92
New Harbour Inner light buoy TN5	466.93
New Harbour Outer light buoy TN2	466.91
Newfoundland Dock Yard Pier Light	503.6
Newtown Inner light buoy JN4	415.04
Newtown Inner light buoy JN5	415.05
Newtown Light	415
Newtown Outer light buoy JN2	415.02
Newtown Outer light buoy JN3	415.03
Newtown Wharf Light	415.3
Nid Island Light	249
Nippers Harbour light buoy DNR2	326.3
Nippers Harbour light buoy DNR3	326.4
Nippers Harbour light buoy DNR4	326.2
Nippers Island Light	327
Noeling Cove light buoy PM7	63.54
Noggin Cove Islands (Grass Islands) Light	388
Noggin Cove light buoy DN4	388.2
Noggin Cove light buoy DN5	388.3
Norman Rock light buoy XC2	233.14
Norris Point Light	204
North Arm Wharf Light	492.55
North Harbour Point Light	40
North Harbour Rock light buoy KA1	242.31
North Harbour Wharf Light	39.7
North Head Light	505.5
North of Douglas light buoy QV2.8	144.55
North Penguin Island Light	403
North Shoal Shag Rocks light buoy QH2	151.4
North West Point light buoy H8	297.6
North West River Entrance light buoy HN1	298
North West River light buoy HN3	298.3
Northern Head Light	510
Northern Point Rock light buoy TW1	469.21
Northern Ship light buoy NA3	270.9
Northwest Head Light Station and Fog Signal	141

O	NO.
Ochre Pit Cove Breakwater Light	475.1
Ochre Pit Cove East light buoy CJ5	475.5
Ochre Pit Cove West light buoy CJ6	475.6
Oderin Harbour Entrance Light	54
Offer Seal Island West Rock light buoy QE2.2	145.81
Offer Wadham Island Light	396
Old Bonaventure Entrance light buoy TRB3	463.1
Old Bonaventure Inner light buoy TRB4	463.29
Old Bonaventure Inner light buoy TRB6	463.35
Old Bonaventure Wharf Light	463.3
Old Ferolle Entrance light buoy XFF1	216.9
Old Harry East Cardinal light buoy MCB	508.211
Old King East Cardinal light buoy NK	280.03
Old Man Shoal East Cardinal light buoy HM	285.2
Old Perlican Inner Breakwater Light	470.5
Old Perlican Inner Breakwater Light	470.7
Old Perlican Inner Harbour light buoy TP8	470.55
Old Perlican Inner Harbour light buoy TP11	470.53
Old Perlican Inner light buoy TP	470.52
Old Perlican Inner light buoy TP6	470.71
Old Perlican Inner light buoy TP7	470.72
Old Perlican Inner light buoy TP9	470.51
Old Perlican Light	471
Old Perlican Outer light buoy TP1	471.51
Old Perlican Outer light buoy TP2	470.76
Old Perlican Outer light buoy TP3	470.75
Old Perlican Outer light buoy TP4	470.73
Old Perlican Outer light buoy TP5	470.74

O	NO.
Old Tim light buoy DWG7	344.42
Open Hall Wharf Light	442.12
Outer Sandy Islands light buoy NLL	280.17
O'Donnells Wharf Light	8.6

P	NO.
Packs Harbour Approaches light buoy NX1	284.352
Packs Harbour Approaches light buoy NX2	284.351
Packs Harbour Light	285
Pacquet Harbour Entrance Light	264
Pacquet Harbour light buoy KP1	264.1
Pacquet Harbour light buoy KP2	264.2
Pacquet Wharf Light	265
Pancake Rock light buoy QP9	172
Pancake Shoal light buoy S1	502
Parkers Cove light buoy PJP2	55.19
Parly Rock light buoy DUL2	361.4
Parson's Pond Entrance #1 light buoy XPP1	203.2
Parson's Pond Entrance #2 light buoy XPP2	203.1
Partridge Point Light	257
Pass Island Fog Signal	130
Pass Island Light	129
Pauls Cap light buoy D1	358.17
Paytrick Rock light buoy DC9	390.13
Peaked Rock light buoy KQP	237.3
Peckford Island Light	395
Penguin Island North Cardinal light and whistle buoy QLE	139.1
Penguin Island West Cardinal light and whistle buoy QLW	139.2
Penney Island light buoy NR7	229.65
Penneys Cove Ferry Wharf Light	438.5
Pennys Cove Point light buoy JPC1	438.6
Pennys Rock (Seldom) light buoy DS2	378.9
Perry Island light buoy DX3	374.3
Peter Point Shoal South Cardinal light buoy XWC	197.5
Petit Forte Light	53
Petit Forte Outer light buoy PE	53.3
Petite Forte Inner light buoy PE7	53.4
Petite Forte light buoy PE5	53.29
Petite Forte Wharf Light	53.5
Petley Rock light buoy TRP2	466.75
Petley Wharf Light	466.8
Petty Harbour North Breakwater Light	507.6
Petty Harbour Shoal light buoy MP1	507.51
Petty Harbour Shoal light buoy MP2	507.5
Petty Harbour South Breakwater Light	507.7
Phillips Head light buoy DPH2	351.2
Phillips Head Wharf Light	350.6
Pick Ledge light and bell buoy PM4	64.81
Pigeon Island Light	279.31
Pigeon Island light buoy PL3	78.19
Pigeon Island Shoal light buoy Q22	133.78
Pikes Arm #1 light buoy DPA2	375.1
Pikes Arm #2 light buoy DPA1	375.2
Pikes Arm #3 light buoy DPA4	375.34
Pikes Arm #4 light buoy DPA3	375.43
Pikes Arm #5 light buoy DPA6	375.5
Pikes Arm #6 light buoy DPA5	375.6
Pikes Arm #7 light buoy DPA8	375.7
Pikes Arm #8 light buoy DPA7	375.8
Pikes Island Breakwater Light	170
Pikes Island Breakwater light buoy QP6	170.5
Pikes Island West light buoy QP12	165
Pilley's Island Ferry Wharf Light	332.7
Pilly Rock light buoy DF3	365.3
Pinchgut Island Light	462.51
Pinsents Arm light buoy NMP3	279.286
Pinsent's Arm Entrance light buoy NMP4	279.285
Pinsent's Arm Inner light buoy NMP6	279.287
Pinsent's Arm light buoy NMP1	279.283
Pitman's Island Light	157

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

P	NO.
Pittmans Island Inner light buoy QX6	158.41
Placentia Gut Outer light buoy PX4	18.2
Placentia Harbour front range light	17
Placentia Harbour rear range light	18
Plate Cove West Breakwater Light	442.3
Point La Haye light buoy MH2	7.5
Point Lance light buoy ML	13
Point Leamington Wharf Light	345
Point of Bay Shoal light buoy DPB	350.12
Point of Bay Wharf Light	350.1
Point of Beach light buoy CG6	480.7
Point of Beach Sector	481.1
Point of Lamb light buoy DVP4	355.7
Point Pleasant light buoy QP7	171
Point Verde Light Station	16
Pointe L'Anse au Clair light buoy NL1	226.55
Pointe Riche Light	211
Pomeroy Rock light buoy DJ2	383.8
Pond Island Point Light	355.5
Pool's Cove Wharf Light	116.3
Port au Choix front range light	212.1
Port au Choix Light	212
Port au Choix light buoy XLP1	211.1
Port au Choix light buoy XP2	211.5
Port au Choix rear range light	212.2
Port aux Basques front range light	166
Port aux Basques rear range light	167
Port de Grave Breakwater East Light	486.1
Port de Grave Breakwater West Light	486.2
Port de Grave Inner East Breakwater Light	487.1
Port de Grave Inner West Breakwater Light	487.2
Port Harmon Breakwater Light	180.1
Port Harmon Channel light buoy XS2	180.2
Port Harmon Channel light buoy XS3	180.51
Port Harmon Channel light buoy XS6	180.53
Port Harmon Channel light buoy XS7	180.54
Port Harmon Channel light buoy XS8	180.55
Port Harmon East Turning Basin light buoy XS10	180.61
Port Harmon Entrance light buoy XS1	180
Port Harmon front range light	179.3
Port Harmon Inner light buoy XS5	180.52
Port Harmon light buoy XS	179.5
Port Harmon rear range light	179.4
Port Harmon Turn Basin light buoy XS9	180.6
Port Harmon West Turning Basin light buoy XS11	180.62
Port Hope Simpson light buoy NA13	272.7
Port Hope Simpson Wharf Light	276.1
Port Kirwan light buoy MK2	510.1
Port Kirwan Wharf Light	510.5
Port Rexton Shoal light buoy TR1	462.31
Port Saunders Wharf Light	208.06
Portugal Cove Breakwater Light	497
Portugal Cove front range light	495
Portugal Cove rear range light	496
Portugal Cove South Fairway light buoy MPS	1.55
Portugal Cove South Light and Fog Signal	2
Portugal Cove South light buoy MPS1	1.91
Potato Island light buoy QX9	158.31
Pound Rocks Light	424
Powles Head light and bell buoy ME	5.5
Powles Head Light Station	5
Primer Rock light buoy DUL3	361.6
Primer Rock light buoy DUR1	361.1
Princeton Wharf Light	442.6
Prosser Rock light buoy S3	503
Puffin Flat Island Light	439
Puffin Island Light Station and Fog Signal	430
Punchbowl Channel light buoy NL5	280.4

Q	NO.
Quarry Rock light buoy TV4	465.8
Quebecer Shoal light buoy NCA2	284.354

Q	NO.
Querré Island light buoy XP1	211.3
Querré Island light buoy XP2.2	211.2
Querré Island Shoal light buoy XP3	211.6
Quidi Vidi Breakwater Light	501.1
Quirpon Approaches light buoy KQ1	235.91
Quirpon Light	235
Quirpon Wharf Light	237.01

R	NO.
Rabbit Island East light buoy H19	310
Rabbit Island North light buoy H20	311
Rabbit Island West light buoy H21	310.5
Ragged Islands Light	464
Ragged Point Light	113
Ragged Rock light buoy PK1	73.6
Raggey Rock light buoy VFC2	111.2
Rags Island (Fogo Island) Light	365
Raleigh Breakwater Light	219.5
Raleigh light buoy XR1	219.6
Ramea Inner light buoy QR5/1	140.54
Ramea Light (Browns Rock)	139.8
Ramea South Bank light buoy QR3	140.52
Random Head Harbour Light	465
Red Bay Light Station	230
Red Harbour Breakwater Light	62.1
Red Harbour Head Light	62
Red Island Inner light buoy ER5	49.1
Red Island Light	49
Red Island Light	184
Red Island Light	280
Red Island Middle light buoy ER3	49.12
Red Island Outer light buoy ER1	49.3
Red Island Shoal ODAS light buoy	19.5
Red Island Shoal West Cardinal light and whistle buoy EDD	22
Red Point Bank East Cardinal light buoy NWW	270.4
Red Rock Shoal light buoy JB3	448.3
Reefs Harbour light buoy XFG6	217.13
Rencontre East Harbour South Cardinal light buoy VRE	115.8
Rencontre East Light	116
Rencontre East Wharf Light	115.9
Rencontre Island Light	144.8
Renews Breakwater Light	515.57
Renews Harbour #1 light buoy MR4	515.53
Renews Harbour #2 light buoy MR3	515.54
Renews Harbour #3 light buoy MR5	515.55
Renews Harbour #4 light buoy MR6	515.56
Renews Head light and bell buoy MR1	515.5
Renews Rocks East Cardinal light and whistle buoy MR	516
Renews Southside Wharf Light	515.58
Renews Wharf Light	515.51
Reubans Rock light buoy QF2	145.9
Riches Island light buoy VG6	133.66
Rift Raft Rocks light buoy TH1	469.89
Rigolet Cove Wharf Light	290.5
Rigolet Light	291
Ritters Arm Shoal light buoy DW5	344.9
River of Ponds Breakwater Light	207.5
Riverhead Inner light buoy MH6	8.12
Riverhead Outer light buoy MH4	8.1
Riverhead Wharf Light	8.2
Roberts Arm Wharf Light	341.5
Rocky Harbour Entrance light buoy XR2	200.2
Rocky Harbour Wharf Light	200.3
Rocky Point Light (Harbour Breton)	124
Roddickton-Bide Arm Breakwater Light	253
Rodger light buoy D3	358.161
Rogers Point Shoal light buoy DH1	373.1
Rolf Rock light buoy PM9	63.51
Rose Blanche East Wharf Light	150

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

R	NO.
Rose Blanche Ferry Wharf Light	150.1
Rose Blanche Light	150.19
Rose Blanche light buoy QR6	151.2
Rose Blanche light buoy QRB	148.9
Rose Blanche Shoal light buoy QR1/1	149.09
Roses Head light buoy D4	358.15
Roti Bay light buoy VR1	133.11
Roti Bay light buoy VR2	133.12
Roti Bay light buoy VR3	133.13
Roti Bay light buoy VR4	133.14
Roti Bay light buoy VR5	133.15
Roti Bay light buoy VR6	133.17
Roti Bay light buoy VR7	133.16
Roti Bay light buoy VR9	133.19
Roti Point Light	133
Round Harbour Wharf Light	326.11
Roundhill Island Light	280.8
Rouzes Brook East Breakwater Light	184.83
Rouzes Brook West Breakwater Light	183.82
Rushoon # 1 light buoy PR	55.77
Rushoon Breakwater Light	55.8
Ruth Island Light	369

S	NO.
Saddle Bank South Cardinal light buoy NBT	280.85
Saddle Island light buoy NR6	229.6
Salmon Cove Point Light	491
Salmon Point Light	135
Saltons Brook light buoy JT	442.2
Saltons Brook light buoy JT2	442.4
Saltons Brook light buoy JTT1	442.45
Salvage Harbour Light	440
Salvage light buoy JSA2	439.64
Salvage light buoy JSA3	439.61
Salvage light buoy JSA4	439.62
Salvage light buoy JSA6	439.6
Salvage Shoal light buoy CJ4	475.4
Salvage Wharf Light	439.65
Sandbanks #2 light buoy QV3.7	144.54
Sandbanks # 1 light buoy QV2.6	144.53
Sandy Cove Wharf Light	222.1
Sandy Point Channel light buoy H11	305
Sandy Point Channel light buoy H12	304
Sandy Point Channel light buoy H13	307
Sandy Point Channel light buoy H14	306
Sandy Point Channel light buoy H15	307.3
Sandy Point Channel light buoy H16	307.6
Sandy Point Channel light buoy H17	309
Sandy Point Channel light buoy H18	308
Sandy Point light buoy KQ8	235.35
Sandy Point Turning light buoy H10	303
Saturday Ledge light buoy MB2	508.21
Sauker Rock South Cardinal light and whistle buoy PBD	72.9
Savage Cove Wharf Light	222.13
Scab Rock light buoy NR4	230.1
Scammels Lookout Light	425
Schooner Island Light	233.15
Seal Cove Breakwater Light	130.4
Seal Cove Wharf Light	263
Seal Island Rock Light	353.1
Seal Ledges light buoy XF2	212.55
Seal Rock light buoy DBT2	352.16
Seal Rock light buoy DW1	344.6
Seal Rock light buoy PM5	63.53
Seal Rocks light buoy NA11	272.5
Seal Rocks light buoy QE5	145.84
Seine Rock Light	426
Seldom Breakwater Light	378.7
Shag Island Light	189
Shag Island light buoy DV3	367.51
Shag Island Rock light buoy JCG3	441.5

S	NO.
Shag Rock light buoy QM2.4	159.12
Shag Rock light buoy TM1	450.1
Shag Rock Sunker light and bell buoy VS2	123
Shag Rocks Light	37.5
Shag Rocks light buoy NMS2	276.55
Shalloway Island Light	69
Shalloway Island, Burin light buoy PB2	70
Sheers Rock light buoy DVP3	355.6
Shinney Rock light buoy NW3	270.3
Ship Cove Ferry Wharf Light	140.55
Ship Cove Floating Dock Light	140.57
Ship Cove Wharf Light	139.85
Ship Cove Wharf Light	486.05
Ship Island Light	362
Ship Run light buoy DSR2	346.36
Shiphouse Rock light buoy DPU2	360.2
Ships Run light buoy JL3	403.9
Shoal Cove West Breakwater Light	217.12
Shoal Northwest light buoy QR5	140.53
Shoal Point (Lewisporte) light buoy DLW3	353.25
Shoal Point light buoy XU3	185.5
Shoal Short Reach light buoy QG5.1	143.71
Shoal Tickle East Cardinal light buoy DSC	352.94
Shoal Tickle Light	361
Shoal Tickle Light	352.95
Shoal Tickle light buoy DSP1	352.96
Shoal Tickle light buoy DSP2	352.97
Shoe Cove Breakwater Light	326.05
Shoe Cove Point Light	431
Short Reach light buoy QG5	143.7
Short Reach light buoy QG6	143.72
Sibley's Cove Breakwater Light	470.4
Sibley's Cove light buoy TSC1	470.3
Sibley's Cove light buoy TSC2	470.2
Simms Island light buoy DF2	365.26
Sisters East light buoy KV4	269.2
Skinner Rock light buoy DWG5	344.41
Skinner's Rock light buoy DWG3	344.4
Sleeping Point West Cardinal light buoy KL	266.1
Sloping Rock light buoy DY8	355.077
Smiths Harbour Rock light buoy DSM4	327.6
Smiths Harbour Wharf Light	327.5
Smith's Point light buoy KU5	238.45
Smoker Island Light	377
Smoker Island South Cardinal light buoy DHF	377.87
Snack Cove Light	284.96
Snooks Cove Light	292
Soldier Rock East Cardinal light buoy NPW	229.1
Solid Island light buoy DY30	355.095
Sops Arm Light	261
Sound Island Point Light	42
South Arm light buoy CH4	492.5
South Dildo Wharf Light	467.08
South Downkist light buoy DY24	355.089
South Duck Island Shoal light buoy HD1	287.3
South Head Light	192
South Point (Great Collinet Island) light buoy MS	8.7
South Pound Island Light	429
South Rock South Cardinal light buoy JMS	402
South Tickle Breakwater Light	405.4
South Wolf Island Light	283
Southeast Bight Point Light	51.69
Southeast Bight Wharf Light	51.7
Southern Cat Island light buoy JL5	403.92
Southern Epinette Shoal light buoy HC1	297.51
Southport Rock #1 light buoy TSP2	465.38
Southport Rock #2 light buoy TSP4	465.39
Southport Shore Light	465.37
Southport Wharf Light	465.4
Southwest Arm light buoy VB3	126
Southwest Rock light buoy PSW2	74.4
Southwest Rock light buoy QS2	140.7
Spaniard's Bay Breakwater Light	483
Spear Point Light	276.2

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

S	NO.
Spotted Islands Harbour light buoy NSP2	280.79
Square Island South Cardinal light buoy NMS	279.73
Squasho North light buoy NE3	280.01
Squasho Run light buoy NE5	280.09
Squasho South North Cardinal light buoy NE	280.012
Squasho South North Cardinal light buoy NEE	280.013
Squid Rocks light buoy JV5	417.05
St Barbe Inner light buoy XB3	216.12
St Barbe light buoy XB2	216.1
St Barbe Outer light buoy XB1	216.09
St. Alban's Wharf Light	132.5
St. Anthony Harbour Light	242
St. Anthony Harbour light buoy KA2	242.3
St. Anthony Inner light buoy KA6	243.3
St. Anthony Outer light buoy KM1	243.2
St. Barbe front range light	215.8
St. Barbe Harbour Light	216.3
St. Barbe Islands Light	257.5
St. Barbe rear range light	215.9
St. Bernard's light buoy VS1	113.4
St. Bernard's Breakwater Light	113.3
St. Bride's Breakwater Light	14.6
St. Bride's Fog Signal	15
St. Bride's Inner Wharf Light	14.81
St. Bride's Entrance light buoy PSB4	14.41
St. Bride's Floating Wharf Light	14.56
St. Bride's Light	14.8
St. Bride's light buoy PSB2	14.4
St. Bride's Port Entrance light buoy PSB3	14.5
St. Charles Inner light buoy NUC2	277.6
St. George's Breakwater Light	183.1
St. George's Cautionary Light	183
St. George's North Breakwater Light	183.2
St. George's Harbour Inner light buoy XG3	178.14
St. George's Harbour Inner light buoy XG4	178.15
St. George's Harbour Outer light buoy XG1	178.12
St. George's Harbour Outer light buoy XG2	178.13
St. Jacques Harbour Wharf Light	118.1
St. Jacques Island Light Station and Fog Signal	118
St. John's Harbour front range light	504
St. John's Harbour rear range light	505
St. Lawrence Wharf Light	73.1
St. Lunaire Harbour light buoy KN3	239.24
St. Lunaire Wharf Light	239.27
St. Mary Island South light buoy N12	281.7
St. Mary's Cays light and bell buoy M16	12
St. Michael's Island Light	353
St. Michaels Bay light buoy NM5	279.45
St. Michaels Bay light buoy NM6	279.5
St. Michaels Bay North light buoy NM7	279.6
St. Phillips Wharf Light	491.58
St. Shotts Fog Signal Station	7
St. Shotts light buoy MC	7.2
Stag Harbour light buoy DG2	372.2
Stag Harbour light buoy DX5	372.63
Stag Harbour Run East Cardinal light buoy DX	372.6
Stag Harbour Run Light	374
Stag Harbour Run light buoy DX6	372.62
Stag Harbour Run light buoy DX7	372.61
Stag Rock Light	67.7
Stag Rock light buoy DX8	373
Stanley Rocks light and bell buoy PS1	63
Steering Island Light	385
Steering Rock Light	55
Steering Rock light buoy JCW2	431.2
Stern Rock light buoy QV2.2	144.512
Stone Island light buoy JB2	448.4
Storehouse Island Light	364.5
Summerford light buoy DU2	354.95
Summerford Wharf Light	355
Summerville Outer light buoy JS1	442.52
Summerville Wharf Light	442.519
Sunken Rock light buoy VSC	130.34
Sunker Rock light buoy V30	130.32

S	NO.
Sunker Rock West Cardinal light buoy DSR	352.15
Sunnyside Wharf Light	465.7
Surgeon Cove Point Light Station	347
Swan Island Rock light buoy DBE2	347.4
Sweet Bay Wharf Light	442.14

T	NO.
Tanners Rock light buoy DY15	355.083
Tea Kettle Island Light	355.085
Terra Nova Point light buoy N14	281.8
Terrington Narrows Channel light buoy H29	315
Terrington Narrows Channel light buoy H30	314
Terrington Narrows Channel light buoy H32	316
Terrington Narrows Channel light buoy H33	317
Terrington Narrows Sector Light	317.5
Terry's Shoal light buoy CP4	487
The Bar Harbour Grace light buoy CG3	480
The Basin light buoy NR8	229.7
The Brandishes light buoy JK4	442.9
The Feather Bed North Cardinal light buoy NKF	280.02
The Ground (Come by Chance) light buoy E14	39.31
The Louse light buoy NR3	229.8
The Pippies South Cardinal light buoy NLP	280.04
The Sisters light buoy NM4	279.83
The Sisters West light buoy KC1	267.9
Thistle Rock South Cardinal light buoy NR	230.2
Thomas Rocks light and bell buoy PM2	64.83
Thornlea Wharf Light	471.9
Tickle Cove Wharf Light	442.13
Tickle Point Light	372
Tides Cove Point Light Station and Fog Signal	65
Tilcey Point Light	276.89
Tilley's Rock light buoy JS3	442.513
Tilting Harbour light buoy DTL1	394.1
Tilting Harbour light buoy DTL2	394.2
Tilting Harbour light buoy DTL3	394.3
Tilting Harbour light buoy DTL4	394.31
Tilton Harbour Light	394
Tim Barrett Rock light buoy EL2	37.45
Tinker Rock Light	379
Tinker Rock South Cardinal light buoy NCT	284.1
Tobin's Point Light	44.1
Tobin' Rock light buoy TG1	467.14
Tom Cod Rock West Cardinal light buoy DBB	336
Toole Rock light buoy NB2	280.16
Tooth Rock light buoy QE4.2	145.85
Topsail Head light buoy CW3	498.16
Torbay Wharf Light	499.2
Travers Cove Point light buoy A11	28.3
Trepassey Harbour Light	4
Trepassey Wharf Light	3.5
Trinity East Wharf Light	463.2
Trout River Bay Shoal light buoy XT3	199.2
Trout River Light	199
Trout River Point Rock light buoy XT2	199.1
Trout River Wharf Light	199.4
Tucker's Rock light buoy JW5	410.51
Tucks High Point light buoy DC11	390.14
Turnip Island Rock light buoy QR2	140.51
Twelve Foot Rock (Henely Harbour) West Cardinal light buoy NJT	269.99
Twillingate (North Young Point) light buoy DT4	358.192
Twillingate (Young Point) light buoy DT6	358.2
Twillingate Breakwater Light	359.5
Twillingate Cautionary light buoy DT	358.6
Twillingate Harbour Light	359.2
Twillingate Harbour light buoy DT2	358.1
Twillingate light buoy DT3	358.191
Twillingate light buoy DT5	358.193
Twillingate light buoy DT8	358.3
Twillingate light buoy DT9	358.39
Twillingate light buoy DT10	358.4

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index

T	NO.
Twillingate light buoy DT12	358.44
Twillingate light buoy DT13	358.55
Twillingate Wharf Light	359
Twin Islands Light	279.3
Two Foot Shoal light buoy QW4	158.71

U	NO.
Upper Black Island Light	348
Upper Black Island Rocks light buoy DBE5	348.2
Upper Jenkins Cove Wharf Light	358.132

V	NO.
Valleyfield front range light	416
Valleyfield rear range light	417
Valleyfield Wharf Light	420
Vanguard Shoal light buoy KN1	239.22
Vardys Island Light (Rhode Island)	163
Vardys Island light buoy QP10	164
Varket Channel West Cardinal light buoy JRR	439.3
Vestal Rock light and bell buoy PK4	73.8
Vesuvius Rock West Cardinal light buoy DHV	384.9
Vincent Shoal North Cardinal light buoy KQ	237.2
Vincent Shoal South Cardinal light buoy KQV	237.1
Virgin Arm Inner Shoal light buoy DVA5	360.47
Virgin Arm light buoy DVA3	360.48
Virgin Arm Shoal light buoy DVA2	360.49
Virgin Arm Wharf Light	360.51

W	NO.
White Rowsel Shoal light buoy N15	281.9
White Sunkers Inner light buoy QX5	158.4
Whiteway Breakwater Light	467.5
Wild Cove Wharf Light	263.5
Wilfred's Rock light buoy DR1	332.61
Williams Harbour light buoy NW5	270.2
Williams Rock light and bell buoy EW1	38.62
Willis Reach East Cardinal light buoy JWR	439.305
Winterton Shoal light buoy TW2	469.22
Witless Bay Wharf Light	507.93
Wolf Island light buoy JSB4	442.15
Woods Island Harbour light buoy XWH2	193.7
Woods Island Light	197
Woody Island Light	371.1
Woody Island light buoy NCH3	284.74
Woody Island light buoy PW2.2	62.93
Woody Island Rock light buoy NCH1	284.73
Woody Point Light	200
Wreck Cove Wharf Light	122

W	NO.
Wabby Rock light buoy DC3	389.71
Walker Island West Cardinal light buoy NLW	280.13
Walker's Point light buoy JV8	419.52
Wall Island Point Light	277.5
Walter's Shoal light buoy JM3/3	399.127
Wareham Fishermen's Wharf Light	431.5
Washball Rock light buoy PD8	53.93
Watch Rock North Cardinal light and whistle buoy QLB	138.5
Wesleyville (Bennets High Island)	412
Wesleyville Wharf Light	411
West Flat Island Light	142
West Head Light	49.2
West light buoy TW	469.8
West Mark Rock light buoy PL1	78.12
West Point Light Station	137
West Shoal light buoy XK2	216.5
Western Bay Head Light	475
Western Bay Head light buoy DW2	346.2
Western Head light buoy J9	442.7
Western Head light buoy VJK1	113.07
Western Island light buoy QM3	159.3
Western Rock # 1 light buoy DBT7	352.18
Western Rock # 2 light buoy DBT6	352.19
Westport Breakwater Light	260.5
Westport Cove Light	260
Weybridge Shoal light buoy TV6	466.08
Whale Back Rock North Cardinal light buoy DDN	352.2
Whales Back Shoal light buoy NE1	279.84
Whales Rock light buoy VFC1	111.1
Wharf Rock light buoy PS2	51.65
Whiffen Head VTS light buoy E10	39.2
White Ground light buoy D9	358.11
White Ground Shoal light buoy DWG2	345.41
White Horse Rock light buoy MR2	515.4
White Island Light	221
White Islets North Cardinal light buoy JWT	442.19
White Point Light	193
White Point Light	282

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index of Light Buoy by Designators

A	NO.
A2	20
A4	23
A6	26
A8	26.5
A10	28
A11	28.3
A13	28.1
AF2	36
AF4	36.2
AF5	36.3

C	NO.
CB	497.01
CB2	484.1
CB4	484.2
CB5	484.3
CBB	497.02
CC1	487.3
CC2	487.4
CC3	487.29
CC4	487.28
CF	476.2
CG	478.5
CG3	480
CG4	480.5
CG6	480.7
CG7	482.5
CG9	482.708
CH2	488.5
CH4	492.5
CJ4	475.4
CJ5	475.5
CJ6	475.6
CL	498.09
CL2	497.3
CL3	497.2
CL12	497.4
CL14	497.5
CL15	498.01
CL19	498.04
CL20	498.05
CL23	498.06
CN1	496.8
CN3	496.9
CP2	486.65
CP4	487
CR2	476.1
CV2	474
CW	497.1
CW3	498.16
CW4	497.12
CW5	497.11
CW8	497.14
CW9	497.15
CWB	493.55

D	NO.
D1	358.17
D2	358.16
D3	358.161
D4	358.15
D5	358.159
D6	358.14
D7	358.12
D8	358.13
D9	358.11
DA1	355.123
DAA1	355.13
DBB	336
DBE1	347.2

D	NO.
DBE2	347.4
DBE3	347.3
DBE3/1	347.37
DBE4	352.6
DBE5	348.2
DBP2	355.2
DBT2	352.16
DBT6	352.19
DBT7	352.18
DBW2	341.32
DC	390.131
DC2	389.7
DC3	389.71
DC7	390
DC8	390.12
DC9	390.13
DC11	390.14
DCB1	376.1
DCB2	376.2
DCC	360.53
DCC2	360.52
DCK	390.15
DD2	378.5
DD2.2	346.3
DD3	378.6
DDN	352.2
DDR	383.3
DDS	380.2
DDW1	344.8
DE4	347.11
DE5	361.02
DE6	361.03
DE7	361.04
DF2	365.26
DF3	365.3
DF4	365.5
DF4/2	365.508
DF5/1	365.509
DF6	365.515
DF7	365.52
DFE	365.22
DFN	365.4
DG2	372.2
DH1	373.1
DHC	376
DHE	377.85
DHF	377.87
DHG	385.1
DHJ	372.4
DHL	372.9
DHL2	360.54
DHS	338.09
DHV	384.9
DJ1	383.9
DJ1/3	383.78
DJ2	383.8
DJ3	383.84
DJ4	383.82
DJ5	383.81
DJ10	383.55
DJ12	383.56
DJ13	383.551
DJ14	383.552
DJ15	383.553
DJD	364.7
DK2	387.91
DK6	387
DL1	333
DLB	331.9
DLR1	340.1
DLR3	340.3
DLW	352.4
DLW1	352.8
DLW3	353.25

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index of Light Buoy by Designators

D	NO.
DM2	356.05
DM3	356.1
DM5	356.2
DMM6	327.9
DN4	388.2
DN5	388.3
DNC	340.5
DNC2	341.2
DNR2	326.3
DNR3	326.4
DNR4	326.2
DPA1	375.2
DPA2	375.1
DPA3	375.43
DPA4	375.34
DPA5	375.6
DPA6	375.5
DPA7	375.8
DPA8	375.7
DPB	350.12
DPH1	351.4
DPH2	351.2
DPU1	360.1
DPU2	360.2
DR1	332.61
DR1/1	341.494
DR2	341.495
DR3	341.496
DS2	378.9
DSC	352.94
DSM4	327.6
DSP1	352.96
DSP2	352.97
DSR	352.15
DSR2	346.36
DT	358.6
DT2	358.1
DT3	358.191
DT4	358.192
DT5	358.193
DT6	358.2
DT8	358.3
DT9	358.39
DT10	358.4
DT12	358.44
DT13	358.55
DTL1	394.1
DTL2	394.2
DTL3	394.3
DTL4	394.31
DU2	354.95
DUL2	361.4
DUL3	361.6
DUL4	361.61
DUL5	361.62
DUL7	361.63
DUR1	361.1
DUR1/3	361.52
DUR2	361.5
DUR3	361.2
DUR4	361.3
DUR5	361.32
DUR6	361.33
DV3	367.51
DVA2	360.49
DVA3	360.48
DVA5	360.47
DVP3	355.6
DVP4	355.7
DVP5	355.8
DW1	344.6
DW2	346.2
DW4.2	344.5
DW5	344.9

D	NO.
DWD	345.3
DWG1	344.39
DWG2	345.41
DWG3	344.4
DWG5	344.41
DWG7	344.42
DX	372.6
DX1	381
DX3	374.3
DX5	372.63
DX6	372.62
DX7	372.61
DX8	373
DXY3	372.21
DY2	355.071
DY3	355.072
DY4	355.073
DY5	355.074
DY6	355.075
DY7	355.076
DY8	355.077
DY9	355.078
DY10	355.079
DY12	355.08
DY13	355.081
DY15	355.083
DY17	355.084
DY19	355.086
DY21	355.087
DY23	355.088
DY24	355.089
DY25	355.09
DY27	355.091
DY28	355.092
DY29	355.093
DY30	355.095

E	NO.
E3	44.8
E4	44.5
E6	43.5
E7	43
E9	39.1
E10	39.2
E11	39.3
E12	39.4
E14	39.31
EA	38.8
EA2	38.75
EC1	38.2
EDD	22
EE	38
EE3	38.08
EE4	38.09
EGS	38.55
EL2	37.45
ELH	37.4
ER1	49.3
ER3	49.12
ER5	49.1
ES	38.5
EW1	38.62
EW2	38.65
EWC	38.67

H	NO.
H1	290
H2	295
H4	297
H7	297.5

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index of Light Buoy by Designators

H	NO.
H8	297.6
H10	303
H11	305
H12	304
H13	307
H14	306
H15	307.3
H16	307.6
H17	309
H18	308
H18/2	308.1
H19	310
H20	311
H21	310.5
H22	312
H23	313
H25	313.5
H27	313.6
H29	315
H30	314
H32	316
H33	317
HC1	297.51
HC2	297.52
HC4	297.53
HD1	287.3
HG	287.4
HGE	287.2
HM	285.2
HN	298.2
HN1	298
HN3	298.3
HR1	290.31

J	NO.
J9	442.7
JA1	393.5
JA2	393.6
JA3	393.62
JB2	448.4
JB3	448.3
JB5	445.2
JB6	447.1
JB7	445.4
JBR	449.5
JC2	442.1
JC6	442
JCG2	441.4
JCG3	441.5
JCW2	431.2
JF1	407.2
JF2	407.1
JF2/2	407.19
JF4	407.3
JFC	407.18
JFR	407.7
JG3	424.52
JGM4	438.9
JGM5	439.22
JGM6	439.2
JGM7	439.21
JGS	437.5
JK3	442.75
JK4	442.9
JL3	403.9
JL4	403.91
JL5	403.92
JM1	399.41
JM2	400
JM3	399.1
JM3/1	399.125
JM3/3	399.127

J	NO.
JM4/2	399.126
JM5	399.12
JMS	402
JN1	415.01
JN2	415.02
JN3	415.03
JN4	415.04
JN5	415.05
JPC1	438.6
JR	439.29
JR1	439.31
JR4	439.35
JR6	439.36
JRR	439.3
JS1	442.52
JS2	442.51
JS3	442.513
JS4	442.518
JSA2	439.64
JSA3	439.61
JSA4	439.62
JSA6	439.6
JSB	442.17
JSB2	442.16
JSB4	442.15
JT	442.2
JT1	442.18
JT2	442.4
JTT1	442.45
JV4	418
JV5	417.05
JV7	417.1
JV8	419.52
JW2	413
JW5	410.51
JW7	410.52
JWB	414.1
JWR	439.305
JWT	442.19
JX	409

K	NO.
KA1	242.31
KA2	242.3
KA2.2	243.11
KA4	243.1
KA6	243.3
KC1	267.9
KC3	268.1
KE2	265.1
KEN	249.9
KEN2	250.2
KF1	257.3
KF2	257.31
KF3	257.4
KF4	257.41
KF5	257.42
KG1	240.3
KG2	240.6
KG3	241.1
KG5	241.16
KL	266.1
KL4	267.1
KM1	243.2
KN1	239.22
KN3	239.24
KN5	239.25
KP1	264.1
KP2	264.2
KQ	237.2
KQ1	235.91
KQ2	235.92

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index of Light Buoy by Designators

K	NO.
KQ3	235.31
KQ5	235.32
KQ7	235.34
KQ8	235.35
KQB	237.4
KQG	235.3
KQJ	237.05
KQP	237.3
KQV	237.1
KR2	251.5
KU2	238.2
KU3	238.21
KU4	238.4
KU5	238.45
KU6	238.5
KV4	269.2

M	NO.
M14	6.5
M16	12
MA1	509.52
MA2	509.5
MB2	508.21
MB3	11
MB4	508.22
MBE	508.16
MC	7.2
MCB	508.211
ME	5.5
ME2	3
MF	511
MF4	511.22
MF6	511.23
MFL3	509.1
MH2	7.5
MH4	8.1
MH6	8.12
MK2	510.1
ML	13
MLR	7.4
MP1	507.51
MP2	507.5
MPS	1.55
MPS1	1.91
MR	516
MR1	515.5
MR2	515.4
MR3	515.54
MR4	515.53
MR5	515.55
MR6	515.56
MS	8.7
MSF	499.1

N	NO.
N12	281.7
N14	281.8
N15	281.9
NA1	270.7
NA1/1	270.45
NA3	270.9
NA5	270.92
NA7	270.93
NA8	271
NA9	272
NA10	271.5
NA11	272.5
NA13	272.7
NB2	280.16
NBT	280.85

N	NO.
NBT1	280.91
NC1	284.3
NC2	284.4
NC2/2	284.42
NC3	284.41
NC4	284.6
NC5	284.5
NC6	284.71
NCA2	284.354
NCA4	284.355
NCH1	284.73
NCH2	284.8
NCH3	284.74
NCT	284.1
ND	280.009
ND1	228.4
ND2	228.3
NE	280.012
NE1	279.84
NE2	280.011
NE3	280.01
NE5	280.09
NEE	280.013
NF1	276.3
NF2	276.4
NF3	276.5
NG2	279.81
NGM	279.809
NJ1	270.01
NJ2	270.02
NJT	269.99
NK	280.03
NKF	280.02
NKK	280.015
NL	280.1
NL1	226.55
NL2	226.6
NL5	280.4
NLG	280.15
NLL	280.17
NLP	280.04
NLW	280.13
NM	279.72
NM2	279.29
NM4	279.83
NM5	279.45
NM6	279.5
NM7	279.6
NM8	279.59
NM9	279.58
NM10	279.62
NM12	279.65
NMH2	276.77
NMH3	276.78
NMH4	276.771
NMN1	279.9
NMP1	279.283
NMP2	279.282
NMP3	279.286
NMP4	279.285
NMP6	279.287
NMS	279.73
NMS1	276.7
NMS2	276.55
NP	270.03
NPW	229.1
NR	230.2
NR3	229.8
NR4	230.1
NR6	229.6
NR7	229.65
NR8	229.7
NS1	276.8
NS2	276.75

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index of Light Buoy by Designators

N	NO.
NSP2	280.79
NU1	277.3
NU2	277.2
NU4	277.4
NU6	277.56
NUB1	278.1
NUC2	277.6
NW3	270.3
NW5	270.2
NW6	270.23
NW7	270.25
NWW	270.4
NX1	284.352
NX2	284.351

P	NO.
PR1	66
PR3	66.5
PS1	63
PS2	51.65
PSB2	14.4
PSB3	14.5
PSB4	14.41
PSW2	74.4
PT	51
PU1	69.1
PU2	69.2
PU3	69.3
PU4	69.4
PV1	49.41
PV2	49.42
PW2	73.2
PW2.2	62.93
PX2	15.5
PX4	18.2
PY	63.7

P	NO.
P20	79
PB	71.5
PB2	70
PB4	68.5
PB8	67.4
PB10	67.5
PB12	67.6
PBD	72.9
PBR	72.8
PCC	19
PD8	53.93
PE	53.3
PE5	53.29
PE7	53.4
PF	60.2
PF3	60.3
PFD	56
PFD3	56.21
PFH1	37.6
PFH2	37.7
PFH3	37.53
PFH5	37.51
PH	49.5
PH2	49.4
PH4	49.44
PJ2	55.2
PJ4	55.4
PJ5	55.3
PJ6	55.5
PJF2	55.16
PJL1	55.11
PJL2	55.12
PJP2	55.19
PK1	73.6
PK2	73.7
PK3	73.81
PK4	73.8
PK6	73.82
PL1	78.12
PL2	78.1
PL3	78.19
PL4	78.18
PL5	78.13
PL7	76.1
PLS	44.4
PM	64.84
PM2	64.83
PM3	64.82
PM4	64.81
PM5	63.53
PM6	63.52
PM7	63.54
PM9	63.51
PML	63.535
PQ3	51.66
PR	55.77

Q	NO.
Q22	133.78
Q23	133.8
Q34	156.3
QA	139.7
QA2	139.82
QB1	153.6
QB3	156.2
QBR	173.1
QD2	151.6
QD3	152
QD5	153
QE2	145.8
QE2.2	145.81
QE3	145.82
QE4	145.83
QE4.2	145.85
QE5	145.84
QEN	145.86
QF2	145.9
QG1	160.2
QG2	143
QG3	143.5
QG5	143.7
QG5.1	143.71
QG5/3	143.74
QG6	143.72
QGR	139.21
QH1	151.5
QH2	151.4
QHR	173.12
QJ	139.3
QK2	160.1
QK4	160.3
QL4	136.9
QLB	138.5
QLC	137.23
QLE	139.1
QLW	139.2
QM1	159.11
QM2	159.2
QM2.2	159.1
QM2.4	159.12
QM3	159.3
QM4	159.13
QM6	159.42
QP	168
QP2	161
QP3	162.5
QP4	169
QP6	170.5

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index of Light Buoy by Designators

Q	NO.
QP7	171
QP9	172
QP10	164
QP12	165
QQ2	140.5
QQ4	140.6
QR1/1	149.09
QR2	140.51
QR3	140.52
QR5	140.53
QR5/1	140.54
QR6	151.2
QRB	148.9
QS2	140.7
QT8	149.3
QV2.2	144.512
QV2.4	144.52
QV2.6	144.53
QV2.8	144.55
QV3.7	144.54
QV4	144.56
QV5	144.57
QV7	144.58
QV8	144.59
QV9	144.6
QW2	158.72
QW3	158.721
QW4	158.71
QW5	158.74
QX	158
QX1	158.76
QX2	157.5
QX3	158.77
QX5	158.4
QX6	158.41
QX7	158.42
QX9	158.31
QXX	158.3

S	NO.
S1	502
S2	503.5
S3	503

T	NO.
TA2	467.05
TB1	467.24
TB2	467.26
TB3	467.25
TB5	467.28
TC2	452
TC4	453.5
TC5	457.5
TC6	458.81
TC7	459
TC10	459.1
TC11	460
TC14	460.2
TCW1	462.5
TG	471.8
TG1	467.14
TG3	467.15
TG5	467.16
TG6	467.17
TG7	467.18
TG8	467.19
TH1	469.89
TL1	466.84
TL3	466.86
TM1	450.1

T	NO.
TM2	450.2
TM3	450.3
TN2	466.91
TN4	466.92
TN5	466.93
TP	470.52
TP1	471.51
TP2	470.76
TP3	470.75
TP4	470.73
TP5	470.74
TP6	470.71
TP7	470.72
TP8	470.55
TP9	470.51
TP11	470.53
TR1	462.31
TRB3	463.1
TRB4	463.29
TRB6	463.35
TRP	464.6
TRP2	466.75
TS1	465.2
TSC1	470.3
TSC2	470.2
TSP2	465.38
TSP4	465.39
TV4	465.8
TV6	466.08
TV10	466.01
TVG	466.1
TW	469.8
TW1	469.21
TW2	469.22

V	NO.
V23	130.31
V25	130.33
V30	130.32
VA1	111.09
VB	116.6
VB1	125
VB3	126
VB9	120.1
VC	111.095
VD1	116.5
VD5	116.4
VE1	116.41
VF	112.5
VF1	103
VF2	105.2
VF4	105.1
VFC	111.8
VFC1	111.1
VFC2	111.2
VFC6	111.7
VFD	111.9
VFG1	111.94
VG1/1	133.1
VG6	133.66
VH3	127.5
VJF1	113.6
VJK1	113.07
VL	114.9
VM2	113.08
VM4	113.09
VR1	133.11
VR2	133.12
VR3	133.13
VR4	133.14
VR5	133.15
VR6	133.17

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast
Index of Light Buoy by Designators

V	NO.
VR7	133.16
VR9	133.19
VRE	115.8
VS1	113.4
VS2	123
VSC	130.34
VU2	130.8
VU4	130.82
VW	122.6
VW3	122.5

X	NO.
X	176.4
XA1	215.43
XA2	215.41
XA3	215.42
XB1	216.09
XB2	216.1
XB3	216.12
XB4	216.13
XC1	233.2
XC2	233.14
XC4	233.18
XC5	233.21
XC6	233.17
XC7	233.22
XCB	194.8
XCB2	194.5
XD1	176.12
XD2	176
XD3	176.11
XD4	176.2
XD5	176.1
XD6	176.3
XDH2	207.2
XE1	175.99
XE2	175.98
XF	212.5
XF2	212.55
XF3	212.54
XF6	213.51
XF8	213.58
XFF1	216.9
XFG2	217.1
XFG4	217.11
XFG6	217.13
XG1	178.12
XG2	178.13
XG3	178.14
XG4	178.15
XK1	216.6
XK2	216.5
XK3	216.4
XK4	216.55
XL1	193.4
XL2	193.5
XLC	183.7
XLH1	196.1
XLP1	211.1
XM	235.5
XM4	235.6
XM5	235.7
XM6	235.8
XP1	211.3
XP2	211.5
XP2.2	211.2
XP3	211.6
XP4	211.7
XP6	211.74
XPB	211.15
XPP1	203.2
XPP2	203.1

X	NO.
XPS2	208.05
XR1	219.6
XR2	200.2
XS	179.5
XS1	180
XS2	180.2
XS3	180.51
XS5	180.52
XS6	180.53
XS7	180.54
XS8	180.55
XS9	180.6
XS10	180.61
XS11	180.62
XT2	199.1
XT3	199.2
XU3	185.5
XV2	222.12
XW1	202.6
XW2	202.3
XW3	202.4
XW4	202.5
XWC	197.5
XWH2	193.7
XY	173.5
XY1	174.1
XY2	174.2
XY3	174.12
XY4	174.3

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No.	Name	Latitude N. Longitude W.	Morse Code Identifier	Radar Bands	Period of Service
-----	------	-----------------------------	--------------------------	-------------	-------------------

ANNEX – RADAR BEACONS (RACONS)

PLACENTIA BAY

19	<i>Come by Chance light and whistle fairway buoy PCC</i>	47 19 29.9 054 07 26.1	A (. -)	X & S Bands	Year round.
----	--	---------------------------	-------------------	-------------	-------------

SOUTHWEST COAST

160	Channel Head Light Station	47 33 57.0 059 07 24.6	C (- . -)	X & S Bands	Year round.
-----	----------------------------	---------------------------	---------------------	-------------	-------------

NEWFOUNDLAND AND LABRADOR COAST

281	Domino Point Light	53 27 42.4 055 44 31.0	Y (- . -)	X & S Bands	Seasonal.
-----	--------------------	---------------------------	---------------------	-------------	-----------

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

LL No.	AIS Broadcast Name	Latitude N. Longitude W.	Type of AIS AtoN	AtoN Type (ITU)	Remarks
--------	--------------------	-----------------------------	---------------------	--------------------	---------

ANNEX – AIS AIDS TO NAVIGATION

CAPE ST. FRANCIS TO RENEWS

500	CHAIN ROCK	47 34 00.7 052 41 15.7	Physical	Beacon, Starboard hand	MMSI: 993161048 Year round.
506	FORT AMHERST	47 33 47.9 052 40 49.6	Synthetic	Reference point	MMSI: 993161065 Year round.