

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>DISCOVERY PASSAGE</b>							
511 G5580	Cape Mudge Sector Light	W. extremity. 49 59 54.8 125 11 44.2	Fl W R 5s	17.7	13	White octagonal tower with red top.	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. <b>W</b> 316°-134°; <b>R</b> 134°-149°; <b>W</b> 149°-151°.  <b>Fog Horn</b> Blast 3 s; sil. 27 s.
511.1	Cape Mudge North Sector Light	50 00 01.1 125 11 50.0	F R W .....	7.4	9	White square tower with red bands at top and bottom.	Year round. Operates 24 h. <b>R</b> 144°-149°; <b>W</b> 149°-151°.
511.3 G5583	Tyee Spit South Breakwater	50 02 08.8 125 14 33.3	Q G 1s	6.3	4	White square skeleton tower with green band at top.	Year round.
512 G5582	Campbell River Breakwater	On breakwater extension. 50 01 28.5 125 14 15.7	Fl G 4s	5.2	4	Square skeleton tower.	Year round.
512.2 G5582.2	Campbell River North	50 01 43.1 125 14 22.4	Fl G 4s	5.2	4	Pipe tower on 3-pile dolphin, green, white and black square daymark.	Year round.
512.3 G5582.4	Campbell River Ferry Terminal Dolphin No. 2	50 01 49.8 125 14 16.1	Q R 1s	7.4	5	On a 4-pile dolphin, red and white triangular daymark.	Year round.
512.4 G5582.5	Campbell River Ferry Terminal Dolphin No. 3	50 01 44.9 125 14 16.6	Q G 1s	7.3	5	On 4-pile dolphin, green, white and black square daymark.	Year round.
512.5 G5582.6	Quathiaski Cove	SE. of Grouse Island. 50 02 42.6 125 13 17.2	Fl G 4s	7.4	5	White square skeleton tower with green band at top.	Year round. Radar reflector.
512.6 G5582.8	Tyee Spit front range light	50 02 53.1 125 15 34.2	Q Y 1s	4.6	9	3-pile dolphin, white daymark with red vertical stripe.	Year round.
512.7 G5582.81	Tyee Spit rear range light	50 02 51.6 125 15 35.3  205°42' 50.9 m from front.	Q Y 1s	7.1	9	3-pile dolphin, white daymark with red vertical stripe.	Year round.
514 G5583.5	Steep Island	W. side of island. 50 04 45.0 125 15 11.9	Q R 1s	8.4	6	White square tower with red band at top.	Year round.
515 G5584	Race Point	50 06 47.9 125 19 29.9	Q G 1s	20.1	4	Pipe tower.	Year round.
515.5 G5586.2	Maud Island South	50 07 40.5 125 20 32.5	Fl R 4s	8.1	6	White square tower with red band at top.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

## DISCOVERY PASSAGE

516 G5586	Maud Island	Seymour Narrows, W. side of island, on rock. 50 07 49.8 125 20 52.3	Q R 1s	6.7	6	White square tower with red band at top.	Year round.
516.3 G5587	Wilfred Point	50 07 50.2 125 21 31.9	Q G 1s	6.3	4	White square skeleton tower with green band at top.	Year round.
516.5 G5587.3	Brown Bay	50 09 59.0 125 22 07.2	Fl G 4s	8.0	5	White square skeleton tower with green band at top.	Year round.
516.6 G5587.5	Separation Head	50 10 44.6 125 21 16.6	Fl R 4s	7.7	4	White square tower with red band at top.	Year round.
517 G5588	McMullen Point	50 14 44.7 125 23 49.3	Fl G 4s	9.2	7	White square skeleton tower with green band at top.	Year round.
517.5 G5589	Cinque Islands	W. side of islands. 50 17 43.4 125 24 04.3	Fl R 4s	7.0	5	Pipe tower, red and white triangular daymark.	Year round.