

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
587 G5674	Kelpie Point	On the point. 51 44 00.6 127 59 47.6	Fl W 4s	7.9	5	Square skeleton tower.	Year round.
588 G5675	Odlum Island	W. side of point. 51 41 36.5 128 07 12.8	Fl W 6s	21.5	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
588.7 G5709	Spider Channel	N. end of Spider Island. 51 51 46.2 128 15 31.6	Fl W 4s	17.4	5	Square skeleton tower.	Year round.
589 G5711	Currie Islet (Gosling Rocks)	S. end of Gosling Rocks. 51 51 05.5 128 27 24.8	Fl W 6s	16.3	5	White square tower. 10.0	Year round. Flash 0.5 s; eclipse 5.5 s.
590 G5676	Kiwash Island	On S. end of island. 51 51 38.7 127 53 37.6	Fl W 4s	7.2	5	White square tower. 6.9	Year round.
591 G5678	Fog Rocks	Fisher Channel, on the largest rock. 51 58 19.8 127 55 08.1	Fl W 4s	6.1	9	White square tower. 7.0	Year round.
592 G5680	Pointer Island	SE. end of island, S. of E. entrance to Lama Passage. 52 03 39.1 127 56 52.9	Oc W 6s	12.9	8	White cylindrical tower.	Year round. Flash 4 s; eclipse 2 s.
592.5 G5693	White Point	On point. 52 04 29.7 127 57 56.6	Fl R 6s	8.6	4	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 5.5 s.
593 G5694	Serpent Point	52 04 35.7 127 59 38.8	Q W 1s	5.9	4	White square tower.	Year round.
594 G5681	Farewell Point	E. side of point. 52 07 33.8 127 53 26.2	Fl W 6s	8.0	5	White square skeleton tower. 6.3	Year round. Flash 0.5 s; eclipse 5.5 s.
594.5	Teal Island	N. of Georgie Point. 52 11 11.7 127 53 03.9	Fl G 6s	7.5	3	White square skeleton tower with green band at top. 6.1	Year round. Flash 0.5 s; eclipse 5.5 s.
594.8	Johnson Channel (Wallace)	E. shore. 52 14 53.5 127 54 04.9	Fl R 6s	6.1	3	White square tower with red band at top. 7.4	Year round. Flash 0.3 s; eclipse 5.7 s.
595 G5682	Sunny Island	On rock S. of island, Fisher Channel. 52 11 16.0 127 52 09.6	Fl W 4s	7.2	5	White square tower.	Year round.
596 G5688	Edward Point	On point. 52 26 21.2 127 16 25.3	Fl W 6s	8.1	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
597 G5688.5	Flagpole Point	North Bentinck Arm. 52 20 57.2 126 55 41.3	FI R 6s	6.7	5	White square tower with red band at top. 6.2	Year round. Flash 0.5 s; eclipse 5.5 s.
598 G5689	Sutlej (Deadman) Point	North Bentinck Arm, S. shore. 52 22 34.5 126 48 18.6	FI W 4s	7.1	5	White square tower. 6.2	Year round.
598.5 G5689.2	Bella Coola Breakwater	52 22 33.5 126 47 47.0	Q R 1s	4.2	3	White square tower with red band at top.	Year round.
599 G5684	Wearing Point	On point, Cousins Inlet. 52 18 00.4 127 45 41.2	FI W 4s	4.3	5	Square skeleton tower.	Year round.
599.5 G5685	Cousins Inlet	52 19 38.3 127 44 59.9	FI W 6s	4.3	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
600 G5686	Coolidge Point	Cousins Inlet. 52 21 00.4 127 43 00.6	FI R 6s	6.5	5	White square tower with red band at top. 7.6	Year round. Flash 0.5 s; eclipse 5.5 s.
600.6	Hokonsen Point	Dean Channel, S. of Elcho Harbour entrance. 52 20 59.7 127 28 43.8	FI G 6s	4.7	3	Square skeleton tower, green, white and black square daymark. 6.1	Year round. Flash 0.5 s; eclipse 5.5 s.
600.8	Fougner Point	Dean Channel. 52 24 19.7 127 22 46.4	FI R 4s	10.5	3	White square tower with red band at top. 6.5	Year round.
601 G5689.5	Deas Point	On flat rock adjoining headland, Labouchere Channel. 52 23 07.7 127 13 01.8	FI W 6s	5.5	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
602 G5677.4	Kelkpa Point	Burke Channel. 52 07 17.1 127 36 26.3	FI R 6s	8.2	5	White square skeleton tower with red band at top. 6.1	Year round. Flash 0.5 s; eclipse 5.5 s.
603 G5677	Haaksvold Point	Burke Channel. 51 57 52.7 127 42 49.0	FI G 6s	7.4	5	White square skeleton tower with green band at top. 7.7	Year round. Flash 0.5 s; eclipse 5.5 s.
604 G5690	Beaumont Island	Johnson Channel, N. end of island. 52 17 42.1 127 56 41.9	FI W 6s	7.6	5	White square skeleton tower. 6.7	Year round. Flash 0.5 s; eclipse 5.5 s.
604.2	Nicholson (Hoonees) Island	S. side of island. 52 18 31.6 127 56 37.2	Fl(3) W 12s	6.7	3	White square tower. 8.1	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
604.5	Sisters Point	On Coldwell Point. 52 19 09.1 128 01 31.3	FI W 6s	7.0	3	White square tower. 7.0	Year round. Flash 0.5 s; eclipse 5.5 s.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NORTHERN INSIDE CHANNELS</b>								
605	Donald Point	On the point, Return Channel. 52 17 36.3 128 05 59.0	Fl W 6s	5.7	5	White square tower. 5.7	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 055°-240°.	
605.5 G5695	Harbourmaster Point	52 03 53.9 128 03 01.8	Fl W 6s	5.8	5	White square tower. 5.7	Year round. Flash 0.5 s; eclipse 5.5 s.	
606 G5696	Walker (Camp) Island	Lama Passage. 52 05 58.2 128 07 01.2	Fl W 6s	8.0	5	White square tower. 6.7	Year round. Flash 0.5 s; eclipse 5.5 s.	
607 G5698	Napier Point	Lama Passage. 52 07 54.5 128 08 02.3	Q W 1s	6.2	4	White square tower. 7.4	Year round.	
608 G5698.4	Story Point	Lama Passage, N. of McLoughlin Bay, on the point. 52 08 54.0 128 08 07.1	Fl W 4s	6.0	5	White square tower. 7.8	Year round.	
609.8 G5699.4	Bark Island	On E. side of island. 52 10 00.7 128 02 58.1	Fl W 6s	5.6	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
609.9 G5699.6	Blow Reef	Near entrance, Gunboat Passage and Bella Bella. 52 10 53.1 128 03 43.4	Fl W 6s	3.5	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
610	<i>Saunders Island light buoy E20</i>	<i>Off W. end of island, Lama Passage. 52 10 19.3 128 07 23.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "E20".</i>	<i>Year round.</i>	
610.5	<i>New Bella Bella Rock light buoy E19</i>	<i>Entrance to Martins Cove. 52 10 22.9 128 08 20.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "E19".</i>	<i>Year round.</i>	
611 G5700	Dryad Point Sector Light	N. end of Lama Passage; S. end of Seaforth Channel. 52 11 06.6 128 06 42.0	Oc W R	5s	11.6	7	White square tower with red band at top.	Year round. Flash 4 s; eclipse 1 s. <b>W</b> 142°30'-206°30'; <b>R</b> 206°30'-336°30'; <b>W</b> 336°30'-039°30'.
611.7 G5701	Regatta Rocks	Seaforth Channel. 52 13 06.8 128 08 31.5	Fl R 4s	6.5	4	White square tower with red band at top. 7.3	Year round.	
612	<i>Dall Rocks light and bell buoy E33</i>	<i>N. of rock, Seaforth Channel. 52 13 02.3 128 09 22.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "E33".</i>	<i>Year round.</i> <b>Audible signal: Bell</b>	
613 G5708	Idol Point	52 14 18.0 128 16 37.1	Fl W 6s	7.6	5	White square tower. 6.6	Year round. Flash 0.5 s; eclipse 5.5 s.	

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
614 G5707	Hyndman Reefs	On reef. 52 15 44.1 128 14 38.8	Fl G 4s	4.5	4	On concrete base, green, white, and black square daymark.	Year round.
615 G5706	Glaholm Islet	Off NW. end of Dearth Island. 52 15 48.7 128 12 50.2	Fl W 6s	5.6	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
615.2 G5704	Law Islands	N. end of island. 52 16 04.9 128 10 23.0	Fl W 4s	6.9	5	White square tower. 7.4	Year round.
616 G5712	Cape Mark	52 08 59.1 128 32 25.5	Fl W 4s	12.1	5	White square tower.	Year round.
617 G5713	<b>Ivory Island</b>	On Robb Point, Milbanke Sound. 52 16 10.1 128 24 24.2	Fl W 5s	20.5	16	Skeleton tower. 26.0	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
617.5 G5713.4	Perrin Anchorage	E. of Ivory Island. 52 16 28.5 128 23 29.0	Fl W 4s	5.1	5	White square tower. 6.0	Year round.
617.7 G5713.7	Carne Rock	Reid Passage. 52 18 06.7 128 21 53.8	Fl W 6s	5.6	5	White square tower. 8.6	Year round. Flash 0.5 s; eclipse 5.5 s.
618 G5714	Susan Rock	On the rock, Milbanke Sound. 52 17 11.1 128 30 21.6	Fl W 6s	16.7	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
619 G5715	<b>McInnes Island</b>	On bluff, S. side of island, N. entrance to Milbanke Sound. 52 15 41.2 128 43 18.4	Fl W 5s	29.5	22	White rectangular tower with red top. 9.2	Year round. Operates 24 h. Flash 0.3 s; eclipse 4.7 s. Visible 292°30'-115°.
620	<i>Luard Shoal light and whistle buoy E63</i>	<i>Moody Banks, Laredo Sound.</i> 52 24 11.4 128 53 30.3	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "E63".</i>	<i>Year round.</i> <b>Audible signal: Whistle</b>
621 G5734.2	Lombard Point	On point. 52 28 45.3 128 56 35.6	Fl W 4s	14.4	5	White cylindrical tower.	Year round.
621.5	<i>South Hecate Strait ODAS light buoy 46185</i>	<i>W. of Aristazabal Island.</i> 52 31 38.4 130 05 14.4	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, ODAS, marked "46185".</i>	<i>Year round.</i>
622	<i>Jaffrey Rock (V-AIS)</i>	<i>SW. of rock, Laredo Sound.</i> 52 27 14.4 128 49 26.3	<i>.....</i>	<i>.....</i>	<i>.....</i>	<i>.....</i>	<i>Year round.</i>  <i>Virtual AIS AtoN MMSI: 993166098 Starboard hand mark</i>
623 G5734.4	Abrams Island	On island. 52 32 11.4 128 49 52.1	Fl(3) W 12s	8.0	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Visible 357°-204°.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
624 G5734.6	Haig Rock	On rock off Tildesley Point. 52 36 18.9 128 55 22.2	Fl W 6s	7.6	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
624.8 G5734.7	Walsh Rock	52 38 10.6 128 57 22.1	Q W 1s	8.4	5	White cylindrical tower.	Year round.
625	<i>Wilson Rock light and bell buoy E75</i>	<i>SE. of rock, Laredo Channel.</i> 52 39 57.4 128 57 57.3	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "E75".</i>	<i>Year round.</i> <b>Audible signal: Bell</b>
626 G5734.8	Ramsbotham Islands	On easternmost island. 52 41 53.2 129 02 08.8	Fl W 4s	6.3	5	Square skeleton tower.	Year round.
627	<i>Morehouse Rock light and bell buoy EC</i>	<i>SE. of rock, Laredo Channel.</i> 52 45 35.3 129 06 00.0	<i>Fl(2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-green-red, pillar, marked "EC".</i>	<i>Year round.</i> <b>Audible signal: Bell</b>
628 G5735	Baker Point	On point. 52 48 11.6 129 12 54.3	Fl W 6s	5.8	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
628.5	Wall Islands <b>Racon C (- - -) X &amp; S Bands</b>	Rennison Island, Caamaño Sound. 52 51 36.9 129 20 50.7	Fl(3) W 12s	12.6	7	White square tower.	Year round. Flash 1 s; eclipse 2 s; flash 1 s; eclipse 2 s; flash 1 s; eclipse 5 s.
629 G5735.2	Duckers Islands	On southernmost island. 52 55 30.6 129 11 34.6	Fl W 4s	9.3	5	White square tower.	Year round.
630 G5735.4	Dupont Island East	Southeast side of island. 52 56 22.6 129 26 16.3	Fl W 6s	16.6	7	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
630.1 G5735.5	Dupont Island West	Southwest side of island. 52 56 19.5 129 26 22.2	Fl(3) W 12s	16.1	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
630.2 G5735.7	Alexander Islands	S. end of Campania Island, Caamaño Sound. 52 57 16.0 129 18 29.7	Iso W 2s	12.9	9	Mast on white concrete base.	Year round.
630.5 G5735.8	Logan Rock	53 02 07.3 129 28 39.2	Fl W 4s	15.0	8	White square tower.	Year round.
631 G5735.6	Jacinto Islands <b>Racon Q (- - -) X &amp; S Bands</b>	SE. end of islands. 52 56 30.2 129 36 49.1	Fl W 4s	27.9	7	White square tower.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
631.1	Cran Shoal light buoy EB7	Cridge Banks, Caamaño Sound. 52 57 52.8 129 44 57.7	Fl G 4s	.....	.....	Green, pillar, marked "EB7".	Year round.
631.3	Aranzazu Banks West light buoy EB2	NW. of Ness Rock, Caamaño Sound. 52 51 00.0 129 46 13.2	Fl R 4s	.....	.....	Red, pillar, marked "EB2".	Year round.
631.4	Aranzazu Banks light buoy EB4	NE. of Ness Rock, Caamaño Sound. 52 53 25.8 129 39 44.3	Q R 1s	.....	.....	Red, pillar, marked "EB4".	Year round.
631.5	Borthwick Rock light buoy EB5	S. of Estevan Group, Caamaño Sound. 52 55 27.1 129 31 48.8	Q G 1s	.....	.....	Green, pillar, marked "EB5".	Year round.
631.6	Dougan Point	Campania Island, Campania Sound. 53 02 48.4 129 18 56.5	Fl G 4s	7.1	5	White square tower with green band at top.	Year round. Operates 24 h.
631.7	Fernyhough Point	E. side of Campania Island, Squally Channel. 53 07 33.1 129 25 01.7	Fl(3) G 12s	6.3	5	White square tower with green band at top.	Year round. Flash 1 s; eclipse 2 s; flash 1 s; eclipse 2 s; flash 1 s; eclipse 5 s.
631.9	Fawcett Point	S. end of Gil Island, Squally Channel. 53 04 39.0 129 16 33.5	Q W 1s	7.4	5	White square tower.	Year round.
632 G5736	Ashdown Island	On W. side of island. 53 03 42.1 129 13 50.3	Fl(3) R 12s	8.9	5	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
633 G5736.2	Levy Point	On NE. end of Ashdown Island. 53 04 40.0 129 12 09.1	Fl R 6s	7.0	4	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 5.5 s.
634 G5736.4	York Point	On S. point of peninsula, Gil Island. 53 05 27.5 129 10 29.7	Q G 1s	8.4	4	White square tower with green band at top.	Year round.
635 G5736.6	Borde Island	On N. point of island. 53 05 07.7 129 07 15.2	Fl W 4s	7.6	5	White square tower.	Year round.
635.3	Leading Point	Whale Channel. 53 11 08.3 129 05 49.0	Fl R 4s	7.3	8	White square tower with red band at top.	Year round.
635.5	Maple Point	Whale Channel. 53 17 03.4 129 10 20.7	Fl W 4s	7.1	8	White square tower.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NORTHERN INSIDE CHANNELS</b>								
636	Vancouver Rock light and whistle buoy E54	W. of rock, Milbanke Sound. 52 21 04.3 128 30 30.0	Fl R 4s .....	.....	.....	Red, pillar, marked "E54".	Year round.  <b>Audible signal:</b> Whistle	
637 G5716	Jorkins Point	52 26 24.8 128 29 11.0	Fl W 6s	7.9	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
637.3 G5716.4	Legace Point	At the point. 52 27 45.2 128 25 10.4	Fl W 4s	8.7	5	On concrete base.	Year round.	
638 G5718	Freeman Point	S. extremity of Cone Island. 52 33 10.7 128 29 24.0	Fl W 4s	5.7	5	White cylindrical tower.	Year round.	
639 G5719	Legge Point	NW. end of Cone Island. 52 36 12.9 128 31 11.8	Fl W 6s	3.5	5	On concrete base.	Year round. Flash 0.5 s; eclipse 5.5 s.	
639.3 G5719.2	Wedge Point Sector Light	NE. tip of Cone Island. 52 36 37.4 128 31 06.5	F W R W	.....	4.8	5	Mast.	Year round. W 062°-168°; R 168°-181°; W 181°-198°.
639.8 G5719.4	Reef Point Sector Light	52 37 05.9 128 30 55.1	Q W R	1s	4.4	4	Square skeleton tower.	Year round. W 354°-074°; R 074°-099°.
640 G5720	Boat Bluff Sector Light	On W. side of bluff, Sarah Island. 52 38 34.5 128 31 25.4	Oc W R	5s	11.6	7	Skeleton tower.	Year round. Flash 4 s; eclipse 1 s. W 291°-336°; R 336°-093°; W 093°-134°.
640.5 G5721	Parry Patch Sector Light	52 40 28.1 128 32 01.6	F W R W	.....	4.4	5	Mast.	Year round. W 352°-130°; R 130°-142°; W 142°-154°.
641 G5722	Split Head (Separation Point)	On the point, Tolmie Channel. 52 40 38.6 128 32 56.5	Fl W 4s	8.5	5	Square skeleton tower.	Year round.	
641.3	Parry Patch (V-AIS)	Tolmie Channel, middle of channel on patch. 52 40 55.6 128 32 44.2	.....	.....	.....	.....	Year round. Operates 24 h.  Virtual AIS AtoN MMSI: 993166018 Isolated danger	
641.5 G5722.4	Tolmie Channel Sector Light	52 41 20.1 128 32 44.4	Q W R	1s	6.5	4	White cylindrical tower.	Year round. W 325°-357°; R 357°-009°; W 009°-152°.
642 G5723	Tenas Island	On NW. side of island. 52 42 28.1 128 33 14.9	Fl R 6s	8.1	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
642.6 G5725	Hiekish Narrows	E. end of narrows. 52 49 37.3 128 26 49.0	FI W 6s	3.2	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
642.7	Hewitt Rock light buoy EH	SE. of rock, Hiekish Narrows. 52 52 07.8 128 29 20.5	Fl(2+1) R 6s	.....	.....	Red-green-red, pillar, marked "EH".	Year round.
642.8 G5726	Hewitt Island	52 52 23.8 128 29 54.2	FI W 4s	5.7	5	Square skeleton tower.	Year round.
643 G5724	Sarah Island	On N. extremity of island. 52 52 59.9 128 30 37.5	Fl(3) W 12s	6.6	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
644 G5727	Quarry Point	On point, E. side of Princess Royal Island. 52 54 00.6 128 31 19.9	FI G 6s	6.7	4	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
645 G5728	Griffin Point	On point. 53 03 55.3 128 33 00.9	FI W 6s	6.1	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
646 G5730	Redcliff Point	On point, Graham Reach. 53 09 24.2 128 38 15.1	FI W 4s	4.9	5	Square skeleton tower.	Year round.
647 G5732	Work Island	On W. end of island. 53 10 42.3 128 41 39.1	FI W 6s	4.7	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
648 G5734	Kingcome Point	N. extremity of point. 53 17 56.7 128 54 30.1	Q W 1s	7.6	5	White square tower.	Year round.
649	Trivett Point	Northern extremity of Princess Royal Island. 53 18 28.5 129 02 10.9	FI W 4s	6.5	6	White square tower.	Year round.
650 G5736.8	Point Cumming	On point, SW. end of Gribbell Island. 53 18 42.2 129 07 21.1	FI W 6s	6.8	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
651 G5739.4	Money Point	On point. 53 22 54.5 129 09 56.5	Fl(3) W 12s	7.2	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
651.2 G5739.5	Hartley Bay Breakwater	End of boulder breakwater. Entrance to bay. 53 25 25.4 129 15 03.4	Q R 1s	10.1	3	White square tower with red band at top.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
651.21	Hartley Bay Floating Breakwater	SE. corner of floating CCG breakwater. 53 25 20.2 129 14 57.8	Fl Y 4s	.....	2	Mast.	Year round. Radar reflector.
651.3	Stewart Narrows East	53 24 17.6 129 15 22.6	Fl R 4s	3.0	2	Mast, red, white and red triangular daymark.	Year round.
651.4	Stewart Narrows West	N. of Otter Shoal. 53 24 06.1 129 16 53.7	Q G 1s	3.0	2	Mast, green, white and black square daymark.	Year round.
651.5	Harbour Rock	Stewart Narrows. 53 23 16.3 129 16 38.5	Fl G 4s	3.4	5	Mast, green, white and black square daymark.	Year round.
651.6	Halsey Point	Entrance to Hartley Bay. 53 25 32.0 129 14 14.2	Fl(3) G 12s	7.0	5	White square tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
651.7	Kiskosh Inlet	Douglas Channel. 53 31 11.6 129 13 54.1	Fl G 4s	7.0	5	White square tower with green band at top.	Year round.
651.9	Helen Point	Douglas Channel. 53 36 37.7 129 14 23.8	Fl G 4s	7.6	9	White square tower with green band at top.	Year round.
652.2 G5739.66	Hawkesbury Island	W. side of island. 53 37 08.6 129 10 51.4	Q R 1s	6.7	5	White square tower with red band at top.	Year round.
652.4	Douglas Channel	53 41 53.3 129 08 03.2	Iso G 2s	7.0	9	White square tower with green band at top.	Year round.
652.5 G5739.7	Maitland Island	53 41 54.0 129 04 53.9	Fl R 4s	6.5	7	White square tower with red band at top.	Year round.
653 G5739.8	Emilia Island	On SE. end of island. 53 45 30.7 128 58 20.7	Fl G 6s	7.1	5	White square tower with green band at top.	Year round. Flash 0.5 s; eclipse 5.5 s.
654 G5740	Kersey Point	On point. 53 46 34.5 128 51 40.1	Fl W 4s	5.7	5	White square tower.	Year round.
654.2 G5740.1	Hilton Point	On point. 53 48 52.8 128 52 21.2	Fl G 4s	6.9	5	White square tower with green band at top.	Year round.
654.4	Coste Rocks	Douglas Channel and Amos Passage. 53 48 20.6 128 47 19.9	Fl(2+1) R 6s	11.8	5	White square tower with red bands and red diamond with red triangle in the center.	Year round.
654.5	Nanakwa Shoal ODAS light buoy 46181	S. of Markland Point, Kitimat Arm. 53 50 01.2 128 50 01.1	Fl(5) Y 20s	.....	.....	Yellow, ODAS, marked "46181".	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NORTHERN INSIDE CHANNELS</b>								
654.7	Coste Island	W. side of island. 53 50 33.1 128 46 18.6	Q W 1s	6.9	9	White square tower.	Year round.	
654.8	Amos Passage	53 50 40.0 128 41 31.8	Fl R 4s	7.2	5	White square tower with red band at top.	Year round.	
654.9 G5740.2	Clio Point	On point. 53 54 23.6 128 42 38.4	Fl R 4s	7.9	7	White square tower with red band at top.	Year round.	
655 G5739.2	Dorothy Island	On island. 53 39 33.7 128 50 37.5	Fl W 6s	7.4	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
656 G5738.2	Rix Island	At NE. end of island. 53 31 33.4 128 44 14.5	Fl R 4s	7.0	5	White square tower with red band at top.	Year round.	
657 G5738.4	Europa Point	On point. 53 25 47.4 128 32 43.6	Fl G 4s	6.6	5	White square tower with green band at top.	Year round.	
658 G5738.6	Allen Point	On point, on S. side of channel, Europa Reach. 53 26 33.2 128 24 18.0	Fl R 6s	6.8	5	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 5.5 s.	
659 G5739	Cornwall Point	On point. 53 28 38.6 128 21 45.0	Q R 1s	7.0	7	White square tower with red band at top.	Year round.	
659.5	Entrance Bluff Sector Light	Entrance to Kemano Bay. 53 28 09.1 128 07 46.3	Fl W R	4s	7.6	5	White square tower.	Year round. R 102°-129°, W 129°-102°.
660 G5738	Staniforth Point	On point. 53 34 08.9 128 49 04.9	Fl(3) W 12s	6.9	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.	
660.5	Eva Point	Verney Passage. 53 33 32.9 128 53 25.0	Q G 1s	6.5	4	White square tower with green band at top.	Year round.	
661 G5737.4	Mary Point	On point, Verney Passage. 53 32 59.8 128 58 07.6	Q R 1s	6.9	4	White square tower with red band at top.	Year round.	
661.4	Verney Passage West	53 29 43.0 129 05 33.8	Fl G 4s	6.7	5	White square tower with green band at top.	Year round.	
661.5	Verney Passage East	53 26 27.8 129 03 29.5	Fl R 4s	6.6	6	White square tower with red band at top.	Year round.	
661.6	Gribbell Island Northeast	Boxer Reach, Ursula Channel. 53 28 44.5 128 59 15.3	Fl G 4s	6.0	5	White square tower with green band at top.	Year round.	

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
662 G5737.2	Tomkinson Point	On point, Ursula Channel. 53 25 46.6 128 54 16.7	FI R 6s	7.0	5	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 5.5 s.
664 G5739.3	Cape Farewell	53 21 26.8 129 13 44.6	Q W 1s	8.9	7	White square tower.	Year round.
665 G5740.6	Sainty Point	On point, opposite Yolk Point, S. entrance to Grenville Channel. 53 22 17.2 129 18 46.2	FI W 4s	4.6	7	White cylindrical tower.	Year round.
665.1 G5747.38	Plover Point	53 16 44.0 129 18 15.6	FI W 4s	7.1	7	White square tower.	Year round.
665.2 G5747.34	Block Head	On SE. end of Farrant Island. 53 18 05.5 129 20 14.4	FI G 6s	7.0	5	White square skeleton tower with green band at top.	Year round. Flash 0.5 s; eclipse 5.5 s.
665.3 G5747.39	Fin Rock	53 13 57.1 129 21 39.3	FI(3) G 12s	8.5	4	White square tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
665.4 G5747.32	Blackrock Point	53 12 30.5 129 20 39.2	FI(3) R 12s	8.5	4	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
665.41	Blackrock Point Sector Light	Squally Channel. 53 12 30.5 129 20 39.2	F W ....	8.3	10	White square tower with red band at top.	Year round. Visible on a bearing of 084° with a narrow sector, 083°- 085°.
665.5	Cridge Passage	53 17 14.1 129 21 03.0	Q W 1s	6.8	4	White square tower.	Year round.
665.6	Gil Island NW	Lewis Passage. 53 15 29.8 129 16 24.8	FI R 4s	6.7	5	White square tower with red band at top.	Year round.
665.7	Lewis Passage	NW. of Gil Island. 53 17 15.1 129 16 03.2	Q R 1s	7.1	5	White square tower with red band at top.	Year round.
665.8	Blackfly Point	N. end of Gil Island. 53 19 12.7 129 17 14.9	FI R 4s	7.7	5	White square tower with red band at top.	Year round.
666 G5740.8	Tom Island	On island. 53 32 35.2 129 36 20.5	FI(3) W 12s	3.5	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
667	Ormiston Point	On E. shore of Pitt Island, Grenville Channel. 53 34 14.1 129 39 32.4	FI W 6s	4.6	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
668 G5742	Saunders Creek	On shore opposite of creek. 53 36 12.2 129 41 38.1	Fl W 4s	5.1	5	White square tower.	Year round.
669 G5743	Klewnuggit	On the NW. rock of Morning Reef, Grenville Channel. 53 40 42.2 129 46 05.4	Q W 1s	5.9	5	White cylindrical tower.	Year round.
670 G5744	Pitt Island (Grenville Channel)	On shore. 53 42 16.2 129 49 04.2	Fl W 6s	3.7	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
670.5 G5744.4	Baker Inlet	Marking entrance. 53 48 40.5 129 57 14.2	Fl R 6s	5.3	4	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
671 G5745	Pitt Point	On point, SE. of Calvert Point. 53 52 57.3 130 06 41.6	Fl W 6s	4.2	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
671.2	<i>Pitt Point light buoy D3</i>	<i>NE. of point, N. end of Grenville Channel. 53 53 25.1 130 06 09.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "D3".</i>	<i>Year round.</i>
671.6	<i>Gibson Island light and bell buoy D6</i>	<i>SW. of island, N. entrance to Grenville Channel. 53 54 59.1 130 09 57.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "D6".</i>	<i>Year round. Audible signal: Bell</i>
672 G5746	Watson Rock	On the rock, W. entrance to Grenville Channel. 53 55 24.1 130 10 22.0	Fl W 4s	3.7	5	White cylindrical tower.	Year round.
672.5	Peter Point	E. side of Porcher Island, Ogden Channel. 53 53 02.2 130 18 43.6	Fl G 4s	6.7	5	White square tower with green band at top.	Year round.
673 G5759	Kennedy Island	W. side of island. 54 00 22.4 130 12 30.4	Fl W 6s	4.9	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
674 G5760	Herbert Reefs	Near N. end of reef, Arthur Passage. 54 01 24.7 130 14 18.9	Fl(3) G 12s	7.0	4	White cylindrical tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
675 G5761	Hanmer Island	On S. end of island, Arthur Passage. 54 03 19.9 130 15 10.4	Fl R 4s	5.8	4	White cylindrical tower with red band at top.	Year round.
675.3 G5761.4	North Hanmer	54 03 49.5 130 14 43.6	Q W 1s	5.8	4	White square tower.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
675.6	Base Sand light buoy D10	SE. of Little Genn Island, Malacca Passage. 54 05 11.0 130 15 44.1	Fl R 4s	.....	.....	Red, pillar, marked "D10".	Year round.
676.5 G5761.6	Cecil Patch	On NE. end of patch. 54 03 46.9 130 16 42.8	Q G 1s	7.6	3	White cylindrical tower with green band at top on 4-pile dolphin.	Year round.
677 G5762	Marked Tree Bluff	On N. end of Kennedy Island. 54 04 08.1 130 09 52.8	Fl W 6s	8.5	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
678 G5763	De Horsey Island	On E. side of island. 54 07 51.3 130 07 25.3	Fl W 4s	5.8	5	White square tower.	Year round.
679 G5764	Ecstall Island	On N. extremity of island. 54 09 44.7 129 57 27.2	Fl W 6s	5.2	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 053°-270°.
684 G5768	Genn Islands	On NW. extremity of island. 54 05 51.3 130 17 34.6	Fl R 6s	9.1	4	White cylindrical tower with red band at top.	Year round. Flash 0.5 s; eclipse 5.5 s.
684.5 G5771.5	Lawyer Islands South	S. tip of the islands. 54 06 08.9 130 19 59.3	Fl W 4s	8.9	3	White cylindrical tower with red band at top. 5.4	Year round.
685.3 G5771	Lawyer Islands North	On Cruice Rock. 54 06 57.7 130 20 47.0	Q W 1s	7.7	4	White cylindrical tower with red band at top. 5.6	Year round.
685.5 G5758.4	Havelock Rock	Chatham Sound, N. of Hunts Inlet. 54 05 54.6 130 28 59.6	Fl W 4s	7.4	6	White cylindrical tower.	Year round.
686 G5758	Useless Point	On crib, S. side Edey Passage. 54 02 24.5 130 33 53.1	Fl W 6s	5.9	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
687 G5758.7	Gull Rocks	On highest rock. 54 07 57.4 130 31 16.0	Fl R 6s	8.2	4	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
687.1	Colquhoun Shoal North Cardinal light and whistle buoy DCO	N. of Gull Rocks, Chatham Sound. 54 09 27.0 130 30 51.1	Q W 1s	.....	.....	Black-yellow, pillar, marked "DCO".	Year round. <b>Audible signal:</b> Whistle
687.3	Rachael Island South Cardinal light and whistle buoy DSO	S. of islands, Chatham Sound. 54 11 12.0 130 33 30.1	Q(6) + LFI W	15s	.....	Yellow-black, pillar, marked "DSO".	Year round. <b>Audible signal:</b> Whistle

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NORTHERN INSIDE CHANNELS

687.5 G5805.8	South Rachael Island	S. end of island. 54 11 49.8 130 33 26.4	Fl R 4s	7.9	4	White cylindrical tower with red band at top.	Year round.
688 G5806	North Rachael Island	N. side of island. 54 12 46.3 130 33 38.4	Fl W 6s	9.8	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 095°-285°.
688.5	<i>Alexandra Bank light and whistle buoy DAX</i>  <b>Racon K (- . -) X &amp; S Bands</b>	<i>SW. of bank, Chatham Sound.</i> 54 14 08.1 130 34 06.1	<i>Fl(2+1) G 6s</i>	.....	.....	<i>Green-red-green, pillar, marked "DAX".</i>	<i>Year round.</i>  <b>Audible signal: Whistle</b>
689 G5773	Inverness Passage	Mouth of Skeena River. 54 11 56.0 130 15 49.0	Fl W 4s	3.7	3	Square skeleton tower.	Year round.
690 G5772	Holland Rock	On the S. extremity of rock. 54 10 20.5 130 21 39.9	Fl(3) W 12s	9.1	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
691 G5772.5	Greentop Islet	On Islet. 54 10 39.0 130 24 41.3	Fl W 6s	13.2	7	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.

Prince Rupert Harbour - Porpoise Harbour

692	<i>Agnew Bank light and bell buoy D24</i>	<i>NW. of Kitson Island, entrance to Porpoise Channel.</i> 54 11 26.0 130 20 26.7	<i>Fl R 4s</i>	.....	.....	<i>Red, pillar, marked "D24".</i>	<i>Year round.</i>  <b>Audible signal: Bell</b>
693 G5774	Porpoise Harbour	On N. side of entrance to harbour. 54 11 53.9 130 19 02.2	Fl G 4s	7.1	4	White cylindrical tower with green band at top.	Year round.
694 G5776	Porpoise Harbour front range light	On Flora Bank, W. side of Lelu Island. 54 11 58.9 130 18 02.7	F Y .....	3.7	10	Concrete block, orange daymark with black vertical stripe attached to rails.	Year round.
695 G5776.1	Porpoise Harbour rear range light	54 11 59.7 130 17 58.4  072°54' 81.2 m from front.	F Y .....	7.7	10	Square skeleton tower, orange daymark with black vertical stripe.	Year round.
696 G5778	Porpoise Channel Entrance	On drying rock on S. side of channel. 54 12 03.2 130 18 17.4	Fl R 4s	7.2	4	White cylindrical tower with red band at top.	Year round.
697 G5780	Porpoise Channel West	NW. side of channel. 54 12 26.8 130 17 57.6	Q G 1s	4.6	3	Mast, green, white and black square daymark.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>							
698 G5782	Porpoise Channel East front range light	On drying rock on E. side of channel. 54 12 40.8 130 17 32.8	Q R 1s	7.0	3	Square skeleton tower, orange daymark with black vertical stripe.	Year round.
698.5	Ridley Island light and bell buoy D27  <b>Racon G (- - .)</b> <b>X &amp; S Bands</b>	SE. of E. Kinahan Island, S. of harbour entrance. 54 11 56.0 130 21 26.2	FI G 4s	.....	.....	Green, pillar, marked "D27".	Year round.  <b>Audible signal: Bell</b>
699 G5783	East Kinahan Island	On NE. extremity of island. 54 12 49.0 130 23 43.4	FI W 6s	8.1	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
700	Petrel Rock light and bell buoy D39	N. of Kinahan Islands, W. entrance to Prince Rupert Harbour. 54 13 39.0 130 24 58.2	FI G 4s	.....	.....	Green, pillar, marked "D39".	Year round.  <b>Audible signal: Bell</b>
701	Georgia Rock light and bell buoy D43	SE. of Georgia Rock, S. entrance to Prince Rupert Harbour. 54 13 14.5 130 21 43.2	Q G 1s	.....	.....	Green, pillar, marked "D43".	Year round.  <b>Audible signal: Bell</b>
701.2	Bacon Rock light buoy D40	W. of Ridley Island. 54 13 11.0 130 20 26.2	Q R 1s	.....	.....	Red, pillar, marked "D40".	Year round.
701.5	Bishop Island light buoy D42	NW. of Ridley Island. 54 14 13.0 130 20 24.2	Q R 1s	.....	.....	Red, pillar, marked "D42".	Year round.
702	Spire Ledge light and bell buoy D47	SE. of Frederick Point, entrance to Prince Rupert Harbour. 54 14 51.0 130 21 14.2	FI G 4s	.....	.....	Green, pillar, marked "D47".	Year round.  <b>Audible signal: Bell</b>
703 G5794	Barrett Rock	On shore of reef. 54 14 33.5 130 20 38.3	FI R 6s	6.8	7	White square tower with red band at top. 4.6	Year round. Flash 1 s; eclipse 5 s.
703.3	Kaien Island Sector Light	SE. of the Fairview Container Terminal. 54 15 13.2 130 20 45.6	AI R W G	5.8	7	Square skeleton tower on a 3-pile dolphin.	Private aid. Year round. Operates 24 h. <b>R</b> 356.5°-000°; <b>AI RW</b> 000°-003°; <b>W</b> 003°-005°; <b>AI GW</b> 005°-008°; <b>G</b> 008°-011°. Operated only on request to Prince Rupert Port Authority.
703.5 G5794.4	Frederick Point	At edge of bar. 54 15 29.1 130 21 35.9	FI G 4s	10.0	4	White cylindrical tower with green band at top.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics			Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NORTHERN INSIDE CHANNELS</b>									
703.7 G5794.5	Philips Point Sector Light	Entrance to Prince Rupert harbor. 54 15 54.3 130 21 53.4	Q	G W G	1s	6.8	5	White square tower.	Private aid. Year round. G 167°-176°40'; W 176°40'-337°50'; G 337°50'-354°10', Obscured 354°10'-167°
704 G5795	Casey Point	On edge of shoal, off point. 54 16 27.1 130 21 41.8	Q	R	1s	7.8	6	White square tower with red band at top on 3-pile dolphin.	Year round.
705 G5796	Parizeau Point	On dolphin. 54 17 13.7 130 22 11.1	FI	W	6s	4.3	8	On 3-pile dolphin.	Year round. Flash 0.5 s; eclipse 5.5 s.
705.1	Dodge Cove light buoy D50	E. of Dodge Island. 54 17 30.8 130 22 22.4	FI	R	4s	.....	.....	Red, pillar, marked "D50".	Year round.
705.8	Fairview Bifurcation light buoy DE	Off floats. 54 17 37.0 130 21 33.2	FI(2+1)	R	6s	.....	.....	Red-green-red, pillar, marked "DE".	Year round.
706.1 G5797.3	Dodge Cove front range light	W. end of channel entrance. 54 17 24.0 130 22 56.4	F	Y	.....	3.0	9	On 3-pile dolphin, orange daymark with black vertical stripe.	Year round.
706.12 G5797.31	Dodge Cove rear range light	54 17 22.9 130 23 02.4  253°31' 114.7 m from front.	F	Y	.....	7.0	9	On 3-pile dolphin, orange daymark with black vertical stripe.	Year round. Visible 239°-266°.
706.2 G5797.6	Oldfield Breakwater	On floating breakwater. 54 17 42.3 130 21 21.3	FI	R	4s	1.2	5	Mast, red and white triangular daymark.	Year round.
706.3	Dodge Island light buoy D53	NE. of island, Prince Rupert Harbour. 54 17 43.2 130 22 12.0	FI	G	4s	.....	.....	Green, pillar, marked "D53".	Year round.
709 G5799	Alaska Ferry South	On S. cradle dolphin. 54 17 45.0 130 21 12.2	F	G	.....	.....	.....	On dolphin.	Private aid. Year round.
710 G5799.2	Alaska Ferry North	54 17 47.8 130 21 12.4	F	R	.....	.....	.....	On dolphin.	Private aid. Year round.
710.5	Pepin Point	54 23 55.4 130 15 14.8	Q	R	1s	.....	5	Cylindrical mast, red, white and red triangular daymark.	Year round.
710.6	Tuck Inlet Narrows	54 24 00.8 130 15 32.5	Q	G	1s	.....	4	Cylindrical mast, green, white and black square daymark.	Year round.
710.7	Tuck Inlet North	54 24 11.5 130 15 44.8	FI	R	4s	.....	4	On concrete base, red, white and red triangular daymark.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NORTHERN INSIDE CHANNELS</b>								
711 G5805.5	Seal Cove	54 20 11.0 130 16 41.2	Q W 1s	4.9	4	White cylindrical tower.	Year round.	
711.5 G5800.3	McIntosh Rock	On rock. 54 18 13.6 130 22 40.0	Q W 1s	7.7	5	White cylindrical tower.	Year round.	
712 G5801	Grindstone Point	On rock, N. of point. 54 18 33.7 130 23 14.4	Fl R 4s	7.7	4	White cylindrical tower with red band at top.	Year round.	
713 G5802	Venn Passage	On drying rock. 54 18 42.4 130 23 35.1	Q G 1s	6.7	4	White cylindrical tower with green band at top.	Year round.	
714 G5803	Du Vernet Point	On drying rock, off point. 54 18 45.0 130 24 04.5	Q R 1s	3.4	3	White cylindrical tower with red band at top.	Year round.	
715 G5803.2	Shkgeaum Bay front range light	54 18 37.0 130 24 30.1	F Y .....	3.9	9	Mast, orange daymark with black vertical stripe.	Year round.	
715.1 G5803.21	Shkgeaum Bay rear range light	54 18 29.7 130 24 28.2  171°30' 228.8 m from front.	F Y .....	8.4	9	Mast, orange daymark with black vertical stripe.	Year round.	
716 G5803.4	Roberson Point Sector Light	On bank, W. of point. 54 19 23.0 130 24 34.1	F R W G	.....	2.8	7	White square skeleton tower, orange rectangular daymark with black vertical stripe.	Year round. R 110°30'-114°; W 114°-118°; G 118°-124°.
717 G5803.6	Dundas Point Sector Light	NW. of point. 54 19 24.8 130 25 01.9	F R W G	.....	4.9	8	Square skeleton tower, orange rectangular daymark with black vertical stripe.	Year round. R 138°-142°; W 142°-146°; G 146°-151°.
718 G5803.8	Metlakatla Sector Light	N. tip of small island, Venn Passage. 54 20 09.7 130 25 25.8	F R W G	.....	2.7	8	Square skeleton tower, orange rectangular daymark with black vertical stripe.	Year round. R 073°-077°; W 077°-080°; G 080°-085°.
718.5	Metlakatla Entrance light buoy D67	54 20 20.6 130 25 45.5	Fl G 4s	.....	.....	Green, pillar, marked "D67".	Year round.	