



Canadian
Coast Guard

Garde côtière
canadienne

Notices to Mariners

Edition No. 09/2026
September 25, 2026



Safety First, Service Always

Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition
Edition No. 09/2026

Aussi disponible en français :
Avis aux navigateurs – Édition mensuelle de l'Est
Édition n° 09/2026

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Canadian Coast Guard, 2026.

Cat. No. D16-2E-PDF (Electronic PDF, English)
ISSN 2817-0075

Cat. No. D16-2F-PDF (Electronic PDF, French)
ISSN 2817-0083

A web version is available here:

[Notices to Mariners – Monthly Editions](#) (English)
[Avis aux navigateurs – Publications mensuelles](#) (French)

Explanatory Notes – Notices to Mariners (NOTMAR)

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Distances may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email chsinfo@dfo-mpo.gc.ca.

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- *16 on a cellphone (where available)

NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.

Explanatory Notes – Canadian Hydrographic Service (CHS)

Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:

	Chart Number	Chart Title	Chart latest new edition date	Horizontal Chart Datum	Last Correction
Weekly Chart Correction Date	1312	Lac Saint-Pierre - New Edition - 10-MAY-2019 - NAD 1983			
	05-AUG-2022				LNM/D. 24-SEP-2021
	Amend				46°03'32.4"N 073°03'21.6"W
		(See Chart 1 P16)		(Q2022035) LL(2177)	DFO(6410690-01)
	Chart Action	Chart 1 Reference No.	CCG Reference No.	List of Lights No.	CHS Reference No.

The last correction number is identified with the **LNM/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in "Section 2 – Chart Corrections." This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

Explanatory Notes – Marine Communications and Traffic Services (MCTS)

Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping¹, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the [CCG Navigational Warnings](#).

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

Atlantic Region (North) *Port aux Basques MCTS Centre “N” Series NAVWARN Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0 Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784 Email: NAVWARN.MCTSPortAuxBasques@innav.gc.ca	Central Region *Prescott MCTS Centre “C” Series NAVWARN Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0 Telephone: 613-925-0666 Facsimile: 613-925-4519 Email: NAVWARN.MCTSPrescott@innav.gc.ca
Atlantic Region (South) *Sydney MCTS Centre “M” Series NAVWARN Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6 Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662 Email: NAVWARN.MCTSSydney@innav.gc.ca	Arctic Region *Iqaluit MCTS Centre <i>Operational from approximately mid-May until late December.</i> “A” Series NAVWARN Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0 Telephone: 867-979-5269 Facsimile: 867-979-4264 Email: NAVWARN.MCTSIqaluit@innav.gc.ca

*Service available in English and in French.

¹ The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

Table of Contents

Section 1: General and Safety Information	1
*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations	1
*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process	1
*401/26 Protecting the North Atlantic Right Whale: Speed Restriction Measures in the Gulf of St. Lawrence	1
*406/26 Saguenay–St. Lawrence Marine Park - Beluga Whale Protection: Slowdown Area at the Mouth of the Saguenay Fjord and Area Closure at Baie Sainte-Marguerite	11
*407/26 Saguenay–St. Lawrence Marine Park and Surrounding Waters – Whale Protection	13
*901/26 Canadian Hydrographic Service – Nautical Charts	15
*902/26 Canadian Hydrographic Service – Electronic Navigational Charts	15
*903/26 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)	16
*904/26 Canadian Coast Guard Publication - Amendments to the <i>Notices to Mariners Annual Edition 2026</i> - Section C, Notice 27A: Guidelines for the Transit of Wide Beam Vessels and Long Vessels	16
Section 1A: Temporary and Preliminary Notices	17
Reminder – Comment Period for Active Preliminary Notices	17
*905(T)/26 Canal de la Rive Sud – Submerged Object	17
*906/26 Cap des Rosiers à/to Chandler – Scientific Moorings Removed	17
*907(P)/26 Guyon Island to / à Flint Island – Fog Signal to be Discontinued	18
*908(T)/26 Toronto Harbour – Routeing Change: Exclusion Zones	19
*909/26 Croil Islands to/à Cardinal – Obstruction Charted	19
*910/26 Detroit River – Bridge Construction Completed	19
Section 2: Chart Corrections	21
Section 3: Radio Aids to Marine Navigation Corrections	35
*913/26 Radio Aids to Marine Navigation 2026 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)	35
Section 4: Canadian Sailing Directions Corrections	36
Section 5: List of Lights, Buoys and Fog Signals Corrections	37

Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1230	21	4861	33		
1429	17	4906	33		
1434	19	4909	33		
2011	21 , 22	4937	17		
2019	22	4940	33		
2020	22 , 23 , 24	4957	34		
2021	24 , 25 , 26	5720	17		
2042	26	6240	34		
2085	19	6267	34		
2204	26	6730	17		
2245	26	7212	34		
2315	26	7787	17		
3000	15	7791	17		
3010	15				
4010	27				
4011	27				
4013	27				
4023	27				
4233	27				
4245	27 , 28 , 29 , 30				
4301	30				
4328	31				
4375	18				
4384	31				
4404	31				
4405	31				
4450	31 , 32				
4467	32				
4485	17				
4486	32				
4642	32				
4820	32				
4850	32				
4851	33				

Section 1: General and Safety Information

***505/23 Canadian Hydrographic Service – Magnetic Declination Calculations**

(Recurrent publication of notice *505/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 05/2023 publication.)

Mariners are advised that CHS has adopted the harmonized World Magnetic Model (WMM), as found on the NCEI/NOAA website. Old compass rose declination information on CHS navigational products can be updated using this website: <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>. While the differences in the model declinations are small each year, they can become more significant over a large period of time.

***1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process**

(Recurrent publication of notice *1207/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 12/2023 publication.)

The records of the Canadian Hydrographic Service could contain geographical names that may be considered inappropriate, offensive and derogatory. Geographical naming authorities are in the process of addressing many offensive place names, the review process is underway. For more information, about inappropriate geographical names, please see the [following announcement](#).

***401/26 Protecting the North Atlantic Right Whale: Speed Restriction Measures in the Gulf of St. Lawrence**

(Recurrent publication of notice *401/26, originally published in the *Notices to Mariners – Monthly Eastern Edition* 04/2026 publication.)

Purpose

This notice describes the speed and navigational restriction zones that vessels must follow in the Gulf of St. Lawrence.

The Government of Canada has established these zones to reduce the risk of vessels colliding with North Atlantic right whales (NARW).

Background

Due to changing migration patterns of NARW and their increased presence in the Gulf of St. Lawrence, the Government of Canada has set seasonal speed restrictions in specific zones. These speed restrictions zones are defined as “static zones”, “dynamic shipping zones”, “seasonal management areas”, a “voluntary seasonal slowdown zone” and a “restricted area”. [See the map below for details](#).

Note: Vessels **must follow** Navigational Warnings outlining the speed restrictions. The *Interim Order for the Protection of North Atlantic Right Whales (Eubalaena Glacialis) in the Gulf of St. Lawrence, 2026*, enables the issuance of Navigational Warnings (NAVWARNs) imposing speed restrictions and navigation restrictions.

Speed restriction zones are described in monthly Notices to Mariners (NOTMARs), which are published by the Canadian Coast Guard. The status of these zones is broadcast through NAVWARNs, which are published by the Coast Guard’s Marine Communications and Traffic Services Centres.

Speed restriction zones and measures

The speed restriction zones will be effective from April 22, 2026, while the restricted area will be implemented based on whale presence.

Please check the [latest NAVWARN](#) for all speed restrictions currently in effect.

Speed Restriction Measures for 2026

These restrictions are in effect from **April 22 to November 15, 2026**.

Non-application

The measures described in this bulletin do not apply to:

- a) a vessel in distress or providing assistance to a person or a vessel in distress;
- b) a government vessel being used
 - (i) for law enforcement activities;
 - (ii) for search and rescue operations; or
 - (iii) to ensure the competency of the crew or the operational readiness of the vessel or crew with respect to such activities or operations.

Static zones

In the static zones, **all** vessels above **13.0 m** in length overall (LOA) must proceed at a speed of not more than 10.0 knots over the ground.

Exclusions

Air cushion vessels operated by or on behalf of the Government of Canada that are engaged in ice-clearing activities from April to June in and around Chaleur Bay are exempted when in operation.

36.57 m (20-fathoms) shallow water protocol exclusion

Vessels engaged in any commercial fishing activity may proceed at a safe operational speed in waters not more than 36.57 m (20 fathom) deep within the static zones.

If a NAVWARN states that at least one North Atlantic right whale has been detected in waters within a static zone or its buffer zone that are not more than 36.57 m deep, the speed limit of 10.0 knots over the ground will apply in the concerned zone(s) to all vessels engaged in commercial fishing activities above 13.0 m in length overall (LOA). The speed restriction will be in effect for 15 days after the day on which the whale was detected. In the event of a new North Atlantic right whale detection occurring in the last 7 days of the 15-day slowdown period, the speed restriction will be extended for an additional 15 days from the date of the new detection. This would continue until no North Atlantic right whales are detected. The buffer zones associated with the static zones are located 5 nautical miles north and south of their adjacent border in waters less than 36.57 m deep.

Coordinates for the northern static zone:

- 50° 20' N 065° 00' W
- 49° 13' N 065° 00' W
- 48° 40' N 064° 13' W
- 48° 40' N 062° 40' W
- 48° 03' N 061° 07.5' W
- 47° 58.1' N 061° 03.5' W
- 48° 00' N 061° 00' W
- 49° 04' N 061° 00' W
- 49° 04' N 062° 00' W
- 49° 43' N 063° 00' W
- 50° 20' N 063° 00' W

Coordinates for the southern static zone:

- 48° 40' N 065° 00' W
- 48° 40' N 062° 40' W
- 48° 03' N 061° 07.5' W
- 47° 58.1' N 061° 03.5' W
- 47° 10' N 062° 30' W
- 47° 10' N 065° 00' W

Dynamic shipping zones

There are five dynamic shipping zones (DSZ) located in the Traffic Separation Scheme (TSS) north and south of Anticosti Island: A, B, C, D and E.

Speed restrictions in the dynamic shipping zones

When a North Atlantic right whale is detected in a dynamic shipping zone or in the buffer zones, located 5 nautical miles south or 2.5 nautical miles from the eastern and western edges of the dynamic shipping zones:

- All vessels will be notified via a NAVWARN; and
- Vessels above **13.0 m** in length overall (LOA) must proceed at a speed of not more than 10.0 knots over the ground within that zone.

When a NAVWARN is issued implementing a speed restriction in one or more dynamic shipping zone(s), vessels above **13.0 m** in length (LOA) must not exceed a speed of 10.0 knots over the ground. Even though dynamic shipping zones overlap with static zones, vessels can travel at a safe operational speed in dynamic shipping zones when they are not under speed restriction. Mariners are encouraged to take into consideration the potential for their vessel striking North Atlantic right whales when considering a safe operational speed during navigation.

The speed restriction in the dynamic shipping zone(s) will be in effect for 15 days from the date of detection. In the event of a new North Atlantic right whale detection occurring in the last 7 days of the 15-day slowdown period, the speed restriction will be extended for an additional 15 days from the date of the new detection. This would continue until no NARW are detected. **When a speed restriction is extended due to a new North Atlantic right whale detection, it should be noted that, contrary to previous years' operations, no new NAVWARN will be issued. The initial NAVWARN will remain in place until a NAVWARN lifting the speed restriction is published.**

Coordinates for the dynamic shipping zones:

Zone A

- 49° 41' N, 065° 00' W
- 49° 20' N, 065° 00' W
- 49° 11' N, 064° 00' W
- 49° 22' N, 064° 00' W

Zone B

- 49° 22' N, 064° 00' W
- 49° 11' N, 064° 00' W
- 48° 48' N, 063° 00' W
- 49° 00' N, 063° 00' W

Zone C

- 49° 00' N, 063° 00' W
- 48° 48' N, 063° 00' W
- 48° 24' N, 062° 00' W
- 48° 35' N, 062° 00' W

Zone D

- 50° 16' N, 064° 00' W
- 50° 00' N, 064° 00' W
- 49° 56' N, 063° 00' W
- 50° 16' N, 063° 00' W;
and
- from there along the
coastline back to
50° 16' N, 064° 00' W

Zone E

- 48° 35' N 062° 00' W
- 48° 24' N 062° 00' W
- 48° 03' N 061° 07.5' W
- 47° 58.1' N 061° 03.5' W
- 48° 00' N 061° 00' W
- 48° 10.5' N 061° 00' W

Seasonal management areas

Seasonal management area 1 (SMA-1) and seasonal management area 2 (SMA-2) are speed restriction areas located north and south of dynamic shipping zone E, respectively.

Within seasonal management areas, vessels above **13.0 m** in length (LOA):

- Must restrict their speed so as not to exceed 10.0 knots over the ground from April 22 to June 30, 2026; **and**
- Are allowed to proceed at a safe operational speed from July 1 to November 15, 2026, unless a North Atlantic right whale is detected. If a whale is detected, a speed restriction of 10.0 knots over the ground will be triggered for 15 days from the date of detection. In the event of a new North Atlantic right whale detection occurring in the last 7 days of the 15-day slowdown period, the speed restriction will be extended for an additional 15 days from the date of the new detection. This would continue until no North Atlantic right whales are detected.

Coordinates for the SMA-1:

- 49° 04' N 062° 00' W
- 49° 04' N 061° 00' W
- 48° 10.5' N 061° 00' W
- 48° 35' N 062° 00' W

Coordinates for the SMA-2:

- 48° 24' N 062° 00' W
- 48° 03' N 061° 07.5' W
- 47° 58.1' N 061° 03.5' W
- 47° 26.69' N 062° 00' W

Restricted area

In the summer months, an important proportion of the total North Atlantic right whale population gathers for feeding and surface activity near the [Shediac Valley](#). Since this makes the North Atlantic right whale more susceptible to vessel collisions, a mandatory restricted area will be implemented in and near the Shediac Valley and will come into force once 80% of the restricted area is closed to fishing for the season as per the Department of Fisheries and Oceans' (DFO) right whale closure protocol, or at the latest on June 15, 2026. The restricted area will be lifted on September 25, 2026, unless North Atlantic right whale detections are reported in high number, which would extend the restricted area beyond September 25.

The size and location of the area are determined based on historical detection data of North Atlantic right whales. All necessary details can be found in the *Interim Order for the Protection of North Atlantic Right Whales (Eubalaena Glacialis) in the Gulf of St. Lawrence, 2026*. Triggering and lifting of the restricted area will be communicated to mariners through NAVWARNs and notices to fish harvesters.

Vessels above **13.0 m** in length (LOA) will be required to:

- Avoid the area unless they are part of the exceptions listed in the *Interim Order for the Protection of North Atlantic Right Whales (Eubalaena Glacialis) in the Gulf of St. Lawrence, 2026*;
- Transit the area at a speed not exceeding 8.0 knots over the ground if they are part of the exceptions.

The following exceptions will apply to the restricted area. The following listed vessels can travel through the area at not more than 8.0 knots over the ground:

- A vessel being used for commercial fishing;
- A vessel being used for fishing under the authority of a licence issued under the *Aboriginal Communal Fishing Licences Regulations*;
- A vessel being used for research purposes on behalf of the Government of Canada
- A vessel involved in research relating to right whales as part of a project that has received funding from the Government of Canada;
- A vessel being used as part of the Department of Fisheries and Oceans' Marine Mammal Response Program to assist a marine mammal or sea turtle in distress or to access or retrieve a deceased marine mammal or sea turtle;
- A vessel authorized by the Government of Canada to retrieve or identify the location of abandoned or lost fishing gear;
- A vessel involved in pollution response operations;
- A vessel avoiding immediate or unforeseen danger; or
- A vessel being used to conduct the maintenance or repair of underwater communication cables.

The following vessels can travel through the restricted area at a speed over 8.0 knots, but below 10.0 knots over the ground as required by the static speed restriction zone:

- A vessel being used by an employee of the Government of Canada or peace officer who is performing their duties.

Coordinates for the restricted area:

- 48°31.8' N 063°39.6' W
- 48°24.72' N 063°17.88' W
- 47°18.84' N 064°10.8' W
- 47°27.18' N 064°30.72' W

Report of death or injury

In the event that at least one North Atlantic right whale is reported dead or injured in the Gulf of St. Lawrence in a zone or area where there is no NAVWARN in effect, a speed restriction of 10.0 knots over the ground for vessels above 13.0 m in length overall (LOA) will be implemented in the concerned zone(s) or area(s) for 15 days from the time the NAVWARN comes into effect.

Inclement weather exception

Mariners will be notified in advance via a NAVWARN should the speed restriction status change in any zone or area, due to inclement weather.

Within any zone or area that is no longer subject to a speed restriction due to adverse weather conditions, mariners may proceed at a safe operational speed, but are encouraged to take into consideration the potential for their vessel striking North Atlantic right whales when determining that speed during navigation.

*Non-expected vessels are still prohibited from transiting through the restricted area.

Voluntary seasonal slowdown in Cabot Strait

To coincide with the North Atlantic right whales entering and exiting the Gulf of St. Lawrence in large numbers, a voluntary seasonal slowdown is being put in place in Cabot Strait from April 22 to June 30, 2026, and from September 2 to November 15, 2026.

- During these periods, vessels above 13 m in length (LOA) are requested to voluntarily reduce their speed so as to not exceed 10.0 knots over the ground.


Voluntary seasonal slowdown zone coordinates:

- 48° 10.5' N 061° 00' W
- 47° 37.2' N 059° 18.5' W
- 47° 02' N 060° 23.7' W
- 47° 58.1' N 061° 03.5' W
- 48° 00' N 061° 00' W

Map of the Gulf of St. Lawrence

The map below provides a visual representation of the main zones mentioned. It must not be used for navigation or law enforcement purposes.

- Static zones (north and south), in pink;
- Dynamic shipping zones (A, B, C, D and E), in green;
- Seasonal management areas, in dark pink;
- Voluntary seasonal slowdown zone, in grey;
- Restricted area, in dark blue; and
- 36.57 m (20 fathoms) DFO shallow water protocol line.



Roseway Basin – Area to be Avoided

The Roseway Basin, located approximately 20 nautical miles south of Cape Sable Island, Nova Scotia, is a critical habitat for North Atlantic right whales, which have been observed to gather in the area on a seasonal basis in Canadian waters. This critical habitat is also located near key shipping routes. In 2007, Canada, with the support of many groups with varied interests, proposed to the International Maritime Organization (IMO) the establishment of a seasonal Area to be Avoided in the Roseway Basin to protect North Atlantic right whales, which IMO accepted and adopted.

To reduce the risk of vessels colliding with North Atlantic right whales, it is recommended that vessels of 300 gross tonnages and more, in transit during the period of June 1 through December 31, avoid the Roseway Basin area. Smaller vessels are also encouraged to avoid passage through this area. If passage is necessary within the Area to be Avoided, it is recommended that all mariners decrease their vessel speed to no more than 10 knots, when safe to do so.


Roseway Basin coordinates:

- 43° 16' N 064° 55' W
- 42° 47' N 064° 59' W
- 42° 39' N 065° 31' W
- 42° 52' N 066° 05' W

Bay of Fundy – Voluntary Slowdown

The Grand Manan Basin located in the Bay of Fundy is identified as a critical habitat for the North Atlantic right whale. When North Atlantic right whales are detected in the Bay of Fundy shipping lanes and near the Grand Manan Basin area (see sectors 1 and 2 on Canadian Coast Guard's map), the Bay of Fundy Vessel

Traffic Services will ask vessels to voluntarily slowdown to 10 knots via VHF channel 12 or 14 at corresponding Calling-in-Points.



This map is for visual representation only and is not to be used for navigation or enforcement.

NAVWARN broadcasts

The Canadian Coast Guard's Marine Communications and Traffic Services Centres (MCTS) issue NAVWARNs:

- By radio broadcast: for marine radio, Continuous Marine Broadcast frequencies and scheduled broadcast times, information may be found in the [Radio Aids to Marine Navigation](#) publication; and
- Online: at [Canada's Maritime Information Portal](#) and its [Navigational Warnings](#) site, using the [North Atlantic Right Whale](#) search term or category.

Mariners must ensure they have accurate and up-to-date information about the protection of the North Atlantic right whale, as in all applicable NOTMARs and NAVWARNs.

Outbound vessels will receive NAVWARNs

- at Calling-in-Point 10 (St-Laurent); or
- upon a departure downstream from the Quebec pilot station (including the Saguenay River, Chaleur Bay, Miramichi Bay, etc.).

Inbound vessels will receive NAVWARNs

- when a clearance to enter Canadian waters is granted.

Vessels in transit will receive NAVWARNs

- at the last reporting point prior to entering the mandatory speed restriction zones;
- vessels in transit will confirm they have received NAVWARNs.

MCTS Centres will broadcast NAVWARNs continuously throughout the season on Continuous Marine Broadcast.

It should be noted that, contrary to previous years' operations, reminders sent to vessels in transit 10 nautical miles before entering a speed restriction zone will no longer be transmitted.

Vessel operators are required to monitor broadcasts by the Canadian Coast Guard's Marine Communications and Traffic Services network for the most up to date information.

Aids to navigation

The Canadian Coast Guard broadcasts virtual Automatic Identification System (AIS) aids to navigation (AIS AtoN) in specific areas. These aids may notify mariners of dynamic shipping zones and/or seasonal management areas subject to speed restrictions.

Each zone is delimited by four to six virtual AIS AtoN, which can be displayed on a ship's navigation equipment, such as

- Electronic Chart Display and Information System (ECDIS);
- Electronic Chart System (ECS);
- Radar;
- Minimum Keyboard Display (MKD).

The Canadian Coast Guard broadcasts the virtual AIS AtoN only when a speed restriction is in effect in one or more zones.

Mariners must select the virtual AIS AtoN symbol to view a message such as "SectA1 Spd Lim 10 kt." This message refers to a speed restriction in effect for a specific zone.

Note: This system is not the primary method of communicating this information.

Compliance and enforcement

Vessels must comply with the Interim Orders made pursuant to the *Canada Shipping Act, 2001*, and any NAVWARNs broadcasted and published by the Canadian Coast Guard relating to the Interim Orders, aimed at regulating the navigation for the purposes of protecting the North Atlantic right whales.

If a vessel does not comply with the Interim Orders or instructions in the NAVWARNs related to the Interim Orders, the vessel could face:

- administrative monetary penalties up to a maximum of CAN \$250,000; and/or
- penal sanctions under the *Canada Shipping Act, 2001* is liable on summary conviction to a fine of not more than CAN \$1,000,000 or to imprisonment for a term of not more than 18 months, or to both.

If a vessel appears to have violated the speed restriction, Transport Canada Marine Safety inspectors will review all information provided through AIS and seek an explanation from the master.

No exemptions to the speed restriction will be granted in advance. However, if a deviation from the speed restrictions is necessary for safety reasons, the following information must be entered into the bridge logbook:

- reason(s) for deviation;
- speed at which vessel is operated;
- latitude and longitude at time of deviation;
- time and duration of deviation; and
- master of the vessel shall sign and date the bridge logbook entry.

For any deviation, Transport Canada will review and consider reasons such as:

- navigating to ensure vessel safety;
- weather conditions;
- force majeure (unforeseeable circumstances); and
- responding to emergencies.

Report a North Atlantic right whale sighting

If you see **live, free-swimming whales**:

- **Email:** DFO.GLFWholes-BaleinesGLF.MPO@dfo-mpo.gc.ca
- When reporting sightings of North Atlantic right whales, you must include: GPS location (latitude and longitude), date and time of sighting, number of marine mammals, **photograph(s)/video(s) collected** and if possible, behavior of marine mammals observed (ex., feeding, travelling, diving).

Sightings of entangled, injured or dead North Atlantic right whale

If you see a North Atlantic right whale (and all other marine mammals) **entangled, injured or dead**, please document and report it immediately to the regional Response Network.

- When documenting you should collect: GPS location (latitude and longitude), date and time of sighting, number of marine mammals, photograph(s)/video(s), and description of the incident to provide to the Response Network.

Southern part of the Gulf of St. Lawrence (New Brunswick, Nova Scotia & Prince Edward Island)

Marine Animal Response Society
Telephone: 1-866-567-6277

Newfoundland and Labrador

Whale Release and Strandings Newfoundland and Labrador (Tangly Whales Inc.)
Telephone: 1-888-895-3003 or 1-709-895-3003

Quebec

Réseau québécois d'urgences pour les mammifères marins (RQUMM)
Telephone: 1-877-722-5346

Report a marine mammal or sea turtle incident or sighting:

For [more information](#) on reporting other marine mammal or sea turtle sighting and incidents.

Please consult [Whale Insight](#) for the latest right whale observations.

***406/26 Saguenay–St. Lawrence Marine Park - Beluga Whale Protection: Slowdown Area at the Mouth of the Saguenay Fjord and Area Closure at Baie Sainte-Marguerite**

*(Recurrent publication of notice *406/26, originally published in the Notices to Mariners – Monthly Eastern Edition 04/2026 publication.)*

The Saguenay–St. Lawrence Marine Park and its surrounding area are at the heart of endangered beluga whale critical summer habitat. Marine mammal protection measures have been put in place in accordance with the *Marine Activities in the Saguenay–St. Lawrence Marine Park Regulations* within the limits of the Marine Park.

However, important feeding, calving and rearing areas for beluga whales require greater protection to ensure the recovery of the species. The portion of the Saguenay situated between the mouth of the Fjord and Baie Sainte-Marguerite is one of the areas most used by females and their young from May to October. The mouth of the Saguenay is known as a feeding ground and Baie Sainte-Marguerite as a calving and rearing area.

In order to prevent collisions with beluga whales, a compulsory 15-knot slowdown area is in effect from May 1st to October 31st at the mouth of the Saguenay. To ensure tranquility for female belugas and their young during the critical calving period, access to Baie Sainte-Marguerite is prohibited to all vessels from June 21st to September 21st, except for special authorizations (see description below).

For safety reasons, *the slowdown area measure at the mouth of the Saguenay Fjord does not apply* to cargo ships (see the monthly edition of *Notice to Mariners* from May to October for voluntary protection measures in the St. Lawrence Estuary). An enhanced vigilance is, however, recommended to all navigators between the mouth of the Saguenay Fjord and Baie Sainte-Marguerite for the protection of beluga whales.

For more information on the Saguenay–St. Lawrence Marine Park, see notice 5C of the *Notices to Mariners Annual Edition 2026* or visit the [Saguenay–St. Lawrence Marine Park website](#).

REGULATORY PROTECTION MEASURES — BELUGA WHALE

Entire Marine Park Territory:

- When beluga whales are less than half a nautical mile (926 metres) from a motorized vessel, the vessel must maintain a steady speed of between 5 and 10 knots.
- All vessels, including human-powered vessels (kayaks and canoes), must continue to move forward and maintain their heading.
- All vessels must maintain a minimum distance of 400 metres from beluga whales at all times.

For more information concerning the regulations, consult the ["Navigate" section of the Saguenay–St. Lawrence Marine Park website](#).

Mouth of the Saguenay Fjord (Figure 1) — Slowdown Area (area crosshatched in red):

- Maximum speed at the mouth of the Saguenay between buoys S7 and S8 and the ferry docks between Baie-Sainte-Catherine and Tadoussac is 15 knots from May 1st to October 31st.

Baie Sainte-Marguerite (Figure 2) — Area Closure (red area):

- From June 21st to September 21st, vessels must not enter the red area, which follows a line between Cap Nord-Ouest and Cap Sainte-Marguerite.
- Special authorizations are granted only for kayaks, canoes and recreational fishermen who must travel without stopping along a corridor within 10 metres of the shore or in shallow areas.

VOLUNTARY PROTECTION MEASURES

Baie Sainte-Marguerite sector (Figure 2) — Transit Area (area crosshatched in yellow):

- From June 21st to September 21st, navigation in this area is recommended at a speed of between 5 and 10 knots without stopping.

The purpose of this transit area is to favour respect of the *Marine Activities in the Saguenay–St. Lawrence Marine Park Regulations*, since beluga whales are often present in the Baie Sainte-Marguerite sector.

INFORMATION

All incidents, including collisions with whales, must be reported without delay by calling 1-866-508-9888. For any other situation concerning a marine mammal that is either dead or in trouble, contact the Marine Mammal Emergency Response Network at 1-877-722-5346, or use VHF channel 16.

Figure 1





Figure 2



*407/26 Saguenay–St. Lawrence Marine Park and Surrounding Waters – Whale Protection

(Recurrent publication of notice *407/26, originally published in the Notices to Mariners – Monthly Eastern Edition 04/2026 publication.)

The waters in and around the Saguenay–St. Lawrence Marine Park are well known for the resident endangered beluga population and the wide diversity of whales that migrate there to feed, particularly between April and November.

Regulatory protection measures

All whale species that are found in the St. Lawrence are protected under the *Marine Mammal Regulations*, pursuant to the *Fisheries Act*. Within the boundaries of the Marine Park, specific measures are set out in the *Marine Activities in the Saguenay–St. Lawrence Marine Park Regulations*, pursuant to the establishment of the *Saguenay–St. Lawrence Marine Park Act*. Any collision with a marine mammal within the Marine Park must immediately be reported to a park warden at 1-866-508-9888. For collisions that occur outside the Marine Park or for any situation involving a marine mammal that is dead or in trouble, contact the emergency network at 1-877-722-5346 or on VHF channel 16.

For more information on the Saguenay–St. Lawrence Marine Park, see notice 5C of the *Notices to Mariners Annual Edition 2026*.

Voluntary protection measures


Provisional measures in effect from May 1 to October 31, 2026. See map at the end of this notice.

These measures apply to merchant vessels and cruise ships between Pointe à Boisvert and Cap de la Tête au Chien to prevent collisions with whales. These measures should only be taken when they will not jeopardize navigational safety.

Caution area (yellow area): To reduce the risk of collisions with whales that can be present anywhere in this area, heightened vigilance of navigators is critical. Posting a lookout is recommended in order to increase the chances of seeing the whales and thus taking necessary measures to avoid them. If bypassing the whales is not possible, slow down and wait for the animals to move away to a distance greater than 400 metres (0.215 nautical miles) before resuming original speed. It is more difficult to see the animals at night therefore increased caution is recommended.

Slow down to 10 knots or less area (red area): To reduce the risk of collisions with whales in this feeding area, it is recommended that vessels slow down to a maximum speed through the water of 10 knots and post a lookout. It is further recommended to remain in the Laurentian Channel to the north of Île Rouge to minimize the impact of noise in a sensitive area south of this island, which is highly frequented by herds of beluga whales composed of females and young.

Area to be avoided (hatched red area): To reduce noise and the risk of collisions with whales, vessels should avoid transiting through this area which is highly frequented by blue whales, an endangered species. If the area cannot be avoided, slow down to a speed through the water of 10 knots or less.




Voluntary protection measures to reduce the risk of ship strikes with whales and to minimize the impact of noise on beluga whale

Provisional measures in effect from
May 1st to October 31st 2026

- Caution area**
presence of whales
- Slow down to 10 knots* or less area**
Important whale feeding area
- Area to be avoided; if impossible, slow down to 10 knots* or less**
Important blue whale area
- Sensitive area highly used by beluga herds composed of females and young
It is recommended to navigate in the Laurentian Channel north of Île Rouge

* 10 knots refers to speed through water



***901/26 Canadian Hydrographic Service – Nautical Charts**

New Charts			
Charts	Main Title	Version Date	Release Date
3010	Pacific Coast of Canada / Côte Pacifique du Canada	2026-08-21	2026-09-18
Charts Permanently Withdrawn			
Charts	Main Title	Withdrawal Date	
3000	Juan de Fuca Strait to/à Dixon Entrance	2026-09-18	

***902/26 Canadian Hydrographic Service – Electronic Navigational Charts**

New Products			
S-57 & S-101 ENC Number	Chart Title	Usage	Published
CA4B76CA (Edn 1.000)	CA4B76CA	TRANSIT	2026-09-04
CA4B76NA (Edn 1.000)	CA4B76NA	TRANSIT	2026-09-04
CA4B76YA (Edn 1.000)	CA4B76YA	TRANSIT	2026-09-04
CA4BH6CA (Edn 1.000)	CA4BH6CA	TRANSIT	2026-09-04
CA4BH6NA (Edn 1.000)	CA4BH6NA	TRANSIT	2026-09-04
CA4BH6YA (Edn 1.000)	CA4BH6YA	TRANSIT	2026-09-04
CA53CKLA (Edn 1.000)	CA53CKLA	PORT	2026-09-25
CA53DKLA (Edn 1.000)	CA53DKLA	PORT	2026-09-25
New Editions			
S-57 & S-101 ENC Number	Chart Title	Usage	Published
101CA00T460N0730W (Edn 7.000)	101CA00T460N0730W	TRANSIT	2026-08-28
CA448K3A (Edn 2.000)	CA448K3A	TRANSIT	2026-09-25
CA448MHA (Edn 7.000)	Transit4600N07300W	TRANSIT	2026-08-28
CA471165 (Edn 2.000)	CA471165	TRANSIT	2026-09-11
CA471179 (Edn 2.000)	CA471179	TRANSIT	2026-09-11
CA471180 (Edn 2.000)	CA471180	TRANSIT	2026-09-11
CA471195 (Edn 2.000)	CA471195	TRANSIT	2026-08-28
CA471197 (Edn 2.000)	CA471197	TRANSIT	2026-09-11
CA473495 (Edn 2.000)	Belleville to/à Presqu'île Bay	APPROACH	2026-09-11
CA53QQ4A (Edn 2.000)	CA53QQ4A	PORT	2026-09-04
CA53QQ5A (Edn 2.000)	CA53QQ5A	PORT	2026-09-04
CA53YPKA (Edn 2.000)	Saint John Harbour and Approaches / et les approches	PORT	2026-08-28
CA540PLA (Edn 3.000)	CA540PLA	PORT	2026-08-28
CA543R1A (Edn 4.000)	CA543R1A	PORT	2026-09-11
CA544R0A (Edn 3.000)	CA544R0A	PORT	2026-09-11

CA544R1A (Edn 3.000)	CA544R1A	PORT	2026-09-11
CA549KBA (Edn 2.000)	CA549KBA	PORT	2026-09-25
CA549KCA (Edn 2.000)	CA549KCA	PORT	2026-09-25
CA549KDA (Edn 2.000)	CA549KDA	PORT	2026-09-25
CA549KFA (Edn 2.000)	CA549KFA	PORT	2026-09-25
CA54AKDA (Edn 2.000)	CA54AKDA	PORT	2026-09-25
CA54AKEA (Edn 2.000)	CA54AKEA	PORT	2026-09-25
CA54AKFA (Edn 2.000)	CA54AKFA	PORT	2026-09-25
CA54BKJA (Edn 2.000)	CA54BKJA	PORT	2026-09-25
CA570099 (Edn 6.000)	Fish Egg Inlet	HARBOUR	2026-09-11
CA573362 (Edn 4.000)	Hamilton Harbour	HARBOUR	2026-08-28
Permanently Withdrawn			
S-57 & S-101 ENC Number	Chart Title	Withdrawal Date	
CA54AKDA	CA54AKDA	2026-09-25	

***903/26 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)**

Charts Permanently Withdrawn		
Charts	Main Title	Withdrawal Date
RM-2044	Port Dalhousie	2026-09-25
RM-6038	West Bay to/à West Arm	2026-09-25

***904/26 Canadian Coast Guard Publication - Amendments to the *Notices to Mariners Annual Edition 2026* - Section C, Notice 27A: Guidelines for the Transit of Wide Beam Vessels and Long Vessels**

Page 1:

AMEND AS FOLLOWS:

Wide-beam vessels subject to this notice must submit for every inbound voyage the completed Wide-beam vessel Questionnaire to Transport Canada before arrival at the Escoumins pilot station. The questionnaire can be obtained by writing to TC.QUETCSMOfficierEnDevoir-TCMSDutyOfficerQUE.TC@tc.gc.ca.

Section 1A: Temporary and Preliminary Notices

Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL No.)	Intent of Notice
Atlantic Coast			
810(P)/26	4937	N/A	Unlit Buoys to be Discontinued
Arctic Coast			
728(P)/26	7787	4590	Daybeacon to be Discontinued
812(P)/26	5720	6447.69, 6447.71, 6447.72, 6447.74	Aids to Navigation to be Discontinued
813(P)/26	6730	180	Aid to Navigation to be Discontinued
814(P)/26	7791	4495	Daybeacon to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

Newfoundland and Labrador Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

No notices applicable for this edition.

Atlantic Coast

Temporary Notices

*905(T)/26 Canal de la Rive Sud – Submerged Object

Reference chart: 1429

Submerged orange aluminum vessel reported in 45° 25.100'N 073° 34.680'W.

(NW-C-3327-26)

*906/26 Cap des Rosiers à/to Chandler – Scientific Moorings Removed

Reference: Notice 711(T)/23 is cancelled (Chart 4485).

The six sub-surface scientific moorings have been removed.

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: [DFO.CCGATLAidstoNavDiscont-
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLAidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

***907(P)/26 Guyon Island to / à Flint Island – Fog Signal to be Discontinued**

Reference chart: 4375

The Canadian Coast Guard proposes to permanently discontinue the fog signal from the following aid to navigation:

Aid Name	LL #	Position
Little Lorraine (Lorembec)	761	45° 56' 56.5"N 059° 51' 34.2"W

The light and structure are to remain in position. Light to be changed from Fixed to ISO 4s; structure to be changed to a square tower with daymark.

Initial publication date: Friday, September 25, 2026

[Comment submission deadline](#): Thursday, December 24, 2026

(G2026-084)

Inland Waters

Temporary Notices

***908(T)/26 Toronto Harbour – Routeing Change: Exclusion Zones**

Reference chart: 2085

Motorized Watercraft Exclusion Zones in effect at the following beaches:

Woodbine Beach, Kew Beach and Balmy Beach in an area bounded by:

43° 39.624'N 079° 18.359'W to 43° 39.597'N 079° 18.259'W

43° 40.188'N 079° 16.741'W to 43° 40.264'N 079° 16.781'W

Cherry Beach in an area bounded by:

43° 37.990'N 079° 20.821'W to 43° 37.934'N 079° 20.740'W

43° 38.295'N 079° 20.108'W to 43° 38.350'N 079° 20.190'W

Humber Bay Park East in an area bounded by:

43° 37.453'N 079° 28.426'W to 43° 37.760'N 079° 28.271'W to 43° 37.826'N 079° 28.336'W

Exclusion zone not in effect west of a line bounded by:

43° 37.754'N 079° 28.501'W to 43° 37.375'N 079° 28.501'W

Keep a 150 metres distance from the shorelines.

(NW-C-3826, 3827, 3828-26)

***909/26 Croil Islands to/à Cardinal – Obstruction Charted**

Reference: Notice 515(T)/25 is cancelled (Chart 1434).

The lost anchor has been charted on chart 1434.

***910/26 Detroit River – Bridge Construction Completed**

Reference: Notice 413(T)/22 is cancelled.

The bridge construction operations are now completed.

Preliminary Notices

No notices applicable for this edition.

Arctic Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

No notices applicable for this edition.

Section 2: Chart Corrections

1230 - Cap-Chat - New Edition - 19-FEB-2010 - NAD 1983

18-SEP-2026

Delete	depth of 0,7 metres (See Chart 1, I10)	49°05'58.3"N 066°41'22.6"W <i>DFO(6411425-01)</i>
Add	depth of 0,5 metres (See Chart 1, I10)	49°05'58.5"N 066°41'22.5"W <i>DFO(6411425-02)</i>
Add	depth of 1,3 metres (See Chart 1, I10)	49°05'59.0"N 066°41'22.2"W <i>DFO(6411425-03)</i>
Delete	depth of 1,6 metres (See Chart 1, I10)	49°05'57.9"N 066°41'23.9"W <i>DFO(6411425-04)</i>
Add	depth of 1,3 metres (See Chart 1, I10)	49°05'57.9"N 066°41'23.9"W <i>DFO(6411425-05)</i>

1230 - Rivière-au-Renard - New Edition - 19-FEB-2010 - NAD 1983

18-SEP-2026

Delete	depth of 0,6 metres (See Chart 1, I10)	48°59'55.6"N 064°23'27.9"W <i>DFO(6411422-01)</i>
Add	depth of 0,2 metres (See Chart 1, I10)	48°59'55.6"N 064°23'27.8"W <i>DFO(6411422-02)</i>

2011 - Belleville Harbour - Sheet/Feuille 1 - New Edition - 31-JUL-2020 - World Geodetic System 1984

04-SEP-2026

Delete	red starboard hand spar buoy, marked Q56/2 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573410	44°08'55.5"N 077°22'56.0"W <i>(B2026010) DFO(6605695-01)</i>
Add	red, green and red starboard bifurcation lighted spar buoy FI(2+1)R 6s, marked QM (See Chart 1, Qe) This notice affects Electronic Navigational Chart: CA573410	44°08'57.7"N 077°22'27.4"W <i>(B2026011) LL(469.1) DFO(6605696-01)</i>
Delete	red starboard hand lighted spar buoy FI R, marked Q54 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573410	44°08'57.9"N 077°22'22.0"W <i>(B2026012) LL(469) DFO(6605697-01)</i>
Amend	QM5 to read QM1 against green port hand spar buoy (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573410	44°09'11.0"N 077°22'31.8"W <i>(B2026014) DFO(6605699-01)</i>

Amend	QM4 to read QM2 against red starboard hand spar buoy (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573410	44°09'11.2"N 077°22'30.8"W (B2026015) DFO(6605700-01)
Add	red starboard hand spar buoy, marked QM4 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573410	44°09'15.1"N 077°22'43.4"W (B2026016) DFO(6605701-01)
Add	green port hand spar buoy, marked QM5 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573410	44°09'12.8"N 077°22'43.3"W (B2026060) DFO(6605755-01)

2019 - Adolphus Reach to à Big Bay - New Chart - 04-JUN-2021 - World Geodetic System 1984

04-SEP-2026		LNm/D. 21-NOV-2025
Delete	red and white fairway lighted spar buoy Mo(A), marked Q (See Chart 1, Qd)	44°04'00.0"N 077°05'30.0"W (B2026013) LL(444) DFO(6605698-01)
Add	red starboard hand lighted spar buoy FI R, marked Q6/2 (See Chart 1, Qb)	44°04'38.0"N 077°04'49.9"W (B2026032) LL(448.8) DFO(6605727-01)
Delete	red starboard hand spar buoy, marked Q18 (See Chart 1, Qb)	44°10'52.2"N 077°04'15.0"W (B2026033) DFO(6605728-01)
Add	red starboard hand spar buoy, marked Q52/2 (See Chart 1, Qb)	44°09'13.5"N 077°19'50.5"W (B2026059) DFO(6605754-01)

2019 - Telegraph Narrows - New Chart - 04-JUN-2021 - World Geodetic System 1984

04-SEP-2026		LNm/D. 21-NOV-2025
Delete	green port hand spar buoy, marked Q29 (See Chart 1, Qc)	44°09'52.4"N 077°06'54.0"W (B2026034) DFO(6605729-01)
Delete	red starboard hand spar buoy, marked Q30 (See Chart 1, Qb)	44°09'54.7"N 077°06'55.0"W (B2026035) DFO(6605730-01)

2020 - Belleville to à Presqu'île Bay - New Chart - 02-JUL-2021 - World Geodetic System 1984

04-SEP-2026		LNm/D. 18-JUL-2025
Delete	red starboard hand spar buoy, marked Q56/2 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573410	44°08'55.5"N 077°22'56.0"W (B2026010) DFO(6605695-01)
Add	red, green and red starboard bifurcation lighted spar buoy FI(2+1)R 6s, marked QM (See Chart 1, Qe) This notice affects Electronic Navigational Chart: CA573410	44°08'57.7"N 077°22'27.4"W (B2026011) LL(469.1) DFO(6605696-01)

Delete	red starboard hand lighted spar buoy FI R, marked Q54 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573410	44°08'57.9"N 077°22'22.0"W (B2026012) LL(469) DFO(6605697-01)
Add	red starboard hand spar buoy, marked Q52/2 (See Chart 1, Qb)	44°09'13.5"N 077°19'50.5"W (B2026059) DFO(6605754-01)
2020 - Trenton - New Chart - 02-JUL-2021 - World Geodetic System 1984 04-SEP-2026		LNMD. 18-JUL-2025
Replace	green, red and green port bifurcation lighted spar buoy FI(2+1) G, marked QT with red, green and red starboard bifurcation lighted spar buoy FI(2+1) R, marked QTB (See Chart 1, Qe) This notice affects Electronic Navigational Chart: CA573409	44°05'53.7"N 077°30'54.1"W (B2026021) LL(474) DFO(6605716-01)
Delete	green port hand spar buoy, marked QT1 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'38.7"N 077°34'07.6"W (B2026022) DFO(6605717-01)
Delete	red starboard hand spar buoy, marked QT2 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'38.2"N 077°34'05.1"W (B2026023) DFO(6605718-01)
Delete	green port hand spar buoy, marked QT3 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'26.8"N 077°34'13.5"W (B2026024) DFO(6605719-01)
Delete	red starboard hand spar buoy, marked QT4 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'26.8"N 077°34'10.0"W (B2026025) DFO(6605720-01)
Delete	red starboard hand spar buoy, marked QT8 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'07.2"N 077°34'16.6"W (B2026026) DFO(6605721-01)
Delete	green port hand spar buoy, marked QT9 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°04'54.7"N 077°34'17.1"W (B2026027) DFO(6605722-01)
Delete	red starboard hand spar buoy, marked QT10 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°04'54.7"N 077°34'12.5"W (B2026028) DFO(6605723-01)
Delete	green port hand spar buoy, marked QY1 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°06'15.2"N 077°31'19.1"W (B2026029) DFO(6605724-01)

Delete	green port hand spar buoy, marked QY2 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°06'17.2"N 077°31'18.6"W (B2026030) DFO(6605725-01)
Delete	red starboard hand spar buoy, marked QY4 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°06'18.2"N 077°31'25.1"W (B2026031) DFO(6605726-01)
Add	green port hand spar buoy, marked Q69 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'33.6"N 077°32'48.8"W (B2026036) DFO(6605731-01)
11-SEP-2026		LNMD. 04-SEP-2026
Delete	black and yellow North cardinal lighted spar buoy Q, marked QT (See Chart 1, Q130.3)	44°05'43.2"N 077°34'03.1"W (B2026061) LL(479) DFO(6605760-01)
Add	green port hand lighted spar buoy FI G, marked Q75 (See Chart 1, Qc)	44°05'44.6"N 077°33'55.3"W DFO(6605760-02)
2021 - Murray Canal Presqu'île Bay to à Trenton - Sheet/Feuille 1 - New Edition - 02-FEB-2007 - NAD 1983		
04-SEP-2026		LNMD. 18-JUL-2025
Delete	green port hand spar buoy, marked QT1 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'38.7"N 077°34'07.6"W (B2026022) DFO(6605717-01)
Delete	red starboard hand spar buoy, marked QT2 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'38.2"N 077°34'05.1"W (B2026023) DFO(6605718-01)
Delete	green port hand spar buoy, marked QT3 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'26.8"N 077°34'13.5"W (B2026024) DFO(6605719-01)
Delete	red starboard hand spar buoy, marked QT4 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'26.8"N 077°34'10.0"W (B2026025) DFO(6605720-01)
Delete	red starboard hand spar buoy, marked QT8 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'07.2"N 077°34'16.6"W (B2026026) DFO(6605721-01)
Delete	green port hand spar buoy, marked QT9 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°04'54.7"N 077°34'17.1"W (B2026027) DFO(6605722-01)
Delete	red starboard hand spar buoy, marked QT10 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°04'54.7"N 077°34'12.5"W (B2026028) DFO(6605723-01)

Add	green port hand spar buoy, marked Q69 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'33.6"N 077°32'48.8"W (B2026036) DFO(6605731-01)
Amend	note Adjoining Chart/Carte adjacente 2069 to read Adjoining Chart/Carte adjacente 2020 (See Chart 1, A20)	44°05'38.5"N 077°32'20.5"W DFO(6605731-02)
11-SEP-2026		LNMD. 04-SEP-2026
Delete	black and yellow North cardinal lighted spar buoy Q, marked QT (See Chart 1, Q130.3)	44°05'43.2"N 077°34'03.1"W (B2026061) LL(479) DFO(6605760-01)
Add	green port hand lighted spar buoy FI G, marked Q75 (See Chart 1, Qc)	44°05'44.6"N 077°33'55.3"W DFO(6605760-02)
2021 - Trenton to/à Glen Ross - Sheet/Feuille 2 - New Edition - 02-FEB-2007 - NAD 1983		
04-SEP-2026		LNMD. 18-JUL-2025
Delete	green port hand spar buoy, marked QT1 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'38.7"N 077°34'07.6"W (B2026022) DFO(6605717-01)
Delete	red starboard hand spar buoy, marked QT2 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'38.2"N 077°34'05.1"W (B2026023) DFO(6605718-01)
Delete	green port hand spar buoy, marked QT3 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'26.8"N 077°34'13.5"W (B2026024) DFO(6605719-01)
Delete	red starboard hand spar buoy, marked QT4 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'26.8"N 077°34'10.0"W (B2026025) DFO(6605720-01)
Delete	red starboard hand spar buoy, marked QT8 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°05'07.2"N 077°34'16.6"W (B2026026) DFO(6605721-01)
Delete	green port hand spar buoy, marked QT9 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°04'54.7"N 077°34'17.1"W (B2026027) DFO(6605722-01)
Delete	red starboard hand spar buoy, marked QT10 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°04'54.7"N 077°34'12.5"W (B2026028) DFO(6605723-01)
Delete	green port hand spar buoy, marked QY1 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°06'15.2"N 077°31'19.1"W (B2026029) DFO(6605724-01)

Delete	green port hand spar buoy, marked QY2 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°06'17.2"N 077°31'18.6"W (B2026030) DFO(6605725-01)
Delete	red starboard hand spar buoy, marked QY4 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA573409	44°06'18.2"N 077°31'25.1"W (B2026031) DFO(6605726-01)
Add	green port hand spar buoy, marked Q69 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573409	44°05'33.6"N 077°32'48.8"W (B2026036) DFO(6605731-01)
Amend	note Adjoining Chart/Carte adjacente 2069 to read Adjoining Chart/Carte adjacente 2020 (See Chart 1, A20)	44°05'50.0"N 077°31'13.0"W DFO(6605731-02)
11-SEP-2026		LN/D. 04-SEP-2026
Delete	black and yellow North cardinal lighted spar buoy Q, marked QT (See Chart 1, Q130.3)	44°05'43.2"N 077°34'03.1"W (B2026061) LL(479) DFO(6605760-01)
Add	green port hand lighted spar buoy FI G, marked Q75 (See Chart 1, Qc)	44°05'44.6"N 077°33'55.3"W DFO(6605760-02)
2042 - B à/to C - New Edition - 28-NOV-2003 - NAD 1983		
18-SEP-2026		LN/D. 12-DEC-2025
Reposition	green port hand lighted spar buoy FI G, marked WC33 (See Chart 1, Qc)	from 43°06'29.4"N 079°11'57.7"W to 43°06'29.2"N 079°11'57.2"W LL(551.34) DFO(6605768-01)
2204 - Beaverstone Bay to/à Killarney - Sheet/Feuille 4 - New Edition - 05-MAR-2010 - NAD 1983		
11-SEP-2026		LN/D. 05-DEC-2025
Add	subsurface mooring can buoy, marked Or (See Chart 1, Q21) This notice affects Electronic Navigational Chart: CA373054	45°58'30.4"N 081°24'05.7"W DFO(6605765-01)
2245 - Beaverstone Bay to/à Lonely Island and/et McGregor Bay - New Edition - 26-JUL-2002 - NAD 1983		
11-SEP-2026		LN/D. 25-AUG-2023
Add	subsurface mooring can buoy, marked Or (See Chart 1, Q21) This notice affects Electronic Navigational Chart: CA373054	45°58'30.4"N 081°24'05.7"W DFO(6605765-01)
2315 - Michipicoten River - New Edition - 07-JUL-2006 - NAD 1983		
11-SEP-2026		LN/D. 10-MAY-2024
Amend	Iso to read Iso Y against light (See Chart 1, P16)	47°55'59.6"N 084°51'06.8"W (D2026009) LL(1092.5) DFO(6605763-01)

4010 - Bay of Fundy / Baie de Fundy: Inner portion / partie intérieure - New Edition - 14-FEB-2003 - NAD 1983

25-SEP-2026

LNMD. 17-APR-2026

Add wreck, least depth unknown 44°56'39.6"N 065°45'58.8"W
(See Chart 1, K29)
DFO(6312354-01)

4011 - Approaches to / Approches à Bay of Fundy / Baie de Fundy - New Edition - 03-JAN-2003 - NAD 1983

25-SEP-2026

LNMD. 03-JUL-2026

Add wreck, least depth unknown 44°56'39.6"N 065°45'58.8"W
(See Chart 1, K29)
DFO(6312354-01)

4013 - Halifax to / à Sydney - New Edition - 06-SEP-2002 - NAD 1983

18-SEP-2026

LNMD. 27-MAR-2026

Amend FI 4s 48ft 6M to read LFI 6s48ft6M against light 45°48'15.0"N 062°36'07.2"W
(See Chart 1, P16)
(G2026065) LL(897) DFO(6312304-02)

Amend FI 4s58ft to read FI 5s58ft6M against light 45°48'56.3"N 062°30'51.5"W
(See Chart 1, P16)
(G2026067) LL(899.5) DFO(6312306-01)

4023 - Northumberland Strait / Détroit de Northumberland - New Edition - 27-DEC-2002 - World Geodetic System 1984

18-SEP-2026

LNMD. 14-AUG-2026

Amend FI 4s 48ft 6M to read LFI 6s48ft6M against light 45°48'15.0"N 062°36'07.2"W
(See Chart 1, P16)
(G2026065) LL(897) DFO(6312304-02)

Amend FI 4s58ft to read FI 5s58ft6M against light 45°48'58.8"N 062°30'52.3"W
(See Chart 1, P16)
(G2026067) LL(899.5) DFO(6312306-01)

4233 - Cape Canso to / à Country Island - New Chart - 11-JAN-1991 - NAD 1983

18-SEP-2026

LNMD. 03-JUL-2026

Delete fog signal Fog Sig 20s (Occas) 45°16'17.2"N 061°01'27.0"W
(See Chart 1, R1, R20)
(G2026070) DFO(6312308-01)

4245 - Yarmouth Harbour and Approaches / et les approches - New Edition - 19-NOV-1999 - NAD 1983

11-SEP-2026

LNMD. 21-NOV-2025

Add depth of 1.4 metres 43°48'32.9"N 066°08'37.7"W
(See Chart 1, I10)
DFO(6312296-01)

Replace depth of 1.1 metres with depth of 0.3 metres 43°49'25.7"N 066°08'07.9"W
(See Chart 1, I10)
DFO(6312296-02)

Add depth of 1.8 metres 43°49'36.1"N 066°07'58.8"W
(See Chart 1, I10)
DFO(6312296-03)

Delete depth of 3.6 metres 43°49'39.9"N 066°07'55.0"W
(See Chart 1, I10)
DFO(6312296-04)

Add	depth of 1.9 metres (See Chart 1, I10)	43°49'40.0"N 066°07'56.0"W <i>DFO(6312296-05)</i>
Replace	depth of 3.1 metres with depth of 2.1 metres (See Chart 1, I10)	43°49'41.6"N 066°07'54.7"W <i>DFO(6312296-06)</i>
Replace	depth of 3.2 metres with depth of 2.5 metres (See Chart 1, I10)	43°49'44.6"N 066°07'52.3"W <i>DFO(6312296-07)</i>
Replace	depth of 2.1 metres with depth of 1.9 metres (See Chart 1, I10)	43°49'48.3"N 066°07'48.9"W <i>DFO(6312296-08)</i>
Replace	depth of 2.2 metres with depth of 1.5 metres (See Chart 1, I10)	43°49'50.0"N 066°07'47.5"W <i>DFO(6312296-09)</i>
Add	depth of 2 metres (See Chart 1, I10)	43°49'52.1"N 066°07'45.0"W <i>DFO(6312296-10)</i>
Add	depth of 1.9 metres (See Chart 1, I10)	43°49'52.3"N 066°07'36.0"W <i>DFO(6312296-11)</i>
Add	depth of 4.9 metres (See Chart 1, I10)	43°49'54.0"N 066°07'34.8"W <i>DFO(6312296-13)</i>
Add	depth of 5 metres (See Chart 1, I10)	43°49'56.8"N 066°07'31.9"W <i>DFO(6312296-14)</i>
Delete	depth of 5.3 metres (See Chart 1, I10)	43°49'57.3"N 066°07'31.1"W <i>DFO(6312296-15)</i>
Replace	depth of 2.9 metres with depth of 1.7 metres (See Chart 1, I10)	43°49'57.3"N 066°07'27.8"W <i>DFO(6312296-16)</i>
Replace	depth of 5.6 metres with depth of 5.3 metres (See Chart 1, I10)	43°50'05.6"N 066°07'32.7"W <i>DFO(6312296-20)</i>
Delete	depth of 5.2 metres (See Chart 1, I10)	43°50'08.9"N 066°07'30.5"W <i>DFO(6312296-22)</i>
Add	depth of 4.8 metres (See Chart 1, I10)	43°50'09.0"N 066°07'31.1"W <i>DFO(6312296-23)</i>
Delete	depth of 5.2 metres (See Chart 1, I10)	43°50'07.9"N 066°07'26.4"W <i>DFO(6312296-25)</i>

Add	depth of 4.9 metres (See Chart 1, I10)	43°50'08.4"N 066°07'27.2"W <i>DFO(6312296-26)</i>
Replace	depth of 3.6 metres with depth of 3 metres (See Chart 1, I10)	43°50'10.6"N 066°07'23.7"W <i>DFO(6312296-27)</i>
Replace	depth of 3.3 metres with depth of 3 metres (See Chart 1, I10)	43°50'13.0"N 066°07'27.1"W <i>DFO(6312296-28)</i>
Delete	depth of 3.4 metres (See Chart 1, I10)	43°50'16.9"N 066°07'21.2"W <i>DFO(6312296-30)</i>
Add	depth of 2.9 metres (See Chart 1, I10)	43°50'16.6"N 066°07'21.8"W <i>DFO(6312296-31)</i>
Delete	depth of 4.9 metres (See Chart 1, I10)	43°49'57.6"N 066°07'28.6"W <i>DFO(6312296-35)</i>
4245 - Yarmouth Wharves / Quais - New Edition - 19-NOV-1999 - NAD 1983 11-SEP-2026		LNM/D. 21-NOV-2025
Replace	depth of 2.8 metres with depth of 1.9 metres (See Chart 1, I10)	43°49'52.3"N 066°07'36.0"W <i>DFO(6312296-12)</i>
Add	depth of 5 metres (See Chart 1, I10)	43°49'56.8"N 066°07'31.9"W <i>DFO(6312296-14)</i>
Delete	depth of 5.3 metres (See Chart 1, I10)	43°49'57.3"N 066°07'31.1"W <i>DFO(6312296-15)</i>
Delete	depth of 4.2 metres (See Chart 1, I10)	43°49'57.6"N 066°07'28.2"W <i>DFO(6312296-17)</i>
Add	depth of 1.7 metres (See Chart 1, I10)	43°49'57.3"N 066°07'27.8"W <i>DFO(6312296-18)</i>
Replace	depth of 5.7 metres with depth of 5.4 metres (See Chart 1, I10)	43°50'01.8"N 066°07'37.2"W <i>DFO(6312296-19)</i>
Replace	depth of 5.6 metres with depth of 5.3 metres (See Chart 1, I10)	43°50'05.6"N 066°07'32.7"W <i>DFO(6312296-20)</i>
Replace	depth of 5.4 metres with depth of 4.9 metres (See Chart 1, I10)	43°50'07.1"N 066°07'32.1"W <i>DFO(6312296-21)</i>

Delete	depth of 5.2 metres (See Chart 1, I10)	43°50'08.9"N 066°07'30.5"W <i>DFO(6312296-22)</i>
Add	depth of 4.8 metres (See Chart 1, I10)	43°50'09.0"N 066°07'31.1"W <i>DFO(6312296-23)</i>
Replace	depth of 5.3 metres with depth of 5 metres (See Chart 1, I10)	43°50'07.2"N 066°07'28.2"W <i>DFO(6312296-24)</i>
Delete	depth of 5.2 metres (See Chart 1, I10)	43°50'07.9"N 066°07'26.4"W <i>DFO(6312296-25)</i>
Add	depth of 4.9 metres (See Chart 1, I10)	43°50'08.4"N 066°07'27.2"W <i>DFO(6312296-26)</i>
Replace	depth of 3.6 metres with depth of 3 metres (See Chart 1, I10)	43°50'10.6"N 066°07'23.7"W <i>DFO(6312296-27)</i>
Replace	depth of 3.3 metres with depth of 3 metres (See Chart 1, I10)	43°50'13.0"N 066°07'27.1"W <i>DFO(6312296-28)</i>
Replace	depth of 3.2 metres with depth of 2.9 metres (See Chart 1, I10)	43°50'16.5"N 066°07'23.6"W <i>DFO(6312296-29)</i>
Delete	depth of 3.4 metres (See Chart 1, I10)	43°50'16.9"N 066°07'21.2"W <i>DFO(6312296-30)</i>
Add	depth of 2.9 metres (See Chart 1, I10)	43°50'16.6"N 066°07'21.8"W <i>DFO(6312296-31)</i>
Replace	depth of 3.5 metres with depth of 1.9 metres (See Chart 1, I10)	43°50'16.1"N 066°07'20.4"W <i>DFO(6312296-32)</i>
Replace	depth of 2.4 metres with depth of 2 metres (See Chart 1, I10)	43°49'52.1"N 066°07'45.0"W <i>DFO(6312296-33)</i>
Delete	depth of 2.9 metres (See Chart 1, I10)	43°49'57.0"N 066°07'27.4"W <i>DFO(6312296-34)</i>

4301 - Canso Harbour to Strait of Canso - New Chart - 31-MAY-2019 - World Geodetic System 1984

18-SEP-2026

LNM/D. 13-MAR-2026

Delete	fog signal FogSig20s (Occas) (See Chart 1, R1, R20)	45°16'17.2"N 061°01'27.0"W <i>(G2026070) DFO(6312308-01)</i>
--------	--	---

4328 - Lunenburg Bay - New Edition - 10-JUL-1998 - NAD 1983

11-SEP-2026

LNMD. 04-JUL-2025

Add marine farm 44°21'20.0"N 064°20'10.0"W
(See Chart 1, K48.2)

DFO(6312319-01)

Add marine farm 44°20'50.0"N 064°20'05.3"W
(See Chart 1, K48.2)

DFO(6312319-02)

4384 - Pearl Island to / à Cape La Have - New Edition - 10-JAN-2003 - NAD 1983

11-SEP-2026

LNMD. 31-JUL-2026

Add marine farm 44°21'20.0"N 064°20'10.0"W
(See Chart 1, K48.2)

DFO(6312319-01)

Add marine farm 44°20'50.0"N 064°20'05.3"W
(See Chart 1, K48.2)

DFO(6312319-02)

4404 - Cape George to / à Pictou - New Edition - 28-FEB-2014 - NAD 1983

18-SEP-2026

LNMD. 13-SEP-2024

Amend FI 14m9M to read LFI 6s14m6M against light 45°48'15.0"N 062°36'07.2"W
(See Chart 1, P16)

(G2026065) LL(897) DFO(6312304-01)

Amend FI G to read Iso G against light 45°48'09.5"N 062°35'08.4"W
(See Chart 1, P16)

(G2026066) LL(898) DFO(6312305-01)

Amend FI 18m to read FI 5s18m6M against light 45°48'53.6"N 062°30'49.8"W
(See Chart 1, P16)

(G2026067) LL(899.5) DFO(6312306-01)

Delete light Iso 45°48'14.3"N 062°35'11.6"W
(See Chart 1, P1)

(G2026068) LL(899) DFO(6312307-01)

4405 - Pictou Island to / aux Tryon Shoals - New Edition - 21-FEB-2003 - NAD 1983

18-SEP-2026

LNMD. 27-MAR-2026

Amend FI 4s 48ft 6M to read LFI 6s48ft6M against light 45°48'15.0"N 062°36'07.2"W
(See Chart 1, P16)

(G2026065) LL(897) DFO(6312304-02)

4450 - Saint Paul Island - New Edition - 21-MAR-2003 - NAD 1983

25-SEP-2026

LNMD. 09-JAN-2015

Delete TRINITY COVE 'Inset' 47°11'37.4"N 060°10'10.8"W
DFO(6312317-01)

Delete note 'Inset / Cartouche' and limits of inset 47°11'37.4"N 060°10'10.8"W
(See Chart 1, A19)

DFO(6312317-02)

Delete ATLANTIC COVE 'Inset' 47°11'52.6"N 060°08'22.6"W
DFO(6312317-03)

Delete	note 'Inset / Cartouche' and limits of inset (See Chart 1, A19)	47°11'35.1"N 060°08'12.9"W <i>DFO(6312317-04)</i>
Delete	MACDOUGALL COVE AND/ET POWERS COVE 'Inset'	47°12'58.2"N 060°08'40.7"W <i>DFO(6312317-05)</i>
Delete	note 'Inset / Cartouche' and limits of inset (See Chart 1, A19)	47°13'00.0"N 060°09'12.2"W <i>DFO(6312317-06)</i>
4467 - Rustico Bay - New Edition - 27-JAN-2023 - NAD 1983		
25-SEP-2026		LN/D. 28-NOV-2025
Amend	FI R to read FI R 5s against light (See Chart 1, P16)	46°27'25.3"N 063°17'16.5"W <i>(G2026071) LL(1055) DFO(6312320-01)</i>
4486 - Baie des Chaleurs / Chaleur Bay - New Edition - 19-FEB-1999 - NAD 1983		
18-SEP-2026		LN/D. 28-AUG-2026
Delete	light FI 6s (See Chart 1, P1)	47°49'44.9"N 065°04'52.0"W <i>(G2026064) LL(1325.1) DFO(6312303-01)</i>
4642 - Great St. Lawrence Harbour - New Edition - 08-NOV-2002 - NAD 1983		
11-SEP-2026		LN/D. 22-AUG-2025
Amend	2 Lts FR Priv to read F R Priv against light (See Chart 1, P16)	46°54'59.4"N 055°23'21.3"W <i>DFO(6312294-01)</i>
4642 - Great St. Lawrence Harbour: Inner Portion / Partie Intérieure - New Edition - 08-NOV-2002 - NAD 1983		
11-SEP-2026		LN/D. 22-AUG-2025
Amend	2 Lts FR Priv to read F R Priv against light (See Chart 1, P16)	46°54'58.5"N 055°23'19.5"W <i>DFO(6312294-01)</i>
4820 - Cape Freels to / à Exploits Islands - New Chart - 01-JUL-2005 - NAD 1983		
11-SEP-2026		LN/D. 07-NOV-2025
Amend	FI 6s 46m 6M to read Iso 6s46m6M against light (See Chart 1, P16)	49°48'59.8"N 054°10'52.5"W <i>LL(364.5) DFO(6312316-01)</i>
4850 - Cape St Francis to / à Baccalieu Island and / et Heart's Content - New Chart - 11-MAY-1990 - NAD 1983		
11-SEP-2026		LN/D. 21-MAR-2025
Amend	QG to read FI G 5s against light (See Chart 1, P16)	47°52'44.8"N 053°22'16.7"W <i>LL(468.8) DFO(6312318-01)</i>
4850 - Heart's Content - New Chart - 11-MAY-1990 - NAD 1983		
11-SEP-2026		LN/D. 21-MAR-2025
Amend	QG to read FI G 5s against light (See Chart 1, P16)	47°52'45.2"N 053°22'14.7"W <i>LL(468.8) DFO(6312318-01)</i>

4851 - Trinity Bay: Southern Portion / Partie Sud - New Edition - 30-SEP-2016 - World Geodetic System 1984

11-SEP-2026

LNMD/D. 31-JUL-2026

Amend Q G to read FI G 5s against light
(See Chart 1, P16)

47°52'45.3"N 053°22'14.9"W

LL(468.8) DFO(6312318-01)

4861 - Fogo Island Northern Portion - New Chart - 26-APR-2019 - NAD 1983

11-SEP-2026

LNMD/D. 28-APR-2023

Amend FI 6s46m6M to read Iso 6s46m6M against light
(See Chart 1, P16)

49°48'59.8"N 054°10'52.5"W

LL(364.5) DFO(6312316-01)

4906 - West Point à / to Baie de Tracadie - New Chart - 18-MAR-1988 - NAD 1983

25-SEP-2026

LNMD/D. 14-AUG-2026

Replace wreck WK PA with known depth 17m with wreck, least depth unknown,
dangerous to surface navigation with legend PA
(See Chart 1, K26, K28, B7)

46°52'41.6"N 064°47'26.9"W

DFO(6312356-01)

4909 - Richibucto Harbour - New Chart - 17-JUN-1988 - NAD 1983

25-SEP-2026

LNMD/D. 14-AUG-2026

Amend Iso 8m to read F 8m against light
(See Chart 1, P16)

46°42'57.1"N 064°47'59.6"W

(G2026072) LL(1142) DFO(6312321-01)

Amend IsoR 8m to read F R 8m against light
(See Chart 1, P16)

46°42'29.5"N 064°48'02.1"W

(G2026074) LL(1145) DFO(6312322-01)

Amend IsoR12m to read Oc R 10s11m against light
(See Chart 1, P16)

46°42'33.5"N 064°47'49.3"W

(G2026075) LL(1146) DFO(6312323-01)

4940 - Approaches to Caribou and Pictou - New Chart - 24-SEP-2021 - NAD 1983

18-SEP-2026

LNMD/D. 10-OCT-2025

Amend FI 14m6M to read LFI 6s14m6M against light
(See Chart 1, P16)

45°48'15.0"N 062°36'07.2"W

(G2026065) LL(897) DFO(6312304-01)

Amend FI G to read Iso G against light
(See Chart 1, P16)

45°48'09.5"N 062°35'08.4"W

(G2026066) LL(898) DFO(6312305-01)

Amend FI 18m6M to read FI 5s18m6M against light
(See Chart 1, P16)

45°48'55.2"N 062°30'49.2"W

(G2026067) LL(899.5) DFO(6312306-01)

Delete light Iso 4s11m8M
(See Chart 1, P1)

45°48'13.6"N 062°35'08.1"W

(G2026068) LL(899) DFO(6312307-01)

4957 - Havre-Aubert - New Edition - 02-JAN-2015 - NAD 1983

18-SEP-2026

LNMD. 22-MAY-2026

Delete	depth of 4,5 metres (See Chart 1, I10)	47°14'06.6"N 061°49'38.1"W <i>DFO(6411411-01)</i>
Add	depth of 3,8 metres (See Chart 1, I10)	47°14'06.6"N 061°49'38.0"W <i>DFO(6411411-02)</i>
Delete	depth of 4,6 metres (See Chart 1, I10)	47°14'14.3"N 061°49'31.5"W <i>DFO(6411411-03)</i>
Add	depth of 4,2 metres (See Chart 1, I10)	47°14'14.3"N 061°49'31.5"W <i>DFO(6411411-04)</i>
Delete	depth of 5,5 metres (See Chart 1, I10)	47°14'15.5"N 061°49'28.5"W <i>DFO(6411411-05)</i>
Add	depth of 4,8 metres (See Chart 1, I10)	47°14'15.3"N 061°49'28.5"W <i>DFO(6411411-06)</i>

6240 - Red River / Rivière Rouge to à Berens River - Sheet/Feuille 1 - New Edition - 16-JUL-2004 - Unknown

11-SEP-2026

LNMD. 17-MAY-2024

Amend	green port hand spar buoy, marked DX3 to read green port hand lighted spar buoy FI G, marked DX3 (See Chart 1, Qc)	51°52'33.3"N 097°06'29.2"W <i>(P2026033) DFO(6605759-01)</i>
-------	--	---

6267 - Grindstone Point to Berens River - Sheet/Feuille 1 - New Edition - 29-MAY-2015 - NAD 1927

11-SEP-2026

LNMD. 22-AUG-2025

Amend	green port hand spar buoy, marked DX3 to read green port hand lighted spar buoy FI G, marked DX3 (See Chart 1, Qc)	51°52'38.4"N 097°06'34.9"W <i>(P2026033) DFO(6605759-01)</i>
-------	--	---

7212 - Bylot Island and Adjacent Channels - New Edition - 06-JUL-2018 - World Geodetic System 1984

18-SEP-2026

LNMD. 04-APR-2025

Add	obstruction, depth unknown Rep (2026) (See Chart 1, K40) This notice affects Electronic Navigational Chart: CA273551	72°53'18.5"N 080°31'32.6"W <i>DFO(6605769-01)</i>
-----	--	--

Section 3: Radio Aids to Marine Navigation Corrections

***913/26 Radio Aids to Marine Navigation 2026 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)**

Page 1-1

ADD AS FOLLOWS:

1.1.3 Decommissioning of Hunter Point MF Radio Site

The Hunter Point MF radio site has been slated for decommissioning. The site has been unavailable since August, 2023. Following testing, the site has been confirmed to be redundant and there will be no impacts to service.

Section 4: Canadian Sailing Directions Corrections

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
Atlantic Coast	
ATL 105	Cape Canso to Cape Sable (including Sable Island)
Pacific Coast	
PAC 201	Juan de Fuca Strait and Strait of Georgia
PAC 202	Discovery Passage to Queen Charlotte Strait and West Coast of Vancouver Island

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are **highlighted** and deletions are **crossed out**. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#), [Pacific Coast](#) and [Arctic Coast](#).

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NEWFOUNDLAND AND LABRADOR COAST

CAPE RACE TO ST. SHOTT'S (LL 1 – 7.4)

5.5	<i>Powles Head light and bell buoy ME</i>	46 41 15.0 053 24 45.0	Mo(A) W 6s			Red-white, pillar, marked "ME".	Year round. Audible signal: Bell
-----	---	---------------------------	------------	-------	-------	---------------------------------	--

ST. MARY'S BAY (LL 7.5 – 14)

10 H0433	Branch West Breakwater Light and Fog Signal	46 52 42.0 053 57 01.0	FI G 4s	2.0	4	Mast. 1.8	Seasonal. Flash 1 s; eclipse 3 s. Fog Horn Blast 3 s; sil. 27 s. In operation 0400 to 2200 hours (approx.) each day during foggy weather; later if required by fishermen.
10.1 H0433.1	Branch West Inner Breakwater Light	46 52 48.0 053 57 02.0	FI G 4s	2.0	2	Mast. 1.6	Seasonal. Flash 1 s; eclipse 3 s.
10.2 H0433.05	Branch Fish Plant Wharf	46 52 54.7 053 57 02.8	FI G 4s	3.5	2	Mast. 2.4	Year round. Flash 1 s; eclipse 3 s.
10.51 H0433.3	Branch East Inner Breakwater Light	46 52 54.0 053 57 02.0	FI R 4s		2	Mast.	Seasonal. Flash 1 s; eclipse 3 s.

PLACENTIA BAY (LL 14.4 – 79)

14.4	<i>St. Bride's light buoy PSB2</i>	46 54 54.1 054 11 06.9	FI R 4s			Red, spar, marked "PSB2".	Seasonal (in place year round).
38.7 H0396	Arnold's Cove Breakwater Light	47 45 31.3 053 59 28.3	Iso R 4s	4.5	4	Mast. 2.4	Year round.

FORTUNE BAY (LL 100 – 120.1)

116.3 H0309	Pool's Cove Wharf Light	47 40 51.0 055 25 46.7	FI Y 5s	3.4	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
118 H0304	St. Jacques Island Light Station and Fog Signal	47 28 26.0 055 24 23.0	LFI W 6s	39.9	16	White cylindrical tower. 10.1	Year round. Flash 2 s; eclipse 4 s. Fog Horn Blast 3 s; sil. 27 s.

SOUTHWEST COAST (LL 121 – 172)

134 H0276	Dawson Point Light Station	Bay d'Espoir. 47 38 35.9 056 08 57.6	LFI W 8s	16.8	16	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 2 s; eclipse 6 s.
--------------	----------------------------	--	----------	------	----	---	--

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
137 H0270	West Point Light Station	François. 47 33 35.7 056 44 02.1	Fl G 6s	46.0	12	White square tower with green band on top. 4.7	Year round. Flash 1 s; eclipse 5 s.
139.85 140.56 H0264.6	Ship Cove Wharf Light	Ramea Harbour. 47 31 15.2 057 23 12.7	Fl G 5s	4.3	2	Cylindrical mast.	Year round. Flash 1 s; eclipse 4 s.
140.6	Bengy light buoy QQ4	SW. of Southwest Island. 47 29 06.0 057 26 15.0	Fl R 4s			Red, pillar, marked "QQ4".	Year round.
141 H0264	Northwest Head Light Station and Fog Signal	Ramea Islands. 47 30 44.9 057 24 31.5	LFl W 6s	38.1	14	White cylindrical tower, with red spiral band. 7.3	Year round. Operates 24 h. Flash 2 s; eclipse 4 s. Fog Horn Blast 3 s; sil. 27 s.
156.8 H0232.4	Isle aux Morts Wharf Light	Isle aux Morts. 47 34 56.0 058 58 42.4	Fl G 5s	3.8	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
WEST COAST (LL 173 – 208.06)							
194.8	Corner Brook East Cardinal light buoy XCB	48 57 37.4 057 57 09.4	Q(3) W 10s			Black-yellow-black, spar, marked "XCB".	Year round. Operates 24 h.
STRAIT OF BELLE ISLE (LL 211 – 234)							
232 H0096	Belle Isle North End Light Station	52 00 49.1 055 16 49.3	Fl W 10s	39.1	17	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 0.2 s; eclipse 9.8 s.
233 H0102	Belle Isle South End Upper Light Station	51 52 48.1 055 22 54.4	Fl W 20s	137.1		Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 19 s. Visible 240°-110°30'.
ATLANTIC COAST							
BAY OF FUNDY, N.B. - WEST (LL 5.8 – 114)							
80.2	Beaver Harbour West Cardinal light buoy KEW	45 03 52.5 066 43 47.0	Q(9) W 15s			Yellow-black-yellow, spar, marked "KEW".	Year round.
80.3	Wright Bluff light buoy KE7	45 04 06.0 066 44 03.0	Fl G 4s			Green, spar, marked "KE7".	Year round.
80.5	Calder Ledge light buoy KE5	45 03 59.0 066 43 28.0	Fl G 4s			Green, spar, marked "KE5".	Year round.
NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)							
457	Coachman Ledge light and whistle buoy MA55						Delete from list.
457.55	Coachman Ledge North Cardinal light buoy MJA	N. of ledge. 44 30 01.4 064 10 36.7	VQ W 0.5s			Black-yellow, pillar, marked "MJA".	Year round. Audible signal: Whistle

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

521.5 Halifax Harbour Smart
buoy

Delete from list.

CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)

782 H0761	Sydney front range light	On point, E. side of North West Arm. 46 10 39.7 060 15 30.0	F G	23.8		Square skeleton tower, white daymark with red vertical stripe. 9.0	Year round. Operates 24 h. Mariners requiring an additional light intensity will have to select VHF channel 65A (156.275 MHz) and key their microphones five (5) consecutive times. Three (3) consecutive times are required to reset the intensity.
--------------	-----------------------------	--	-----------	------	-------	---	---

783 H0761.1	Sydney rear range light	46 09 11.6 060 17 01.5 216°35' 3352.8 m from front.	Oc G 10s	60.2		Square skeleton tower, white daymark with red stripe. 9.0	Year round. Operates 24 h. Flash 9 s; eclipse 1 s. Mariners requiring an additional light intensity will have to select VHF channel 65A (156.275 MHz) and key their microphones five (5) consecutive times. Three (3) consecutive times are required to reset the intensity.
----------------	----------------------------	--	----------	------	-------	--	--

802.3	Gooseberry Beach light buoy Q9	46 17 41.4 060 24 30.3	Fl G 4s			Green, pillar, marked "Q9".	Seasonal.
-------	-----------------------------------	---------------------------	---------	-------	-------	-----------------------------	-----------

802.5	Noir Point light buoy Q9/1	46 17 28.5 060 24 52.0	Q G 1s			Green, pillar, marked "Q9/1".	Seasonal.
-------	-------------------------------	---------------------------	--------	-------	-------	----------------------------------	-----------

806	Seal Reefs light buoy Q14	46 13 52.1 060 29 34.1	Fl R 4s			Red, pillar, marked "Q14".	Seasonal.
-----	------------------------------	---------------------------	---------	-------	-------	----------------------------	-----------

829.01	Little Narrows light buoy A26	46 00 17.5 060 57 53.5	Q R 1s			Red, spar, marked "A26".	Seasonal.
--------	----------------------------------	---------------------------	--------	-------	-------	--------------------------	-----------

NORTHUMBERLAND STRAIT - EAST (LL 883.2 – 940.3)

920.1	Skinners Cove Wharf Light	On NE. corner of W. breakwater. 45 47 40.2 063 02 40.6	Fl R 4s	6.3	4	Pipe swing pole, red and white rectangular daymark. 5.5	Seasonal. Flash 1 s; eclipse 3 s.
-------	------------------------------	---	---------	-----	---	---	--------------------------------------

NORTHUMBERLAND STRAIT - WEST (LL 1085 – 1165.9)

1143 H1394.1	North Richibucto Beach Inner rear range light	46 43 03.5 064 47 51.1 042°09' 247.7 m from front.	Oc W 10s	13.7	8	Square skeleton tower, red daymark with white vertical stripe. 9.3	Seasonal. Flash 7 s; eclipse 3 s.
-----------------	---	---	----------	------	---	---	--------------------------------------

INLAND WATERS

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON (LL 33 – 401)

362.3 Wallace Island

Delete from list.

362.4	Wallace Island light buoy H15/1	44 21 27.1 075 59 44.1	Q G 1s			Green, spar, marked "H15/1".	Seasonal (in place year round).
-------	------------------------------------	---------------------------	--------	-------	-------	---------------------------------	---------------------------------

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

LAKE ONTARIO (LL 403.4 – 551)

538	Grimsby Breakwater	Seaward end of E. breakwater. 43 12 16.9 079 33 04.8	FI G 4s	5.8	5	Mast, green and white rectangular daymark. 5.0	Seasonal. Flash 1 s; eclipse 3 s.
-----	--------------------	---	---------	-----	---	--	--------------------------------------

LAKE ERIE (LL 552 – 623)

616.8	Cedar Creek East	S. end of E. breakwater. 42 00 37.3 082 46 43.9	FI R 4s	4.0	3	Skeleton tower, red, white and red triangular daymark. 2.0	Seasonal.
-------	------------------	--	---------	-----	---	--	-----------