



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Notices to Mariners

Edition No. 11/2024
November 29, 2024



Safety First, Service Always

Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition
Edition No. 11/2024

Aussi disponible en français :
Avis aux navigateurs – Édition mensuelle de l'Est
Édition n° 11/2024

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Fisheries and Oceans Canada
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Minister of Fisheries, Oceans
and the Canadian Coast Guard, 2024.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)
ISSN 2817-0075

Cat. No. Fs152-8F-PDF (Electronic PDF, French)
ISSN 2817-0083

A web version is available here:

[Notices to Mariners – Monthly Editions](#) (English)

[Avis aux navigateurs – Publications mensuelles](#) (French)

Explanatory Notes – Notices to Mariners (NOTMAR)

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Distances may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email chsinfo@dfo-mpo.gc.ca.

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- *16 on a cellphone (where available)

NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.


Explanatory Notes – Canadian Hydrographic Service (CHS)

Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LN/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in “Section 2 – Chart Corrections.” This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2024*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the [Canadian Hydrographic Service – List of Charts](#).

Explanatory Notes – Marine Communications and Traffic Services (MCTS)

Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping¹, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the [CCG Navigational Warnings](#).

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

<p>Atlantic Region (North) *Port aux Basques MCTS Centre</p> <p>“N” Series NAVWARN</p> <p>Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0</p> <p>Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784</p> <p>Email: NAVWARN.MCTSPortAuxBasques@innav.gc.ca</p>	<p>Central Region *Prescott MCTS Centre</p> <p>“Q” and “C” Series NAVWARN</p> <p>Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0</p> <p>Telephone: 613-925-0666 Facsimile: 613-925-4519</p> <p>Email: NAVWARN.MCTSPrescott@innav.gc.ca</p>
<p>Atlantic Region (South) *Sydney MCTS Centre</p> <p>“M” Series NAVWARN</p> <p>Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6</p> <p>Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662</p> <p>Email: NAVWARN.MCTSSydney@innav.gc.ca</p>	<p>Arctic Region *Iqaluit MCTS Centre</p> <p><i>Operational from approximately mid-May until late December.</i></p> <p>“A” Series NAVWARN</p> <p>Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0</p> <p>Telephone: 867-979-5269 Facsimile: 867-979-4264</p> <p>Email: NAVWARN.MCTSIqaluit@innav.gc.ca</p>

*Service available in English and in French.

¹ The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

Table of Contents

Section 1: General and Safety Information	1
*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations	1
*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process	1
*1101/24 Canadian Hydrographic Service – Electronic Navigational Charts	1
*1102/24 Transport Canada – Ship Safety Bulletin #26/2024	6
*1103/24 Canadian Coast Guard Publication – Removal of United States Coast Guard Aids to Navigation from <i>the List of Lights, Buoys and Fog Signals</i> publication	6
*1104/24 Canadian Hydrographic Service – Amendments to Canadian Tide and Current Tables	7
*1106/24 Long Point Bay – Unlit Buoy Repositioned	7
*1107/24 Harbours in Lake Erie/Havres dans le lac Érié – Unlit Buoys Repositioned	7
*1108/24 Port Severn to/à Parry Sound – Daybeacon Permanently Discontinued	8
*1109/24 Port Severn to/à Christian Island – Fixed Aid to Navigation Permanently Discontinued	8
*1110/24 Northumberland Strait / Détroit de Northumberland – Unlit Buoy Repositioned	8
*1111/24 Bras D'Or Lake – Unlit Buoys Repositioned	8
*1112/24 Strait of Canso – Unlit Buoy Repositioned	9
*1113/24 Hillsborough Bay – Unlit Buoys Permanently Changed	9
*1114/24 St. Marys River - Munuscong Lake to Sault Ste. Marie – Unlit Buoys Repositioned	10
Section 1A: Temporary and Preliminary Notices	11
Reminder – Comment Period for Active Preliminary Notices	11
*1117(T)/24 Cape St Mary's to / à Argentia – Marine Works – Dredging Operations	11
*1118(T)/24 Port de Montréal – Shallow Depth Reported	12
*1119(T)/24 Batiscan au/to Lac Saint-Pierre – Obstruction: Diving Operations	12
*1120(T)/24 Îles de la Madeleine – Obstruction :Submerged Object	13
*1121(T)/24 Îles de la Madeleine – Obstruction :Wreck	13
*1122/24 Rivière des Prairies – Bridge Repair Work Completed	13
*1123(P)/24 Saint John to / à Evandale – Notice of Proposed Changes	14
*1124(T)/24 Port of Thunder Bay – Waterway Information: Survey Results	14
*1125/24 Kingston Harbour and Approaches/et les approches – Dock Information	15
Section 2: Chart Corrections	16
Section 3: Radio Aids to Marine Navigation Corrections	30
No corrections for this section.	30

Section 4: Canadian Sailing Directions Corrections 31

No corrections for this section. 31

Section 5: List of Lights, Buoys and Fog Signals Corrections 32

Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1203	16	4302	9, 33	6035	28
1234	16, 17	4307	32	6215	29
1310	12, 35	4425	33	6259	29
1311	35	4452	24	6428	36
1313	12, 17	4466	9	6429	36
1314	17, 18	4486	35	7150	36
1315	18	4530	11, 24	7292	29
1316	18, 19, 20	4624	24	7487	29
1433	35	4625	24	8014	29
1509	13, 20	4639	24	14853 (U.S.)	36
2017	15	4663	25	14883 (U.S.)	10
2019	11	4668	25		
2067	20	4679	25		
2110	7	4680	25		
2123	20	4731	25		
2181	7	4822	25		
2202	8, 20, 21	4823	25		
2241	8, 21	4824	25		
2314	14	4826	26		
4010	21	4831	26		
4011	21	4832	26		
4015	22	4839	32		
4016	22	4841	11, 12		
4017	22	4842	32		
4020	22	4850	26		
4021	22	4853	26		
4022	22	4863	26		
4023	8	4913	34		
4116	22, 23	4920	35		
4117	23, 24	4921	26		
4141	14	4935	33		
4240	11	4937	27, 28		
4277	33	4950	13		
4279	8	5352	36		

Section 1: General and Safety Information

*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations

(Recurrent publication of notice *505/23, originally published in the *Notices to Mariners – Monthly Eastern Edition 05/2023* publication.)

Mariners are advised that CHS has adopted the harmonized World Magnetic Model (WMM), as found on the NCEI/NOAA website. Old compass rose declination information on CHS navigational products can be updated using this website: <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>. While the differences in the model declinations are small each year, they can become more significant over a large period of time.

*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process

(Recurrent publication of notice *1207/23, originally published in the *Notices to Mariners – Monthly Eastern Edition 12/2023* publication.)

The records of the Canadian Hydrographic Service could contain geographical names that may be considered inappropriate, offensive and derogatory. Geographical naming authorities are in the process of addressing many offensive place names, the review process is underway. For more information, about inappropriate geographical names, please see the [following announcement](#).

*1101/24 Canadian Hydrographic Service – Electronic Navigational Charts

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
New Charts			
CA53UPDA (Edn 1.000)	CA53UPDA	1:6 000	2024-11-01
CA54ETEA (Edn 1.000)	CA54ETEA	1:11 000	2024-11-22
CA54FTEA (Edn 1.000)	CA54FTEA	1:11 000	2024-11-22
CA54FTFA (Edn 1.000)	CA54FTFA	1:11 000	2024-11-22
CA54HT7A (Edn 1.000)	CA54HT7A	1:4 000	2024-11-22
CA54HTKA (Edn 1.000)	CA54HTKA	1:4 000	2024-11-22
CA54JSPA (Edn 1.000)	CA54JSPA	1:4 000	2024-11-22
CA54JSQA (Edn 1.000)	CA54JSQA	1:4 000	2024-11-22
CA54KSQA (Edn 1.000)	CA54KSQA	1:4 000	2024-11-22
CA54KSWA (Edn 1.000)	CA54KSWA	1:6 000	2024-11-22
CA54KSXA (Edn 1.000)	CA54KSXA	1:6 000	2024-11-22
CA54LT8A (Edn 1.000)	CA54LT8A	1:11 000	2024-11-22
CA54LT9A (Edn 1.000)	CA54LT9A	1:11 000	2024-11-22
CA54LTMA (Edn 1.000)	CA54LTMA	1:6 000	2024-11-22
CA54MT8A (Edn 1.000)	CA54MT8A	1:11 000	2024-11-22
CA54MT9A (Edn 1.000)	CA54MT9A	1:11 000	2024-11-22
CA54MTHA (Edn 1.000)	CA54MTHA	1:11 000	2024-11-22
CA54MTLA (Edn 1.000)	CA54MTLA	1:6 000	2024-11-22

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA54MTMA (Edn 1.000)	CA54MTMA	1:6 000	2024-11-22
CA54NSPA (Edn 1.000)	CA54NSPA	1:6 000	2024-11-29
CA54NSQA (Edn 1.000)	CA54NSQA	1:6 000	2024-11-29
CA54NTAA (Edn 1.000)	CA54NTAA	1:4 000	2024-11-08
CA54NTHA (Edn 1.000)	CA54NTHA	1:11 000	2024-11-22
CA54NTJA (Edn 1.000)	CA54NTJA	1:11 000	2024-11-22
CA54NTMA (Edn 1.000)	CA54NTMA	1:4 000	2024-11-22
CA54PRPA (Edn 1.000)	Port aux Basques and Approches/et les Approches	1:4 000	2024-11-29
CA54PRQA (Edn 1.000)	CA54PRQA	1:4 000	2024-11-29
CA54PRRA (Edn 1.000)	CA54PRRA	1:6 000	2024-11-29
CA54PRSA (Edn 1.000)	CA54PRSA	1:6 000	2024-11-29
CA54PS8A (Edn 1.000)	CA54PS8A	1:4 000	2024-11-29
CA54PSEA (Edn 1.000)	CA54PSEA	1:11 000	2024-11-08
CA54PSNA (Edn 1.000)	CA54PSNA	1:6 000	2024-11-29
CA54PTCA (Edn 1.000)	CA54PTCA	1:2 000	2024-11-08
CA54PTGA (Edn 1.000)	CA54PTGA	1:6 000	2024-11-08
CA54PTKA (Edn 1.000)	CA54PTKA	1:2 000	2024-11-22
CA54QRXA (Edn 1.000)	CA54QRXA	1:6 000	2024-11-29
CA54QRYA (Edn 1.000)	CA54QRYA	1:6 000	2024-11-29
CA54QS5A (Edn 1.000)	CA54QS5A	1:6 000	2024-11-29
CA54QS6A (Edn 1.000)	CA54QS6A	1:6 000	2024-11-29
CA54QSKA (Edn 1.000)	CA54QSKA	1:11 000	2024-11-29
CA54QSLA (Edn 1.000)	CA54QSLA	1:11 000	2024-11-29
CA54QSNA (Edn 1.000)	CA54QSNA	1:6 000	2024-11-29
CA54QSPA (Edn 1.000)	CA54QSPA	1:6 000	2024-11-29
CA54QTGA (Edn 1.000)	CA54QTGA	1:2 000	2024-11-08
CA54QTKA (Edn 1.000)	CA54QTKA	1:2 000	2024-11-22
CA54QTLA (Edn 1.000)	CA54QTLA	1:2 000	2024-11-22
CA54RT8A (Edn 1.000)	CA54RT8A	1:11 000	2024-11-08
CA54RT9A (Edn 1.000)	CA54RT9A	1:11 000	2024-11-08
CA54RTGA (Edn 1.000)	CA54RTGA	1:2 000	2024-11-08
CA54ST8A (Edn 1.000)	CA54ST8A	1:11 000	2024-11-08
CA54STAA (Edn 1.000)	CA54STAA	1:6 000	2024-11-08
CA54STFA (Edn 1.000)	CA54STFA	1:11 000	2024-11-08
CA54UPHA (Edn 1.000)	CA54UPHA	1:4 000	2024-11-22
CA54UTJA (Edn 1.000)	CA54UTJA	1:11 000	2024-11-22
CA54UTKA (Edn 1.000)	CA54UTKA	1:2 000	2024-11-22
CA54UTLA (Edn 1.000)	CA54UTLA	1:2 000	2024-11-22

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA54VT9A (Edn 1.000)	CA54VT9A	1:4 000	2024-11-22
CA54XTFA (Edn 1.000)	CA54XTFA	1:2 000	2024-11-22
CA54YT8A (Edn 1.000)	CA54YT8A	1:2 000	2024-11-22
CA54YTJA (Edn 1.000)	CA54YTJA	1:11 000	2024-11-22
CA550TJA (Edn 1.000)	CA550TJA	1:11 000	2024-11-22
CA551TBA (Edn 1.000)	CA551TBA	1:4 000	2024-11-22
CA551THA (Edn 1.000)	CA551THA	1:4 000	2024-11-22
CA558T6A (Edn 1.000)	CA558T6A	1:11 000	2024-11-08
CA559SLA (Edn 1.000)	CA559SLA	1:2 000	2024-11-08
CA559SMA (Edn 1.000)	CA559SMA	1:6 000	2024-11-08
CA559T6A (Edn 1.000)	CA559T6A	1:11 000	2024-11-08
CA559T9A (Edn 1.000)	CA559T9A	1:4 000	2024-11-08
CA55ASMA (Edn 1.000)	CA55ASMA	1:6 000	2024-11-08
CA55ASNA (Edn 1.000)	CA55ASNA	1:4 000	2024-11-08
CA55ASPA (Edn 1.000)	CA55ASPA	1:4 000	2024-11-08
CA55ASRA (Edn 1.000)	CA55ASRA	1:4 000	2024-11-08
CA55BSNA (Edn 1.000)	CA55BSNA	1:4 000	2024-11-08
CA55BSPA (Edn 1.000)	CA55BSPA	1:4 000	2024-11-08
CA55CSPA (Edn 1.000)	CA55CSPA	1:6 000	2024-11-08
CA55CT6A (Edn 1.000)	CA55CT6A	1:6 000	2024-11-08
CA55CT7A (Edn 1.000)	CA55CT7A	1:6 000	2024-11-08
CA55DSQA (Edn 1.000)	CA55DSQA	1:6 000	2024-11-08
CA55DSRA (Edn 1.000)	CA55DSRA	1:6 000	2024-11-08
CA55ESPA (Edn 1.000)	CA55ESPA	1:6 000	2024-11-08
CA55ESRA (Edn 1.000)	CA55ESRA	1:4 000	2024-11-01
CA55ESSA (Edn 1.000)	CA55ESSA	1:4 000	2024-11-22
CA55SSQA (Edn 1.000)	CA55SSQA	1:11 000	2024-11-08
CA55TSPA (Edn 1.000)	CA55TSPA	1:11 000	2024-11-08
CA55TSQA (Edn 1.000)	CA55TSQA	1:11 000	2024-11-08
CA55USSA (Edn 1.000)	CA55USSA	1:11 000	2024-11-08
CA55USTA (Edn 1.000)	CA55USTA	1:11 000	2024-11-08
CA571249 (Edn 1.000)	CA571249	1:4 000	2024-11-22
CA58FNDA (Edn 1.000)	CA58FNDA	1:11 000	2024-11-22
CA58FNEA (Edn 1.000)	CA58FNEA	1:11 000	2024-11-22
CA58FNFA (Edn 1.000)	CA58FNFA	1:11 000	2024-11-22
CA58FNGA (Edn 1.000)	CA58FNGA	1:11 000	2024-11-22
CA58FNHA (Edn 1.000)	CA58FNHA	1:11 000	2024-11-22
CA58GNDA (Edn 1.000)	CA58GNDA	1:11 000	2024-11-22
CA58GNEA (Edn 1.000)	CA58GNEA	1:11 000	2024-11-22

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA58GNFA (Edn 1.000)	CA58GNFA	1:11 000	2024-11-22
CA58GNGA (Edn 1.000)	CA58GNGA	1:11 000	2024-11-22
CA58GNHA (Edn 1.000)	CA58GNHA	1:11 000	2024-11-22
New Editions			
CA448MTA (Edn 3.000)	Transit4600N07200W	1:11 000	2024-11-22
CA44JPBA (Edn 2.000)	CA44JPBA	1:90 000	2024-11-15
CA44UPBA (Edn 2.000)	CA44UPBA	1:90 000	2024-11-15
CA45FRRA (Edn 2.000)	Transit5000N05900W	1:22 500	2024-11-08
CA471014 (Edn 4.000)	Hippa Island, Seal Inlet, Tartu Inlet, Masset Inlet	1:90 000	2024-11-22
CA570544 (Edn 4.000)	Pender Harbour	1:6 000	2024-11-15
Charts Permanently Withdrawn			
CA473415	Payne Bay and River (Tuvalik Point to Basking Island)		
CA573371	Kangirsuk		
CA573416	Kyak and Tuvalik Bays		
CA576052	Clarenceville	Cancelled by CA54VT9A	
CA576082	Come by Chance and/et Arnold's Cove		
CA576107	Trepassey Harbour		
CA576114	Long Pond	Cancelled by CA54PTKA	
CA576115	Holyrood		
CA576121	Bell Island	Cancelled by CA54QTKA	
CA576122	Portugal Cove	Cancelled by CA54QTLA	
CA576123	Foxtrap		
CA576124	Port de Grave	Cancelled by CA54PTGA	
CA576147	Old Perlican	Cancelled by CA54UTJA	
CA576148	Heart's Content	Cancelled by CA54STFA	
CA576225	Mortier Bay		
CA576234	Grand Bank Harbour		
CA576235	Fortune Harbour	Cancelled by CA54JSPA	
CA576245	Trinity Wharves	Cancelled by CA54XTFA	
CA576280	Carmanville		
CA576297	St. Brides	Cancelled by CA54HT7A	
CA576298	Argentia		
CA576299	Placentia Road		
CA576301	Long Harbour, Erco Wharf	Cancelled by CA54NTAA	
CA576304	Port aux Basques and Approches/et les Approches		
CA576310	Bonavista Harbour	Cancelled by CA551THA	

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA576324	Harbour Breton		
CA576394	Catalina and/et Port Union		
CA576398	Fish Plant/Conserverie de poisson	Cancelled by CA54QTGA	
CA576416	Carbonear - Public Wharf/Quai	Cancelled by CA54RTGA	
CA576419	St. Anthony Bight and Harbour		
CA576481	Gaultois Harbour		
CA576482	Hermitage Harbour	Cancelled by CA54PSNA	
CA576484	McCallum		
CA576486	Bull Arm	Cancelled by CA54STAA	
CA576504	Musgrave Harbour	Cancelled by CA559T9A	
CA576546	Long Island Bay	Cancelled by CA53UPDA	
CA576548	North Head Wharves	Cancelled by CA53UPDA	
CA576603	Bay Roberts	Cancelled by CA54PTGA	
CA576617	La Poile	Cancelled by CA54QRXA	
CA576618	Grand Bruit Harbour	Cancelled by CA54QRYA	
CA576621	François	Cancelled by CA54PSEA	
CA576623	Burgeo		
CA576624	Ship Cove	Cancelled by CA54PS8A	
CA576626	Burnt Island		
CA576629	Maiden Arm, Spring Inlets and Approaches		
CA576642	Snooks Arm		
CA576643	Paquet Harbour	Cancelled by CA55ESPA	
CA576645	Triton Marina Service Centre		
CA576690	Bay Bulls		
CA576698	Charlottetown Public Wharf/Quai public	Cancelled by CA54YT8A	
CA576705	Nippers Harbour	Cancelled by CA55CSPA	
CA576706	Wolf Cove		
CA576707	Otter Island Narrows		
CA576720	Fogo Harbour	Cancelled by CA55CT6A	
CA576722	Joe Batt's Arm	Cancelled by CA55CT7A	
CA576731	The Admiral's Marina	Cancelled by CA54QTGA	
CA576815	Long Cove	Cancelled by CA54PTCA	
CA576817	Petty Harbour	Cancelled by CA54NTMA	
CA576818	Fermeuse Inner Harbour	Cancelled by CA54HTKA	
CA576844	Happy Adventure	Cancelled by CA551TBA	
CA676646	Bay de Verde Harbour		

***1102/24 Transport Canada - Ship Safety Bulletin #26/2024**

A new **Ship Safety Bulletin** has recently been posted on the [Transport Canada website](#).

To view or download this bulletin, please click on the link below:

**[SSB#26/2024](#) – Bruneian seafarers can now seek Canadian recognition of their STCW certificates
RDIMS# 20611001**

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free).

***1103/24 Canadian Coast Guard Publication – Removal of United States Coast Guard Aids to Navigation from *the List of Lights, Buoys and Fog Signals* publication**

The Canadian Coast Guard will no longer publish United States Coast Guard aids to navigation in its *List of Lights, Buoys and Fog Signals* publication. Please refer to the source publication, the United States [Light Lists](#), for information regarding these aids to navigation.

Please consult the table below for details about the affected List of lights volumes, sections and aids to navigation:

Volumes	Sections	Removed aids to navigation LL #
Atlantic Coast	Lac Memphrémagog LL 2389 – 2397.7	2399
Inland Waters	St. Lawrence Seaway, Canal de Beauharnois to Kingston LL 33 – 401	171, 173, 178, 180, 181, 181.3, 181.6, 182, 183, 184, 186, 187, 188, 189, 191, 192, 193, 194, 195.5, 196, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 209.5, 210, 213, 213.5, 214, 215, 216, 217, 218, 219, 220, 221, 221.5, 222, 223, 223.5, 224, 225, 226, 226.5, 227, 228, 228.5, 229, 229.4, 229.5, 230, 230.2, 231, 232, 233, 236, 239, 241, 243, 244, 246, 252, 254, 257, 258, 258.4, 258.5, 261, 265, 267.5, 269, 271, 286, 287, 288, 288.5, 290, 291.4, 291.5, 292, 293, 294, 295, 296, 296.1, 296.5, 296.6, 299, 299.7, 299.8, 300, 301, 302, 303.5, 306, 310, 313, 314, 315, 317, 318.5, 341, 342, 343, 344, 345, 346, 347, 347.2, 347.3, 347.5, 348, 348.6, 350, 351, 351.5, 379.2, 382, 383, 385, 386, 386.5, 387, 388, 389, 390, 391.2, 391.5, 391.7, 391.8, 391.9, 391.92
	Lake Ontario LL 403.4 – 551	545, 547, 548.5
	Detroit River LL 638.2 – 707.5	624, 625, 625.5, 626, 626.5, 627, 627.5, 628, 629, 629.5, 630, 630.5, 631, 632, 636, 637, 638, 680, 682, 683, 684, 684.1, 684.12, 684.13, 684.14, 684.15, 684.16, 684.2, 684.21, 698, 700, 702, 703, 704, 705, 705.2, 705.3, 705.5, 705.7, 705.8, 705.9
	Lake St. Clair LL 710.1 – 730.7	708, 708.1, 708.2, 708.3, 708.4, 708.5, 708.6, 708.7, 708.8, 708.9, 709, 709.2, 709.3, 709.4, 709.7, 709.8, 710, 721.9, 730.5
	St. Clair River LL 731.2 - 766.8	734.5, 736.5, 736.6, 736.7, 736.8, 737.6, 737.7, 737.8, 739.2, 740.2, 742.5, 743.5, 747.2, 747.5, 747.6, 748, 748.2, 748.3, 752.2, 753.2, 753.5, 754, 757.5, 760, 760.5, 760.6, 764.5, 766.4, 766.45, 766.5
	Lake Huron LL 768 - 813	769.5
St. Marys River LL 1059.6 - 1081	1066.2, 1066.4, 1076.5	

Volumes	Sections	Removed aids to navigation LL #
Pacific Coast	Juan de Fuca Strait LL 180 – 216.4	180.8, 180.9, 181, 181.4, 182, 187, 187.5, 189.7, 190, 190.2
	United States (Section removed) LL 217 – 222	217, 217.5, 218, 219, 220, 221, 222
	Haro Strait LL 222.8 – 264	229, 255, 255.1, 264.3, 264.5, 265
	Southern Strait of Georgia LL 265.2 – 309.5	298.8, 299, 300, 301
	Pacific Coast LL 719 – 768.2	756, 761, 762, 763

(B2024-018 to 250, D2024-086, 088 to 090, Q2024-207)

*1104/24 Canadian Hydrographic Service - Amendments to Canadian Tide and Current Tables

The following **Canadian Tide and Current Tables** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
Pacific Coast	
Volume 7 (2024)	Queen Charlotte Sound to Dixon Entrance
Volume 7 (2025)	Queen Charlotte Sound to Dixon Entrance

Each volume includes a section entitled “Record of Changes” which lists all updates that were incorporated during the previous 12 months.

*1106/24 Long Point Bay – Unlit Buoy Repositioned

Reference chart: 2110

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Buoy EC3	7147	42° 38' 25.5"N 080° 19' 04.6"W

(B2024-251)

*1107/24 Harbours in Lake Erie/Havres dans le lac Érié – Unlit Buoys Repositioned

Reference chart: 2181

The following unlit buoys have been repositioned to the following coordinates:

Aid Name	LL #	Position
Buoy EW3	7183.1	42° 03' 34.5"N 082° 27' 47.3"W
Buoy EW4	7183.2	42° 03' 34.7"N 082° 27' 46.0"W

(B2024-252, 253)

***1108/24 Port Severn to/à Parry Sound – Daybeacon Permanently Discontinued**

Reference chart: 2202

The following daybeacon has been permanently discontinued:

Aid Name	LL #	Position
Biolog Island DB-CD3	5034	44° 58' 53.6"N 079° 56' 55.5"W

(D2024-094)

***1109/24 Port Severn to/à Christian Island – Fixed Aid to Navigation Permanently Discontinued**

Reference chart: 2241

The following fixed aid to navigation has been permanently discontinued:

Aid Name	LL #	Position
DR-Brébeuf rear range	5000.1	44° 52' 36.8"N 079° 52' 29.1"W

(D2024-093)

***1110/24 Northumberland Strait / Détroit de Northumberland – Unlit Buoy Repositioned**

Reference chart: 4023

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Kouchibouguac buoy XY13	6157.22	46° 49' 55.9"N 064° 54' 19.1"W

(G2024-535)

***1111/24 Bras D'Or Lake – Unlit Buoys Repositioned**

Reference chart: 4279

The following unlit buoys have been repositioned to the following coordinates:

Aid Name	LL #	Position
Bras D'Or Lakes buoy D5	5837.03	45° 46' 25.1"N 060° 59' 00.0"W
Bras D'Or Lakes buoy DA3	5837.05	45° 48' 26.4"N 060° 59' 00.0"W
Bras D'Or Lakes buoy DA4	5837.06	45° 48' 43.8"N 060° 59' 00.0"W

(G2024-522, 524, 525)

***1112/24 Strait of Canso – Unlit Buoy Repositioned**

Reference chart: 4302

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Auld's Cove buoy VT1	5890.1	45° 38' 55.8"N 061° 26' 02.5"W

(G2024-526)

***1113/24 Hillsborough Bay – Unlit Buoys Permanently Changed**

Reference chart: 4466

The following unlit buoys have been permanently changed:

Aid Name	LL #	Position	Changes
Nine Mile Creek buoy CJ1	6006.1	46° 08' 49.3"N 063° 12' 32.9"W	Unlit buoy has been repositioned.
Nine Mile Creek buoy CJ2	6006.11	46° 08' 51.8"N 063° 12' 36.9"W	Unlit buoy has been repositioned.
Nine Mile Creek buoy CJ9	6006.12	46° 08' 54.7"N 063° 12' 52.1"W	Unlit buoy has been repositioned.
Nine Mile Creek buoy CJ3	6006.13	46° 08' 50.6"N 063° 12' 38.9"W	Unlit buoy has been repositioned. Aid designator changed from PLAS1 to CJ3.
Nine Mile Creek buoy CJ4	6006.131	46° 08' 52.8"N 063° 12' 40.8"W	Unlit buoy has been repositioned. Aid designator changed from PLAS1 to CJ4.
Nine Mile Creek buoy CJ5	6006.132	46° 08' 51.8"N 063° 12' 43.4"W	Unlit buoy has been repositioned. Aid designator changed from PLAS1 to CJ5.
Nine Mile Creek buoy CJ6	6006.14	46° 08' 54.6"N 063° 12' 46.6"W	Unlit buoy has been repositioned. Aid designator changed from PLAS1 to CJ6.
Nine Mile Creek buoy CJ7	6006.141	46° 08' 53.2"N 063° 12' 48.4"W	Unlit buoy has been repositioned. Aid designator changed from PLAS1 to CJ7.
Nine Mile Creek buoy CJ8	6006.142	46° 08' 56.0"N 063° 12' 50.9"W	Unlit buoy has been repositioned. Aid designator changed from PLAS1 to CJ8.

(G2024-536 to 544)

***1114/24 St. Marys River - Munuscong Lake to Sault Ste. Marie – Unlit Buoys Repositioned**

Reference chart: 14883 (U.S.)

The following unlit buoys have been repositioned to the following coordinates:

Aid Name	LL #	Position
Buoy QY27	8804	46° 29' 40.2"N 084° 17' 02.0"W
Bouy QY28	8805	46° 29' 41.5"N 084° 17' 02.0"W

(D2024-091, 092)

Section 1A: Temporary and Preliminary Notices

Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
Newfoundland and Labrador Coast			
907(P)/24	4530	393	Rear Range to be Discontinued
Atlantic Coast			
1022(P)/24	4240	405	Fog Horn to be Discontinued
Inland Waters			
1025(P)/24	2019	450, 459	Aids to Navigation to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

Newfoundland and Labrador Coast

Temporary Notices

*1117(T)/24 Cape St Mary's to / à Argentiã – Marine Works – Dredging Operations

Reference: Notice 1020(T)/24 is cancelled.

Reference chart: 4841

Debris removal, boulder removal, and dredging operations are underway in the areas bounded by the following coordinates:

Floating dredging pipeline assembly and deployment operations are underway within the area bounded by the following "Exit Channel" coordinates:

47° 18.680'N 053° 58.223'W
47° 18.540'N 053° 57.907'W
47° 18.307'N 053° 58.122'W
47° 18.482'N 053° 58.503'W

The pipeline are fitted with lights and radar reflectors with combined total length measuring approximately 596 meters. Pipeline anchor positions are individually marked by yellow cautionary buoys.

Inner Channel:

47° 19.659'N 053° 57.518'W
47° 19.699'N 053° 57.007'W
47° 19.059'N 053° 56.972'W
47° 19.045'N 053° 57.484'W

Outer Channel:

47° 20.965'N 053° 58.704'W
47° 20.583'N 053° 57.292'W
47° 20.269'N 053° 57.533'W
47° 20.657'N 053° 58.975'W

Environmental monitoring buoys equipped with lights and radar reflectors deployed in:

47° 19.969'N 053° 59.099'W
47° 19.725'N 053° 57.066'W
47° 19.686'N 053° 56.798'W

Removed boulders are relocated to the areas bounded by the following coordinates:

Inner Channel Boulder Relocation Area:	Outer Channel Boulder Relocation Area:
47° 19.089'N 053° 57.115'W	47° 20.543'N 053° 57.405'W
47° 19.092'N 053° 57.036'W	47° 20.594'N 053° 57.376'W
47° 19.653'N 053° 57.067'W	47° 20.945'N 053° 58.703'W
47° 19.651'N 053° 57.147'W	47° 20.894'N 053° 58.732'W

Vessels are moving to transit dredged material to offshore disposal areas in the vicinity of:

Placentia Sound Offshore Disposal Site:	The Pond Offshore Disposal Site:
47° 18.393'N 053° 55.372'W	47° 18.990'N 053° 59.576'W

Multiple vessels, barges and dredges are involved in the operations, all are monitoring VHF channel 16 and are requesting a wide berth of at least 100 meters.

Caution.

(NW-N-1086-24)

Preliminary Notices

No notices applicable for this edition.

Atlantic Coast

Temporary Notices

*1118(T)/24 Port de Montréal – Shallow Depth Reported

Reference chart: 1310

Shallower depth of 10,4 metres located at the following coordinates: 45° 30' 18.9"N 073° 32' 48.3"W.

(NW-C-1866-24)

*1119(T)/24 Batiscan au/to Lac Saint-Pierre – Obstruction: Diving Operations

Reference chart: 1313

Diving operations taking place in Port of Trois-Rivières Monday to Friday from 1100 UTC to 2100 UTC at wharf 17.

(NW-C-2820-24)

***1120(T)/24 Îles de la Madeleine – Obstruction :Submerged Object**

Reference chart: 4950

Rocks and dolosses have been located 7 metres from the pierhead of the southern breakwall at a depth of 2 metres at the following coordinates:

47° 23.304'N 061° 47.513'W
47° 23.301'N 061° 47.507'W
47° 23.308'N 061° 47.517'W
47° 23.299'N 061° 47.500'W
47° 23.298'N 061° 47.493'W

(NW-C-1877-24)

***1121(T)/24 Îles de la Madeleine – Obstruction :Wreck**

Reference chart: 4950

The vessel SS Corfu Island has been assessed as a hazard to public safety by Canadian Coast Guard under the *Wrecked, Abandoned or Hazardous Vessels Act*. The bow of the wreck is located on the beach at position 47° 20.813'N 061° 57.014'W and the wreck extends seaward in a southwesterly direction over 137.5 metres in length and 17.5 metres in width.

It is forbidden to access or climb it for any reason. Mariners are requested to keep a wide berth from the wreckage.

(NW-C-1861-24)

***1122/24 Rivière des Prairies – Bridge Repair Work Completed**

Reference: Notice 111(T)/21 is cancelled (Chart 1509).

Repair work at the Pie-IX bridge are completed.

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: [DFO.CCGATLaidstoNavDiscont-
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

***1123(P)/24 Saint John to / à Evandale – Notice of Proposed Changes**

Reference chart: 4141

The Canadian Coast Guard proposes to permanently change the following aids to navigation:

Aid Name	LL #	Position	Proposed Changes
Fixed Aids			
Belyeas Point	122	45° 22' 41.4"N 066° 12' 57.8"W	Discontinue aid to navigation.
Floating Aids			
Belyeas Point light buoy J37	122.2	45° 22' 38.7"N 066° 12' 54.3"W	Establish a port hand buoy equipped with a green lantern with flash characteristics: Fl 0.5 s; Ec 3.5 s.

Initial publication date: Friday, November 29, 2024

[Comment submission deadline](#): Thursday, February 27, 2025

(F2024-056)

Inland Waters

Temporary Notices

***1124(T)/24 Port of Thunder Bay – Waterway Information: Survey Results**

Reference chart: 2314

Post dredging survey reports depths in the navigable channel of the Mission River have been dredged to a minimum depth of 8.25 metres. The area is delimited by the following coordinates:

- | | |
|-----------------------------------|-----------------------------------|
| Pt 1: 48° 21.924'N 089° 13.938'W | Pt 15: 48° 21.852'N 089° 13.968'W |
| Pt 2: 48° 21.864'N 089° 13.920'W | Pt 16: 48° 21.864'N 089° 13.944'W |
| Pt 3: 48° 21.834'N 089° 13.908'W | Pt 17: 48° 21.888'N 089° 13.950'W |
| Pt 4: 48° 21.804'N 089° 13.902'W | Pt 18: 48° 21.948'N 089° 13.974'W |
| Pt 5: 48° 21.732'N 089° 13.860'W | Pt 19: 48° 21.984'N 089° 13.998'W |
| Pt 6: 48° 21.678'N 089° 13.812'W | Pt 20: 48° 22.044'N 089° 14.058'W |
| Pt 7: 48° 21.636'N 089° 13.758'W | Pt 21: 48° 22.068'N 089° 14.100'W |
| Pt 8: 48° 21.570'N 089° 13.656'W | Pt 22: 48° 22.092'N 089° 14.070'W |
| Pt 9: 48° 21.558'N 089° 13.674'W | Pt 23: 48° 22.062'N 089° 14.034'W |
| Pt 10: 48° 21.624'N 089° 13.776'W | Pt 24: 48° 22.008'N 089° 13.986'W |
| Pt 11: 48° 21.642'N 089° 13.800'W | Pt 25: 48° 21.972'N 089° 13.968'W |
| Pt 12: 48° 21.672'N 089° 13.836'W | Pt 26: 48° 21.966'N 089° 13.950'W |
| Pt 13: 48° 21.702'N 089° 13.884'W | Pt 27: 48° 21.930'N 089° 13.932'W |
| Pt 14: 48° 21.720'N 089° 13.920'W | |

(NW-C-3060-24)

***1125/24 Kingston Harbour and Approaches/et les approches – Dock Information**

Reference: Notice 909(T)/14 is cancelled (Chart 2017).

The dock was once used to receive coal for a nearby heating plant but is no longer utilized for this purpose. Recent hydrographic surveys have found the approaches to the wharf to be clear of obstructions and a least depth of 4.6 metres is found alongside.

Preliminary Notices

No notices applicable for this edition.

Section 2: Chart Corrections

1203 - Tadoussac - New Edition - 16-AUG-2024 - NAD 1983 08-NOV-2024

Delete	depth of 14,9 metres (See Chart 1, I10)	48°08'21.1"N 069°43'32.6"W <i>DFO(6411197-01)</i>
Add	depth of 14,1 metres (See Chart 1, I10)	48°08'21.2"N 069°43'32.7"W <i>DFO(6411197-02)</i>
Delete	depth of 7 metres (See Chart 1, I10)	48°08'22.2"N 069°43'32.0"W <i>DFO(6411197-03)</i>
Add	depth of 6,5 metres (See Chart 1, I10)	48°08'22.4"N 069°43'32.0"W <i>DFO(6411197-04)</i>
Delete	depth of 7,9 metres (See Chart 1, I10)	48°08'22.2"N 069°43'33.4"W <i>DFO(6411197-05)</i>
Add	depth of 7 metres (See Chart 1, I10)	48°08'22.4"N 069°43'33.3"W <i>DFO(6411197-06)</i>

1234 - Pointe de la Rivière du Loup - New Edition - 04-NOV-2011 - NAD 1983 29-NOV-2024

		LNMD. 03-MAY-2024
Add	depth of 3,9 metres (See Chart 1, I10)	47°50'53.4"N 069°34'22.6"W <i>DFO(6411216-01)</i>
Add	depth of 3,9 metres (See Chart 1, I10)	47°50'52.3"N 069°34'17.0"W <i>DFO(6411216-02)</i>
Delete	depth of 0,9 metres (See Chart 1, I10)	47°50'49.3"N 069°34'18.7"W <i>DFO(6411216-03)</i>
Add	depth of 0,2 metres (See Chart 1, I10)	47°50'49.2"N 069°34'18.5"W <i>DFO(6411216-04)</i>
Delete	depth of 0,4 metres (See Chart 1, I10)	47°50'49.9"N 069°34'13.1"W <i>DFO(6411216-06)</i>
Add	drying height of 0,4 metres (See Chart 1, I15)	47°50'49.8"N 069°34'13.0"W <i>DFO(6411216-07)</i>
Delete	drying height of 0,2 metres (See Chart 1, I15)	47°50'50.4"N 069°34'10.4"W <i>DFO(6411216-08)</i>

Add	drying height of 0,8 metres (See Chart 1, I15)	47°50'50.4"N 069°34'10.4"W <i>DFO(6411216-09)</i>
Delete	drying height of 0,3 metres (See Chart 1, I15)	47°50'50.8"N 069°34'08.9"W <i>DFO(6411216-10)</i>
Add	drying height of 1,1 metres (See Chart 1, I15)	47°50'50.9"N 069°34'09.0"W <i>DFO(6411216-11)</i>
Delete	depth of 0,3 metres (See Chart 1, I10)	47°50'50.7"N 069°34'10.3"W <i>DFO(6411216-12)</i>
Add	drying height of 0,3 metres (See Chart 1, I15)	47°50'50.7"N 069°34'10.1"W <i>DFO(6411216-13)</i>
1313 - Port de Trois-Rivières - New Edition - 08-MAR-2019 - NAD 1983 22-NOV-2024		LNМ/D. 18-OCT-2024
Add	private yellow cautionary lighted can buoy, FI Y (See Chart 1, Qi)	46°20'57.4"N 072°31'52.0"W <i>DFO(6411217-01)</i>
Add	private yellow cautionary lighted can buoy, FI Y (See Chart 1, Qi)	46°21'02.2"N 072°31'57.2"W <i>DFO(6411217-02)</i>
1314 - Donnacona à/to Batiscan - New Edition - 15-MAR-2019 - NAD 1983 08-NOV-2024		LNМ/D. 18-OCT-2024
Amend	FI R to read Q R against light (See Chart 1, P16)	46°38'03.3"N 071°55'45.4"W <i>(Q2024133) LL(2005) DFO(6411118-01)</i>
Delete	depth of 12,7 metres (See Chart 1, I10)	46°37'08.6"N 071°57'44.8"W <i>DFO(6411192-03)</i>
Add	depth of 12,2 metres (See Chart 1, I10)	46°37'08.8"N 071°57'45.1"W <i>DFO(6411192-04)</i>
Delete	depth of 6,7 metres (See Chart 1, I10)	46°37'34.3"N 071°56'22.3"W <i>DFO(6411192-07)</i>
Add	depth of 6,1 metres (See Chart 1, I10)	46°37'35.3"N 071°56'19.4"W <i>DFO(6411192-08)</i>
Delete	depth of 5,9 metres (See Chart 1, I10)	46°37'47.7"N 071°55'55.8"W <i>DFO(6411192-09)</i>
Add	depth of 5,5 metres (See Chart 1, I10)	46°37'47.4"N 071°55'56.1"W <i>DFO(6411192-10)</i>

Add	depth of 3,3 metres (See Chart 1, I10)	46°37'59.8"N 071°55'31.1"W <i>DFO(6411192-11)</i>
Delete	depth of 13,7 metres (See Chart 1, I10)	46°40'42.9"N 071°51'30.4"W <i>DFO(6411192-12)</i>
Add	depth of 13,1 metres (See Chart 1, I10)	46°40'41.8"N 071°51'29.0"W <i>DFO(6411192-13)</i>
Add	depth of 12,5 metres (See Chart 1, I10)	46°40'33.6"N 071°50'38.8"W <i>DFO(6411192-14)</i>
Delete	depth of 12,4 metres (See Chart 1, I10)	46°38'30.8"N 071°41'53.9"W <i>DFO(6411192-17)</i>
Add	depth of 12 metres (See Chart 1, I10)	46°38'31.9"N 071°41'54.7"W <i>DFO(6411192-18)</i>

1315 - Québec à/to Donnacona - New Edition - 24-MAY-2019 - NAD 1983
08-NOV-2024

LNm/D. 24-MAY-2024

Delete	depth of 12,4 metres (See Chart 1, I10)	46°38'30.8"N 071°41'53.9"W <i>DFO(6411192-17)</i>
Add	depth of 12 metres (See Chart 1, I10)	46°38'31.9"N 071°41'54.7"W <i>DFO(6411192-18)</i>
Delete	depth of 13,2 metres (See Chart 1, I10)	46°40'46.1"N 071°33'53.8"W <i>DFO(6411192-27)</i>
Add	depth of 12,9 metres (See Chart 1, I10)	46°40'48.3"N 071°33'55.0"W <i>DFO(6411192-28)</i>

1316 - Port de Québec - New Edition - 03-APR-2020 - NAD 1983
29-NOV-2024

LNm/D. 24-MAY-2024

Delete	depth of 6,5 metres (See Chart 1, I10)	46°49'20.5"N 071°12'44.4"W <i>DFO(6411136-01)</i>
Add	depth of 5,9 metres (See Chart 1, I10)	46°49'21.0"N 071°12'43.6"W <i>DFO(6411136-02)</i>
Delete	depth of 9,9 metres (See Chart 1, I10)	46°47'30.5"N 071°13'25.2"W <i>DFO(6411136-03)</i>
Add	depth of 9,5 metres (See Chart 1, I10)	46°47'30.9"N 071°13'25.2"W <i>DFO(6411136-04)</i>

Delete	depth of 6,3 metres (See Chart 1, I10)	46°49'07.8"N 071°12'03.0"W <i>DFO(6411136-05)</i>
Add	depth of 5,9 metres (See Chart 1, I10)	46°49'07.7"N 071°12'03.6"W <i>DFO(6411136-06)</i>
Delete	depth of 7,5 metres (See Chart 1, I10)	46°49'09.2"N 071°12'02.2"W <i>DFO(6411136-07)</i>
Add	depth of 6,9 metres (See Chart 1, I10)	46°49'08.6"N 071°12'02.1"W <i>DFO(6411136-08)</i>
Delete	depth of 8,4 metres (See Chart 1, I10)	46°47'37.5"N 071°13'15.1"W <i>DFO(6411136-09)</i>
Add	depth of 8 metres (See Chart 1, I10)	46°47'37.6"N 071°13'14.1"W <i>DFO(6411136-10)</i>
Delete	depth of 11,2 metres (See Chart 1, I10)	46°47'31.8"N 071°13'17.3"W <i>DFO(6411136-11)</i>
Add	depth of 10,7 metres (See Chart 1, I10)	46°47'32.4"N 071°13'16.7"W <i>DFO(6411136-12)</i>
Delete	depth of 10,7 metres (See Chart 1, I10)	46°47'39.0"N 071°13'07.7"W <i>DFO(6411136-13)</i>
Add	depth of 10,4 metres (See Chart 1, I10)	46°47'39.7"N 071°13'07.6"W <i>DFO(6411136-14)</i>
Delete	depth of 7,7 metres (See Chart 1, I10)	46°49'23.2"N 071°12'28.4"W <i>DFO(6411136-16)</i>
Delete	depth of 12,9 metres (See Chart 1, I10)	46°49'27.9"N 071°12'06.1"W <i>DFO(6411136-17)</i>
Add	depth of 12,5 metres (See Chart 1, I10)	46°49'27.8"N 071°12'05.8"W <i>DFO(6411136-18)</i>
Delete	depth of 14,8 metres (See Chart 1, I10)	46°49'30.1"N 071°12'08.5"W <i>DFO(6411136-19)</i>
Add	depth of 14,4 metres (See Chart 1, I10)	46°49'30.2"N 071°12'08.4"W <i>DFO(6411136-20)</i>

Add	depth of 7,4 metres (See Chart 1, I10)	46°49'23.3"N 071°12'28.7"W <i>DFO(6411136-21)</i>
Add	depth of 13,2 metres (See Chart 1, I10)	46°49'41.7"N 071°11'57.1"W <i>DFO(6411136-26)</i>
Delete	depth of 8,1 metres (See Chart 1, I10)	46°49'20.9"N 071°12'36.3"W <i>DFO(6411136-31)</i>
Add	depth of 7,8 metres (See Chart 1, I10)	46°49'21.0"N 071°12'36.2"W <i>DFO(6411136-32)</i>
 1509 - Rapides du Cheval Blanc - Sheet/Feuille 1 - New Edition - 15-NOV-2019 - NAD 1983		
08-NOV-2024		LNMD. 23-FEB-2024
Add	pile (See Chart 1, F22)	45°31'07.8"N 073°49'32.1"W <i>DFO(6411212-01)</i>
 1509 - Île Bizard à/to Pont-Viau A-B - Sheet/Feuille 1 - New Edition - 15-NOV-2019 - NAD 1983		
08-NOV-2024		LNMD. 23-FEB-2024
Add	pile (See Chart 1, F22)	45°31'07.8"N 073°49'32.1"W <i>DFO(6411212-01)</i>
 2067 - Hamilton Harbour - New Edition - 02-NOV-2018 - World Geodetic System 1984		
29-NOV-2024		LNMD. 28-OCT-2022
Add	light Fl Y (See Chart 1, P1) This notice affects Electronic Navigational Chart: CA573362	43°16'26.6"N 079°50'34.1"W <i>DFO(6605373-01)</i>
 2123 - Pelee Passage to/à la Detroit River - New Edition - 27-JAN-2006 - NAD 1983		
29-NOV-2024		LNMD. 02-SEP-2022
Add	private yellow cautionary lighted can buoy Fl (See Chart 1, Qi) This notice affects Electronic Navigational Chart: CA373089	41°42'13.1"N 083°15'50.4"W <i>DFO(6605327-01)</i>
Add	submarine cable (See Chart 1, L30.1) This notice affects Electronic Navigational Chart: CA373089	between 41°59'49.3"N 082°33'33.5"W and 41°49'02.5"N 082°39'00.1"W <i>(NW-C-2656-24) DFO(6605368-01)</i>
 2202 - Port Severn to/à Penetang Harbour - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983		
01-NOV-2024		LNMD. 07-JUN-2024
Add	submarine cable (See Chart 1, L30.1) This notice affects Electronic Navigational Chart: CA273097	between 44°51'06.0"N 079°51'49.5"W and 44°51'17.0"N 079°51'36.4"W <i>DFO(6605361-01)</i>

29-NOV-2024 LNM/D. 01-NOV-2024
Delete rear leading beacon with leading line and bearing 088° - 268° 44°52'36.8"N 079°52'29.1"W
(See Chart 1, Q120)
This notice affects Electronic Navigational Chart: CA273097
(D2024093) DFO(6605371-01)

2241 - Port Severn to/à Christian Island - New Chart - 30-JUL-1999 - NAD 1983

01-NOV-2024 LNM/D. 07-JUN-2024
Add submarine cable between 44°51'06.0"N 079°51'49.5"W
(See Chart 1, L30.1) and 44°51'17.0"N 079°51'36.4"W
This notice affects Electronic Navigational Chart: CA273097
DFO(6605361-01)

29-NOV-2024 LNM/D. 01-NOV-2024
Delete rear leading beacon with leading line and bearing 088° - 268° 44°52'36.8"N 079°52'29.1"W
(See Chart 1, Q120)
This notice affects Electronic Navigational Chart: CA273097
(D2024093) DFO(6605371-01)

4010 - Bay of Fundy / Baie de Fundy: Inner portion / partie intérieure - New Edition - 14-FEB-2003 - NAD 1983

29-NOV-2024 LNM/D. 02-DEC-2022
Delete dredged channel joining 45°15'40.9"N 066°03'33.1"W
(See Chart 1, I21) 45°14'19.5"N 066°02'39.9"W
45°14'16.5"N 066°02'47.4"W
45°15'32.7"N 066°03'39.1"W
and 45°15'40.9"N 066°03'33.1"W
DFO(6311576-04)

Add dredged channel joining 45°15'26.8"N 066°03'33.6"W
(See Chart 1, I21) 45°15'29.5"N 066°03'25.8"W
45°13'47.2"N 066°02'13.3"W
45°13'21.1"N 066°02'00.0"W
45°13'19.4"N 066°02'10.2"W
45°13'43.9"N 066°02'22.8"W
and 45°15'26.8"N 066°03'33.6"W
DFO(6311576-05)

4011 - Approaches to / Approches à Bay of Fundy / Baie de Fundy - New Edition - 03-JAN-2003 - NAD 1983

29-NOV-2024 LNM/D. 19-JUL-2024
Delete dredged channel joining 45°15'22.0"N 066°03'30.1"W
(See Chart 1, I21) 45°15'31.5"N 066°03'24.3"W
45°14'20.2"N 066°02'36.7"W
45°14'16.9"N 066°02'46.2"W
and 45°15'22.0"N 066°03'30.1"W
DFO(6311576-04)

Add dredged channel joining 45°15'26.8"N 066°03'33.6"W
(See Chart 1, I21) 45°15'29.5"N 066°03'25.8"W
45°13'47.2"N 066°02'13.3"W
45°13'21.1"N 066°02'00.0"W
45°13'19.4"N 066°02'10.2"W
45°13'43.9"N 066°02'22.8"W
and 45°15'26.8"N 066°03'33.6"W
DFO(6311576-05)

4015 - Sydney to / à Saint-Pierre - New Edition - 28-MAR-2003 - NAD 1983

29-NOV-2024

LNMD. 09-FEB-2024

Amend QG to read LFI G 6s against light
(See Chart 1, P16)

47°34'29.2"N 057°06'50.9"W

(N2024156) LL(139.5) DFO(6311505-01)

4016 - Saint-Pierre to / à St. John's - New Edition - 06-JUN-2003 - NAD 1983

22-NOV-2024

LNMD. 26-JUL-2024

Amend FI to read FI 5s against light
(See Chart 1, P16)

47°24'20.2"N 055°35'06.6"W

(N2024158) LL(120) DFO(6311491-01)

4017 - Cape Race to / à Cape Freels - New Edition - 07-MAR-2003 - NAD 1983

29-NOV-2024

LNMD. 26-JUL-2024

Amend LFI 10s 153ft to read FI 5s153ft against light
(See Chart 1, P16)

48°10'11.9"N 052°56'03.8"W

(N2024174) LL(471.7) DFO(6311509-01)

4020 - Strait of Belle Isle / Détroit de Belle Isle - New Edition - 26-JUL-2002 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FIR 4s 10ft 4M to read FI R 5s11ft4M against light
(See Chart 1, P16)

51°22'58.5"N 056°34'33.2"W

(N2024165) LL(226.3) DFO(6311498-01)

4021 - Pointe Amour à / to Cape Whittle et / and Cape George - New Edition - 01-NOV-2002 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FI 5s 96ft 15M to read FI 5s96ft10M against light
(See Chart 1, P16)

50°41'53.3"N 057°24'31.7"W

(N2024161) LL(211) DFO(6311494-01)

Amend FIR 4s 10ft 4M to read FI R 5s11ft4M against light
(See Chart 1, P16)

51°22'57.4"N 056°34'34.5"W

(N2024165) LL(226.3) DFO(6311498-01)

4022 - Cabot Strait and approaches / Détroit de Cabot et les approches - New Edition - 17-JAN-2003 - NAD 1983

29-NOV-2024

LNMD. 09-FEB-2024

Add light FI 5s
(See Chart 1, P1)

48°13'04.6"N 058°51'47.0"W

(N2024096,N2024173) LL(176.35) DFO(6311507-01)

4116 - Approches to / Approches à Saint John - New Edition - 31-AUG-2007 - NAD 1983

29-NOV-2024

LNMD. 05-JUL-2024

Add wreck, least depth unknown, with legend PA Rep (2024)
(See Chart 1, K29, B7, I3)

45°07'18.0"N 066°09'06.0"W

DFO(6311475-01)

Delete dredged channel
(See Chart 1, I21)

joining 45°14'11.8"N 066°02'41.2"W
45°14'14.3"N 066°02'34.2"W
45°15'31.2"N 066°03'27.9"W
45°15'28.8"N 066°03'34.9"W
and 45°14'11.8"N 066°02'41.2"W
DFO(6311576-04)

Add	dredged channel (See Chart 1, I21)	joining 45°15'28.8"N 066°03'35.0"W 45°15'31.5"N 066°03'27.2"W 45°13'47.6"N 066°02'14.7"W 45°13'47.2"N 066°02'13.3"W 45°13'34.5"N 066°02'05.7"W 45°13'21.2"N 066°02'00.0"W 45°13'19.4"N 066°02'10.2"W 45°13'32.5"N 066°02'16.0"W 45°13'43.9"N 066°02'22.8"W 45°13'44.9"N 066°02'22.5"W and 45°15'28.8"N 066°03'35.0"W <i>DFO(6311576-05)</i>
Delete	depth of 8.8 metres (See Chart 1, I10)	45°13'49.5"N 066°02'18.3"W <i>DFO(6311576-06)</i>
4117 - Saint John Harbour and Approaches / et les approches - New Edition - 29-MAY-2009 - NAD 1983		
29-NOV-2024		LNM/D. 05-JUL-2024
Add	depth of 4.7 metres (See Chart 1, I10)	45°16'14.6"N 066°02'34.0"W <i>DFO(6311476-01)</i>
Add	bottom quality R (See Chart 1, J9.1)	45°15'11.5"N 066°03'15.7"W <i>DFO(6311576-01)</i>
Add	bottom quality R (See Chart 1, J9.1)	45°15'05.7"N 066°03'11.1"W <i>DFO(6311576-02)</i>
Add	bottom quality R (See Chart 1, J9.1)	45°15'02.1"N 066°03'13.5"W <i>DFO(6311576-03)</i>
Delete	dredged channel with maintained depth of 9,5m (See Chart 1, I21)	joining 45°14'11.8"N 066°02'41.2"W 45°14'14.3"N 066°02'34.2"W 45°15'31.2"N 066°03'27.9"W 45°15'28.8"N 066°03'34.9"W and 45°14'11.8"N 066°02'41.2"W <i>DFO(6311576-04)</i>
Add	dredged channel with maintained depth of 9,5m (See Chart 1, I21)	joining 45°15'28.8"N 066°03'35.0"W 45°15'31.5"N 066°03'27.2"W 45°13'47.6"N 066°02'14.7"W 45°13'47.2"N 066°02'13.3"W 45°13'34.5"N 066°02'05.7"W 45°13'21.2"N 066°02'00.0"W 45°13'19.4"N 066°02'10.2"W 45°13'32.5"N 066°02'16.0"W 45°13'43.9"N 066°02'22.8"W 45°13'44.9"N 066°02'22.5"W and 45°15'28.8"N 066°03'35.0"W <i>DFO(6311576-05)</i>
Delete	depth of 9.6 metres (See Chart 1, I10)	45°13'48.8"N 066°02'19.7"W <i>DFO(6311576-07)</i>

Add	depth of 9.4 metres (See Chart 1, I10)	45°13'56.3"N 066°02'21.8"W <i>DFO(6311576-08)</i>
Add	depth of 9.4 metres (See Chart 1, I10)	45°13'26.4"N 066°02'03.0"W <i>DFO(6311576-09)</i>
4452 - Baie Coacoachou - New Edition - 20-NOV-2023 - NAD 1983		
15-NOV-2024		
Add	depth of 3,7 metres, Rep (1941) (See Chart 1, I10, I3.2)	50°12'44.2"N 060°19'09.1"W <i>DFO(6411189-01)</i>
4530 - Hamilton Sound: Eastern Portion / Partie-est - New Edition - 15-MAR-2002 - NAD 1983		
15-NOV-2024		
Add	red starboard hand lighted spar buoy FI R, marked JA3 (See Chart 1, Qb)	49°28'27.7"N 054°03'14.7"W <i>(N2024143) LL(393.62) DFO(6311479-01)</i>
4624 - Long Island to / à St. Lawrence Harbours - New Edition - 07-JAN-2000 - NAD 1983		
15-NOV-2024		
Add	restricted area with 0.1 nautical mile radius with legend 'Explos PA' (See Chart 1, B7, N2.1, N23.1)	46°52'44.5"N 055°28'59.6"W <i>DFO(6311471-01)</i>
Add	restricted area with 0.1 nautical mile radius with legend 'Explos PA' (See Chart 1, B7, N2.1, N23.1)	46°52'39.3"N 055°26'12.6"W <i>DFO(6311471-02)</i>
4625 - Burin Peninsula to / à Saint-Pierre - New Edition - 24-JAN-2003 - NAD 1983		
15-NOV-2024		
Add	restricted area with 0.1 nautical mile radius with legend 'Explos PA' (See Chart 1, B7, N2.1, N23.1)	46°52'44.5"N 055°28'59.6"W <i>DFO(6311471-01)</i>
Add	restricted area with 0.1 nautical mile radius with legend 'Explos PA' (See Chart 1, B7, N2.1, N23.1)	46°52'39.3"N 055°26'12.6"W <i>DFO(6311471-02)</i>
4639 - Garia Bay and / et Le Moine Bay - New Edition - 10-MAY-2002 - NAD 1983		
15-NOV-2024		
Amend	FIR 6s 2m 3M to read FI R 5s2m4M against light (See Chart 1, P16)	47°36'08.1"N 058°42'05.4"W <i>(N2024155) LL(151.07) DFO(6311489-01)</i>
4639 - Rose Blanche - New Edition - 10-MAY-2002 - NAD 1983		
15-NOV-2024		
Amend	FIR 6s 2m 3M to read FI R 5s2m4M against light (See Chart 1, P16)	47°36'08.1"N 058°42'05.4"W <i>(N2024155) LL(151.07) DFO(6311489-01)</i>

4663 - Cow Head to / à Pointe Riche - New Edition - 01-AUG-2003 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FI 5s 96ft 15M to read FI 5s96ft10M against light
(See Chart 1, P16)

50°41'55.0"N 057°24'36.3"W

(N2024161) LL(211) DFO(6311494-01)

4668 - Green Island - New Edition - 04-JUL-2003 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FIR to read FI R 5s against light
(See Chart 1, P16)

51°23'03.1"N 056°34'44.3"W

(N2024165) LL(226.3) DFO(6311498-01)

Delete light FI R 4s 10ft 4M
(See Chart 1, P1)

51°23'09.1"N 056°34'35.3"W

DFO(6311498-02)

4679 - Hawkes Bay, Port Saunders, Back Arm - New Edition - 29-NOV-2002 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FI 5s 96ft 15M to read FI 5s96ft10M against light
(See Chart 1, P16)

50°41'54.6"N 057°24'37.7"W

(N2024161) LL(211) DFO(6311494-01)

4680 - Hawkes Bay to / à Ste Geneviève Bay including / y compris St. John Bay - New Edition - 07-NOV-2003 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FI 5s 96ft 15M to read FI 5s96ft10M against light
(See Chart 1, P16)

50°41'55.6"N 057°24'39.9"W

(N2024161) LL(211) DFO(6311494-01)

4731 - Forteau Bay to / à Domino Run - New Edition - 13-JUN-2003 - Unknown

22-NOV-2024

LNMD. 19-APR-2024

Amend FIR 4s 10ft 4M to read FI R 5s11ft4M against light
(See Chart 1, P16)

51°23'00.5"N 056°34'32.1"W

(N2024165) LL(226.3) DFO(6311498-01)

4822 - Cape St John to / à St Anthony - New Chart - 30-JUN-2006 - NAD 1983

29-NOV-2024

LNMD. 23-AUG-2024

Amend FI R 6s to read FI R 5s against light
(See Chart 1, P16)

50°53'09.8"N 055°53'49.7"W

(N2024162) LL(247) DFO(6311495-01)

4823 - Cape Ray to / à Garia Bay - New Chart - 16-JAN-2004 - NAD 1983

15-NOV-2024

LNMD. 15-MAR-2024

Amend FI R to read FI R 5s against light
(See Chart 1, P16)

47°36'08.1"N 058°42'05.4"W

(N2024155) LL(151.07) DFO(6311489-01)

4824 - La Poile - New Chart - 25-OCT-2002 - NAD 1983

29-NOV-2024

LNMD. 28-APR-2023

Reposition green port hand lighted spar buoy FI G, marked QE5
(See Chart 1, Qc)

from 47°40'57.5"N 058°23'20.7"W
to 47°40'57.0"N 058°23'22.0"W
LL(145.84) DFO(6311572-01)

4826 - Burgeo to / à François - New Chart - 24-FEB-2006 - NAD 1983

29-NOV-2024

LNMD. 03-MAY-2024

Amend Q G 27m4M to read LFI G 6s27m4M against light
(See Chart 1, P16)

47°34'24.9"N 057°06'47.4"W

(N2024156) LL(139.5) DFO(6311505-01)

4826 - Grey River - New Chart - 24-FEB-2006 - NAD 1983

29-NOV-2024

LNMD. 03-MAY-2024

Amend Q G 27m to read LFI G 6s27m against light
(See Chart 1, P16)

47°34'24.9"N 057°06'47.5"W

(N2024156) LL(139.5) DFO(6311505-01)

4831 - Fortune Bay: Northern Portion / Partie Nord - New Chart - 26-DEC-1986 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FI 3s17m to read FI 5s17m against light
(See Chart 1, P16)

47°24'13.9"N 055°35'02.1"W

(N2024158) LL(120) DFO(6311491-01)

4832 - Fortune Bay: Southern Portion / Partie Sud - New Chart - 02-OCT-1987 - NAD 1983

22-NOV-2024

LNMD. 16-AUG-2024

Amend FI 3s17m to read FI 5s17m against light
(See Chart 1, P16)

47°24'14.0"N 055°35'03.1"W

(N2024158) LL(120) DFO(6311491-01)

4850 - Cape St Francis to / à Baccalieu Island and / et Heart's Content - New Chart - 11-MAY-1990 - NAD 1983

29-NOV-2024

LNMD. 26-JUL-2024

Amend LFI 10s 46m to read FI 5s47m against light
(See Chart 1, P16)

48°10'10.3"N 052°56'08.8"W

(N2024174) LL(471.7) DFO(6311509-01)

4853 - Trinity Bay: Northern Portion / Partie Nord - New Edition - 30-JUL-1999 - NAD 1983

29-NOV-2024

LNMD. 30-AUG-2024

Amend LFI 10s 46m to read FI 5s47m against light
(See Chart 1, P16)

48°10'12.0"N 052°56'09.0"W

(N2024174) LL(471.7) DFO(6311509-01)

4863 - Bacalhao Island to / à Black Island - New Edition - 30-NOV-2001 - NAD 1983

15-NOV-2024

LNMD. 26-APR-2024

Add green port lighted spar buoy Q G, marked DA1
(See Chart 1, Qc)

49°30'38.5"N 054°52'38.4"W

(N2024141) LL(355.123) DFO(6311477-01)

Add red starboard hand lighted spar buoy Q R, marked DM2
(See Chart 1, Qb)

49°34'40.6"N 054°51'57.4"W

(N2024142) LL(356.05) DFO(6311478-01)

4921 - Carleton - New Edition - 02-DEC-2016 - NAD 1983

08-NOV-2024

LNMD. 18-OCT-2024

Amend Iso G 2s7m8M to read Iso G 2s7m5M against light
(See Chart 1, P16)

48°05'59.5"N 066°07'49.1"W

(Q2024165) LL(1364) DFO(6411159-01)

4937 - Pugwash Basin - New Chart - 25-NOV-2022 - NAD 1983
22-NOV-2024

LNМ/D. 30-AUG-2024

Delete	depth of 6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°50'52.3"N 063°39'46.4"W <i>DFO(6311313-10)</i>
Add	depth of 5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°50'52.2"N 063°39'46.7"W <i>DFO(6311313-11)</i>
Replace	depth of 8.7 metres with depth of 8.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°50'49.1"N 063°39'49.7"W <i>DFO(6311313-19)</i>

4937 - Pugwash Harbour - New Chart - 25-NOV-2022 - NAD 1983
22-NOV-2024

LNМ/D. 30-AUG-2024

Replace	depth of 6 metres with depth of 5.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'51.1"N 063°40'42.0"W <i>DFO(6311313-02)</i>
Replace	depth of 4.1 metres with depth of 3.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'49.2"N 063°40'36.9"W <i>DFO(6311313-03)</i>
Delete	depth of 5.3 metres (See Chart 1, I10)	45°51'21.9"N 063°40'15.3"W <i>DFO(6311313-04)</i>
Add	depth of 5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'22.0"N 063°40'14.8"W <i>DFO(6311313-05)</i>
Add	depth of 1.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'12.6"N 063°40'10.1"W <i>DFO(6311313-06)</i>
Replace	depth of 7 metres with depth of 6.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'48.6"N 063°40'24.2"W <i>DFO(6311313-07)</i>
Replace	depth of 5.6 metres with depth of 5.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'40.1"N 063°40'20.6"W <i>DFO(6311313-08)</i>
Replace	depth of 3.8 metres with depth of 3.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'39.7"N 063°40'17.1"W <i>DFO(6311313-09)</i>

Replace	depth of 6.7 metres with depth of 6.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'28.6"N 063°40'17.0"W <i>DFO(6311313-12)</i>
Replace	depth of 6.3 metres with depth of 5.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'17.5"N 063°40'13.9"W <i>DFO(6311313-13)</i>
Replace	depth of 8.1 metres with depth of 7.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'16.1"N 063°40'15.9"W <i>DFO(6311313-14)</i>
Replace	depth of 6.9 metres with depth of 6.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'07.5"N 063°40'06.6"W <i>DFO(6311313-15)</i>
Replace	depth of 6.1 metres with depth of 5.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'06.0"N 063°39'59.8"W <i>DFO(6311313-16)</i>
Replace	depth of 5.9 metres with depth of 5.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°52'29.2"N 063°41'34.2"W <i>DFO(6311313-20)</i>
4937 - Pugwash Harbour and Approaches - New Chart - 25-NOV-2022 - NAD 1983 22-NOV-2024		LN/D. 30-AUG-2024
Replace	depth of 5.9 metres with depth of 5.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476183	45°52'29.2"N 063°41'34.2"W <i>DFO(6311313-01)</i>
Add	depth of 5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576184	45°51'22.0"N 063°40'14.8"W <i>DFO(6311313-05)</i>
6035 - Callander Bay - New Edition - 28-DEC-2001 - NAD 1983 08-NOV-2024		LN/D. 07-JUN-2024
Add	private all-round light IsoR 4s with obscured sector Obscured through an arc of 90°, from Southeast 135° T to Northeast 045° T (See Chart 1, P43)	46°13'09.5"N 079°22'06.7"W <i>(D2024085) LL(1424.5) DFO(6605358-01)</i>
6035 - Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) - New Edition - 28-DEC-2001 - NAD 1983 08-NOV-2024		LN/D. 07-JUN-2024
Delete	sector light, marked Oc RWG and limits of arcs of visibility (See Chart 1, P40.1)	46°11'48.2"N 079°25'19.9"W <i>(D2024084) LL(1424) DFO(6605328-01)</i>
Add	private all-round light IsoR 4s with obscured sector Obscured through an arc of 90°, from Southeast 135° T to Northeast 045° T (See Chart 1, P43)	46°13'09.5"N 079°22'06.7"W <i>(D2024085) LL(1424.5) DFO(6605358-01)</i>

6215 - Basil Channel to/à Sturgeon Channel - New Edition - 28-FEB-2020 - NAD 1983

15-NOV-2024

Delete	red starboard hand conical buoy (See Chart 1, Qb)	49°18'37.0"N 094°49'26.3"W (NOS:3824) DFO(6605364-01)
Add	red starboard hand lighted conical buoy (See Chart 1, Qb)	49°18'28.0"N 094°49'30.0"W LL(16977) DFO(6605364-02)

6259 - Kettle Island to/à Martin Point - Sheet/Feuille 1 - New Chart - 23-FEB-1990 - NAD 1983

08-NOV-2024

LN/D. 09-DEC-2022

Reposition	green port hand spar buoy, marked P27 (See Chart 1, Qc)	from 53°51'29.6"N 097°59'34.6"W to 53°51'29.8"N 097°59'36.5"W (P2024052) DFO(6605322-01)
------------	--	--

7292 - Dundas Harbour - New Edition - 11-MAY-2012 - NAD 1983

15-NOV-2024

LN/D. 17-OCT-2014

Add	rock which covers and uncovers (See Chart 1, K11)	74°31'00.7"N 082°27'30.7"W DFO(6605363-01)
-----	--	---

7487 - Fury and Hecla Strait - New Edition - 17-JUN-2022 - World Geodetic System 1984

29-NOV-2024

Amend	note Adjoining Chart/Carte adjacente 7052 to read Adjoining Chart/Carte adjacente 7502 (See Chart 1, A20)	69°59'17.6"N 085°42'35.3"W DFO(6605366-01)
-------	---	---

8014 - Grand Bank / Grand Banc: Northeast Portion / Partie nord-est - New Edition - 25-JUL-2003 - NAD 1983

29-NOV-2024

LN/D. 26-JUL-2024

Amend	LFI 10s 153ft to read FI 5s153ft against light (See Chart 1, P16)	48°10'11.9"N 052°56'03.8"W (N2024174) LL(471.7) DFO(6311509-01)
-------	--	--

Section 3: Radio Aids to Marine Navigation Corrections

No corrections for this section.

Section 4: Canadian Sailing Directions Corrections

No corrections for this section.

Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NEWFOUNDLAND AND LABRADOR COAST

CAPE RACE TO ST. SHOTT'S (LL 1 – 7.4)

7.1 Desbarres Canyon
(ODAS) light buoy
44138

~~Delete from list.~~

Chart:4842
Edn 11/24

PLACENTIA BAY (LL 14.4 – 79)

39.41 H0394.5	Come By Chance Harbour range	47 48 44.0 054 00 27.1	F W	29.9	16	Skeleton tower, red daymark with white vertical stripe. 20.0	Operates 24 h. Increased lantern intensity of range lights is available from a distance on channel 68 (156.425 MHz). To increase to high intensity for 30 minutes, 27.8 NM nominal range, key microphone of VHF radio 5 consecutive times in 5 seconds on channel 68. The high intensity setting can be reduced to the low intensity setting, 16 NM nominal range, by keying the microphone 5 times within 5 secs. Year round.
39.42 H0394.51		039°57' 484.3 m from front.	F W	61.6	16	Square skeleton tower, red daymark with white vertical stripe. 20.0	Operates 24 h. Increased lantern intensity of range lights is available from a distance on channel 68 (156.425 MHz). To increase to high intensity for 30 minutes, 27.8 NM nominal range, key microphone of VHF radio 5 consecutive times in 5 seconds on channel 68. The high intensity setting can be reduced to the low intensity setting, 16 NM nominal range, by keying the microphone 5 times within 5 secs. Year round.

Chart:4839
Edn 11/24 (N24-241, 242)

ATLANTIC COAST

NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)

683 H3456	Queensport	On Rook Island, Chedabucto Bay. 45 20 52.6 061 16 18.9	Fl W 4s	16.5	7	White house with red upper portion. 10.7	Year round.
--------------	------------	---	---------	------	---	--	-------------

Chart:4307
Edn 11/24 (G24-545)

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)

800 H0779	Black Rock Point Sector	On point near shore. 46 18 18.7 060 23 32.1	F R Al W GW G Al RW	16.6	19	Square skeleton tower. 3.5	Green from 045°15' to 048°20'; Al GW from 048°20' to 048°35'; white from 048°35' to 049°35'; Al RW 049°35' to 049°50'; red from 049°50' to 053°45'. White sector indicates preferred channel. Operates 24 h. Seasonal.
--------------	------------------------------------	--	---------------------------------------	------	----	-------------------------------	--

Chart:4277
Edn 11/24 (G24-519)

NORTHUMBERLAND STRAIT – EAST (LL 883.2 – 940.3)

883.2	Aulds Cove light buoy VT2	45 38 56.4 061 26 03.4	Fl R 4s	Red, marked "VT2".	Buoy may be repositioned due to shifting channel. Seasonal.
-------	------------------------------	---------------------------	---------	-------	-------	--------------------	---

Chart:4302
Edn 11/24 (G24-521)

PRINCE EDWARD ISLAND (LL 942 – 1084.7)

953.7	Georgetown Range light buoy NH9	Georgetown Harbour. 46 09 45.7 062 31 10.2	Q G 1s	Green spar, marked "NH9".	Year round.
-------	---------------------------------------	---	--------	-------	-------	---------------------------	-------------

Chart:4935
Edn 11/24 (G24-512)

1027.425	Higgins Wharf light buoy DJ15	46 33 27.1 064 05 47.5	Fl G 4s	Green, marked "DJ15".	Seasonal.
----------	----------------------------------	---------------------------	---------	-------	-------	-----------------------	-----------

Chart:N/A
Edn 11/24 (G24-495)

1046.81	Crowbush Cove Wharf Fairway light buoy JE	Off harbour. 46 26 45.5 062 49 29.7	Mo(A) W 6s	Red and white vertical stripes, marked "JE".	Buoy may be repositioned due to shifting channel. Seasonal.
---------	---	---	------------	-------	-------	---	---

Chart:4425
Edn 11/24 (G24-496)

1047 H1160	Crowbush Cove Breakwater Light	46 26 00.9 062 49 56.1	Fl W 4s	4.9	3	Pipe swing pole. 3.3	Operates at night only. Seasonal.
---------------	-----------------------------------	---------------------------	---------	-----	---	-------------------------	--------------------------------------

Chart:4425
Edn 11/24 (G24-511)

1047.01	Crowbush Cove Wharf light buoy JE6	46 26 08.5 062 49 54.9	Fl R 4s	Red spar, marked "JE6".	Buoy may be repositioned due to shifting channel. Seasonal.
---------	--	---------------------------	---------	-------	-------	-------------------------	---

Chart:N/A
Edn 11/24 (G24-497)

1047.011	Crowbush Cove Wharf light buoy JE7/1	46 25 50.1 062 50 00.7	Q G 1s	Green, marked "JE7/1".	Buoy may be repositioned due to shifting channel. Seasonal.
----------	--	---------------------------	--------	-------	-------	------------------------	---

Chart:N/A
Edn 11/24 (G24-499)

1047.02	Crowbush Cove Wharf light buoy JE8	46 26 01.1 062 49 59.0	Fl R 4s	Red, marked "JE8".	Buoy may be repositioned due to shifting channel. Seasonal.
---------	--	---------------------------	---------	-------	-------	--------------------	---

Chart:N/A
Edn 11/24 (G24-500)

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
1047.021	Crowbush Cove Wharf light buoy JE8/2	46 25 47.6 062 50 01.7	Q R 1s	Red, marked "JE8/2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-501)
1047.028	Crowbush Cove Wharf light buoy JE9	46 25 44.4 062 50 02.5	Fl G 4s	Green, marked "JE9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-502)
1047.03	Crowbush Cove Wharf Entrance light buoy JE10	46 25 45.7 062 50 02.9	Q R 1s	Red, marked "JE10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-503)
1047.04	Crowbush Cove Wharf light buoy JE12	46 25 44.6 062 50 07.0	Fl R 4s	Red, marked "JE12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-504)
1047.051	Crowbush Cove Wharf light buoy JE14	46 25 43.6 062 50 13.6	Fl R 4s	Red, marked "JE14".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-506)
1047.06	Crowbush Cove Wharf light buoy JE17	46 25 44.0 062 50 12.7	Fl G 4s	Green, marked "JE17".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-509)
1047.1	Crowbush Cove Wharf light buoy JE15	46 25 44.5 062 50 11.5	Q G 1s	Green, marked "JE15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-507)
1047.15	Crowbush Cove Wharf light buoy JE7	46 26 08.4 062 49 53.2	Fl G 4s	Green spar, marked "JE7".	Seasonal. Chart:N/A Edn 11/24 (G24-498)
1047.2	Crowbush Cove Wharf light buoy JE16	46 25 43.6 062 50 13.6	Q R 1s	Red, marked "JE16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/24 (G24-508)

GASPÉ – CHALEUR BAY (LL 1169.1 – 1426)

1286.1	Miscou Channel light buoy EA2	47 54 21.4 064 39 35.3	Q R 1s	Red spar, marked "EA2".	Operates 24 h. Seasonal. Chart:4913 Edn 11/24 (G24-475)
--------	----------------------------------	---------------------------	--------	-------	-------	-------------------------	--

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
1325 H1591.4	Blue Cove (Anse Bleue Wharf Light	On outer end of wharf. 47 49 55.5 065 04 47.8	Fl G 6s	6.4	8	Square skeleton tower, green and white daymark, red vertical stripe. 5.3	Flash 1 s; eclipse 5 s. Visible in line of range. Year round. Chart:4486 Edn 11/24 (G24-440, 553)
1325.1 H1591.41	Anse Bleue Light	47 49 44.9 065 04 52.0	Fl W 6s	13.0	12	Square skeleton tower, white daymark, red vertical stripe. 9.9	Flash 1 s; eclipse 5 s. Visible in line of range. Year round. Chart:4486 Edn 11/24 (G24-441, 552)
1330.55	Bathurst Entrance light buoy EP15	47 40 16.6 065 36 27.4	Fl G 4s	Green, marked "EP15".	Seasonal. Chart:4920 Edn 11/24 (G24-408)

ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL (LL 2272.2 – 2384)

2326 H2480	Chenal du Cap- Saint-Michel – Verchères downstream range	On island. 45 47 56.4 073 20 40.5	F G	14.1	14	Square skeleton tower, fluorescent red daymark with black vertical stripe. 9.9	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2327 H2480.1		Facing Verchères. 037°35' 934.2 m from front.	F G	29.2	14	Square skeleton tower, fluorescent red daymark with black vertical stripe. 24.7	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:1311 Edn 11/24 (Q24-213, 214)
2330 H2482	Chenal du Cap- Saint-Michel – Verchères upstream range	NE. side of Île Sainte-Thérèse. 45 41 36.7 073 27 37.6	Iso G 2s	18.5	19	Square skeleton tower, orange daymark with black vertical stripe. 6.6	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2331 H2482.1		Centre of Île Sainte- Thérèse. 217°32' 2653.3 m from front.	Iso G 2s	31.1	19	Skeleton tower, orange daymark with black vertical stripe. 26.8	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2330.1 2331.1			Iso G 2s	18.2	7	Skeleton tower. 27.4	Visible 360°. Operates at night only. Year round. Chart:1310 Edn 11/24 (Q24-209, 210, 212)

INLAND WATERS

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON (LL 33 – 401)

158 H2577	Third Crab Sector	On white crib. 45 01 19.0 074 39 17.7	F AI GW FW AI RW FR	R W G	14.4	4	White cylindrical tower, orange triangular daymark. 11.5	Green from 019° to 027°; AI GW from 027° to 028°; white from 028° to 030°; AI RW from 030° to 031°; red from 031° to 039°. White sector indicates preferred channel. Seasonal. Chart:1433 Edn 11/24
--------------	-------------------	---	---------------------------------------	-------------	-------	------	---	--	--

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

DETROIT RIVER (LL 638.2 – 707.5)

677	Livingstone Channel Upper Entrance	On pier at head of channel, near intersection of Ballards Reef and Livingstone channels. 42 08 08.9 083 07 20.8	Fl Al W- R	20s	12.5	5	White cylindrical tower on square block.	Flash 1 s white; eclipse 9 s; flash 1 s red; eclipse 9 s. Year round. (Not maintained over winter.)
-----	------------------------------------	---	---------------------	-----	------	---	--	--

Chart:14853 (U.S.)
Edn 11/24

MACKENZIE RIVER AND BAY (LL 1716.96 – 2540)

1809.4	Kalinek Channel Light (Mile 973.5)	On E. shore, S. of channel entrance. 68 17 31.0 134 15 01.3	F	W	10.7	15	Square skeleton tower, red daymark with white vertical stripe. 7.6	Seasonal.
1809.5		092° 05' 102.3 m from front.	F	W	19.2	15	Square skeleton tower, red trapezoidal daymark with white vertical stripe. 15.2	Visible along a 091° azimuth. Seasonal.
1810	Oniak Channel (Mile 993.2) range	On N. shore of channel entrance. 68 29 01.6 134 04 14.8	F	W	6.1	15	Square skeleton tower, red daymark with white vertical stripe. 6.1	Visible in line of range. Seasonal.
1811		041° 31' 84.4 m from front.	F	W	14.0	15	Tripod skeleton tower, red daymark with white vertical stripe. 12.2	Visible in line of range. Seasonal.

Chart:6428
Edn 11/24 (A24-029, 040)

Chart:6429
Edn 11/24 (A24-030, 041)

HUDSON STRAIT AND BAY (LL 2545 – 2621)

2561.1	Innermost #4 range Racon - - (M) X & S Bands	Payne Bay. 60 00 44.6 069 59 33.9	F	G	29.0	10	Square skeleton tower, orange daymark with black stripe.	Operates 24 h. Seasonal.
2561.2		297° 49' 488.7 m from front.	F	G	73.0	10	Square skeleton tower, orange daymark with black stripe.	Operates 24 h. Seasonal.
2599.1	Pangnirtung East Breakwater Light	End of E. breakwater, near hamlet. 66 09 00.4 065 42 24.8	Fl	G	4s	8.1	1	Cylindrical mast.	Seasonal (in place year round).
2599.2	Pangnirtung West Breakwater Light	End of W. breakwater, near hamlet. 66 09 01.6 065 42 38.6	Fl	R	4s	8.1	1	Cylindrical mast.	Seasonal (in place year round).
2599.3	Pangnirtung Harbour range	66 08 51.1 065 42 15.8	Iso	Y	2s	18.2	6	Cylindrical mast, orange daymark with black stripe.	Seasonal (in place year round).
2599.4		146° 17' 137.9 m from front.	Iso	Y	2s	28.0	7	Cylindrical mast, orange daymark with black stripe.	Seasonal (in place year round).

Chart:5352
Edn 11/24 (A24-042, 043)

Chart:7150
Edn 11/24 (A24-034)

Chart:7150
Edn 11/24 (A24-035)

Chart:7150
Edn 11/24 (A24-036, 038)