



Canadian
Coast Guard

Garde côtière
canadienne

Notices to Mariners

Edition No. 08/2026
August 28, 2026



Safety First, Service Always

Monthly Summary of Temporary and Preliminary Notices

Canada 

Notices to Mariners – Monthly Summary of Temporary and Preliminary Notices
Edition No. 08/2026

Aussi disponible en français :

Avis aux navigateurs – Sommaire mensuel des avis temporaires et préliminaires
Édition n° 08-2026

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Canadian Coast Guard, 2026.

Cat. No. D16-4E-PDF (Electronic PDF, English)
ISSN 2561-5106

Cat. No. D16-4F-PDF (Electronic PDF, French)
ISSN 2561-5114

A web version is available here:

<https://www.notmar.gc.ca/temp-pre-monthly> (English)

<https://www.notmar.gc.ca/temp-pre-mensuel> (French)

Explanatory Notes

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Explanation of Temporary and Preliminary Notices to Mariners

Certain Notices to Mariners appearing in the monthly editions have a (T) or (P) appended to the regular number. These letters indicate that the information contained in the notice is of a temporary or preliminary nature, respectively.

Temporary (T) Notices

If a temporary change in conditions affecting navigation exists and if the change will be effective for a period of over three months, a temporary (T) notice will be published. Temporary changes which are effective for periods of less than three months will not normally be published (unless it is of exceptional interest). Otherwise, information will be promulgated as a Navigational Warning (NAVWARN) by the Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre(s) in the affected area. (T) notices will be cancelled as necessary.

Please note that (T) notices with an end date will be automatically cancelled once the end date has passed. In the event of a change to these notices, a new Notice to Mariners will be issued.

Preliminary (P) Notices

- a. When important changes affecting navigation are to take place in the near future, a Notice to Mariners describing the change will be published, so that mariners will have advance information on the change. Such notices will be designated (P).
- b. When a change in conditions affecting navigation has taken place but full information is not available, a preliminary (P) notice giving available information will be published. This notice will be followed by a regular notice when complete information becomes available. The regular notice will cancel the (P) notice.
- c. When a change has taken place which is too complex to describe in a written notice, a (P) notice giving general information will be published. This notice will explain that follow up action will be taken to update charts by publishing patch corrections, new editions or new charts.

Please note that following the expiry of the 90-day comment or objection period, (P) notices describing proposed changes or intention to discontinue will be automatically cancelled. In the event of a change to these notices, a new Notice to Mariners will be issued.

Action Required on Receipt Of (T) & (P) Notices

It is not customary to make permanent corrections to charts and publications from (T) & (P) notices. On receipt of such notices, the information they contain should be noted in pencil on the affected charts and/or publications.

Caution

Mariners are reminded that charts and publications are not corrected from (T) & (P) notices when purchased from suppliers. For the list of charts affected by (T) & (P) notices, please refer to the index on page ii of this publication.

Table of Contents

Newfoundland and Labrador Coast 1

Temporary Notices

*1208(T)/24	Lark Harbour and / et York Harbour – Marine Works: Wharf Construction	1
*716(T)/26	Grand Bank / Grand Banc: Northern Portion / Partie Nord – Aids to Navigation	1
*717(T)/26	Grand Bank / Grand Banc: Northern Portion / Partie Nord – Aids to Navigation: Offshore Works.....	1

Preliminary Notices

No notices applicable for this edition.	2
--	---

Atlantic Coast 3

Temporary Notices

*411(T)/22	Lac Saint-Pierre – Obstruction: Floating and Falling Debris	3
*809(T)/22	Port de Montréal – Waterway Information: Calculation of Under-Keel Clearance	3
*710(T)/23	Port de Montréal – Waterway information – Mooring prohibited	3
*711(T)/23	Cap des Rosiers à/to Chandler – Obstruction : Scientific Moorings.....	3
*214(T)/24	Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depths Reported	4
*1021(T)/24	Batiscan au/to Lac Saint-Pierre – Waterway Information : Shallow Depth	5
*1118(T)/24	Port de Montréal – Shallow Depth Reported.....	5
*1120(T)/24	Îles de la Madeleine – Obstruction :Submerged Object.....	6
*1121(T)/24	Îles de la Madeleine – Obstruction :Wreck.....	6
*1210(T)/24	Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued	6
*410(T)/25	Chenal du Havre de la Grande Entrée – Waterway Information: Wharf Closed.....	6
*512(T)/25	Baie des Sept-Îles – Marine Works: Wharf Construction.....	6
*1012(T)/25	Approaches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction: Scientific Moorings.....	7
*108(T)/26	Port de Québec – Waterway Information: Pier Closed.....	7
*213(T)/26	Sorel-Tracy à/to Otterburn-Park – Obstruction: Submerged Object	7
*412(T)/26	Sorel-Tracy à/to Otterburn-Park – Marine Works : Bridge Repair	8
*511(T)/26	Charlottetown Harbour – Marine Works	8
*611(T)/26	Cap Éternité à/to Saint Fulgence – Marine Works: Diving Operations and Wharf Construction	8
*612(T)/26	Batiscan au/to Lac Saint-Pierre – Marine Works: Wharf Construction	8
*613(T)/26	Sydney Harbour – Light Buoy Temporarily Discontinued	9
*720(T)/26	Cap de la Tête au Chien au/to Cap aux Oies – Waterway Information – Shallow Depth Reported.....	9
*806(T)/26	Port de Montréal – Shallow Depths Reported.....	9
*807(T)/26	Sorel-Tracy à/to Varennes – Marine Works: Wharf Construction	9
*808(T)/26	Canal de la Rive Sud – Shallow Depth Confirmed	10
*809(T)/26	Havre de Gaspé – Marine Works : Repair	10

Preliminary Notices

*810(P)/26	Pugwash Harbour, Wallace Harbour, Amet Sound and Approaches / et les Approches – Unlit Buoys to be Discontinued.....	10
------------	--	----

Inland Waters

11

Temporary Notices

*814(T)/16	Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges....	11
*309(T)/17	Pelee Passage to/à la Detroit River – Low Water Levels Reported	11
*709(T)/18	Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring	11
*810(T)/21	Fort Frances to/à Hostess Island and/et Sandpoint Island – Aids to Navigation Temporarily Discontinued	11
*108(T)/22	Lower Gap to/à Adolphus Reach – Construction Operations Frontenac II Ferry Dock.....	12
*413(T)/22	Detroit River – Waterway Information: Bridge Construction	12
*614(T)/22	Canal de la Rive Sud – Bridge Repair Work	12
*617(T)/22	Lac Saint-Louis – Aids to Navigation Temporarily Established	12
*109(T)/23	Port Hope Harbour – Dredging Operations	12
*313(T)/24	Havres et Mouillages - Harbours and Anchorages - Côte-Nord/North Shore – Waterway Information: Reduction of Capacity at Mooring Bollards	13
*728(T)/24	Toronto Harbour – Marine Works - Overhead Construction	13
*814(T)/24	Hamilton Harbour – Waterway Information – Shallow Depth Reported.....	13
*910(T)/24	Kingston Harbour and Approaches/et les approches – Construction Operations	13
*515(T)/25	Croil Islands to/à Cardinal – Obstruction: Submerged Object	13
*516(T)/25	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works: Pipeline Installation	13
*608(T)/25	Cobourg to/à Oshawa – Waterway Information: Shoal	14
*710(T)/25	Hamilton Harbour – Waterway Information: Shallow Depth Reported.....	14
*711(T)/25	Port of Thunder Bay – Obstruction: Submerged Object.....	14
*712(T)/25	Whiskey Jack Island to/à Red Deer River – Waterway Information: Shallow Depth Reported	14
*713(T)/25	Lake Manitoba / Lac Manitoba (Southern Portion / Partie sud) – Waterway Information: Shallow Depth Reported	14
*811(T)/25	Lac Saint-Louis – Marine works: Construction and Drilling Operations	15
*812(T)/25	Carleton Island to/au Charity Shoal – Obstruction: Submerged Object.....	15
*1109(T)/25	Portage-du-Fort à/to Île Marcotte – Aids to Navigation Unlit.....	15
*1110(T)/25	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works	15
*1111(T)/25	Toronto Harbour – Obstruction : Turbidity Curtain.....	16
*1212(T)/25	Mouillages et Installations Portuaires/Anchorages and Harbour Installations - Haute Côte-Nord – Obstruction : Submerged Object	16
*110(T)/26	Port of Thunder Bay – Aids to Navigation Temporarily Established	16
*215(T)/26	Port Maitland to/à Dunnville – Obstruction: Submerged Breakwater	16
*413(T)/26	Peterborough to/à Buckhorn including/y compris Stony Lake – Bridge Horizontal Clearance Change.....	16
*414(T)/26	Toronto Harbour – Marine Works: Underwater Construction	16

*514(T)/26	Lake Superior – Waterway Information: Shallow Depth Reported	17
*615(T)/26	Whitby Harbour – Marine Works: Dredging Operations	17
*616(T)/26	Georgian Bay / Baie Georgienne – Obstruction: Scientific and Subsurface Moorings.....	17
*617(T)/26	Owen Sound to/à Giant's Tomb Island – ODAS Buoy Temporarily Established	18
*722(T)/26	Toronto Harbour – Routeing Change: Exclusion Zone	18
*723(T)/26	Byng Inlet to/à Killarney – Scientific Instruments Change: Scientific Moorings.....	18
*724(T)/26	Port Severn to/à Christian Island – Marine Works – Wharf Construction	18
*725(T)/26	Port of Thunder Bay – Shallow Depth Confirmed.....	18
*726(T)/26	Detroit River – Waterway Information – Allowable Draft	18

Preliminary Notices

No notices applicable for this edition.	19
--	----

Pacific Coast 20

Temporary Notices

No notices applicable for this edition.	20
--	----

Preliminary Notices

No notices applicable for this edition.	20
--	----

Arctic Coast 21

Temporary Notices

*1210(T)/20	Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established	21
*216(T)/24	Canadian Coast Guard – Obstruction : Scientific Moorings.....	21
*217(T)/24	Canadian Coast Guard – Obstruction : Scientific Mooring	21
*418(T)/25	Arctic Archipelago / Archipel de l'Arctique – Obstruction – Subsurface Moorings	21
*419(T)/25	Paallavik to/à Kangiqtugaapik – Obstruction – Scientific Mooring.....	22
*420(T)/25	Clyde Inlet to/à Cape Jameson – Obstruction – Subsurface Mooring	22
*421(T)/25	Franklin Bay and/et Darnley Bay – Obstruction – Subsurface Mooring.....	22
*422(T)/25	Prince Albert Sound, Western Portion/ Partie Ouest – Obstruction – Subsurface Mooring.	22
*423(T)/25	Approaches to/Approches à Cambridge Bay – Obstruction – Subsurface Buoy and Apparatus	22

Preliminary Notices

*728(P)/26	St. Roch and/et Rasmussen Basins – Daybeacon to be Discontinued	23
*812(P)/26	Approches à/Approches to Chisasibi – Aids to Navigation to be Discontinued	23
*813(P)/26	Great Slave Lake / Grand lac des Esclaves, Western Portion / Partie ouest – Aid to Navigation to be Discontinued	24
*814(P)/26	Bathurst Inlet - Northern Portion/Partie nord – Daybeacon to be Discontinued	24

Other (T) & (P) Notices	25
------------------------------------	-----------

Temporary Notices

*1105(T)/15	Canada – Safety of Offshore Exploration and Exploitation Vessels	25
*1027(T)/24	Canadian Coast Guard – Automatic Identification System (AIS)	25
*1215(T)/24	Canadian Coast Guard – Automatic Identification System Application Specific Messages (AIS ASM) Trial	26

Preliminary Notices

No notices applicable for this edition.	26
--	----

List of Charts Affected by (T) & (P) Notices

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1202	8	2067	13, 14	4954	6
1220	6	2077	13, 15	5720	23
1226	16	2085	13, 16, 18	6108	11
1234	9	2123	11	6274	14
1310	3, 5, 9	2140	16	6505	14
1311	9	2201	17	6730	24
1312	3	2204	18	7000	21
1313	4, 5, 8	2241	18	7053	22
1316	7	2261	17	7565	22
1350	7, 8	2282	17	7661	21
1429	10, 12	2283	18	7665	22
1430	10, 12, 15	2291	17	7668	22
1434	13	2314	14, 16, 18	7750	22
1439	15	4011	7	7787	23
1552	15	4244	6	7791	24
1553	15	4255	7	8005	7
2017	11, 13	4266	9	8006	7
2018	12	4416	10	8011	1
2023	16	4452	13	8012	1
2024	16	4460	8	14853 (U.S.)	12
2049	17	4485	3		
2053	12	4654	1		
2058	14	4937	10		
2060	11	4950	6		

Newfoundland and Labrador Coast

Temporary Notices

***1208(T)/24 Lark Harbour and / et York Harbour – Marine Works: Wharf Construction**

Reference chart: 4654

Wharf reconstruction underway in Lark Harbour in the vicinity of 49° 06.069'N 058° 21.866'W.

Caution.

(NW-N-1171-24)

***716(T)/26 Grand Bank / Grand Banc: Northern Portion / Partie Nord – Aids to Navigation**

Reference chart: 8011, 8012

Two-legged ODAS mooring deployed.

The first anchor position is 46° 31.393'N, 048° 33.887'W and is marked with a yellow spherical wave buoy with a yellow navigational light with flash characteristics of 5 flashes every 20 seconds.

The second anchor position is 46° 31.315'N, 048° 34.143'W and is marked with a red high flyer buoy with a yellow navigational light with flash characteristics of 5 flashes every 20 seconds and a radar reflector.

Caution.

(NW-N-0824-25)

***717(T)/26 Grand Bank / Grand Banc: Northern Portion / Partie Nord – Aids to Navigation: Offshore Works**

Reference chart: 8011, 8012

Two-legged ODAS mooring deployed.

The first anchor position is 46° 42.511'N, 048° 51.444'W and is marked with a yellow spherical wave buoy with a yellow navigational light with flash characteristics of 5 flashes every 20 seconds.

The second anchor position is 46° 42.395'N, 048° 51.666'W and is marked with a red high flyer buoy with a yellow navigational light with flash characteristics of 5 flashes every 20 seconds and a radar reflector.

Caution.

(NW-N-0410-26)

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: [DFO.CCGATLAidstoNavDiscont-
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLAidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

No notices applicable for this edition.

Atlantic Coast

Temporary Notices

***411(T)/22 Lac Saint-Pierre – Obstruction: Floating and Falling Debris**

Reference chart: 1312

Floating and falling debris reported beneath the bridge located at 46° 04.783'N 073° 09.205'W. The bridge is marked with yellow buoys suspended at mid-height between the deck and the water level. Warning signs installed above.

(NW-Q-1266-19)

***809(T)/22 Port de Montréal – Waterway Information: Calculation of Under-Keel Clearance**

Reference chart: 1310

Canadian Coast Guard Marine Communications and Traffic Services has been using all Canadian Hydrographic Service water-level stations for the calculation of passage authorizations in the Sorel–Montreal sector of the navigational waterway, namely Sorel, Contrecoeur, Varennes, Montreal-Frontenac and Montreal-Jetty No. 1.

In light of the particular features of the navigational waterway in the portion between buoys M84 (downstream of the municipality of Verchères) and M157 (opposite to the Port of Montreal, section 109) as well as the No. 1 Anchorage Pointe-aux-Tremble, it was agreed to adjust upward the available water column by 10 cm in this portion.

The minimum water column in this portion of the navigational waterway as per the Varennes hydrographic station, obtained after adjustment, will be used for the calculation of under-keel clearance.

(NW-Q-0776-22)

***710(T)/23 Port de Montréal – Waterway information – Mooring prohibited**

Reference chart: 1310

Mooring indefinitely prohibited at section 31 of the Port of Montreal.

(NW-Q-0476-23)

***711(T)/23 Cap des Rosiers à/to Chandler – Obstruction : Scientific Moorings**

Reference chart: 4485

Six sub-surface scientific moorings established at:

48 37.390N 064 07.734W

48 43.925N 064 08.099W

48 41.868N 064 04.632W

48 39.987N 064 00.959W

48 38.023N 063 57.919W

48 36.274N 063 54.923W

Top float 24 metres below the surface.

(NW-Q-0662-23)

***214(T)/24 Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depths Reported**

Reference: Notice 313(T)/23 is cancelled (Chart 1313).

Reference chart: 1313

A shallower depth of 10.4 metres is located at the following positions:

46° 19.997' N	072° 32.698' W
46° 19.993' N	072° 32.675' W
46° 19.983' N	072° 32.682' W
46° 19.980' N	072° 32.703' W
46° 19.985' N	072° 32.718' W

A shallower depth of 10.6 metres is located at the following positions:

46° 19.978' N	072° 32.731' W
46° 19.979' N	072° 32.701' W
46° 19.970' N	072° 32.703' W
46° 19.971' N	072° 32.732' W

A shallower depth of 10.4 metres is located at the following positions:

46° 19.983' N	072° 32.785' W
46° 19.982' N	072° 32.747' W
46° 19.973' N	072° 32.752' W
46° 19.972' N	072° 32.768' W
46° 19.971' N	072° 32.792' W

(NW-Q-1338-23)

***1021(T)/24 Batiscan au/to Lac Saint-Pierre – Waterway Information : Shallow Depth**

Reference chart: 1313

Shallow depths reported in the port of Trois-Rivières at the following coordinates:

Shallow depth of 10.4 metres located at Section 13:	Shallow depth of 10.0 metres located at Section 14 and a portion of Section 15:
• 46° 20.027'N 072° 32.614'W • 46° 20.025'N 072° 32.608'W • 46° 20.034'N 072° 32.597'W • 46° 20.037'N 072° 32.603'W	• 46° 19.990'N 072° 32.795'W • 46° 19.990'N 072° 32.738'W • 46° 20.004'N 072° 32.672'W • 46° 20.013'N 072° 32.648'W • 46° 20.017'N 072° 32.765'W
Shallow depth of 10.3 metres located at Section 16:	Shallow depth of 10.2 metres located at Section 16:
• 46° 19.964'N 072° 32.795'W • 46° 19.976'N 072° 32.785'W • 46° 19.987'N 072° 32.738'W • 46° 19.973'N 072° 32.740'W	• 46° 19.997'N 072° 32.789'W • 46° 19.996'N 072° 32.766'W • 46° 19.964'N 072° 32.795'W • 46° 19.965'N 072° 32.821'W
Shallow depth of 10.5 metres located at Section 16:	Shallow depth of 10.2 metres located at Section 16:
• 46° 19.968'N 072° 32.704'W • 46° 19.970'N 072° 32.745'W • 46° 19.976'N 072° 32.741'W • 46° 19.978'N 072° 32.695'W	• 46° 19.985'N 072° 32.706'W • 46° 19.979'N 072° 32.699'W • 46° 19.979'N 072° 32.677'W • 46° 19.993'N 072° 32.660'W • 46° 20.000'N 072° 32.688'W
Shallow depth of 10.2 metres located at Section 17:	Shallow depth of 10.5 metres located at Section 19:
• 46° 19.852'N 072° 32.772'W • 46° 19.851'N 072° 32.768'W • 46° 19.845'N 072° 32.774'W • 46° 19.846'N 072° 32.775'W	• 46° 19.830'N 072° 32.785'W • 46° 19.831'N 072° 32.787'W • 46° 19.840'N 072° 32.780'W • 46° 19.839'N 072° 32.778'W
Shallow depth of 10.6 metres located at Section 19:	Shallow depth of 10.5 metres located at Section 20:
• 46° 19.786'N 072° 32.824'W • 46° 19.801'N 072° 32.813'W • 46° 19.798'N 072° 32.809'W • 46° 19.782'N 072° 32.819'W	• 46° 19.728'N 072° 32.874'W • 46° 19.727'N 072° 32.870'W • 46° 19.738'N 072° 32.859'W • 46° 19.739'N 072° 32.864'W

(NW-C-1191, 1342, 1871, 1872-24)

***1118(T)/24 Port de Montréal – Shallow Depth Reported**

Reference chart: 1310

Shallower depth of 10,4 metres located at the following coordinates: 45° 30' 18.9"N 073° 32' 48.3"W.

(NW-C-1866-24)

***1120(T)/24 Îles de la Madeleine – Obstruction :Submerged Object**

Reference chart: 4950

Rocks and dolosses have been located 7 metres from the pierhead of the southern breakwall at a depth of 2 metres at the following coordinates:

47° 23.304'N 061° 47.513'W

47° 23.301'N 061° 47.507'W

47° 23.308'N 061° 47.517'W

47° 23.299'N 061° 47.500'W

47° 23.298'N 061° 47.493'W

(NW-C-1877-24)

***1121(T)/24 Îles de la Madeleine – Obstruction :Wreck**

Reference chart: 4950

The vessel SS Corfu Island has been assessed as a hazard to public safety by Canadian Coast Guard under the *Wrecked, Abandoned or Hazardous Vessels Act*. The bow of the wreck is located on the beach at position 47° 20.813'N 061° 57.014'W and the wreck extends seaward in a southwesterly direction over 137.5 metres in length and 17.5 metres in width.

It is forbidden to access or climb it for any reason. Mariners are requested to keep a wide berth from the wreckage.

(NW-C-1861-24)

***1210(T)/24 Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued**

Reference chart: 4244

The following aid to navigation is temporarily discontinued:

Aid Name	No. LL	Position
Pinkneys Point Fog Signal	278.2	43° 42' 11.6"N 066° 03' 12.1"W

(F2024-060T)

***410(T)/25 Chenal du Havre de la Grande Entrée – Waterway Information: Wharf Closed**

Reference chart: 4954

Wharf 406 of Grande-Entrée is closed. Pollution containment booms in place.

Stay clear. Minimum wake.

(NW-C-2172-24)

***512(T)/25 Baie des Sept-Îles – Marine Works: Wharf Construction**

Reference chart: 1220

Construction operations taking place daily on the Mgr-Blanche Dock. Barges, cranes and work boats on site.

Minimum wake and wide berth of 300 metres requested.

(NW-C-0623-25)

***1012(T)/25 Approaches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction: Scientific Moorings**

Reference chart: 4011, 4255, 8005, 8006

Multiple subsurface scientific moorings are deployed in the Fundian channel. The scientific moorings are between five to six meters off the ocean floor at the following positions:

42° 39.358'N 066° 27.843'W	42° 29.389'N 065° 58.091'W
42° 39.576'N 066° 20.535'W	42° 29.574'N 065° 50.799'W
42° 33.965'N 066° 27.544'W	42° 23.800'N 065° 05.117'W
42° 34.181'N 066° 20.247'W	42° 23.993'N 065° 57.836'W
42° 34.390'N 066° 12.948'W	42° 24.177'N 065° 50.555'W
42° 34.592'N 066° 05.648'W	42° 24.354'N 065° 43.272'W
42° 28.787'N 066° 19.959'W	42° 18.780'N 065° 50.312'W
42° 28.995'N 066° 12.671'W	42° 18.956'N 065° 43.039'W
42° 29.196'N 066° 05.382'W	42° 13.383'N 065° 50.069'W

(NW-M-1431-25)

***108(T)/26 Port de Québec – Waterway Information: Pier Closed**

Reference chart: 1316

Port of Quebec pier 25 is closed. A portion of the pier has collapsed.

Minimum wake requested. Keep clear 50 metres.

For any questions or additional information contact the Port of Québec Harbour Master's Office.

(NW-C-0054-26)

***213(T)/26 Sorel-Tracy à/to Otterburn-Park – Obstruction: Submerged Object**

Reference chart: 1350

Anchor with 9 shackles of chain reported in the vicinity of 46° 01.87'N 073° 09.86'W.

(NW-C-1370-24)

***412(T)/26 Sorel-Tracy à/to Otterburn-Park – Marine Works : Bridge Repair**

Reference: Notice 808(T)/25 is cancelled.

Reference chart: 1350

Repair work taking place daily, 24 hours a day at the Turcotte Bridge. Barge and tug are on scene. Navigation channel reduced to 25 metres and is marked and lit. Air draft reduced to 12 metres. Any vessels requiring the barge be moved to make passage under the bridge are required to give a 72 hours notice by e-mailing m.poirier@pomerleau.ca or alexis.noel@pomerleau.ca, and provide them with:

- Date and time of requested passage;
- vessel name and type;
- estimated speed of passage;
- length, beam, and draft of the vessel;
- their contact information.

All vessels transiting the area are requested to remain 3 metres away from the barge.

Minimum wake requested.

(NW-C-0806-26)

***511(T)/26 Charlottetown Harbour – Marine Works**

Reference chart: 4460

Bridge work underway on the Hillsborough Bridge between Charlottetown and Stratford since May 18, 2026. Temporary work platforms are installed underneath the road deck. Passage of vessels is not restricted.

(NW-M-0590-26)

***611(T)/26 Cap Éternité à/to Saint Fulgence – Marine Works: Diving Operations and Wharf Construction**

Reference chart: 1202

Construction and diving operations taking place Monday to Saturday from 1100 UTC to 2200 UTC at Duncan Wharf in Port-Alfred. Barges remaining on scene at 48° 20.173'N 070° 52.136'W.

Minimum wake requested.

(NW-C-2216-26)

***612(T)/26 Batiscan au/to Lac Saint-Pierre – Marine Works: Wharf Construction**

Reference: Notice 510(T)/26 is cancelled.

Reference chart: 1313

Repair work in progress from 1000 UTC to 2000 UTC at section 16. Safety boat on site.

Minimum wake requested.

(NW-C-1914-26)

***613(T)/26 Sydney Harbour – Light Buoy Temporarily Discontinued**

Reference chart: 4266

The following light buoy is temporarily discontinued:

Aid Name	LL No.	Position
Sydney Harbour East Cardinal light buoy SE	789.16	46° 13' 03.6"N 060° 13' 19.5"W

(NW-M-0602-26)

***720(T)/26 Cap de la Tête au Chien au/to Cap aux Oies – Waterway Information – Shallow Depth Reported**

Reference chart: 1234

Shallower depth located at 47° 52.631'N 069° 40.840'W, 0.6 metres.

(NW-C-3582-25)

***806(T)/26 Port de Montréal – Shallow Depths Reported**

Reference chart: 1310

Shallow depths reported at the following coordinates:

45° 39.597'N 073° 29.229'W: 1.9 metres
45° 39.489'N 073° 29.190'W: 1.8 metres
45° 36.662'N 073° 27.618'W: 2.6 metres
45° 32.426'N 073° 30.996'W: 1.8 metres
45° 31.634'N 073° 31.992'W: 0.8 metres

(NW-C-3254-26)

***807(T)/26 Sorel-Tracy à/to Varennes – Marine Works: Wharf Construction**

Reference chart: 1311

Construction operations taking place daily between 1030 UTC and 2300 UTC at the Contrecoeur wharf. Barges, work boats and safety boats on site. Turbidity curtains identified with yellow lighted buoys.

Yellow scientific moorings temporarily established at:

45° 48.930'N 073° 18.496'W
45° 49.406'N 073° 17.899'W
45° 49.457'N 073° 17.842'W

Minimum wake and wide berth requested.

(NW-C-3362-26)

***808(T)/26 Canal de la Rive Sud – Shallow Depth Confirmed**

Reference chart: 1429, 1430

Shallower depths confirmed at the following coordinates:

45° 23.213'N 073° 52.336'W: 0.2 metres

45° 22.529'N 073° 51.463'W: 0.7 metres

45° 24.419'N 073° 48.443'W: 0.4 metres

45° 24.524'N 073° 42.559'W: 0.3 metres

(NW-C-3016-26)

***809(T)/26 Havre de Gaspé – Marine Works : Repair**

Reference chart: 4416

Repair work taking place at the Port of Gaspé launch ramp during daylight hours. Yellow silt curtain on site.

Minimum wake requested.

(NW-C-3471-26)

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: [DFO.CCGATLAidstoNavDiscont-
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLAidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

***810(P)/26 Pugwash Harbour, Wallace Harbour, Amet Sound and Approaches / et les
Approches – Unlit Buoys to be Discontinued**

Reference chart: 4937

The Canadian Coast Guard proposes to permanently discontinue 58 unlit buoys with designator "PLAS1" near Wallace Harbour in the vicinity of 45° 49' 05.5"N 063° 29' 40.1"W.

Initial publication date: Friday, August 28, 2026

[Comment submission deadline](#): Thursday, November 26, 2026

(G2026-069)

Inland Waters

Temporary Notices

***814(T)/16 Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges**

Reference chart: 2060

There are 3 partially submerged fixed steel barges in North end of West Lake (43° 57' 02.3"N 077° 20' 12.8"W), which have been reported just below the water line.

Barges are marked with cautionary buoys.

(NOTSHIP C1641/14)

***309(T)/17 Pelee Passage to/à la Detroit River – Low Water Levels Reported**

Reference chart: 2123

Low water levels have been reported from the south end of the entrance to Sturgeon Creek Harbour northward.

Annette Winter
Project and Divestiture Officer
Small Craft Harbours
Fisheries and Oceans Canada

Canada Centre for Inland Waters (CCIW)
867 Lakeshore Road
Burlington, ON L7S 1A1
Telephone: (905) 315-5286
Email: annette.winter@dfo-mpo.gc.ca

(NOTSHIP C58/13)

***709(T)/18 Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring**

Reference: Notice 309(T)/14 is cancelled.

Reference chart: 2017

All mooring or anchoring within the public port of Kingston is prohibited outside of designated marina areas until further notice without authorization from the port official.

Inquiries are to be directed to Transport Canada at (416) 952-0475.

***810(T)/21 Fort Frances to/à Hostess Island and/et Sandpoint Island – Aids to Navigation Temporarily Discontinued**

Reference chart: 6108

The following aids to navigation are temporarily discontinued:

Aid Name	No. LL	Position
Noden Causeway East	1465	48° 39' 08.5"N 093° 18' 47.6"W
Noden Causeway West	1466	48° 39' 08.5"N 093° 18' 49.1"W

(D2021-026T, 027T)

***108(T)/22 Lower Gap to à Adolphus Reach – Construction Operations Frontenac II Ferry Dock**

Reference chart: 2018

Construction operations are taking place daily during daylight hours at the Millhaven and Stella ferry docks. Temporary docks will be installed in the vicinity of the ferry docks. Docks will be marked with buoys and lit with amber lights.

(NW-C-2916-17)

***413(T)/22 Detroit River – Waterway Information: Bridge Construction**

Reference chart: 14853 (U.S.)

Bridge construction operations taking place in an area bounded by:

42° 17.200'N 083° 05.633'W
42° 17.183'N 083° 05.600'W
42° 17.067'N 083° 05.667'W
42° 17.000'N 083° 05.717'W
42° 17.017'N 083° 05.750'W
42° 17.100'N 083° 05.667'W

Unauthorized entry prohibited.

(NW-C-0151-22)

***614(T)/22 Canal de la Rive Sud – Bridge Repair Work**

Reference chart: 1429

Repair work in progress at the Honoré-Mercier Bridge (upstream) between Lasalle and Kahnawake. Bridge deck installed under the bridge span.

(NW-Q-1810-19)

***617(T)/22 Lac Saint-Louis – Aids to Navigation Temporarily Established**

Reference chart: 1430

Six yellow lighted buoys marking a 400 metres breakwater awash temporarily established at the following coordinates:

45° 20' 44.5"N 073° 50' 32.9"W	45° 21' 00.3"N 073° 50' 11.6"W
45° 20' 47.7"N 073° 50' 29.4"W	45° 21' 05.4"N 073° 50' 07.6"W
45° 20' 50.0"N 073° 50' 24.1"W	45° 21' 11.8"N 073° 50' 04.6"W

(NW-Q-0579-22)

***109(T)/23 Port Hope Harbour – Dredging Operations**

Reference: Notice 809(T)/18 is cancelled.

Reference chart: 2053

Dredging and wall repair operations in Port Hope Harbour. Entrance to the western basin is blocked. Caution.

***313(T)/24 Havres et Mouillages - Harbours and Anchorages - Côte-Nord/North Shore –
Waterway Information: Reduction of Capacity at Mooring Bollards**

Reference chart: 4452

Capacity reduced to 10 metric tons for bollards B01, B10, B12, B14 and B17 and 20 metric tons for bollards B03 to B09, B11, B13, B15, B16 and B18 at Natashquan public wharf. Bollard B02 is still out of order.

(NW-C-0292-24)

***728(T)/24 Toronto Harbour – Marine Works - Overhead Construction**

Reference: Notice 415(T)/23 is cancelled (Chart 2085).

Position : 43° 37' 44.3"N 079° 25' 04.3"W

Overhead construction taking place in the North Marina of Ontario Place between West Island and East Island. Waterway closed to marine traffic.

***814(T)/24 Hamilton Harbour – Waterway Information – Shallow Depth Reported**

Reference chart: 2067

The southern section of the Pier 10 slip south of 43° 16' 26.1"N 079° 51' 01.9"W does not have the minimum seaway draft.

Mariners are to contact the Hamilton Harbour Master's office at 1 (905) 525-3412 to obtain soundings.

(NW-C-2395-23)

***910(T)/24 Kingston Harbour and Approaches/et les approches – Construction Operations**

Reference: Notice 1012(T)/20 is cancelled (Chart 2017).

Reference chart: 2017

Wharf construction is taking place daily from 1100 UTC to 2300 UTC at the Kingston-Wolfe Island ferry terminal. The ferry remains operational. Vessels are not permitted to dock on the south side. The construction area is marked by yellow buoys equipped with yellow flashing lights.

***515(T)/25 Croil Islands to/à Cardinal – Obstruction: Submerged Object**

Reference chart: 1434

Lost anchor reported in the vicinity of 44° 56.391'N 075° 02.670'W.

(NW-C-0892-25)

***516(T)/25 Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works:
Pipeline Installation**

Reference chart: 2077

Pipeline installation taking place daily until November 2025 during daylight hours south of RC Harris Water Treatment Plant. Barges and workboats on scene marked and lit at night.

(NW-C-0721-25)

***608(T)/25 Cobourg to/à Oshawa – Waterway Information: Shoal**

Reference chart: 2058

Increased silting reported in the area. Mariners are to call the Harbour Masters Office at 1 (905) 525-3412 to obtain up-to-date soundings of navigational channel.

(NW-C-3326-24)

***710(T)/25 Hamilton Harbour – Waterway Information: Shallow Depth Reported**

Reference chart: 2067

Vessels transiting the East end of Hamilton Harbour are to use caution as the following area is not seaway draft.

43° 16.315'N 079° 47.353'W

43° 16.323'N 079° 47.324'W

43° 16.297'N 079° 47.263'W

43° 16.278'N 079° 47.336'W

Mariners are to call the harbour masters office at 1 (905) 525-3412 for the most recent soundings.

(NW-C-3449-24)

***711(T)/25 Port of Thunder Bay – Obstruction: Submerged Object**

Reference chart: 2314

Lost anchor reported in the vicinity of 48° 25.817'N 089° 09.633'W.

(NW-C-0603-25)

***712(T)/25 Whiskey Jack Island to/à Red Deer River – Waterway Information: Shallow Depth Reported**

Reference chart: 6274

Shallower depth of 90 centimetres located at 52° 58.444'N 100° 58.654'W.

(NW-C-1757-23)

***713(T)/25 Lake Manitoba / Lac Manitoba (Southern Portion / Partie sud) – Waterway Information: Shallow Depth Reported**

Reference chart: 6505

Shallower depth of 78 centimetres located at 50° 41.927'N 098° 42.258'W.

(NW-C-1756-23)

***811(T)/25 Lac Saint-Louis – Marine works: Construction and Drilling Operations**

Reference: Notice 413(T)/24 is cancelled (Chart 1430).

Reference chart: 1430

Ongoing construction and drilling operations are taking place in the vicinity of the Île-aux-Tourtes bridge. Barges and boats are on site.

Yellow cautionary buoys temporarily established under the bridge. The areas are delimited by the following coordinates:

Area 1:		Area 2:	
Pt 1:	45° 25.215'N 73° 59.337'W	Pt 1:	45° 25.258'N 73° 58.831'W
Pt 2:	45° 25.236'N 73° 59.094'W	Pt 2:	45° 25.266'N 73° 58.750'W
Pt 3:	45° 25.187'N 73° 59.081'W	Pt 3:	45° 25.216'N 73° 58.733'W
Pt 4:	45° 25.160'N 73° 59.426'W	Pt 4:	45° 25.211'N 73° 58.820'W

Lit steel pile installed at 45° 25' 15.4"N 73° 58' 58.0"W showing 2 metres above the surface.

Suspended platform installed at 45° 25' 14.0"N 73° 58' 44.0"W, reducing bridge clearance by 4 metres.

Minimum wake.

(NW-C-0336-24, 3106-24)

***812(T)/25 Carleton Island to/au Charity Shoal – Obstruction: Submerged Object**

Reference chart: 1439

Anchor fluke reported lost at 44° 05.110'N 076° 23.880'W.

(NW-C-2383-25)

***1109(T)/25 Portage-du-Fort à/to Île Marcotte – Aids to Navigation Unlit**

Reference chart: 1552, 1553

The following aid to navigation is currently unlit:

Aid Name	No. LL	Position
Desjardinsville	1307	45° 50' 42.4"N 077° 06' 52.4"W

(NW-C-1381-22)

***1110(T)/25 Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works**

Reference: Notice 815(T)/25 is cancelled.

Reference chart: 2077

Construction operations taking place daily 24 hours a day until September 30, 2026 at the Toronto Hunt course. Dredges, barges, tug boats, construction equipment and sedimentation control structures will be on scene.

(NW-C-3380-25)

***1111(T)/25 Toronto Harbour – Obstruction : Turbidity Curtain**

Reference chart: 2085

Lit turbidity curtains installed on both sides of the sewer outflow pipes.

(NW-C-3420-24)

***1212(T)/25 Mouillages et Installations Portuaires/Anchorages and Harbour Installations -
Haute Côte-Nord – Obstruction : Submerged Object**

Reference chart: 1226

Lost anchor reported in the vicinity of 49° 15.410'N 068° 07.260'W.

(NW-C-3650-25)

***110(T)/26 Port of Thunder Bay – Aids to Navigation Temporarily Established**

Reference chart: 2314

Red spar buoy D8 temporarily established at 48° 23.644'N 089° 12.809'W. Buoy is Fl R 5s.

(NW-C-0928-24)

***215(T)/26 Port Maitland to/à Dunnville – Obstruction: Submerged Breakwater**

Reference chart: 2140

Partially submerged section of the breakwater reported in the vicinity of 42° 51.25'N 079° 34.67'W.

(NW-C-0101-26)

***413(T)/26 Peterborough to/à Buckhorn including/y compris Stony Lake – Bridge
Horizontal Clearance Change**

Reference chart: 2023, 2024

The horizontal clearance of the Faryon Bridge at 44° 21.495'N 078° 17.394'W is reduced to 10.67 metres from November 1st to April 30th and 21.34 metres from May 1st to October 31st for bridge work.

Scaffolding are present on both sides of the bridge marked with flashing markers and yellow buoys.

Lit barges 9 metres by 9 metres are on site.

(NW-C-0687-26)

***414(T)/26 Toronto Harbour – Marine Works: Underwater Construction**

Reference: Notice 609(T)/25 is cancelled.

Reference chart: 2085

Underwater construction operations taking place in the vicinity of Ashbridge Bay from April 13th to December 1st. Barges on site.

***514(T)/26 Lake Superior – Waterway Information: Shallow Depth Reported**

Reference chart: N/A

Due to low water levels and possible silting, shallower depths are reported within the launch ramp area at the Harmony Bay Small Craft Harbour. Caution.

(NW-C-2073-25)

***615(T)/26 Whitby Harbour – Marine Works: Dredging Operations**

Reference chart: 2049

Dredging operations taking place from Monday to Friday during daylight hours in Whitby Harbour. Barges and tugs on site monitoring channel 16. Equipment is marked and lit.

***616(T)/26 Georgian Bay / Baie Georgienne – Obstruction: Scientific and Subsurface Moorings**

Reference: Notice 1015(T)/25 is cancelled.

Reference chart: 2201, 2261, 2282, 2291

Thirty-five surface and subsurface moorings temporarily established along the shoreline near Bruce Power at the following coordinates:

(1)	44° 25.997'N 081° 30.893'W	(45)	44° 25.221'N 081° 29.458'W
(1)	44° 25.853'N 081° 31.208'W	(45)	44° 25.255'N 081° 29.432'W
(7)	44° 22.798'N 081° 34.070'W	(46)	44° 20.833'N 081° 33.944'W
(8)	44° 22.061'N 081° 35.043'W	(47)	44° 20.568'N 081° 34.039'W
(9)	44° 22.765'N 081° 32.403'W	(49)	44° 20.243'N 081° 36.609'W
(9)	44° 22.827'N 081° 32.396'W	(50)	44° 20.098'N 081° 37.196'W
(12)	44° 21.698'N 081° 34.527'W	(B)	44° 13.873'N 081° 37.409'W
(12)	44° 21.706'N 081° 34.456'W	(E)	44° 33.424'N 081° 19.939'W
(29)	44° 15.803'N 081° 37.551'W	(lyal1)	44° 57.377'N 081° 23.298'W
(29)	44° 15.895'N 081° 37.454'W	(lyal2)	44° 56.731'N 081° 23.670'W
(30)	44° 15.829'N 081° 36.733'W	(ol1)	44° 45.389'N 081° 18.517'W
(39)	44° 25.538'N 081° 30.165'W	(ol2)	44° 45.389'N 081° 18.510'W
(39)	44° 25.572'N 081° 30.102'W	(ol3)	44° 45.321'N 081° 18.556'W
(40)	44° 21.367'N 081° 34.154'W	(Spot - 30976C)	44° 17.573'N 081° 37.254'W
(41)	44° 15.822'N 081° 37.085'W	(Spot - 31358C)	44° 26.453'N 081° 30.429'W
(41)	44° 15.853'N 081° 37.019'W	(Spot - 31359C)	44° 13.925'N 081° 38.302'W
(43)	44° 19.796'N 081° 36.679'W	(Spot - 32579C)	44° 22.765'N 081° 34.879'W
(43)	44° 19.801'N 081° 36.643'W		

(NW-C-2142-26)

***617(T)/26 Owen Sound to/à Giant's Tomb Island – ODAS Buoy Temporarily Established**

Reference chart: 2283

ODAS buoy temporarily established at 44° 41.100'N 080° 36.944'W. Buoy is yellow with flashing characteristics Fl Y(5) 20s and radar reflector.

(NW-C-2270-26)

***722(T)/26 Toronto Harbour – Routeing Change: Exclusion Zone**

Reference chart: 2085

Motorized watercraft exclusion zone in effect since July 10th, 2026 in two areas bounded by:

Area 1: 43° 37.545'N 079° 24.290'W to 43° 37.424'N 079° 24.159'W

Area 2: 43° 37.361'N 079° 24.067'W to 43° 36.644'N 079° 23.232'W

Keep a 200 metres distance from the shoreline.

(NW-C-2895-26)

***723(T)/26 Byng Inlet to/à Killarney – Scientific Instruments Change: Scientific Moorings**

Reference chart: 2204

Orange flag marker established at 45° 58.507'N 081° 24.095'W.

(NW-C-2674-26)

***724(T)/26 Port Severn to/à Christian Island – Marine Works – Wharf Construction**

Reference chart: 2241

Dock construction operations taking place at Hope Island during daylight hours since July 6, 2026. Dock is located at the northeast tip of the island at 44° 54.909'N 080° 09.831'W. Workboat and barge transiting between Hope Island and Cedar Point.

(NW-C-2842-26)

***725(T)/26 Port of Thunder Bay – Shallow Depth Confirmed**

Reference chart: 2314

Shallow depth confirmed at 48° 25.354'N 089° 12.972'W, 6.6 metres.

(NW-C-2946-26)

***726(T)/26 Detroit River – Waterway Information – Allowable Draft**

Reference chart: N/A

Shallower depths located at the Morterm dock. Maximum allowable draft 6.3 metres.

(NW-C-3722-25)

Preliminary Notices

Central Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent
Aids to Navigation & Waterways
Canadian Coast Guard, Central Region
1550 D'Estimauville Avenue
Québec, QC G1J 5E9
Telephone: (418) 648-7450
Emails:
St. Lawrence Region: [DFO.AtoNStLawrence-
StLaurentAalaN.MPO@dfo-mpo.gc.ca](mailto:DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca)
Great Lakes Region:
[DFO.CCGCentralAtoNGreatLakes-
GrandsLacsAalaNCentreGCC.MPO@dfo-
mpo.gc.ca](mailto:DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca)

No notices applicable for this edition.

Pacific Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

Western Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

A/Superintendent, Marc Jourdenais
Aids to Navigation & Waterways
Canadian Coast Guard, Western Region
25 Huron Street
Victoria, BC V8V 4V9
Telephone: (250) 480-2602
Fax: (250) 480-2702
Email: marc.jourdenais@dfo-mpo.gc.ca

No notices applicable for this edition.

Arctic Coast

Temporary Notices

***1210(T)/20 Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established**

Reference: Notice 616(T)/07 is cancelled.

Reference chart: 7661

The unmanned mobile offshore drilling unit “SDC” continues to be temporarily established at 69° 24.71'N 138° 53.76'W. The structure is 202.4 metres long and 53 metres wide.

For information, contact Captain Connelly at 1-250-598-4513 or 1-250-744-9818 or e-mail at doncon@islandnet.com or dcmarine@shaw.ca.

***216(T)/24 Canadian Coast Guard – Obstruction : Scientific Moorings**

Scientific moorings established at position 71° 58' 01.2"N 095° 03' 52.8"W. Least depth 122.8 metres.

(NAVAREA XVIII 32/2011)

***217(T)/24 Canadian Coast Guard – Obstruction : Scientific Mooring**

Scientific mooring established at position 75° 06' 01.1"N 168° 00' 02.5"W. Top float 42 metres.

(NAVAREA XVII 30/2011)

***418(T)/25 Arctic Archipelago / Archipel de l'Arctique – Obstruction – Subsurface Moorings**

Reference chart: 7000

Scientific subsurface moorings at the following coordinates:

Moorings A:	71° 37.87' N 157° 19.58'W	Top float 65 metres.
Moorings B:	71° 25.33'N 152° 44.10'W	Top float 77 metres.
Moorings C:	70° 50.09'N 146° 23.56'W	Top float 58 metres.
Moorings BGOS-A	75° 00.01'N 150° 00.00'W	Top float 30 metres. Depth of 3826 metres.
Moorings BGOS-D	73° 59.64'N 139° 58.95'W	Top float 30 metres. Depth of 3504 metres.
Moorings BGOS-B	77° 59.99'N 150° 00.00'W	Top float 30 metres. Depth of 3824 metres.

(NAVAREA XVII 77/2016, 4/2022)

***419(T)/25 Paallavvik to/à Kangiqtugaapik – Obstruction – Scientific Mooring**

Reference chart: 7053

Scientific subsurface mooring at position 69° 54.66' N 066° 48.42'W. Top float 221 metres.

(NAVAREA XVIII 56/2021)

***420(T)/25 Clyde Inlet to/à Cape Jameson – Obstruction – Subsurface Mooring**

Reference chart: 7565

Scientific subsurface mooring at position 71° 08.07' N 070° 49.51'W. Top float 248 metres.

(NAVAREA XVIII 113/2022)

***421(T)/25 Franklin Bay and/et Darnley Bay – Obstruction – Subsurface Mooring**

Reference chart: 7665

Scientific subsurface mooring at position 70° 02.434' N 126° 18.404'W. Top float 223 metres.

(NAVAREA XVII 92/2019)

***422(T)/25 Prince Albert Sound, Western Portion/ Partie Ouest – Obstruction – Subsurface Mooring**

Reference chart: 7668

Subsurface mooring at position 70° 42.59' N 117° 51.21'W. Top float 37 metres.

(NAVAREA XVIII 112/2021)

***423(T)/25 Approaches to/Approches à Cambridge Bay – Obstruction – Subsurface Buoy and Apparatus**

Reference chart: 7750

Oceanographic observatory installed. Cable on the sea floor at 69° 06.83' N 105° 03.58' W extends at a depth of 8 metres to an instrument platform at 69° 06.79' N 105° 03.86' W, then to a secondary hydrophone platform at 69° 06.75' N 105° 03.88' W, at a depth of 13 metres. The cable extends at a depth of 8 metres from the primary instrument platform to a secondary instrument tripod at 69° 06.78' N 105° 03.83' W. A rope with floats and weights extends approximately 42 metres southeast of the secondary hydrophone platform to an end point at 69° 06.73' N 105° 03.86' W.

(NAVAREA XVIII 127/2021, NW-A-0202-21)

Preliminary Notices

Arctic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Arctic Region
5120 49th Street
Yellowknife NT. X1A 1P8
Telephone: (867) 444-0109
Email: ArcticAtoN-AidesArctique@dfo-mpo.gc.ca

***728(P)/26 St. Roch and/et Rasmussen Basins – Daybeacon to be Discontinued**

Reference chart: 7787

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL No.	Position
Cape Porter	4590	69° 10' 02.2"N 094° 17' 56.3"W

Initial publication date: Friday, July 31st, 2026

[Comment submission deadline](#): Thursday, October 29, 2026

(A2026-024)

***812(P)/26 Approches à/Approaches to Chisasibi – Aids to Navigation to be Discontinued**

Reference chart: 5720

The Canadian Coast Guard proposes to permanently discontinue the following aids to navigation:

Aid Name	LL No.	Position
Anik Islands	6447.69	53° 49' 34.5"N 079° 17' 46.6"W
Boat Island front range	6447.71	53° 52' 01.2"N 079° 08' 44.5"W
Boat Island rear range	6447.72	53° 52' 15.7"N 079° 08' 46.0"W
Turning Island	6447.74	53° 51' 16.9"N 079° 13' 20.2"W

Initial publication date: Friday, August 28, 2026

[Comment submission deadline](#): Thursday, November 26, 2026

(A2026-026 to 028)

***813(P)/26 Great Slave Lake / Grand lac des Esclaves, Western Portion / Partie ouest – Aid to Navigation to be Discontinued**

Reference chart: 6730

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL No.	Position
Îles du Goulet	180	61° 34' 30.1"N 113° 23' 36.1"W

Initial publication date: Friday, August 28, 2026

[Comment submission deadline](#): Thursday, November 26, 2026

(A2026-029)

***814(P)/26 Bathurst Inlet - Northern Portion/Partie nord – Daybeacon to be Discontinued**

Reference chart: 7791

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL No.	Position
Gull Island	4495	67° 20' 35.2"N 107° 47' 47.0"W

Initial publication date: Friday, August 28, 2026

[Comment submission deadline](#): Thursday, November 26, 2026

(A2026-025)

Other (T) & (P) Notices

Temporary Notices

***1105(T)/15 Canada – Safety of Offshore Exploration and Exploitation Vessels**

Reference: Notice 410(T)/2007 is cancelled.

2015 Annual Edition of Notices to Mariners, Notice No. 20, pages A20-1 to A20-4.

Mariners are advised that offshore exploration and exploitation vessels may be conducting drilling operations in the following areas:

Gulf of St. Lawrence

NIL

Mainland NWT

NIL

Mackenzie Delta NWT/Beaufort Sea

NIL

Arctic Islands of the NWT/Arctic Islands of Nunavut

NIL

Eastern Arctic Offshore

NIL

Davis Strait

NIL

NOTE: Mariners are advised to obtain up-to-date position reports on drilling vessels and production installations before entering an area of exploration and exploitation. This information is available by contacting, as appropriate, ECAREG CANADA, NORDREG CANADA or CVTS OFFSHORE via any Marine Communications and Traffic Services Centre (MCTS).

(NOTSHIP M2215/15) (NEB)

***1027(T)/24 Canadian Coast Guard – Automatic Identification System (AIS)**

Reference: Notice *111(T)/23 is cancelled.

Mariners are advised that the Canadian Coast Guard (CCG) has brought AIS aids to navigation (AIS AtoN) to full operational capability.

Some AIS AtoN that were deployed in a testing capacity may either be maintained or discontinued at the discretion of CCG Regions, while those deployed outside established CCG levels of service may continue to be maintained in an experimental capacity. Changes to CCG aids to navigation are communicated via Notices to Mariners.

General information on AIS and AIS AtoN is available on the [CCG e-Navigation Maritime Information Portal](#) and in the [Canadian Aids to Navigation System](#). Specific information on deployed AIS AtoN is available on the [e-Navigation](#) website.

***1215(T)/24 Canadian Coast Guard – Automatic Identification System Application
Specific Messages (AIS ASM) Trial**

The Canadian Coast Guard (CCG) is testing Automatic Identification System Application Specific Messages (AIS ASM) nationwide. These broadcasts provide mariners on vessels with properly configured shipborne equipment with dynamic information such as water levels, weather, air gap, and a specific area or line displayed as a digitalized signal. A detailed listing of currently broadcasted Coast Guard AIS ASM is contained in the [interactive map](#) on the Canadian e-Navigation Portal. Additional information on AIS ASM may be found in IMO SN.1 Circ 289 [Guidance on the Use of AIS Application-Specific-Messages](#).

Please contact the manufacturer of your specific equipment for instructions on how to receive AIS ASM. Any questions or concerns related to the broadcast may be directed to the Coast Guard [e-Navigation Team](#) or any Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre.

Preliminary Notices

No notices applicable for this edition.