

NOTICE TO USERS

We appreciate your continued interest in the Monthly Edition of Notices to Mariners. As technology evolves, the Canadian Coast Guard continues to enhance its on-line service.

This is a **reminder** of our feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners, and would like to encourage our clients to visit the <http://www.notmar.gc.ca/subscribe/> web site to subscribe to this service.

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the web site. This feature permits users to register the nautical charts they currently have in their possession. Registrants are then automatically notified by e-mail when a Notices to Mariners is published concerning these charts.

Important

- Effective April 30th 2010 (Edition 4), the Canadian Coast Guard will discontinue the distribution of its monthly paper edition of Notices to Mariners.
- This publication will continue to be available free of charge on-line through <http://www.notmar.gc.ca> .

Manager, Aids to Navigation
Navigation Systems, Maritime Services
Canadian Coast Guard



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne



VOL. 35, MONTHLY EDITION N° 02
February 26, 2010

Publication Number 40063779

NOTICES TO MARINERS PUBLICATION EASTERN EDITION

Published monthly by the
CANADIAN COAST GUARD

This publication is available electronically at:
<http://www.notmar.gc.ca/subscribe/>

CONTENTS

	Page
Section 1 Safety and General Information	1 - 3
Section 2 Chart Corrections.....	4 - 16
Section 3 Corrections to Radio Aids to Marine Navigation.....	17
Section 4 Sailing Directions and Small Craft Guide Corrections.....	18 - 24
Section 5 List of Lights, Buoys and Fog Signals Corrections.....	25 - 34

Maritime Services Directorate
Aids to Navigation



EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile = 1 852 metres (6,076.1 feet)

1 statute mile = 1 609.3 metres (5,280 feet)

1 metre = 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) before the chart action. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet - Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.


Monthly Notices to Mariners - WEB ACCESS - We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the <http://www.notmar.gc.ca/subscribe/> user-friendly web site to subscribe for this service. Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page – <http://www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25lJmxbmc9ZSI7>. This feature permits users to register the nautical charts they currently have in their possession. Registrants are then automatically notified by e-mail when a Notices to Mariners is published concerning these charts.

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & Publications* is published in Notice No. 14 of the *Notices to Mariners Annual Edition April 2009*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following web site: <http://www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp>

NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately. Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts. The illustration below describes the elements that will comprise a typical Section 2 chart correction.



1 - Chart Number 2 - Chart Title 3 - Chart's latest New Edition date 4 - Horizontal Chart Datum	5 - Last Correction 6 - Chart action 7 - Notice type 8 - Weekly chart correction date	9 - List of light number 10 - CHS reference number 11 - CCG reference number 12 - Chart No 1 reference number
--	--	--

The last correction number is identified with the **LNLM/D** or **Last Notice to Mariners Number / Date**. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

ADVISORY

NOTICES TO SHIPPING (WRITTEN AND BROADCAST)

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are published weekly and are available from local Canadian Coast Guard Offices.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together we are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Newfoundland

Fisheries and Oceans Canada,
Canadian Coast Guard,
St. John's MCTS Centre
P.O. Box 5667
ST JOHN'S NL A1C 5X1
Telephone: 709 772-2083 / 2106
Facsimile: 709 772-5369

Quebec

* Fisheries and Oceans Canada,
Canadian Coast Guard,
Regional Operations Centre (ROC)
101 Champlain Boulevard
QUEBEC QC G1K 7Y7
Telephone: 418 648-5410 / 4427
Facsimile: 418 648-7244
Web site: www.marinfo.gc.ca

Maritimes

* Fisheries and Oceans Canada
Canadian Coast Guard
Sydney MCTS Centre
P.O. Box 8630
SYDNEY, N.S. B1P 6K7
Telephone: 902-564-7751 or 1-800-686-8676
Facsimile: 902-564-2446
Email: notshipssyd@mar.dfo-mpo.gc.ca

Central & Arctic

* Fisheries and Oceans Canada,
Canadian Coast Guard,
Sarnia MCTS Centre
215 - 105 Christina Street
SARNIA ON N7T 7W1
Telephone: 519 337-6360 or 1-800-265-0237
Facsimile: 519 337-2498

* Fisheries and Oceans Canada,
Canadian Coast Guard,
Iqaluit MCTS Centre
P.O. Box 189
IQALUIT NU X0A 0H0
Telephone: 867-979-5269
Facsimile: 867-979-4264

* Services provided in English and French

MONTHLY EDITION OF NOTICES TO MARINERS

WEB ACCESS

We are offering a new feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the <http://www.notmar.gc.ca/subscribe/> web site to subscribe for this service.

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page <http://www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25lJmxhbmc9ZSI7>

This feature permits users to register the nautical charts they currently have in their possession. Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

MAILING LIST

Please note that effective September 25, 2009 (Edition 9, 2009), only one copy of the monthly editions of Notices to Mariners publications will be sent per postal address to Canadian user.

Effective **April 30th 2010** (Edition 4, 2010), the Canadian Coast Guard intends to discontinue the distribution of its monthly paper edition of Notices to Mariners to all users. This publication will continue to be available free of charge on-line through <http://www.notmar.gc.ca>

Until this time you may send changes to your mailing address to:

Leader, Notices to Mariners
 Aids to Navigation
 Navigation Systems
 Canadian Coast Guard
 200 Kent Street, Station 5N186
 Ottawa, ON
 K1A 0E6

Telephone (613) 993-6974
 Facsimile (613) 998-8428
 Internet www.notmar.gc.ca

Please indicate which edition for which you would like your name to be amended.

EASTERN EDITION (Comprised of Arctic, Newfoundland, Maritimes, Gulf & River St. Lawrence and Central areas) _____

WESTERN EDITION (Comprised of Arctic and Pacific areas) _____

AMEND _____ **REMOVE** _____

OLD ADDRESS	
NAME	
STREET	APT.
CITY	POSTAL CODE
PROVINCE	COUNTRY
NEW ADDRESS	
NAME	
STREET	APT.
CITY	POSTAL CODE
PROVINCE	COUNTRY

ID number above address on label
 or
 Attach complete address label to this sheet

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES	1
CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS	1
CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES	1
CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.....	1
* 207 CANADIAN COAST GUARD PUBLICATION – AMENDMENT TO THE RADIO AIDS TO MARINE NAVIGATION (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION - 2009	17
*202 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS	2
*201 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS	2
*203 CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATIONAL CHARTS.....	2
*204 CANADIAN HYDROGRAPHIC SERVICE - SAILING DIRECTIONS - ATL 101 NOW AVAILABLE IN PRINT-ON-DEMAND FORMAT	2
*205 TRANSPORT CANADA - SHIP SAFETY BULLETIN.....	3
*206(P) TRYON SHOALS TO/À CAPE EGMONT - BUOY TO BE DISCONTINUED	3

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
1202	4	4585	9	8048	16
1220	2	4624	9		
1310	4	4625	9		
1311	4	4642	9		
1312	4,5	4700	9,10		
1313	5	4773	10		
1314	5	4775	10		
1350	5	4776	10,11		
1434	5,6	L/C 4845	11		
2251	6	L/C 4850	11		
4003	6	4851	11		
4006	6	4852	11		
4010	6	4855	12		
4012	6	4856	12,13		
4013	6	4857	13		
4016	7	4950	13		
4017	7	4956	13		
4047	7	5001	13,14		
4201	7	5062	14		
L/C 4227	7	5063	14		
4236	7	5300	14,15		
L/C 4240	8	6287	15		
L/C 4320	8	6435	2		
4381	8	7010	15		
4406	3	L/C 7011	15		
4491	8	7575	15		
4521	8	8007	15		

**SECTION 1 – Edition 02/2010
SAFETY AND GENERAL INFORMATION**

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world which is an improvement since clients had to wait for the paper copy to be mailed.

Previously, in the *Notices to Mariners* (NTM) booklet, Patches were produced in full colour or a minimum of black and magenta.

Due to current budgetary constraints, Patches will now only be produced in black and white for publication in the NTM booklet.

CHS welcomes your feedback on this new service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS

The cumulative Notice to Mariners corrections for charts can now be accessed at <http://www.notmar.gc.ca/search/notmar-eng.php>

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notice to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notice to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can now be accessed at <http://www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp>

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

**SECTION 1 – Edition 02/2010
SAFETY AND GENERAL INFORMATION**

***201 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS**

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
New Editions	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.				
1220	Baie des Sept-Îles	1:25000	19-JUN-2009	1	\$20.00
6435	Middle Channel, Tununuk Point to/à Mackenzie Bay Kilometre 1670 / Kilometre 1730	1:50000	24-JUL-2009	4	\$12.00
PUBLICATION					
CAT-2	Catalogue of Nautical Charts and Publications/Catalogue des cartes et publications nautiques - Pacific Coast/Côte pacifique		30-SEP-2009		\$0.00

***202 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS**

RELEASED PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA570101	Sooke Inlet to/à Parry Bay
CA570186	Bedwell Harbour to/à Georgeson Passage
CA573005	Cape Hurd to/à Tobermory and/et Cove Island
CA473036	Carleton Island to/au Charity Shoal
CA373234	Scotch Bonnet Island to/à Cobourg
CA473288	Clapperton Island to/à Darch Island
CA476179	Hillsborough Bay
CA476805	Presque Harbour to Bar Haven Island and Paradise Sound
CA579005	Havre Saint-Pierre
CA479006	Baie des Sept-Îles
CA579007	Pointe Noire
CA579008	Sept-Îles

***203 CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATIONAL CHARTS**

Note: The following ENC products are not equivalent to the current editions of their corresponding paper charts and should not be used as a replacement.

NON EQUIVALENT PRODUCTS		
S-57 ENC NUMBER	PAPER CHART NUMBER	CHART TITLE
CA476179	4466	Hillsborough Bay
CA476327	4596	Bay of Exploits Sheet/feuille II (Middle/centre)
CA476328	4597	Bay of Exploits Sheet/feuille III (South/sud)

***204 CANADIAN HYDROGRAPHIC SERVICE - SAILING DIRECTIONS - ATL 101 NOW AVAILABLE IN PRINT-ON-DEMAND FORMAT**

The Sailing Directions booklet *ATL 101E — Newfoundland, Northeast and East Coasts* is now available as Print-on-Demand (POD). POD booklets are updated through Notices to Mariners to the date of printing. For instance, ATL 101 now incorporates some 800 Notices issued since 1997 that had to be manually added to the book. The Canadian Hydrographic Service (CHS) is converting all of its Sailing Directions to the POD format in response to requests received through our Level of Service initiative. Contact an authorized CHS dealer to purchase a new copy.

Please note that despite the new look, the content remains the same except that the Notices to Mariners have been incorporated up to the last Monthly Edition.

**SECTION 1 – Edition 02/2010
SAFETY AND GENERAL INFORMATION**

***205 TRANSPORT CANADA - SHIP SAFETY BULLETIN**

A new Ship Safety Bulletin was published on February 8, 2010.

Title: New Insurance Requirement For Ships Over 1000 Gross Tonnage Under The Bunkers Convention

Number: 01/2010

Internet: <http://www.tc.gc.ca/eng/marinesafety/bulletins-2010-01-eng.htm>

***206(P) TRYON SHOALS TO/À CAPE EGMONT - BUOY TO BE DISCONTINUED**

Reference Chart: 4406

The Canadian Coast Guard intends to permanently discontinue the following aid to navigation:

Port Elgin XC4 conical buoy (46°02'03.8" N 64°03'03.8" W)

Comments on this action are solicited from mariners and other interested parties. Comments should be directed to: Darren Gaudet, A/Superintendent, Aids to Navigation, Canadian Coast Guard, P.O. Box 1000, Dartmouth, N.S. B2Y 3Z8, within three months from the date of this notice. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

(G2010-006)

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

1202 - Continuation A - Sheet 1 - New Edition - 10-SEP-1999 - NAD 1983

12-FEB-2010

Affix patch

LNM/D. 31-JUL-2009
48°20'42.0"N 070°52'44.0"W

Download Patch - http://chartsvr.chs-shc.gc.ca/patches/1202_PA_285763.pdf

DFO(6408013-01)

1202 - Baie des Ha! Ha! - Sheet 1 - New Edition - 10-SEP-1999 - NAD 1983

12-FEB-2010

Affix patch

LNM/D. 31-JUL-2009
48°20'42.0"N 070°52'44.0"W

Download Patch - http://chartsvr.chs-shc.gc.ca/patches/1202_PA_283367.pdf

DFO(6408012-01)

This notice might affect Electronic Navigational Chart: CA479079

1310 - Section A-B - Sheet 1 - New Edition - 15-FEB-2008 - NAD 1983

12-FEB-2010

Amend legend Iso G 1s 11m 14M to read Q G 11m 14M against light
(See Chart No. 1, P16)

LNM/D. 27-NOV-2009
45°42'44.8"N 073°26'22.8"W

(Q2009135) LL(2330) DFO(6408026-01)

This notice might affect Electronic Navigational Chart: CA579001

Amend legend Iso G 1s 32m 14M to read Q G 32m 14M against light
(See Chart No. 1, P16)

45°41'36.7"N 073°27'37.6"W

(Q2009136) LL(2331) DFO(6408027-01)

This notice might affect Electronic Navigational Chart: CA579001

1311 - Sorel-Tracy à / to Varennes - New Edition - 21-MAR-2008 - NAD 1983

12-FEB-2010

Affix patch

LNM/D. 02-OCT-2009
45°49'20.0"N 073°17'49.0"W

Download Patch - http://chartsvr.chs-shc.gc.ca/patches/1311_PA_285440.pdf

DFO(6407985-01)

This notice might affect Electronic Navigational Chart: CA479155

Amend legend Iso G 11m 14M to read Q G 11m 14M against light
(See Chart No. 1, P16)

45°42'44.8"N 073°26'22.8"W

(Q2009135) LL(2330) DFO(6408026-01)

This notice might affect Electronic Navigational Chart: CA479155

Amend legend Iso G 32m 14M to read Q G 32m 14M against light
(See Chart No. 1, P16)

45°41'36.7"N 073°27'37.6"W

(Q2009136) LL(2331) DFO(6408027-01)

This notice might affect Electronic Navigational Chart: CA479155

1311 - Terminal de Contrecoeur - New Edition - 21-MAR-2008 - NAD 1983

12-FEB-2010

Affix patch

LNM/D. 02-OCT-2009
45°49'28.0"N 073°17'42.0"W

Download Patch - http://chartsvr.chs-shc.gc.ca/patches/1311_PA_285426.pdf

DFO(6407985-02)

This notice might affect Electronic Navigational Chart: CA579156

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

1312 - Port de Sorel-Tracy - New Edition - 08-JUN-2007 - NAD 1983

05-FEB-2010			LNM/D. 27-NOV-2009
Replace	depth of 7 metres 2 decimetres with depth of 7 metres 6 decimetres (See Chart No. 1, I10)	46°02'57.3"N 073°07'01.9"W	
			<i>DFO(6408022-01)</i>
	This notice might affect Electronic Navigational Chart: CA579130		
Add	depth of 8 metres 1 decimetre (See Chart No. 1, I10)	46°02'57.9"N 073°06'57.3"W	
			<i>DFO(6408022-02)</i>
	This notice might affect Electronic Navigational Chart: CA579130		
Delete	depth of 8 metres 3 decimetres (See Chart No. 1, I10)	46°02'44.6"N 073°07'10.3"W	
			<i>DFO(6408023-01)</i>
	This notice might affect Electronic Navigational Chart: CA579130		
Add	depth of 7 metres 7 decimetres (See Chart No. 1, I10)	46°02'45.1"N 073°07'10.1"W	
			<i>DFO(6408023-02)</i>
	This notice might affect Electronic Navigational Chart: CA579130		

1313 - Batiscan au / to Lac Saint-Pierre - New Edition - 02-FEB-2007 - NAD 1983

05-FEB-2010			LNM/D. 06-NOV-2009
Amend	legend FI 6s 14m 6M to read FI R 6s 14m 6M against light (See Chart No. 1, P16)	46°21'23.5"N 072°30'24.5"W	
			<i>(Q2009132) LL(2083.8) DFO(6408021-01)</i>
	This notice might affect Electronic Navigational Chart: CA479014		

1313 - Port de Trois-Rivières - New Edition - 02-FEB-2007 - NAD 1983

05-FEB-2010			LNM/D. 06-NOV-2009
Amend	legend FI 6s 14m 6M to read FI R 6s 14m 6M against light (See Chart No. 1, P16)	46°21'23.5"N 072°30'24.5"W	
			<i>(Q2009132) LL(2083.8) DFO(6408021-01)</i>
	This notice might affect Electronic Navigational Chart: CA579015		

1314 - Portneuf - New Edition - 15-FEB-2008 - NAD 1983

05-FEB-2010			LNM/D. 29-MAY-2009
Add	drying height of 0 metre 1 decimetre (See Chart No. 1, I15)	46°40'54.8"N 071°52'31.4"W	
			<i>DFO(6407973-01)</i>
	This notice might affect Electronic Navigational Chart: CA579019		
Add	depth of 9 metres 3 decimetres (See Chart No. 1, I10)	46°40'50.8"N 071°52'38.2"W	
			<i>DFO(6407973-02)</i>
	This notice might affect Electronic Navigational Chart: CA579019		

1350 - Sorel-Tracy - Sheet 1 - New Edition - 15-DEC-2006 - NAD 1983

05-FEB-2010			LNM/D. 27-NOV-2009
Replace	depth of 7 metres 2 decimetres with depth of 7 metres 6 decimetres (See Chart No. 1, I10)	46°02'57.3"N 073°07'01.9"W	
			<i>DFO(6408022-01)</i>
Add	depth of 8 metres 1 decimetre (See Chart No. 1, I10)	46°02'57.9"N 073°06'57.3"W	
			<i>DFO(6408022-02)</i>

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

Delete depth of 8 metres 3 decimetres 46°02'44.6"N 073°07'10.3"W
(See Chart No. 1, I10)
DFO(6408023-01)

Add depth of 7 metres 7 decimetres 46°02'45.1"N 073°07'10.1"W
(See Chart No. 1, I10)
DFO(6408023-02)

1434 - A à / to B - Sheet 1 - New Chart - 01-MAR-1996 - NAD 1983

12-FEB-2010 LNM/D. 26-JUN-2009
Reposition light QG, marked 81 from 44°54'02.6"N 075°08'58.8"W
(See Chart No. 1, P1)

Reposition light QG, marked 81 to 44°54'01.9"N 075°08'57.5"W
(See Chart No. 1, P1)
LL(248) DFO(6603565-01)

2251 - Meldrum Bay to / à St. Joseph Island - New Chart - 11-APR-1986 - NAD 1927

19-FEB-2010 LNM/D. 29-JAN-2010

Add ON CERTAIN COPIES
light symbol 46°16'56.4"N 083°46'51.3"W
LL(1050) DFO(6603568-01)

This notice might affect Electronic Navigational Chart: CA373060

4003 - Cape Breton to / à Cape Cod - New Edition - 21-MAR-2003 - NAD 1983

12-FEB-2010 LNM/D. 29-JAN-2010
Amend FI 10M to read LFI 14M against light 44°40'05.0"N 062°52'00.0"W
(See Chart 1 P16)

(F2009078) LL(580) DFO(6304719-01)

This notice might affect Electronic Navigational Chart: CA176140

4006 - Newfoundland and Labrador / Terre-Neuve-et-Labrador to Bermuda / aux Bermudes - New Edition - 08-AUG-2003 - NAD 1983

19-FEB-2010 LNM/D. 12-FEB-2010
Reposition yellow ODAS/SADO lighted super-buoy, marked 41002 from 32°20'24.0"N 075°27'00.0"W
[see Chart 1 Q58]

to 32°22'56.0"N 075°24'53.0"W
DFO(6304697-01)

12-FEB-2010 LNM/D. 02-OCT-2009
Add yellow ODAS/SADO lighted super-buoy, marked 41048 31°58'42.0"N 069°38'56.0"W
(See Chart No 1 Q58)

DFO(6304708-01)

4010 - Bay of Fundy / Baie de Fundy (Inner portion / partie intérieure) - New Edition - 14-FEB-2003 - NAD 1983

05-FEB-2010 LNM/D. 22-MAY-2009
Add underwater turbine with known depth of 7 fathoms 45°21'53.8"N 064°25'34.6"W
(See Chart No 1 L24)

DFO(6304676-01)

This notice might affect Electronic Navigational Chart: CA276241

Delete depth of 16 fathoms 45°21'54.0"N 064°25'43.0"W
(See Chart No. 1, I10)

DFO(6304676-02)

This notice might affect Electronic Navigational Chart: CA276241

4012 - Yarmouth to / à Halifax - New Edition - 14-FEB-2003 - NAD 1983

12-FEB-2010 LNM/D. 13-NOV-2009
Amend FI 15s 26m 9M to read LFI 6s 26m 14M against light 44°39'53.1"N 062°51'48.3"W
(See Chart 1 P16)

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

(F2009078) LL(580) DFO(6304719-01)

This notice might affect Electronic Navigational Chart: CA276801

4013 - Halifax to / à Sydney - New Edition - 06-SEP-2002 - NAD 1983

12-FEB-2010

LNM/D. 11-DEC-2009

Amend FI 15s 84ft 9M to read LFI 6s 84ft 14M against light
(See Chart 1 P16)

44°39'53.1"N 062°51'48.3"W

(F2009078) LL(580) DFO(6304719-01)

4016 - Saint-Pierre to / à St. John's - New Edition - 06-JUN-2003 - NAD 1983

26-FEB-2010

LNM/D. 11-DEC-2009

Amend FI 15s 88ft 11M to read FI 15s 88ft 17M against light
(See Chart No 1 P16)

46°53'56.7"N 055°21'01.6"W

LL(73) DFO(6304696-01)

4017 - Cape Race to / à Cape Freels - New Edition - 07-MAR-2003 - NAD 1983

26-FEB-2010

LNM/D. 21-AUG-2009

Add depth of 5 fathoms
(See Chart No. 1, I10)

49°40'17.0"N 053°50'24.0"W

DFO(6304694-01)

Amend FI 5s 108ft 8M to read FI 5s 108ft 16M against light
(See Chart No 1 P16)

46°56'25.9"N 052°53'34.4"W

LL(512) DFO(6304695-01)

4047 - St. Pierre Bank / Banc de Saint-Pierre to / au Whale Bank / Banc de la Baleine - New Edition - 09-OCT-1998 - NAD 1983

26-FEB-2010

LNM/D. 23-JAN-2009

Amend FI 5s 33m 8M to read FI 5s 33m 16M against light
(See Chart No 1 P16)

46°56'25.9"N 052°53'34.4"W

LL(512) DFO(6304695-01)

This notice might affect Electronic Navigational Chart: CA276091

Amend FI 15s 27m 11M to read FI 15s 27m 17M against light
(See Chart No 1 P16)

46°53'52.8"N 055°20'51.2"W

LL(73) DFO(6304696-01)

This notice might affect Electronic Navigational Chart: CA276091

4201 - Halifax Harbour - Bedford Basin - New Edition - 11-AUG-2000 - NAD 1983

19-FEB-2010

LNM/D. 04-DEC-2009

Add legend Degaussing Range/ Base de démagnétisation

44°41'27.0"N 063°37'09.0"W

DFO(6304680-01)

This notice might affect Electronic Navigational Chart: CA576001

Add light FI against yellow spar buoy
(See Chart No 1 Q24)

44°41'19.4"N 063°37'13.8"W

DFO(6304687-01)

This notice might affect Electronic Navigational Chart: CA576001

Add light FI against yellow spar buoy
(See Chart No 1 Q24)

44°41'18.3"N 063°37'17.8"W

DFO(6304687-02)

This notice might affect Electronic Navigational Chart: CA576001

L/C4227 - Country Harbour to / au Ship Harbour - New Chart - 24-MAY-1991 - NAD 1983

12-FEB-2010

LNM/D. 31-JUL-2009

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

Amend FI 15s 26m 9M to read LFI 6s 26m 14M against light
(See Chart 1 P16) 44°39'53.1"N 062°51'48.3"W
(F2009078) LL(580) DFO(6304719-01)

This notice might affect Electronic Navigational Chart: CA376061

4236 - Taylors Head to / à Shut-In Island - New Edition - 13-JUL-2001 - NAD 1983

12-FEB-2010 LNM/D. 27-MAR-2009
Amend FI 15s 26m 9M to read LFI 6s 26m 14M against light 44°39'53.1"N 062°51'48.3"W
(See Chart 1 P16) *(F2009078) LL(580) DFO(6304719-01)*

This notice might affect Electronic Navigational Chart: CA376083

L/C4240 - Port Mouton - New Chart - 06-OCT-1989 - NAD 1983

26-FEB-2010 LNM/D. 27-NOV-2009
Amend FR to read LFIR against light 43°55'10.0"N 064°50'49.8"W
(See Chart 1 P16) *(F2009074) LL(399.5) DFO(6304699-01)*

This notice might affect Electronic Navigational Chart: CA576046

L/C4320 - Egg Island to / à West Ironbound Island - New Edition - 26-SEP-1997 - NAD 1983

12-FEB-2010 LNM/D. 15-JAN-2010
Amend FI 15s 84ft 9M to read LFI 6s 84ft 14M against light 44°39'53.1"N 062°51'48.3"W
(See Chart 1 P16) *(F2009078) LL(580) DFO(6304719-01)*

4381 - Mahone Bay - New Edition - 31-JAN-2003 - NAD 1983

26-FEB-2010 LNM/D. 14-NOV-2008
Amend FR to read LFIR against light 44°31'20.9"N 064°18'18.0"W
(See Chart No 1 P16) *(F2009073) LL(454.51) DFO(6304698-01)*

4491 - Malpeque Bay - New Edition - 13-DEC-2002 - NAD 1983

12-FEB-2010 LNM/D. 10-OCT-2008
Reposition green port hand lighted can buoy QG, marked JU3 from 46°33'42.0"N 063°41'28.0"W
(See Chart 1 Qg) to 46°33'43.2"N 063°41'29.7"W
LL(1069.5) DFO(6304707-01)

Delete green port hand lighted can buoy QG, marked JU5 46°33'28.0"N 063°40'58.0"W
(See Chart 1 Qg) *LL(1069.65) DFO(6304707-02)*

Delete green port hand can buoy, marked JU5.5 46°33'22.0"N 063°41'09.0"W
(See Chart 1 Qg) *LL(6069.85) DFO(6304707-03)*

Delete green port hand lighted can buoy FIG, marked JU7 46°33'20.0"N 063°41'17.0"W
(See Chart 1 Qg) *LL(1069.7) DFO(6304707-04)*

Delete red starboard hand conical lighted buoy QR, marked JU8 46°33'19.0"N 063°41'42.0"W
(See Chart 1 Qf) *LL(1069.8) DFO(6304707-05)*

Delete green port hand lighted can buoy QG, marked JU9 46°33'22.0"N 063°41'57.0"W
(See Chart 1 Qg) *LL(1069.9) DFO(6304707-06)*

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

Add	legend Channel Buoyed/Chenal balisé	46°33'39.0"N 063°41'19.0"W <i>DFO(6304707-07)</i>
4521 - Baie Verte - New Edition - 04-JUL-2003 - NAD 1983		
19-FEB-2010		LNМ/D. 27-NOV-2009
Delete	light Fl (See Chart 1 P1)	50°03'16.0"N 056°05'39.8"W <i>(N2009057) LL(268) DFO(6304709-01)</i>
Add	light Fl (See Chart 1 P1)	50°03'13.3"N 056°05'41.2"W <i>(N2009057) LL(268) DFO(6304709-02)</i>
4585 - Green Head to / à Little Bay Island - New Edition - 30-MAY-2003 - NAD 1983		
05-FEB-2010		LNМ/D. 08-FEB-2008
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304133-01) is cancelled.	49°39'40.5"N 055°54'53.0"W <i>DFO(6304133-01)</i>
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304133-02) is cancelled.	49°39'38.6"N 055°54'53.8"W <i>DFO(6304133-02)</i>
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304133-03) is cancelled.	49°40'40.2"N 055°56'46.7"W <i>DFO(6304133-03)</i>
4624 - Long Island to / à St. Lawrence Harbours - New Edition - 07-JAN-2000 - NAD 1983		
26-FEB-2010		LNМ/D. 13-MAR-2009
Amend	Fl 15s 27m 11M to read Fl 15s 27m 17M against light (See Chart No 1 P16)	46°53'52.8"N 055°20'51.2"W <i>LL(73) DFO(6304696-01)</i>
4625 - Burin Peninsula to / à Saint-Pierre - New Edition - 24-JAN-2003 - NAD 1983		
26-FEB-2010		LNМ/D. 06-NOV-2009
Amend	Fl 15s 88ft 11M to read Fl 15s 88ft 17M against light (See Chart No 1 P16)	46°53'52.8"N 055°20'51.2"W <i>LL(73) DFO(6304696-01)</i>
	This notice might affect Electronic Navigational Chart: CA376164	
4642 - Great St. Lawrence Harbour - Sheet 1 - New Edition - 08-NOV-2002 - NAD 1983		
19-FEB-2010		LNМ/D. 06-NOV-2009
Delete	coastline (See Chart 1 C1)	between 46°55'41.3"N 055°21'41.4"W and 46°55'41.8"N 055°21'41.9"W <i>DFO(6304606-01)</i>
Add	wharf (See Chart No 1 F14)	joining 46°55'41.3"N 055°21'41.4"W 46°55'39.8"N 055°21'46.0"W 46°55'40.4"N 055°21'46.5"W and 46°55'41.8"N 055°21'41.9"W <i>DFO(6304606-03)</i>
Add	light FIR (See Chart No 1 P1)	46°55'39.8"N 055°21'46.0"W

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

(N2009043) LL(73.3) DFO(6304606-04)

26-FEB-2010
Amend FI 15s 88ft 11M to read FI 15s 88ft 17M against light
(See Chart No 1 P16)

LNM/D. 19-FEB-2010
46°53'52.8"N 055°20'51.2"W

LL(73) DFO(6304696-01)

4700 - Belle Isle to / à Resolution Island - New Edition - 21-MAR-2003 - Unknown

26-FEB-2010
Add depth of 34 fathoms, within danger line
(See Chart No. 1, I10 & K1)

LNM/D. 21-MAR-2008
60°00'00.0"N 060°47'48.0"W

DFO(6304643-01)

Add depth of 44 fathoms, within danger line
(See Chart No. 1, I10 & K1)

57°51'18.0"N 059°58'30.0"W

DFO(6304644-01)

Add depth of 63 fathoms, within danger line
(See Chart No. 1, I10 & K1)

54°48'40.0"N 054°20'00.0"W

DFO(6304646-01)

4773 - Vicinity of / Environs de Cape Chidley - New Edition - 31-MAY-2002 - Unknown

12-FEB-2010
Amend Adjoining Chart/Carte adjacente 4771 to read
Adjoining Chart/Carte adjacente 5062
(See Chart No 1 A20)

LNM/D. 11-JUL-2008
east side of centre of South
border of the chart

DFO(6304667-02)

Amend legend Chart/Carte 4774 to read Chart/Carte 5063
(See Chart No 1 A18)

59°59'13.0"N 064°15'00.0"W

DFO(6304667-03)

Amend legend Chart/Carte 4774 to read Chart/Carte 5063
(See Chart No 1 A18)

60°08'57.0"N 064°18'27.0"W

DFO(6304671-03)

Amend legend Chart/Carte 5405 to read Chart/Carte 5064
(See Chart No 1 A18)

60°21'44.0"N 064°54'15.0"W

DFO(6304673-01)

Add legend Chart/Carte 5064
(See Chart No 1 A18)

60°12'30.0"N 064°20'00.0"W

DFO(6304673-02)

Amend Inset/Cartouche to read Inset/Cartouche 5064
(See Chart No 1 A19)

60°19'46.0"N 064°26'37.0"W

DFO(6304673-03)

Add legend Chart/Carte 5064
(See Chart No 1 A18)

60°27'00.0"N 064°20'00.0"W

DFO(6304673-04)

4773 - Bowdoin Harbor - New Edition - 31-MAY-2002 - Unknown

12-FEB-2010
Add Inset cancelled due to the publication of New Chart 5064
note Cancelled / Annulée, 2010-01-02

LNM/D. 11-JUL-2008
60°20'15.0"N 064°28'45.0"W

DFO(6304673-09)

4775 - Nain to / à Saglek Bay - New Edition - 07-JUN-2002 - Unknown

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

26-FEB-2010			LNM/D. 11-DEC-2009
Add	depth of 44 fathoms, within danger line (See Chart No. 1, I10 & K1)		57°51'18.0"N 059°58'30.0"W
			<i>DFO(6304644-01)</i>
 4776 - Saglek Bay to / aux Button Islands - New Edition - 09-AUG-2002 - Unknown			
26-FEB-2010			LNM/D. 19-FEB-2010
Delete	depth of 343 fathoms (See Chart No. 1, I10)		59°59'50.0"N 060°47'50.0"W
			<i>DFO(6304643-02)</i>
Add	depth of 34 fathoms, within danger line (See Chart No. 1, I10 & K1)		60°00'00.0"N 060°47'48.0"W
			<i>DFO(6304643-03)</i>
12-FEB-2010			LNM/D. 04-SEP-2009
Delete	legend Chart/Carte 4771 (See Chart No 1 A18)		59°48'00.0"N 063°23'00.0"W
			<i>DFO(6304667-07)</i>
Add	legend Chart/Carte 5062 (See Chart No 1 A18)		59°51'00.0"N 063°51'00.0"W
			<i>DFO(6304667-08)</i>
Add	legend Chart/Carte 5063 (See Chart No 1 A18)		60°05'00.0"N 063°59'00.0"W
			<i>DFO(6304671-04)</i>
Add	legend Chart/Carte 5064 (See Chart No 1 A18)		60°21'00.0"N 064°17'00.0"W
			<i>DFO(6304673-05)</i>
19-FEB-2010			LNM/D. 12-FEB-2010
Add	legend Chart/Carte 5059 (See Chart No 1 A18)		58°35'15.0"N 062°40'00.0"W
			<i>DFO(6304693-01)</i>
 L/C4845 - Renews Harbour to / à Motion Bay - New Edition - 12-SEP-1997 - NAD 1983			
26-FEB-2010			LNM/D. 31-OCT-2008
Amend	FI 5s 33m 8M to read FI 5s 33m 16M against light (See Chart No 1 P16)		46°56'25.9"N 052°53'34.4"W
			<i>LL(512) DFO(6304695-01)</i>
 L/C4850 - Cape St. Francis to / à Baccalieu Island and / et Heart's Content - New Chart - 11-MAY-1990 - NAD 1983			
12-FEB-2010			LNM/D. 01-JAN-2010
Amend	FIR 3s 38m 5M to read FI 3s 38m 5M against light (See Chart No 1 P16)		48°05'41.1"N 053°32'43.1"W
			<i>(N2009054) LL(465) DFO(6304674-01)</i>
 4851 - Trinity Bay - Southern Portion / Partie sud - New Edition - 04-APR-1997 - NAD 1983			
12-FEB-2010			LNM/D. 13-NOV-2009
Amend	FIR 3s 38m 5M to read FI 3s 38m 5M against light (See Chart No 1 P16)		48°05'41.1"N 053°32'43.1"W
			<i>(N2009054) LL(465) DFO(6304674-01)</i>
 4852 - Smith Sound and / et Random Sound - New Chart - 02-DEC-1994 - NAD 1983			
12-FEB-2010			LNM/D. 06-MAR-2009

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

Amend	FIR 3s 38m 5M to read FI 3s 38m 5M against light (See Chart No 1 P16)	48°05'41.1"N 053°32'43.1"W (N2009054) LL(465) DFO(6304674-01)
26-FEB-2010 Delete	light FI G 6s (See Chart No. 1 P1)	LN/D. 12-FEB-2010 48°09'14.4"N 053°44'41.4"W (N2010001) LL(466.8) DFO(6304721-01)
Add	light FIR 6s (See Chart 1 P1)	48°09'15.9"N 053°44'40.9"W (N2010001) LL(466.8) DFO(6304721-02)

4855 - Bonavista Bay Southern Portion / Partie sud - New Chart - 06-JUN-1997 - NAD 1983

05-FEB-2010 CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-06) is now cancelled. This notice might affect Electronic Navigational Chart: CA376808	LN/D. 23-OCT-2009 48°49'17.1"N 053°43'53.2"W DFO(6304134-06)
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-07) is now cancelled. This notice might affect Electronic Navigational Chart: CA376808	48°49'32.2"N 053°43'57.8"W DFO(6304134-07)
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-08) is now cancelled. This notice might affect Electronic Navigational Chart: CA376808	48°48'51.7"N 053°45'33.1"W DFO(6304134-08)
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-09) is now cancelled. This notice might affect Electronic Navigational Chart: CA376808	48°45'57.4"N 053°49'27.4"W DFO(6304134-09)

4856 - Bonavista Bay Western Portion / Partie ouest - New Chart - 13-OCT-2000 - NAD 1983

05-FEB-2010 CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-01) is cancelled. This notice might affect Electronic Navigational Chart: CA376808	LN/D. 25-JUL-2008 48°53'26.8"N 053°58'10.0"W DFO(6304134-01)
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-02) is cancelled. This notice might affect Electronic Navigational Chart: CA376808	48°54'10.4"N 053°57'08.2"W DFO(6304134-02)
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-03) is cancelled. This notice might affect Electronic Navigational Chart: CA376808	48°57'00.5"N 053°49'16.1"W DFO(6304134-03)
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-04) is cancelled. This notice might affect Electronic Navigational Chart: CA376808	48°58'47.7"N 053°51'30.5"W DFO(6304134-04)

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

		<i>DFO(6304134-04)</i>
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-05) is cancelled.	49°01'37.6"N 053°44'11.8"W
		<i>DFO(6304134-05)</i>
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-06) is cancelled.	48°49'17.1"N 053°43'53.2"W
		<i>DFO(6304134-06)</i>
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-07) is cancelled.	48°49'32.2"N 053°43'57.8"W
		<i>DFO(6304134-07)</i>
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-08) is cancelled.	48°48'51.7"N 053°45'33.1"W
		<i>DFO(6304134-08)</i>
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-09) is cancelled.	48°45'57.4"N 053°49'27.4"W
		<i>DFO(6304134-09)</i>
 4857 - Indian Bay to / à Wadham Islands - New Chart - 29-OCT-1999 - NAD 1983		
05-FEB-2010		LNM/D. 21-AUG-2009
CANCELS	3 private yellow cautionary spar buoys The mooring has been removed. Notice 26-December-2008(T), DFO (6304134-05) is cancelled.	49°01'37.6"N 053°44'11.8"W
		<i>DFO(6304134-05)</i>
	This notice might affect Electronic Navigational Chart: CA376371	
 4950 - Îles de la Madeleine - New Edition - 12-JAN-2007 - NAD 1983		
05-FEB-2010		LNM/D. 01-MAY-2009
Amend	legend Iso R 11m 4M to read Iso R 2s 11m 4M against light (See Chart No. 1, P10.3, P16)	47°12'56.4"N 061°59'02.8"W
		<i>(Q2009118) LL(1499.3) DFO(6408006-01)</i>
	This notice might affect Electronic Navigational Chart: CA379216	
Amend	legend Iso G to read Q G against light (See Chart No. 1, P10.6, P16)	47°22'36.8"N 061°51'13.2"W
		<i>(Q2009137) LL(1497) DFO(6408028-01)</i>
	This notice might affect Electronic Navigational Chart: CA379216	
Amend	legend Iso G to read Q G against light (See Chart No. 1, P10.6, P16)	47°22'40.5"N 061°51'16.4"W
		<i>(Q2009138) LL(1498) DFO(6408029-01)</i>
	This notice might affect Electronic Navigational Chart: CA379216	
 4956 - Cap-aux-Meules - New Edition - 21-FEB-2003 - NAD 1983		
05-FEB-2010		LNM/D. 24-APR-2009
Amend	legend Iso G 1s 7m 13M to read Q G 7m 13M against light (See Chart No. 1, P10.6, P16)	47°22'36.8"N 061°51'13.2"W
		<i>(Q2009137) LL(1497) DFO(6408028-01)</i>
	This notice might affect Electronic Navigational Chart: CA579046	

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

Amend	legend Iso G 1s 12m 13M to read Q G 12m 13M against light (See Chart No. 1, P10.6, P16)	47°22'40.5"N 061°51'16.4"W (Q2009138) LL(1498) DFO(6408029-01)
	This notice might affect Electronic Navigational Chart: CA579046	

5001 - Labrador Sea / Mer du Labrador - New Edition - 17-JAN-2003 - NAD 1983

19-FEB-2010 Add	depth of 18 metres within danger line (See Chart No. 1, I10 & K1)	LNM/D. 21-AUG-2009 60°58'30.0"N 041°40'00.0"W DFO(6304626-01)
	This notice might affect Electronic Navigational Chart: CA176290	

Add	depth of 16 metres within danger line (See Chart No. 1, I10 & K1)	60°52'45.0"N 042°19'00.0"W DFO(6304626-02)
	This notice might affect Electronic Navigational Chart: CA176290	

26-FEB-2010 Add	islet (See Chart No. 1, K10)	LNM/D. 19-FEB-2010 60°36'30.0"N 047°35'00.0"W DFO(6304630-01)
	This notice might affect Electronic Navigational Chart: CA176290	

Add	islet (See Chart No. 1, K10)	60°34'30.0"N 047°35'00.0"W DFO(6304630-02)
	This notice might affect Electronic Navigational Chart: CA176290	

Add	depth of 62 metres, within danger line (See Chart No. 1, I10 & K1)	60°00'00.0"N 060°47'48.0"W DFO(6304643-01)
	This notice might affect Electronic Navigational Chart: CA176290	

Add	depth of 81metres, within danger line (See Chart No. 1, I10 & K1)	57°51'18.0"N 059°58'30.0"W DFO(6304644-01)
	This notice might affect Electronic Navigational Chart: CA176290	

Add	depth of 116 metres (See Chart No. 1, I10)	54°48'40.0"N 054°20'00.0"W DFO(6304646-01)
	This notice might affect Electronic Navigational Chart: CA176290	

Add	depth of 200 metres within danger line (See Chart No. 1, I10 & K1)	55°00'00.0"N 052°21'10.0"W DFO(6304647-01)
	This notice might affect Electronic Navigational Chart: CA176290	

5062 - Osborne Point to / à Cape Kakkiviak - New Chart - 27-MAR-2009 - NAD 1983

12-FEB-2010 Amend	Adjoining Chart/Carte adjacente 4773 to read Adjoining Chart/Carte adjacente 5063 (See Chart No 1 A20)	west side of centre of North border of the chart DFO(6304667-01)
----------------------	--	--

5063 - Cape Kakkiviak to / à Duck Islands - New Chart - 29-MAY-2009 - NAD 1983

12-FEB-2010

**SECTION 2 – Edition 02/2010
CHART CORRECTIONS**

Amend	Adjoining Chart/Carte adjacente 4773 to read Adjoining Chart/Carte adjacente 5064 (See Chart No 1 A20).	centre of North border of the chart	<i>DFO(6304671-01)</i>
5300 - Baie D'Ungava / Ungava Bay - New Edition - 28-MAY-2004 - Unknown			
12-FEB-2010			LNM/D. 27-MAR-2009
Amend	legend Carte/Chart 4771 to read Carte/Chart 5062 (See Chart No 1 A18)	59°41'01.0"N 063°42'30.0"W	<i>DFO(6304667-09)</i>
Add	legend Carte/Chart 5063 (See Chart No 1 A18)	60°07'00.0"N 064°00'00.0"W	<i>DFO(6304671-05)</i>
Amend	legend Carte/Chart 5405 to read Carte/Chart 5064 (See Chart No 1 A18)	60°21'51.0"N 064°58'03.0"W	<i>DFO(6304673-06)</i>
Add	legend Carte/Chart 5064 (See Chart No 1 A18)	60°23'00.0"N 064°17'00.0"W	<i>DFO(6304673-07)</i>
Reposition	legend Carte/Chart 4773 (See Chart No 1 A18)	from 60°14'15.0"N 064°08'10.0"W to 60°27'30.0"N 064°05'00.0"W	<i>DFO(6304673-08)</i>
6287 - Minaki to / à Kenora - Side 2 - Sheet 2 - New Edition - 07-JUN-2002 - NAD 1983			
26-FEB-2010			LNM/D. 12-JUN-2009
Amend	QU7 to read QU6 against red spar buoy	49°48'20.5"N 094°30'28.0"W	<i>DFO(6603569-01)</i>
7010 - Davis Strait and / et Baffin Bay - New Edition - 12-JAN-1979 - Unknown			
26-FEB-2010			LNM/D. 21-AUG-2009
Delete	depth of 192 fathoms (See Chart No. 1, I10)	60°10'00.0"N 060°48'00.0"W	<i>DFO(6304643-04)</i>
Add	depth of 34 fathoms, within danger line (See Chart No. 1, I10 & K1)	60°00'00.0"N 060°48'00.0"W	<i>DFO(6304643-05)</i>
L/C7011 - Hudson Strait / Détroit D'Hudson to / à Groenland - New Edition - 02-SEP-1983 - Unknown			
26-FEB-2010			LNM/D. 25-DEC-2009
Add	depth of 34 fathoms, within danger line (See Chart No. 1, I10 & K1)	60°00'00.0"N 060°47'48.0"W	<i>DFO(6304643-01)</i>
Add	depth of 44 fathoms, within danger line (See Chart No. 1, I10 & K1)	57°51'18.0"N 059°58'30.0"W	<i>DFO(6304644-01)</i>
7575 - Peel Sound and / et Prince Regent Inlet - New Chart - 06-MAR-1992 - NAD 1983			
12-FEB-2010			LNM/D. 16-OCT-2009
Delete	sounding of 73 metres	71°17'25.0"N 096°54'25.0"W	<i>DFO(6603566-01)</i>

**SECTION 3 – Edition 02/2010
CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION**

*** 207 CANADIAN COAST GUARD PUBLICATION – AMENDMENT TO THE RADIO AIDS TO MARINE NAVIGATION (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION - 2009**

Page 2-28, Section "CONTINUOUS", RADIOTELEPHONY,

Remove "**northern coast of Prince Edward Island**"

Delete:

Continuous	Ch21B Forillon Carleton Natashquan Cap-aux-Meules Ch25B Pointe Heath Harrington Harbour Ch83B Newport Havre St-Pierre La Romaine	RADIOTELEPHONY: <ul style="list-style-type: none"> • Technical synopsis and forecasts for marine areas 215, 216, 217, 218, 219, 220, 221, 301 and 302. • Notices to Shipping for the Gulf of St Lawrence including the Magdalene Islands, northern coast of Prince Edward Island, the coast between Sept-Iles and Blanc Sablon, the southern shore of 66W eastward including the Baie des Chaleurs up to Miramichi beach. • Ice Reports. • Notices to Fish Harvesters (when available). • Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel. • Wave height forecasts for marine areas 215, 217, 219, 220, 221, 301 and 302.
------------	---	--

Replace with:

Continuous	Ch21B Forillon Carleton Natashquan Cap-aux-Meules Ch25B Pointe Heath Harrington Harbour Ch83B Newport Havre St-Pierre La Romaine	RADIOTELEPHONY: <ul style="list-style-type: none"> • Technical synopsis and forecasts for marine areas 215, 216, 217, 218, 219, 220, 221, 301 and 302. • Notices to Shipping for the Gulf of St Lawrence including the Magdalene Islands, the coast between Sept-Iles and Blanc Sablon, the southern shore of 66W eastward including the Baie des Chaleurs up to Miramichi beach. • Ice Reports. • Notices to Fish Harvesters (when available). • Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel. • Wave height forecasts for marine areas 215, 217, 219, 220, 221, 301 and 302.
------------	---	---

SECTION 4 – Edition 02/2010
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

February 2010 – Sailing Direction Updates (pages 18 – 24) -
http://www.notmar.gc.ca/eng/services/notmar/sec4_feb_2010.pdf

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NEWFOUNDLAND							
73.3	Little St. Lawrence Wharf	46 55 39.8 55 21 46	Fl R	4s	2.1	2	Cylindrical mast. 2.1 Year round. Chart:4642 Edn 02/10(N09-043)
159.3	Western Island light buoy QM3	47 34 15 59 03 50.1	Fl G	4s	Green spar, marked "QM3". Seasonal. Chart:4640 Edn 02/10(N10-005)
189	Shag Island	On island. 48 52 18 58 35 25	Fl W	4s	31.7	6	Square skeleton tower, red rectangular daymark, white vertical stripe. 3.7 Seasonal. Chart:4659 Edn 02/10(N09-058)
190	Eagle Island (Bay of Islands)	N. of Middle Arm Pt. 49 09 42.1 58 08 47.1	Fl W	6s	33.2	6	Square skeleton tower, red rectangular daymark, white vertical stripe. 3.7 Flash 1 s; eclipse 5 s. Seasonal. Chart:4653 Edn 02/10(N09-059)
215.1	Savage Cove Wharf	On outer end of wharf. 51 19 52 56 42 08.6	Fl G	4s	3.6	Mast. 2.6 Seasonal. Chart:4667 Edn 02/10
215.4	Anchor Point	51 13 59.3 56 47 55.8	Fl G	4s	7.0	3	Mast. 2.6 Seasonal. Chart:4667 Edn 02/10
215.6	Anchor Point light buoy XA2	51 13 24.7 56 48 25	Fl R	4s	Red spar, marked "XA2". Seasonal. Chart:4667 Edn 02/10
215.8	St. Barbe range	51 12 30 56 46 03	F G	9.0	11	Square skeleton tower, white daymark, black vertical stripe. 6.4 Seasonal.
215.9		105° 140m from front.	F G	13.0	11	Square skeleton tower, white daymark, black vertical stripe. 3.7 Seasonal. Chart:4667 Edn 02/10(N09-060,061)
216.09	St. Barbe Outer light buoy XB1	51 12 50.5 56 46 56.8	Q G	1s	Green, marked "XB1". Seasonal. Chart:4667 Edn 02/10
216.1	St. Barbe light buoy XB2	51 12 37.2 56 46 57.1	Fl R	4s	Red, marked "XB2". Seasonal. Chart:4667 Edn 02/10
216.12	St. Barbe Inner light buoy XB3	51 12 27.8 56 46 14.5	Fl G	4s	Green spar, marked "XB3". Year round. Chart:4667 Edn 02/10
216.13	Harbour Point light buoy XB4	51 12 24.5 56 46 24.2	Fl R	4s	Red spar, marked "XB4". Year round. Chart:4667 Edn 02/10

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NEWFOUNDLAND								
216.5	West Shoal light buoy XK2	Approaches to Black Duck Cove. 51 11 52.6 56 48 03.4	Fl R	4s	Red spar, marked "XK2". Seasonal.	
							Chart:4667 Edn 02/10	
216.6	East Shoal light buoy XK1	Approaches to Black Duck Cove. 51 11 56 56 47 58.1	Fl G	4s	Green spar, marked "XK1". Seasonal.	
							Chart:4667 Edn 02/10	
216.7	Black Duck Cove Wharf	51 11 50.5 56 47 56.6	Fl R	4s	3.6	3	Mast. 3.0 Seasonal.	
							Chart:4667 Edn 02/10	
222.1	Sandy Cove Wharf	On wharf 51 20 35.8 56 40 36.8	Fl R	4s	3.6	3	Mast. 2.6 Seasonal.	
							Chart:4667 Edn 02/10	
222.12	Savage Cove light buoy XV2	51 19 55 56 42 17.8	Fl R	4s	Red spar, marked "XV2". Seasonal.	
							Chart:4667 Edn 02/10(N10-002)	
268	Coachman's Cove Harbour	On French Island. 50 03 13.3 56 05 41.2	Fl W	3s	11.9	5	Square skeleton tower, red square daymark, white vertical stripe. 5.2 Flash 0.5 s; eclipse 2.5 s. Seasonal.	
							Chart:4521 Edn 02/10(N09-057)	
269.99	Twelve Foot Rock West Cardinal light buoy (Henely Hr.) NJT	W. of Chateau. 51 58 52.8 55 51 48	VQ (9)	W	10s	Yellow, black and yellow spar, marked "NJT". Seasonal.
							Chart:5030 Edn 02/10(N10-003)	
276.88	Spotted Islands Harbour light buoy NSP2						Deleted from list.	
							Chart:4744 Edn 02/10(N10-004)	
280.79	Spotted Islands Harbour light buoy NSP2	53 29 21.1 55 45 37.5	Fl R	4s	Red spar, marked "NSP2". Seasonal.	
							Chart:4744 Edn 02/10(N10-004)	
291 H75.6	Rigolet	S. of Rigolet Point. 54 10 39.6 58 25 35.9	Fl W	6s	12.3	5	Square skeleton tower. 8.8 Flash 1 s; eclipse 5 s. Seasonal.	
							Chart:4724 Edn 02/10(N09-063)	
324.84	Twelve Foot Rock (Henely Hr.) West Cardinal light buoy NJT						Delete from list.	
							Chart:5030 Edn 02/10(N10-003)	

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NEWFOUNDLAND							
340	East End Long Island	On Southern Head. 49 35 52.7 55 34 44.3	Fl W	6s	31.4	7	Square skeleton tower, red rectangular daymark, white vertical stripe. 9.4 Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4592 Edn 02/10(N09-064)
373.1	Roger's Point Shoal light buoy DX9	S. of Fogo Island. 49 34 13.5 54 19 13.3	Fl G	4s	Green spar, marked "DX9". Year round. Chart:4862 Edn 02/10(N10-006)
417.05	Squid Rocks light buoy JV5	49 06 41.6 53 36 16.8	Fl G	4s	Green spar, marked "JV5". Year round. Chart:4858 Edn 02/10(N10-009)
439.4	Happy Adventure East Wharf	48 38 06.2 53 45 17.5	Fl R	4s	2	Mast. 2.6 Year round. Chart:4855 Edn 02/10
441.2	Happy Adventure West Wharf	Seaward end of wharf. 48 37 53.4 53 46 05	Fl R	4s	4.0	4	Mast. Seasonal. Chart:4855 Edn 02/10
442	Big Rock light buoy JC6	48 26 12 54 00 06	Fl R	4s	Red spar, marked "JC6". Year round. Chart:4855 Edn 02/10(N10-008)
445.2	Bonavista Outer Shoal light buoy JB5	48 39 02.5 53 07 54.8	Fl G	4s	Green spar, marked "JB5". Year round. Chart:4849 Edn 02/10(N10-007)
465	Random Head Harbour	On Motion Island. 48 05 41.1 53 32 43.1	Fl W	3s	38.4	Red and white cylindrical tower. 10.2 Flash 0.5 s; eclipse 2.5 s. Year round. Chart:4852 Edn 02/10(N09-053)
466.8	Petley Wharf	48 09 15.9 53 44 40.9	Fl R	6s	3.8	Mast. 2.4 Flash 0.5 s; eclipse 5.5 s. Seasonal. Chart:4852 Edn 02/10(N10-001)
512 H448	Bear Cove Point (Fermeuse)	S. of Fermeuse Harbour entrance. 46 56 25.9 52 53 34.4	Fl W	5s	32.9	16	Trapezoidal skeleton tower, red rectangular daymark, white vertical stripe. 2.9 Flash 1 s; eclipse 4 s. Emergency light. Year round. Horn - Blast 4 s sil. 56 s. Horn points 098°. Chart:4844 Edn 02/10

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
75.43	<i>New Ireland Ledge light buoy SJ4</i>	45 02 03.2 66 56 00.7	FI R 4s	Red, marked "SJ4".	Year round. Chart:4124 Edn 02/10 (F09-075)	
399.5 <i>H3742.5</i>	Port Mouton Inner	On fish plant wharf. 43 55 10 64 50 49.8	LFI R 6s	4.3	5	Cylindrical mast, triangular daymark. 3.5	Flash 2 s; eclipse 4 s Operates at night only. Year round. Chart:4240 Edn 02/10 (F09-074)	
454.51 <i>H3683.2</i>	Western Shore Inner	44 31 20.9 64 18 18	LFI R 6s	5.2	3	Cylindrical mast, enclosed lower portion. 3.6	Flash 2 s; eclipse 4 s Operates at night only. Year round. Chart:4381 Edn 02/10 (F09-073)	
580 <i>H3568</i>	Egg Island	Centre of island. 44 39 53.1 62 51 48.3	LFI W 6s	25.6	14	Square skeleton tower. 14.6	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4236 Edn 02/10 (F09-078)	
1160	Pointe-Sapin range	Near inner end of E. breakwater. 46 57 47.2 64 49 49.9	F Y	6.7	Square skeleton tower, white daymark, red vertical stripe. 5.3	Visible in line of range. Seasonal.
1161		003°33' 70.2m from front.	F Y	11.6	12	White square tower, red upper portion, red vertical stripe. 8.7	Seasonal. Chart:4906 Edn 02/10 (G09-037)
1497 <i>H914</i>	Cap-aux-Meules Wharf range	Outer end of wharf. 47 22 36.8 61 51 13.2	Q G 1s	6.8	13	Red skeleton tower, orange daymark, black vertical stripe. 4.6	Visible in line of range. Operates at night only. Year round.	
1498 <i>H914.1</i>		330°13' 133.2m from front.	Q G 1s	12.0	13	Red square skeleton tower, orange daymark, black vertical stripe. 9.2	Visible in line of range. Operates at night only. Year round. Chart:4956 Edn 02/10 (Q09-137, 138)	
1499.3	Millerand East Breakwater	47 12 56.4 61 59 02.8	Iso R 2s	11.1	4	Square mast. 6.4	Operates at night only. Year round. Chart:4950 Edn 02/10 (Q09-118)	
1515 <i>H1866</i>	Pointe du Sud- Ouest	On extremity. 49 23 29.1 63 35 40.9	FI W 6s	20.7	8	Square skeleton tower. 15.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4430 Edn 02/10 (Q09-134)	
1517	<i>Baie Ellis light buoy PM9</i>	<i>W. side of channel. 49 47 16.7 64 21 21.8</i>	FI G 4s	<i>Green, marked "PM9".</i>	<i>Seasonal.</i> Chart:4430 Edn 02/10 (Q09-134)	

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ATLANTIC								
1518	Port Menier light buoy PM11	W. side of dredged channel. 49 48 30.2 64 22 03.6	FI	G	4s	Green, marked "PM11". Seasonal.	
							Chart:4430 Edn 02/10 (Q09-134)	
1519 H1870	Baie Ellis Main range	NW. corner of bay. 49 49 30.5 64 22 31.3	F	G	12.1 20	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Year round.
1520 H1870.1		339°26' 1041.5m from front.	F	G	26.7 20	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Year round.
							Chart:4430 Edn 02/10 (Q09-134)	
1523 H1878	Pointe de l'Ouest	On W. extremity of island. 49 51 50.6 64 31 23.7	FI	W	5s	27.5 12	Skeleton tower. 19.8	Flash 1 s; eclipse 4 s. Operates at night only. Year round.
							Chart:4430 Edn 02/10 (Q09-134)	
1563.5	Rocher Cairntorr light buoy C64	Off rock. 50 07 18.3 60 18 34.9	FI	R	4s	Red, marked "C64". Seasonal.	
							Chart:4452 Edn 02/10 (Q09-134)	
1563.7 H1907	Pointe Milne range	Baie Coacoachou. 50 13 21.6 60 18 53.1	F	R	16.8 13	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Operates at night only. Year round.
1563.8 H1907.1		004°40' 294.9m from front.	F	R	30.8 13	Square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round.
							Chart:4452 Edn 02/10 (Q09-134)	
1565 H1909.7	Pointe Mackenzie range	On point. 50 12 49.7 60 41 49.6	F	Y	9.5 15	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1566 H1909.71		325°44' 105.7m from front.	F	Y	12.6 15	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
							Chart:4452 Edn 02/10 (Q09-134)	
1567 H1909.8	Pointe du Petit Lac range	Near wharf. 50 12 49.5 60 41 21.6	F	G	12.0 13	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1568 H1909.81		013°11' 75.1m from front.	F	G	13.8 13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
							Chart:4452 Edn 02/10 (Q09-134)	
1568.5	Havre Gethsémani Entrance light buoy CJ5	Harbour entrance. 50 12 20.7 60 41 22.8	FI	G	4s	Green, marked "CJ5". Seasonal.	
							Chart:4452 Edn 02/10 (Q09-134)	

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ATLANTIC								
1569 H1909	Havre Gethsémani range	W. side of Dos-de- Cheval Island. 50 12 26 60 41 12.4	F	R	10.0 13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1570 H1909.1		357°22' 80.4m from front.	F	R	12.9 13	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
Chart:4452 Edn 02/10 (Q09-134)								
1572 H1910	Kégashka range	N. side of bay. 50 11 46.4 61 15 33.7	F	W	13.6 16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1573 H1910.1		359°17' 90.3m from front.	F	W	18.2 16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
Chart:4452 Edn 02/10 (Q09-134)								
1573.3 H1910.4	Kégashka Wharf	On inner SE. corner of wharf. 50 11 04.2 61 15 48.2	Fl	R	6s	8.6 6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
Chart:4452 Edn 02/10 (Q09-134)								
1574 H1911	Pointe de Kégashka	On point. 50 10 32.2 61 15 57.3	Fl	W	6s	13.7 8	Square skeleton tower, orange rectangular daymarks on 3 seaward faces. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
Chart:4452 Edn 02/10 (Q09-134)								
1574.3	Pointe de Kégashka light and bell buoy CK1	Off point. 50 10 09.2 61 15 37.2	Fl	G	4s	Green, marked "CK1".	Seasonal.
Chart:4452 Edn 02/10 (Q09-134)								
1575.8	Rocher South Sphinx light buoy CN2	50 10 40.3 61 50 48.2	Fl	R	4s	Red, marked "CN2".	Seasonal.
Chart:4428 Edn 02/10 (Q09-134)								
1576 H1914	Île Joncas	On W. extremity of island. 50 10 56.9 61 50 38.9	Iso	G	2s	13.5 6	Square skeleton tower. 9.5	Operates at night only. Radar reflector. Year round.
Chart:4428 Edn 02/10 (Q09-134)								
1576.2	Havre de Natashquan light buoy CN8	50 11 12.3 61 50 40.3	Fl	R	4s	Red, marked "CN8".	Seasonal.
Chart:4428 Edn 02/10 (Q09-134)								

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ATLANTIC							
1578 H1918	Petite Natashquan range	N. of wharf. 50 11 35.9 61 50 35.4	F W	10.1 13	Square skeleton tower, orange daymark, black vertical stripe. 6.7	Visible in line of range. Operates at night only. Year round.
1579 H1918.1		009°56' 92.7m from front.	F W	17.1 13	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round.
1582.1	Baie Johan-Beetz light buoy C81	50 16 48.3 62 48 21.9	Fl G	4s	Green, marked "C81".	Seasonal.
1582.5 H1930	Baie Johan- Beetz Inner range	On outer end of wharf. 50 17 02.6 62 48 36.8	Iso R	2s	7.5 4	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible 360°. Increased intensity on line of range. Operates at night only. Year round.
1582.6 H1930.1		319°02' 125.7m from front.	Iso R	2s	12.9 16	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
1583 H1928	Baie Johan- Beetz range	N. shore of bay. 50 17 00.9 62 47 51.2	F Y	12.2 15	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round.
1584 H1928.1		043°04' 162.3m from front.	F Y	21.1 15	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1601 H1884	Pointe Carleton	On the point. 49 43 53.6 62 56 33.4	Fl G	6s	38.4 5	White octagonal tower. 12.2	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1672.1	Pointe-Noire, Anse-du-Portage Ste-Marguerite Sector	50 09 47.1 66 29 12.3	F Al RW Al GW	R W G	Skeleton tower.	Privately maintained by l'Administration portuaire de Sept- Îles. Red from 202° 41'47" to 206° 56'47"; Al RW from 206° 56'47" to 210° 56'47"; white from 210° 56'47" to 216° 56'47"; Al GW from 216°56'47" to 220°56'47"; green from 220°56'47" to 225°11'47". White sector indicates preferred channel. Year round.
1753 H2088	Les Escoumins Wharf	On the portal landing, S. side. 48 20 45.2 69 23 22.6	Fl G	6s	12.2 6	On superstructure. 10.4	Flash 1 s; eclipse 5 s. Radar reflector. Operates at night only. Seasonal.

Chart:4428
Edn 02/10 (Q09-134)

Chart:4452
Edn 02/10 (Q09-134)

Chart:4452
Edn 02/10 (Q09-134)

Chart:4452
Edn 02/10 (Q09-134)

Chart:4430
Edn 02/10 (Q09-134)

Chart:1220
Edn 02/10

Chart:1235
Edn 02/10 (Q10-002, 004)

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
2025 H2364	Pointe des Grondines Upper range	On river bank. 46 35 06.4 72 05 52	F	G	9.0 15	Skeleton tower, orange daymark, black vertical stripe. 8.0	Visible in line of range. Year round.
2026 H2364.1		047°15 1996.6m from front.	F	G	29.4 19	Skeleton tower, orange slatwork daymark, black vertical stripe. 14.3	Visible in line of range. Year round. Chart:1314 Edn 02/10 (Q09-015)
2083.8 H2389	Île la Poterie	On outer end of Île la Poterie wharf. 46 21 23.5 72 30 24.5	Fl	R	6s	13.7 6	Cylindrical mast. 10.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1313 Edn 02/10 (Q09-132)
2255.5	Light buoy E259	45 26 59.8 73 17 01.1	Fl	G	4s	Green, marked "E259".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2255.8	Saint-Jean Upper	W. side of channel. 45 18 09.2 73 14 55.8	Fl	R	4s	5.3	Skeleton tower. 3.6	Operates at night only. Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2257.3	Light buoy E433	45 11 55.1 73 15 11	Fl	G	4s	Green, marked "E433".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.1	Pointe Cartier light buoy E443	45 10 52.3 73 15 16	Fl	G	4s	Green, marked "E443".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.2	St. Blaise light buoy E429	45 12 40.7 73 15 07.3	Fl	G	4s	Green, marked "E429".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.31	Pointe Cartier light buoy E440	45 11 09 73 15 16.7	Fl	R	4s	Red, marked "E440".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.35	Pointe Cartier light buoy E445	45 10 33.9 73 15 16	Fl	G	4s	Green, marked "E445".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.4	Pointe Cartier light buoy E448	45 10 23.2 73 15 18.9	Fl	R	4s	Red, marked "E448".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.72	Bifurcation light buoy NOIX	45 09 00.1 73 15 23.5	Fl (2+1)	G	6s	Green, red and green, marked "Noix".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.91	Light buoy EA17	45 07 57.2 73 15 54.9	Fl	G	4s	Green, marked "EA17".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ATLANTIC

2258.92	Light buoy EA19	45 07 39.1 73 16 02.6	Fl G	4s	Green, marked "EA19".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)	
2258.93	Light buoy EA22	45 07 33.6 73 16 03.5	Fl R	4s	Red, marked "EA22".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)	
2258.94	Light buoy EA23	45 07 16.3 73 16 19.6	Fl G	4s	Green, marked "EA23".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)	
2261.6	South Cardinal light buoy FORT	SW. of Île Ronde. 45 06 52.3 73 16 27	Q(6) +LFI	W	15s	Yellow and black, marked "Fort". Seasonal. Chart:1351 Edn 02/10 (Q09-134)	
2270.2	Light buoy E544	45 02 48.1 73 20 04.8	Fl R	4s	Red, marked "E544".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)	
2270.5	Light buoy E549	45 02 15.3 73 20 08.7	Fl G	4s	Green, marked "E549".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)	
2272.7	Light buoy E558	45 01 14.2 73 20 38.3	Fl R	4s	Red, marked "E558".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)	
2288 H2454	Petite Traverse range	On E. bank. 45 54 40.1 73 12 29.1	F G	16.8	14	Cylindrical tower, orange slatwork daymark, black vertical stripe. 7.0	Visible in line of range. Visible from 045°30' through E. to 164°30'. Year round.
2289 H2454.1		045°43' 517.2m from front.	F G	31.9	14	Square skeleton tower, orange slatwork daymark, black vertical stripe. 20.5	
2312 H2470	Traverse Contrecoeur range	45 49 55.5 73 16 54.2	F G	16.3	15	White cylindrical tower, orange daymark, black vertical stripe. 11.5	Visible in line of range. Year round.
2313 H2470.1		200°10' 400.4m from front.	F G	28.0	15	Square tower, orange daymark, black vertical stripe. 22.4	

SECTION 5 – Edition 02/2010
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ATLANTIC

2330 <i>H2482</i>	Île Deslauriers range	E. side of island. 45 42 44.8 73 26 22.8	Q G	1s	10.7	14	Skeleton tower, orange daymark, black vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.
2331 <i>H2482.1</i>		217°32' 2653.3m from front.	Q G	1s	31.9	14	Triangular skeleton tower, orange daymark, black vertical stripe. 26.0	Visible in line of range. Operates at night only. Year round.
			Iso G	2s	32.5	4		Visible 360°. Operates at night only.

Chart:1310
Edn 02/10 (Q09-135, 136)

**CANADIAN COAST GUARD
MARINE INFORMATION REPORT AND SUGGESTION SHEET**

Date:

Name of Ship or Sender:.....

Address of Sender:

Street #

Street Name

Town / City:..... Prov / State: Postal Code / Zip Code:

Tel / Fax / E-mail address of sender (if appropriate):

Observation Date: Time (UTC):

Geographical Position:.....

Coordinate Position: Lat: Long:.....

Position Method: DGPS GPS with WAAS GPS Radar Other

Horizontal Datum Used: WGS 84 NAD 27 Other

Estimated Position Accuracy:.....

Chart #: Datum: NAD 27 NAD 83

Chart Edition: Last Correction applied:

Publications affected: (Quote Volume and page):.....

*Full details (Attach additional sheets as necessary)

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Director, Navigation Systems
Canadian Coast Guard
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of information concerning aids to navigation or the List of Lights, Buoys and Fog Signals.

OR

Dominion Hydrographer
Canadian Hydrographic Service
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation or where corrections to "Sailing Directions" appear to be necessary.

CHSINFO@DFO-MPO.GC.CA

Or general questions on Coast Guard programs or services please send an e-mail message to:

info@dfo-mpo.gc.ca

(Please include your postal code and e-mail address)