



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Notices to Mariners

Edition No. 01/2025
January 31, 2025



Safety First, Service Always

Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition
Edition No. 01/2025

Aussi disponible en français :
Avis aux navigateurs – Édition mensuelle de l'Est
Édition n° 01/2025

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Fisheries and Oceans Canada
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Minister of Fisheries, Oceans
and the Canadian Coast Guard, 2025.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)
ISSN 2817-0075

Cat. No. Fs152-8F-PDF (Electronic PDF, French)
ISSN 2817-0083

A web version is available here:

[Notices to Mariners – Monthly Editions](#) (English)

[Avis aux navigateurs – Publications mensuelles](#) (French)

Explanatory Notes – Notices to Mariners (NOTMAR)

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Distances may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email chsinfo@dfo-mpo.gc.ca.

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- *16 on a cellphone (where available)

NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.


Explanatory Notes – Canadian Hydrographic Service (CHS)

Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LNM/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in "Section 2 – Chart Corrections." This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2024*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the [Canadian Hydrographic Service – List of Charts](#).

Explanatory Notes – Marine Communications and Traffic Services (MCTS)

Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping¹, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the [CCG Navigational Warnings](#).

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

Atlantic Region (North) *Port aux Basques MCTS Centre “N” Series NAVWARN Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0 Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784 Email: NAVWARN.MCTSPortAuxBasques@innav.gc.ca	Central Region *Prescott MCTS Centre “Q” and “C” Series NAVWARN Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0 Telephone: 613-925-0666 Facsimile: 613-925-4519 Email: NAVWARN.MCTSPrescott@innav.gc.ca
Atlantic Region (South) *Sydney MCTS Centre “M” Series NAVWARN Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6 Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662 Email: NAVWARN.MCTSSydney@innav.gc.ca	Arctic Region *Iqaluit MCTS Centre <i>Operational from approximately mid-May until late December.</i> “A” Series NAVWARN Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0 Telephone: 867-979-5269 Facsimile: 867-979-4264 Email: NAVWARN.MCTSIqaluit@innav.gc.ca

*Service available in English and in French.

¹ The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

Table of Contents

Section 1: General and Safety Information	1
*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations	1
*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process	1
*1206/24 Canadian Hydrographic Service – Canadian Sailing Directions PAC 205 and PAC 206 to be replaced by PAC 203.....	1
*101/25 Canadian Hydrographic Service – Nautical Charts.....	1
*102/25 Canadian Hydrographic Service – Electronic Navigational Charts.....	2
*103/25 Canadian Hydrographic Service – Raster Digital Charts (BSB V3).....	6
*104/25 Canadian Coast Guard Publication - Amendments to the <i>Notices to Mariners Annual Edition 2024</i> - Section C, Notice 27A: Guidelines for the Transit of Wide-Beam Vessels and Long Vessels	7
Section 1A: Temporary and Preliminary Notices	8
Reminder – Comment Period for Active Preliminary Notices	8
*105/25 Cap aux Oies à/to Sault-au-Cochon – Obstruction : Anchor	8
*106/25 Port de Montréal – Obstruction: Anchors Retrieved	8
Section 2: Chart Corrections	10
Section 3: Radio Aids to Marine Navigation Corrections	16
*107/25 Radio Aids to Marine Navigation 2025 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific).....	16
Section 4: Canadian Sailing Directions Corrections	17
Section 5: List of Lights, Buoys and Fog Signals Corrections	18

Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1203	1	6214	20		
1230	10	6218	20		
1233	8	6341	20		
1310	8	6358	21		
1320	10, 11	6370	21		
1430	11, 12	6418	21		
1510	12, 13	6452	21		
2050	13, 20	6454	21		
2123	13	7127	21		
2202	13	7486	15		
2241	13				
3728	1				
3941	1				
4141	8				
4203	18				
4266	19				
4278	19				
4419	20				
4426	13				
4464	19				
4466	8				
4468	14				
4483	19				
4506	14				
4530	18				
4583	14				
4625	14				
4642	14				
4852	14, 18				
4905	20				
4913	20				
4955	1				
4956	1				
4958	1				
4967	14				

Section 1: General and Safety Information

*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations

(Recurrent publication of notice *505/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 05/2023 publication.)

Mariners are advised that CHS has adopted the harmonized World Magnetic Model (WMM), as found on the NCEI/NOAA website. Old compass rose declination information on CHS navigational products can be updated using this website: <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>. While the differences in the model declinations are small each year, they can become more significant over a large period of time.

*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process

(Recurrent publication of notice *1207/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 12/2023 publication.)

The records of the Canadian Hydrographic Service could contain geographical names that may be considered inappropriate, offensive and derogatory. Geographical naming authorities are in the process of addressing many offensive place names, the review process is underway. For more information, about inappropriate geographical names, please see the [following announcement](#).

*1206/24 Canadian Hydrographic Service – Canadian Sailing Directions PAC 205 and PAC 206 to be replaced by PAC 203

(Recurrent publication of notice *1206/24, originally published in the *Notices to Mariners – Monthly Eastern Edition* 12/2024 publication.)

Canadian Sailing Directions PAC 205 and PAC 206 will be cancelled on January 31, 2025 and replaced by PAC 203 which will contain information previously in both editions. Mariners can obtain PAC 203 on January 31, 2025 from [Canadian Sailing Directions](#).

*101/25 Canadian Hydrographic Service – Nautical Charts

Charts	Main Title	Scale	Edition Date	Published	Cat#	Price
New Charts						
4958	Cap-aux-Meules à/to Havre-aux-Maisons	1:8 000	2024-11-01	2025-01-10	1	\$20.00
New Editions						
1203	Tadoussac à/to Cap Éternité	1:37 500	2024-08-16	2025-01-31	1	\$20.00
Charts Permanently Withdrawn						
3728	Milbanke Sound and Approaches/et les approches	Cancelled by 3941				
4955	Havre-aux-Maisons	Cancelled by 4958				
4956	Cap-aux-Meules	Cancelled by 4958				

***102/25 Canadian Hydrographic Service – Electronic Navigational Charts**

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
New Charts			
CA53JPKA (Edn 1.000)	CA53JPKA	1:6 000	2025-01-24
CA53KPKA (Edn 1.000)	CA53KPKA	1:6 000	2025-01-24
CA53MPJA (Edn 1.000)	CA53MPJA	1:4 000	2025-01-24
CA53NPKA (Edn 1.000)	CA53NPKA	1:6 000	2025-01-24
CA53PPKA (Edn 1.000)	CA53PPKA	1:4 000	2025-01-24
CA53RQBA (Edn 1.000)	CA53RQBA	1:11 000	2025-01-03
CA53RQCA (Edn 1.000)	CA53RQCA	1:11 000	2025-01-03
CA53SQCA (Edn 1.000)	CA53SQCA	1:6 000	2025-01-03
CA53SQDA (Edn 1.000)	CA53SQDA	1:6 000	2025-01-03
CA53TQBA (Edn 1.000)	CA53TQBA	1:6 000	2025-01-03
CA53TQCA (Edn 1.000)	CA53TQCA	1:6 000	2025-01-03
CA53TQDA (Edn 1.000)	CA53TQDA	1:6 000	2025-01-03
CA53UQBA (Edn 1.000)	CA53UQBA	1:6 000	2025-01-03
CA53VPCA (Edn 1.000)	CA53VPCA	1:11 000	2025-01-24
CA53XQWA (Edn 1.000)	CA53XQWA	1:11 000	2025-01-10
CA53XQXA (Edn 1.000)	CA53XQXA	1:11 000	2025-01-10
CA53YQWA (Edn 1.000)	CA53YQWA	1:11 000	2025-01-10
CA540R5A (Edn 1.000)	CA540R5A	1:11 000	2025-01-17
CA540R6A (Edn 1.000)	CA540R6A	1:11 000	2025-01-17
CA541QYA (Edn 1.000)	CA541QYA	1:11 000	2025-01-10
CA541R0A (Edn 1.000)	CA541R0A	1:11 000	2025-01-10
CA541R4A (Edn 1.000)	CA541R4A	1:11 000	2025-01-10
CA541R5A (Edn 1.000)	CA541R5A	1:11 000	2025-01-10
CA541R6A (Edn 1.000)	CA541R6A	1:11 000	2025-01-10
CA542QYA (Edn 1.000)	CA542QYA	1:11 000	2025-01-17
CA542R0A (Edn 1.000)	CA542R0A	1:11 000	2025-01-10
CA542R5A (Edn 1.000)	CA542R5A	1:11 000	2025-01-17
CA543QMA (Edn 1.000)	CA543QMA	1:6 000	2025-01-17
CA543R1A (Edn 1.000)	CA543R1A	1:11 000	2025-01-17
CA543R5A (Edn 1.000)	CA543R5A	1:11 000	2025-01-17
CA543R6A (Edn 1.000)	CA543R6A	1:11 000	2025-01-17
CA543R7A (Edn 1.000)	CA543R7A	1:11 000	2025-01-17
CA544QLA (Edn 1.000)	CA544QLA	1:11 000	2025-01-17
CA544QMA (Edn 1.000)	CA544QMA	1:11 000	2025-01-17
CA544R0A (Edn 1.000)	CA544R0A	1:6 000	2025-01-10
CA544R1A (Edn 1.000)	CA544R1A	1:11 000	2025-01-17
CA544R5A (Edn 1.000)	CA544R5A	1:11 000	2025-01-17

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA544R6A (Edn 1.000)	CA544R6A	1:11 000	2025-01-17
CA544R7A (Edn 1.000)	CA544R7A	1:11 000	2025-01-17
CA545QMA (Edn 1.000)	CA545QMA	1:11 000	2025-01-17
CA545QRA (Edn 1.000)	CA545QRA	1:2 000	2025-01-10
CA545QSA (Edn 1.000)	CA545QSA	1:2 000	2025-01-17
CA545QVA (Edn 1.000)	CA545QVA	1:2 000	2025-01-17
CA545R6A (Edn 1.000)	CA545R6A	1:11 000	2025-01-17
CA545R7A (Edn 1.000)	CA545R7A	1:11 000	2025-01-17
CA546QUA (Edn 1.000)	CA546QUA	1:2 000	2025-01-17
CA547QLA (Edn 1.000)	CA547QLA	1:2 000	2025-01-24
CA547QXA (Edn 1.000)	CA547QXA	1:11 000	2025-01-17
CA547QYA (Edn 1.000)	CA547QYA	1:11 000	2025-01-17
CA548QNA (Edn 1.000)	CA548QNA	1:4 000	2025-01-24
CA548QPA (Edn 1.000)	CA548QPA	1:4 000	2025-01-24
CA548QXA (Edn 1.000)	CA548QXA	1:11 000	2025-01-17
CA548QYA (Edn 1.000)	CA548QYA	1:11 000	2025-01-17
CA548R0A (Edn 1.000)	CA548R0A	1:11 000	2025-01-17
CA548R1A (Edn 1.000)	CA548R1A	1:11 000	2025-01-17
CA549QMA (Edn 1.000)	CA549QMA	1:2 000	2025-01-24
CA549QNA (Edn 1.000)	CA549QNA	1:4 000	2025-01-24
CA549RBA (Edn 1.000)	CA549RBA	1:11 000	2025-01-24
CA549RCA (Edn 1.000)	CA549RCA	1:11 000	2025-01-24
CA549RDA (Edn 1.000)	CA549RDA	1:2 133	2025-01-24
CA54AR9A (Edn 1.000)	CA54AR9A	1:11 000	2025-01-24
CA54ARAA (Edn 1.000)	CA54ARAA	1:11 000	2025-01-24
CA54ARBA (Edn 1.000)	CA54ARBA	1:11 000	2025-01-24
CA54ARCA (Edn 1.000)	CA54ARCA	1:11 000	2025-01-24
CA54ARDA (Edn 1.000)	CA54ARDA	1:11 000	2025-01-24
CA54BR9A (Edn 1.000)	CA54BR9A	1:11 000	2025-01-24
CA54BRAA (Edn 1.000)	CA54BRAA	1:11 000	2025-01-24
CA54BRBA (Edn 1.000)	CA54BRBA	1:11 000	2025-01-24
CA54BRCA (Edn 1.000)	CA54BRCA	1:4 000	2025-01-24
CA54CQTA (Edn 1.000)	CA54CQTA	1:2 000	2025-01-24
CA54ERAA (Edn 1.000)	CA54ERAA	1:11 000	2025-01-03
CA54ERBA (Edn 1.000)	CA54ERBA	1:11 000	2025-01-03
CA54GRAA (Edn 1.000)	CA54GRAA	1:4 000	2025-01-03
CA54GRBA (Edn 1.000)	CA54GRBA	1:4 000	2025-01-03
CA54HRAA (Edn 1.000)	CA54HRAA	1:4 000	2025-01-03
CA54RPXA (Edn 1.000)	CA54RPXA	1:4 000	2025-01-17

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA54RQ0A (Edn 1.000)	CA54RQ0A	1:11 000	2025-01-17
CA54RQ1A (Edn 1.000)	CA54RQ1A	1:11 000	2025-01-17
CA54SPXA (Edn 1.000)	CA54SPXA	1:4 000	2025-01-17
CA54SPYA (Edn 1.000)	CA54SPYA	1:4 000	2025-01-17
CA555TCA (Edn 1.000)	CA555TCA	1:11 000	2025-01-03
CA555TDA (Edn 1.000)	CA555TDA	1:11 000	2025-01-03
CA555TEA (Edn 1.000)	CA555TEA	1:11 000	2025-01-03
CA555TFA (Edn 1.000)	CA555TFA	1:11 000	2025-01-03
CA556TCA (Edn 1.000)	CA556TCA	1:11 000	2025-01-03
CA556TDA (Edn 1.000)	CA556TDA	1:11 000	2025-01-03
CA556TEA (Edn 1.000)	CA556TEA	1:11 000	2025-01-03
CA556TFA (Edn 1.000)	CA556TFA	1:11 000	2025-01-03
CA557SXA (Edn 1.000)	CA557SXA	1:4 000	2025-01-03
CA557TDA (Edn 1.000)	CA557TDA	1:11 000	2025-01-03
CA558TCA (Edn 1.000)	CA558TCA	1:11 000	2025-01-03
CA558TDA (Edn 1.000)	CA558TDA	1:11 000	2025-01-03
CA559T1A (Edn 1.000)	CA559T1A	1:2 000	2025-01-17
CA55ASYA (Edn 1.000)	CA55ASYA	1:4 000	2025-01-17
CA55BT0A (Edn 1.000)	CA55BT0A	1:11 000	2025-01-17
CA55BT1A (Edn 1.000)	CA55BT1A	1:11 000	2025-01-17
CA55CT0A (Edn 1.000)	CA55CT0A	1:11 000	2025-01-17
CA55CT1A (Edn 1.000)	CA55CT1A	1:11 000	2025-01-17
CA55NSLA (Edn 1.000)	CA55NSLA	1:6 000	2025-01-17
CA55QSPA (Edn 1.000)	CA55QSPA	1:11 000	2025-01-17
CA55RSPA (Edn 1.000)	CA55RSPA	1:11 000	2025-01-17
CA55RSQA (Edn 1.000)	CA55RSQA	1:11 000	2025-01-17
CA567SQA (Edn 1.000)	CA567SQA	1:11 000	2025-01-10
CA567SRA (Edn 1.000)	CA567SRA	1:11 000	2025-01-17
CA568SQA (Edn 1.000)	CA568SQA	1:11 000	2025-01-17
New Editions			
CA23MQ8A (Edn 2.000)	Overview4400N06400W	1:175 000	2025-01-03
CA271031 (Edn 3.000)	West Coast Haida Gwaii	1:750 000	2025-01-10
CA271032 (Edn 5.000)	Hecate Strait	1:350 000	2025-01-10
CA43XLWA (Edn 2.000)	Transit4500N07500W	1:11 000	2025-01-24
CA43XM7A (Edn 2.000)	Transit4500N07400W	1:11 000	2025-01-24
CA43XPXA (Edn 2.000)	CA43XPXA	1:72 500	2025-01-24
CA448N4A (Edn 2.000)	Transit4600N07100W	1:22 500	2025-01-31
CA44JQUA (Edn 2.000)	Transit4700N06200W	1:45 000	2025-01-03
CA45FRFA (Edn 3.000)	Transit5000N06000W	1:22 500	2025-01-10

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA471012 (Edn 3.000)	Masset Harbour and/et Naden Harbour	1:90 000	2025-01-10
CA471036 (Edn 3.000)	NE Haida Gwaii	1:90 000	2025-01-10
CA471061 (Edn 3.000)	CA471061	1:90 000	2025-01-10
CA471062 (Edn 3.000)	CA471062	1:90 000	2025-01-10
CA471113 (Edn 3.000)	CA471113	1:22 500	2025-01-10
CA53WPCA (Edn 2.000)	CA53WPCA	1:11 000	2025-01-24
CA53XPDA (Edn 2.000)	CA53XPDA	1:11 000	2025-01-17
CA54BQQA (Edn 2.000)	CA54BQQA	1:4 000	2025-01-24
CA54XN5A (Edn 3.000)	Port4830N07090W	1:6 000	2025-01-10
CA554Q4A (Edn 2.000)	Port4890N06440W	1:4 000	2025-01-17
CA557NYA (Edn 2.000)	Port4920N06820W	1:6 000	2025-01-10
CA55GQVA (Edn 2.000)	Port5010N06190W	1:4 000	2025-01-03
CA573387 (Edn 6.000)	Port de Valleyfield	1:2 500	2025-01-03
Charts Permanently Withdrawn			
CA53WPBA	Port4490N06700W	Cancelled by CA43MPBA	
CA576001	Halifax Harbour - Bedford Basin		
CA576002	Halifax Harbour - Black Point to/à Point Pleasant		
CA576003	Halifax Harbour - Point Pleasant to/à Bedford Basin		
CA576010	Sambro Harbour		
CA576020	Yarmouth Harbour and Approaches/et les approches		
CA576060	Cape St. Marys	Cancelled by CA53MPJA	
CA576064	Entrance to/Entrée à Great Bras D'Or		
CA576065	Entrance to Entrée à St. Anns Harbour		
CA576066	Otter Harbour		
CA576095	Sydney Harbour		
CA576110	Port Bickerton		
CA576169	Lewisporte	Cancelled by CA557SXA	
CA576246	Pictou Harbour / Havre Du Pictou		
CA576263	Caraquet		
CA576264	Lamèque	Cancelled by CA54RQ1A	
CA576265	Bas-Caraquet	Cancelled by CA54SPYA	
CA576266	Middle Caraquet	Cancelled by CA54SPYA	
CA576269	Shippegan Harbour		
CA576291	St. Peters Bay		
CA576353	Spanish Bay to Little Bras D'Or Channel		
CA576354	Little Bras D'Or to/a St Andrew's Channel		
CA576372	Lumsden Harbour		

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA576373	Greenspond Harbour to/à Pond Cove		
CA576438	Murray Harbour	Cancelled by CA548QNA	
CA576439	Beach Point	Cancelled by CA548QPA	
CA576447	East River of Pictou		
CA576449	Northumberland Strait Central Portion - Ports/Harbours	Cancelled by CA547QLA	
CA576491	Georgetown	Cancelled by CA549QNA	
CA576492	Montague Wharves/Quais	Cancelled by CA549QMA	
CA576500	Meteghan	Cancelled by CA53NPKA	
CA576501	Saulnierville	Cancelled by CA53PPKA	
CA576527	Canso Harbour and Inner Approaches		
CA576550	Dingwall Harbour		
CA576601	Black Island Tickle	Cancelled by CA55ASYA	
CA576611	Northumberland Strait Central Portion - Ports/Harbours	Cancelled by CA545QMA	
CA576661	Port Hood		
CA576663	Mabou Harbour		
CA576676	Petit-de-Grat Inlet		
CA576677	Guysborough Harbour		
CA576679	Canso Lock and Causeway/Écluse et Chaussée Surélevée de Canso	Cancelled by CA544R0A	
CA576680	Point Tupper to/à Ship Point		
CA576692	Ballantynes Cove Wharf/Quai	Cancelled by CA546QUA	
CA576693	Cribbons Point Wharf/Quai	Cancelled by CA545QVA	
CA576694	Arisaig Wharf/Quai	Cancelled by CA545QSA	
CA576695	Lismore Wharf/Quai	Cancelled by CA545QRA	
CA576730	North Lake Harbour	Cancelled by CA54CQTA	
CA576742	Ingonish Harbour and Approaches/et les Approches		
CA576846	Summerford	Cancelled by CA559T1A	
CA576905	Neil's Harbour	Cancelled by CA54GRBA	

***103/25 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)**

Charts	Main Title	Scale	Edition Date	Published
Charts Permanently Withdrawn				
RM-3728	Milbanke Sound and Approaches/et les approches			

***104/25 Canadian Coast Guard Publication - Amendments to the *Notices to Mariners Annual Edition 2024* - Section C, Notice 27A: Guidelines for the Transit of Wide-Beam Vessels and Long Vessels**

Page 5:

AMEND AS FOLLOWS:

6) Assessing the manoeuvrability of wide beam and long vessels

The manoeuvrability of **wide beam** and **long** vessels operating in the Québec–Montréal segment must be assessed to determine their behaviour in the channel based on the criteria established in the reports (manoeuvrability assessment). This report must be completed by the CPSLC pilots on the vessel's first voyages.

To adequately assess their manoeuvrability, each vessel must be assessed for a minimum of

- Four (4) round-trip transits for **wide beam** vessels
- Two (2) round-trip transits for **long** vessels
- One (1) round-trip transit for **long or wide beam** sister ship vessels on regular trade

Section 1A: Temporary and Preliminary Notices

Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
Atlantic Coast			
1123(P)/24	4141	122, 122.2	Notice of Proposed Changes
1211(P)/24	4466	LIST	Unlit Buoys to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

Newfoundland and Labrador Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

No notices applicable for this edition.

Atlantic Coast

Temporary Notices

*105/25 Cap aux Oies à/to Sault-au-Cochon – Obstruction : Anchor

Reference: Notice 724(T)/24 is cancelled (Chart 1233).

Anchor is not a navigational hazard.

*106/25 Port de Montréal – Obstruction: Anchors Retrieved

Reference: Notice 725(T)/24 is cancelled (Chart 1310).

The anchors have been retrieved.

Preliminary Notices

No notices applicable for this edition.

Inland Waters

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

No notices applicable for this edition.

Section 2: Chart Corrections

1230 - Rivière-au-Renard - New Edition - 19-FEB-2010 - NAD 1983

03-JAN-2025

LNMD. 29-MAR-2024

Add depth of 0,6 metres
(See Chart 1, I10) 48°59'55.6"N 064°23'27.9"W

DFO(6411225-01)

Add depth of 2 metres
(See Chart 1, I10) 48°59'56.2"N 064°23'24.3"W

DFO(6411225-03)

1320 - Les Escoumins - New Chart - 26-AUG-2011 - NAD 1983

10-JAN-2025

LNMD. 11-OCT-2024

Add sector light F RWG 7m. Visible through an arc of 35°, red from 274° to 281°, white from 281° to 302° and green from 302° to 309°
(See Chart 1, P40.1) 48°19'04.9"N 069°24'56.2"W

(Q2024201) LL(1754.4) DFO(6411206-01)

1320 - Île du Bic au/to Cap de la Tête au Chien - New Chart - 26-AUG-2011 - NAD 1983

10-JAN-2025

LNMD. 11-OCT-2024

Add light F RWG 7m10M
(See Chart 1, P16) 48°19'04.9"N 069°24'56.2"W

(Q2024201) LL(1754.4) DFO(6411206-01)

Add depth of 3,5 metres
(See Chart 1, I10) 48°06'32.8"N 069°41'13.5"W

DFO(6411230-01)

Delete depth of 13,6 metres
(See Chart 1, I10) 48°07'09.6"N 069°39'03.2"W

DFO(6411230-02)

Add depth of 12,7 metres
(See Chart 1, I10) 48°07'09.7"N 069°39'01.6"W

DFO(6411230-03)

Delete depth of 20,8 metres
(See Chart 1, I10) 48°07'15.4"N 069°38'53.4"W

DFO(6411230-04)

Add depth of 19,9 metres
(See Chart 1, I10) 48°07'14.0"N 069°38'54.6"W

DFO(6411230-05)

Add drying height of 0,3 metres 48°04'58.0"N 069°38'56.6"W

DFO(6411230-06)

Add depth of 3,3 metres 48°05'45.4"N 069°33'49.2"W

DFO(6411230-07)

Add depth of 1,4 metres
(See Chart 1, I10) 48°05'54.2"N 069°32'55.3"W

DFO(6411230-08)

Delete depth of 0,9 metres
(See Chart 1, I10) 48°05'57.0"N 069°32'32.6"W

DFO(6411230-09)

Add	depth of 0,2 metres (See Chart 1, I10)	48°05'53.5"N 069°32'34.7"W <i>DFO(6411230-10)</i>
Add	depth of 1,1 metres (See Chart 1, I10)	48°06'02.0"N 069°32'18.1"W <i>DFO(6411230-11)</i>
Add	depth of 3,4 metres (See Chart 1, I10)	48°06'12.7"N 069°32'09.3"W <i>DFO(6411230-12)</i>
Delete	depth of 1,2 metres (See Chart 1, I10)	48°05'27.2"N 069°32'44.3"W <i>DFO(6411230-13)</i>
Add	depth of 0,3 metres (See Chart 1, I10)	48°05'23.8"N 069°32'44.6"W <i>DFO(6411230-14)</i>
Add	drying height of 0,5 metres (See Chart 1, I15)	48°04'51.2"N 069°31'56.2"W <i>DFO(6411230-15)</i>
Add	drying height of 1,0 metres (See Chart 1, I15)	48°04'06.4"N 069°33'52.1"W <i>DFO(6411230-16)</i>
Add	depth of 0,2 metres (See Chart 1, I10)	48°03'55.7"N 069°33'51.6"W <i>DFO(6411230-17)</i>
Delete	depth of 2,4 metres (See Chart 1, I10)	48°03'49.6"N 069°34'00.7"W <i>DFO(6411230-18)</i>
Add	depth of 1,1 metres (See Chart 1, I10)	48°03'49.7"N 069°34'01.1"W <i>DFO(6411230-19)</i>
Add	depth of 0,6 metres (See Chart 1, I10)	48°06'24.0"N 069°42'41.6"W <i>DFO(6411230-20)</i>

1430 - Lac Saint-Louis - New Edition - 23-NOV-2018 - NAD 1983
17-JAN-2025

LNMD. 25-AUG-2023

Add	drying height of 0,3 metres (See Chart 1, I15)	45°25'11.0"N 073°59'15.4"W <i>DFO(6411191-01)</i>
Add	depth of 4,2 metres (See Chart 1, I10)	45°25'14.5"N 073°58'40.9"W <i>DFO(6411191-08)</i>
Add	depth of 4,4 metres (See Chart 1, I10)	45°25'10.1"N 073°58'42.3"W <i>DFO(6411191-09)</i>

Add	drying height of 0,1 metres (See Chart 1, I15)	45°25'03.9"N 074°00'16.2"W
		<i>DFO(6411191-10)</i>

1510 - Laval à/to Baie de Vaudreuil - A-B - Sheet/Feuille 1 - New Edition - 25-OCT-2019 - NAD 1983

17-JAN-2025

LNMD. 20-OCT-2023

Add	depth of 1,5 metres (See Chart 1, I10)	45°25'14.1"N 073°58'50.1"W
		<i>DFO(6411191-02)</i>

Delete	depth of 2,1 metres (See Chart 1, I10)	45°25'15.5"N 073°58'46.9"W
		<i>DFO(6411191-03)</i>

Add	depth of 1,2 metres (See Chart 1, I10)	45°25'15.0"N 073°58'45.0"W
		<i>DFO(6411191-04)</i>

Delete	depth of 7,9 metres (See Chart 1, I10)	45°25'18.6"N 073°58'39.1"W
		<i>DFO(6411191-06)</i>

Add	depth of 6,4 metres (See Chart 1, I10)	45°25'18.5"N 073°58'39.7"W
		<i>DFO(6411191-07)</i>

Add	depth of 4,2 metres (See Chart 1, I10)	45°25'14.5"N 073°58'40.9"W
		<i>DFO(6411191-08)</i>

1510 - Lac Saint-Louis à/to Carillon - B-C - Sheet/Feuille 2 - New Edition - 25-OCT-2019 - NAD 1983

17-JAN-2025

LNMD. 20-OCT-2023

Add	drying height of 0,3 metres (See Chart 1, I15)	45°25'11.0"N 073°59'15.4"W
		<i>DFO(6411191-01)</i>

Add	depth of 1,5 metres (See Chart 1, I10)	45°25'14.1"N 073°58'50.1"W
		<i>DFO(6411191-02)</i>

Delete	depth of 2,1 metres (See Chart 1, I10)	45°25'15.5"N 073°58'46.9"W
		<i>DFO(6411191-03)</i>

Add	depth of 1,2 metres (See Chart 1, I10)	45°25'15.0"N 073°58'45.0"W
		<i>DFO(6411191-04)</i>

Delete	depth of 7,9 metres (See Chart 1, I10)	45°25'18.6"N 073°58'39.1"W
		<i>DFO(6411191-06)</i>

Add	depth of 6,4 metres (See Chart 1, I10)	45°25'18.5"N 073°58'39.7"W
		<i>DFO(6411191-07)</i>

Add	depth of 4,2 metres (See Chart 1, I10)	45°25'14.5"N 073°58'40.9"W
		<i>DFO(6411191-08)</i>

Add	depth of 4,4 metres (See Chart 1, I10)	45°25'10.1"N 073°58'42.3"W DFO(6411191-09)
Add	drying height of 0,1 metres (See Chart 1, I15)	45°25'03.9"N 074°00'16.2"W DFO(6411191-10)
2050 - Oshawa Harbour - New Edition - 04-OCT-2019 - World Geodetic System 1984		
31-JAN-2025		LNMD. 07-JUN-2024
Amend	green port spar buoy, marked MV3 to read green port lighted spar buoy FI G, marked MV3 This notice affects Electronic Navigational Chart: CA573013	43°51'42.0"N 078°49'12.5"W (B2024255) LL(501.3) DFO(6605402-01)
2123 - Pelee Passage to/à la Detroit River - New Edition - 27-JAN-2006 - NAD 1983		
31-JAN-2025		LNMD. 29-NOV-2024
Add	wreck, least depth unknown, dangerous to surface navigation (See Chart 1, K28) This notice affects Electronic Navigational Chart: CA373089	41°35'13.8"N 082°54'07.8"W DFO(6605397-01)
2202 - Port Severn to/à Penetang Harbour - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983		
31-JAN-2025		LNMD. 29-NOV-2024
Delete	light, marked Iso (See Chart 1, P1)	44°52'36.0"N 079°53'04.4"W (D2024095) LL(864) DFO(6605390-01)
Add	sector light with alternating boundaries F RWG Visible through an arc of 5.5°, red from 266° to 268°, white from 268° to 269.5°, and green from 269.5° to 271.5° (See Chart 1, P30.3)	44°52'36.0"N 079°53'04.4"W (D2024095) LL(864) DFO(6605390-02)
2241 - Port Severn to/à Christian Island - New Chart - 30-JUL-1999 - NAD 1983		
31-JAN-2025		LNMD. 29-NOV-2024
Delete	light, marked Iso (See Chart 1, P1)	44°52'36.0"N 079°53'04.4"W (D2024095) LL(864) DFO(6605390-01)
Add	sector light with alternating boundaries F RWG Visible through an arc of 5.5°, red from 266° to 268°, white from 268° to 269.5°, and green from 269.5° to 271.5° (See Chart 1, P30.3)	44°52'36.0"N 079°53'04.4"W (D2024095) LL(864) DFO(6605390-02)
4426 - Rivière Restigouche / Restigouche River - New Edition - 02-AUG-2002 - NAD 1983		
03-JAN-2025		LNMD. 09-AUG-2024
Reposition	red starboard hand spar buoy, marked EV42 (See Chart 1, Qb)	from 48°01'00.0"N 066°39'34.0"W to 48°01'02.5"N 066°39'29.3"W (G2024411) DFO(6311720-01)
Reposition	red starboard hand spar buoy, marked EV8 (See Chart 1, Qb)	from 48°05'09.0"N 066°26'35.7"W to 48°05'09.4"N 066°26'58.6"W (G2024415) DFO(6311724-01)

4468 - Île du Petit Mécatina aux/to Îles Sainte-Marie - New Edition - 15-OCT-2021 - NAD 1983

03-JAN-2025

LNM/D. 23-FEB-2024

Reposition red starboard hand conical lighted buoy FI R, marked CS6.
(See Chart 1, Qb) from 50°27'28.2"N 059°37'33.1"W
to 50°27'30.8"N 059°37'35.9"W
(Q2024189) LL(1561.76) DFO(6411186-01)

4506 - Grévigneaux Harbour and / et Aiguillettes Harbour - New Edition - 05-DEC-2003 - NAD 1983

03-JAN-2025

LNM/D. 13-DEC-2024

Add light FI G 5s
(See Chart 1, P1) 50°43'20.5"N 056°06'23.9"W
(N2024149) LL(250.1) DFO(6311484-01)

4583 - St. Julien Island to / à Hooping Harbour including / y compris Canada Bay - New Edition - 31-MAY-2002 -

Unknown

03-JAN-2025

LNM/D. 13-DEC-2024

Add light FI G 5s
(See Chart 1, P1) 50°43'28.7"N 056°06'38.3"W
(N2024149) LL(250.1) DFO(6311484-01)

4625 - Burin Peninsula to / à Saint-Pierre - New Edition - 24-JAN-2003 - NAD 1983

10-JAN-2025

LNM/D. 15-NOV-2024

Delete green port hand lighted spar buoy QG, marked PAG1
(See Chart 1, Qc) 46°50'31.0"N 055°44'36.7"W
(N2024152) LL(75.54) DFO(6311486-01)

Delete green port hand lighted spar buoy FI G, marked PAG3
(See Chart 1, Qc) 46°50'56.8"N 055°44'23.2"W
(N2024153) LL(75.53) DFO(6311487-01)

4642 - Lamaline Harbour - New Edition - 08-NOV-2002 - NAD 1983

10-JAN-2025

LNM/D. 16-AUG-2024

Delete green port hand lighted spar buoy QG, marked PAG1
(See Chart 1, Qc) 46°50'28.5"N 055°44'36.2"W
(N2024152) LL(75.54) DFO(6311486-01)

Delete green port hand lighted spar buoy FI G, marked PAG3
(See Chart 1, Qc) 46°50'56.8"N 055°44'23.2"W
(N2024153) LL(75.53) DFO(6311487-01)

4852 - Smith Sound and / et Random Sound - New Chart - 02-DEC-1994 - NAD 1983

10-JAN-2025

LNM/D. 13-DEC-2024

Add legend 'Ru'
(See Chart 1, F33) 48°09'31.3"N 053°57'18.7"W
DFO(6311573-01)

4967 - Île du Grand Rigolet - New Chart - 09-APR-2021 - NAD 1983

10-JAN-2025

LNM/D. 03-NOV-2023

Delete depth of 12,7 metres
(See Chart 1, I10) 50°40'45.2"N 059°14'25.1"W
DFO(6411194-01)

Add depth of 12,2 metres
(See Chart 1, I10) 50°40'45.4"N 059°14'25.2"W
DFO(6411194-02)

7486 - Navy Channel to/à Fury and Hecla Strait - New Edition - 01-APR-2022 - World Geodetic System 1984
17-JAN-2025

Delete	depth of 18.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373508	69°00'56.8"N 079°51'59.4"W <i>DFO(6605391-01)</i>
Add	depth of 11.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373508	69°00'56.3"N 079°52'35.7"W <i>DFO(6605391-02)</i>
Add	depth of 13.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373508	69°03'33.3"N 079°57'51.3"W <i>DFO(6605391-03)</i>

Section 3: Radio Aids to Marine Navigation Corrections

***107/25 Radio Aids to Marine Navigation 2025 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)**

Page 1-3

DELETE AS FOLLOWS:

1.2 Canadian Maritime Mobile Service Safety and Public Correspondence Communication Frequencies

Table 1-2 - Maritime Mobile Safety and Communication Frequencies VHF

New Channel Designator	Old Channel Designator	Frequencies (MHz)		Class of Emission	Remarks
		Ship	Coast		
60	60	156.025	160.625	-	-
01	01	156.050	160.650	-	-
1001	01A	156.050	156.050	-	-
61	61	156.075	160.675	F3E	DFO/CCG liaison. Commercial fishing.
1061	61A	156.075	156.075	F3E	DFO/CCG liaison. Commercial fishing.
02	02	156.100	160.700	-	Public Correspondence.
62	62	156.125	160.725	F3E	DFO/CCG liaison. Commercial fishing.
1062	62A	156.125	156.125	F3E	DFO/CCG liaison. Commercial fishing.
03	03	156.150	160.750	-	-
63	63	156.175	160.775	-	-
1063	63A	156.175	156.175	-	-
04	04	156.200	160.800	F3E	DFO/CCG liaison. Commercial fishing.
1004	04A	156.200	156.200	F3E	DFO/CCG liaison. Commercial fishing.
...

Section 4: Canadian Sailing Directions Corrections

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
Atlantic Coast	
ATL 103	Newfoundland, Southwest Coast
ATL 105	Cape Canso to Cape Sable (including Sable Island)
ATL 108	Gulf of St. Lawrence (Southwest Portion)
ATL 109	Gulf of St. Lawrence (Northeast Portion)
Central Canada	
CEN 302	Lake Ontario
CEN 307	North Channel of Lake Huron
CEN 308	Rideau Canal and Ottawa River
Northern Canada	
ARC 404	Great Slave Lake and Mackenzie River

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NEWFOUNDLAND AND LABRADOR COAST

SOUTHWEST COAST (LL 121 – 172)

159.01	Fox Roost Breakwater Light	47 34 20.8 059 02 32.8	Fl G 5s	4	Cylindrical mast.	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal (in place year round). Chart: N/A Edn 01/25 (N24-256)
--------	-------------------------------	---------------------------	---------	-------	---	-------------------	---

NOTRE DAME BAY (LL 326 – 395)

378 H0612	Burnt Point Light Station	49 36 03.6 054 09 29.3	Fl W 5s	13.1	11	Square skeleton tower. 9.3	Flash 1 s; eclipse 4 s. Year round. Chart: 4530 Edn 01/25 (N25-001, 002, 004)
--------------	------------------------------	---------------------------	---------	------	----	-------------------------------	--

TRINITY BAY (LL 450.1 – 471.51)

466.2	Clarenville Marina Breakwater Light	48 09 35.2 053 57 34.2	Fl R 4s	4	Cylindrical mast. 2.1	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal. Chart: 4852 Edn 01/25 (N24-248)
-------	--	---------------------------	---------	-------	---	--------------------------	--

ATLANTIC COAST

NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)

523	Mars Rock light buoy H9	Off SE. side of rock. 44 34 19.1 063 32 11.3	Q G 1s	Green, marked "H9".	Year round. Chart: 4203 Edn 01/25 (F24-061)
-----	----------------------------	--	--------	-------	-------	---------------------	---

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals		
CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)									
782 H0761	Sydney range	On point, E. side of North West Arm. 46 10 39.7 060 15 30.0	F	G	23.8	Square skeleton tower, white daymark with red vertical stripe. 9.0	Visible in line of range. Operates 24 h. Mariners requiring an additional light intensity will have to select VHF channel 65A (156.275 MHz) and key their microphones five (5) consecutive times. Three (3) consecutive times are required to reset the intensity. Year round.
783 H0761.1		216°35' 3352.8 m from front.	Oc	G	10s	60.2	Square skeleton tower, white daymark with red stripe. 9.0	Flash 9 s; eclipse 1 s. Visible in line of range. Operates 24 h. Mariners requiring an additional light intensity will have to select VHF channel 65A (156.275 MHz) and key their microphones five (5) consecutive times. Three (3) consecutive times are required to reset the intensity. Year round.
Chart:4266 Edn 01/25 (G24-573, 574)									
784 H0764	Sydney South Arm range	Near N. extremity of point. 46 09 26.5 060 12 13.3	Oc	G	10s	12.0	Triangular skeleton tower, white daymark with red vertical stripe. 15.6	Flash 9 s; eclipse 1 s. Visible in line of range. Operates 24 h. Year round.
785 H0764.1		160°32' 140.4 m from front.	F	G	18.8	16	Triangular skeleton tower, white daymark with red vertical stripe. 15.6	Flash 9 s; eclipse 1 s. Visible in line of range. Operates 24 h. Year round.
Chart:4266 Edn 01/25 (G24-576, 577)									
831 H0806	Whycocomagh	On Lovett Point, N. side of channel. 45 57 40.6 061 04 40.5	LFI	W	6s	7.0	Skeleton tower, enclosed lower portion. 6.8	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal.
Chart:4278 Edn 01/25 (G24-569)									
860.6 H1176.4	Pleasant Bay Breakwater	NE. of breakwater. 46 49 57.2 060 47 51.1	FI	G	5s	7.2	4	Cylindrical mast. 3.6	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal.
Chart:4464 Edn 01/25 (G24-575)									
NORTHUMBERLAND STRAIT – EAST (LL 883.2 – 940.3)									
913	Caribou Harbour light and bell buoy SS1	S. side of channel. 45 45 07.9 062 39 44.0	FI	G	4s	Green, marked "SS1".	Seasonal.
Racon - - . (G) X & S Bands									
Chart:4483 Edn 01/25 (G24-567)									

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

PRINCE EDWARD ISLAND (LL 942 – 1084.7)

948 H0924	Souris East Breakwater	On outer end of breakwater. 46 20 51.0 062 15 17.4	Fl R 5s	10.5	8	Square skeleton tower. 9.2	Flash 1 s; eclipse 4 s. Year round. Chart:4419 Edn 01/25 (G24-564)
--------------	----------------------------------	---	----------------	------	---	--------------------------------------	--

NORTHUMBERLAND STRAIT – WEST (LL 1085 – 1165.9)

1101 H1324	Bas-Cap-Pelé Approach	S. of breakwater, on shore. 46 14 04.3 064 15 49.6	Fl W 5s	12.6	11	Square skeleton tower, red and white rectangular daymark. 6.9	Flash 1 s; eclipse 4 s. Seasonal. Chart:4905 Edn 01/25 (G24-572)
---------------	--------------------------	---	---------	------	----	--	--

GASPÉ – CHALEUR BAY (LL 1169.1 – 1426)

1276.2	Shippegan North Channel light and whistle fairway buoy EG Racon - - - (G) X Band	47 53 14.2 064 38 47.6	Mo(A) W 6s	Red and white vertical stripes, marked "EG".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 01/25 (G24-568)
--------	--	----------------------------------	------------	-------	-------	---	---

INLAND WATERS

LAKE ONTARIO (LL 403.4 – 551)

501.3	Oshawa Harbour light buoy MV3	43 51 41.8 078 49 13.3	Fl G 4s	Green spar, marked "MV3".	Seasonal (in place year round). Chart:2050 Edn 01/25 (B24-255)
--------------	--	---	----------------	--------------	--------------	--	--

LAKE OF THE WOODS (LL 1470 – 1514.9)

1479	Rocky Narrows	E. of Nantons Island. 49 40 57.9 094 27 01.7	Fl W 4s	8.2	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.7	Seasonal. Chart:6218 Edn 01/25 (D24-098)
1507	Rabbit Point	S. of point. 49 10 20.6 094 18 17.9	Fl W 4s	7.6	6	Cylindrical mast, red and white rectangular daymark with red upper portion triangle in centre. 6.1	Seasonal. Chart:6214 Edn 01/25 (D24-096)
1508	Point Brûlé	On rock, NW. of point. 49 07 52.4 094 20 03.9	Fl W 4s	7.9	6	Cylindrical mast, red and white rectangular daymark with green upper portion square in centre. 6.3	Seasonal. Chart:6214 Edn 01/25 (D24-097)

GREAT SLAVE LAKE (LL 1671.7 – 1716)

1672	Grant Point Reef light buoy EG3	Off reef, NE. of Grant Point. 61 30 52.0 112 53 15.0	Fl G 4s	Green, marked "EG3".	Seasonal. Chart:6341 Edn 01/25 (A24-060)
------	------------------------------------	---	---------	-------	-------	----------------------	---

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
1686	Mackenzie Rock light buoy HM2	N. of entrance to Birch Creek. 60 52 16.0 115 21 30.0	Q R 1s	Red, marked "HM2".	Seasonal. Chart:6370 Edn 01/25 (A24-061)
1695.5	Moraine Bay light buoy M2	Approach to bay. 61 35 55.0 115 40 00.0	Fl R 4s	Red, marked "M2".	Seasonal. Chart:6358 Edn 01/25 (A24-064)
MACKENZIE RIVER AND BAY (LL 1716.96 – 2540)							
1721	Beaver Lake light buoy	N. centre of lake, danger zone 1. 61 06 55.7 117 00 10.8	Fl G 4s	Green.	Seasonal. Chart:6452 Edn 01/25 (A24-053)
1722	Point Sarristo light buoy	W. centre of lake, danger zone 1. 61 10 24.0 117 17 42.0	Fl G 4s	Green.	Seasonal. Chart:6452 Edn 01/25 (A24-054)
1733.5	Mills Lake North light buoy	Centre of lake. 61 27 10.0 118 17 01.0	Fl R 4s	Red.	Seasonal. Chart:6454 Edn 01/25 (A24-055)
1736	Mills Lake light buoy	NW. side of lake. 61 25 13.0 118 21 38.0	Fl R 4s	Red.	Seasonal. Chart:6454 Edn 01/25 (A24-056)
1737.5	Mills Lake West light buoy	W. side of lake. 61 19 57.0 118 28 30.0	Fl G 4s	Green.	Seasonal. Chart:6454 Edn 01/25 (A24-057)
1789.6	Mile 560.0 light buoy	W. side of Six Mile Island, NE. of Frenchy Island. 65 15 18.0 126 46 36.0	Fl R 4s	Red.	Seasonal. Chart:6418 Edn 01/25 (A24-058)
HUDSON STRAIT AND BAY (LL 2545 – 2621)							
2578	Inuit light buoy N23	Koojesse Inlet, E. of reef. 63 43 01.2 068 30 42.5	Fl G 4s	Green spar, marked "N23".	Seasonal. Chart:7127 Edn 01/25 (A24-050)
2579	Polaris Reef light buoy N26	Koojesse Inlet, S. of reef. 63 43 19.3 068 30 46.4	Fl R 4s	Red spar, marked "N26".	Seasonal. Chart:7127 Edn 01/25 (A24-051)
2581	Black Ledge light buoy N30	Koojesse Inlet, W. of ledge. 63 43 40.1 068 31 08.3	Fl R 4s	Red spar, marked "N30".	Seasonal. Chart:7127 Edn 01/25 (A24-052)