



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Notices to Mariners

Edition No. 03/2025
March 28, 2025



Safety First, Service Always

Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition
Edition No. 03/2025

Aussi disponible en français :
Avis aux navigateurs – Édition mensuelle de l'Est
Édition n° 03/2025

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Fisheries and Oceans Canada
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Minister of Fisheries, Oceans
and the Canadian Coast Guard, 2025.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)
ISSN 2817-0075

Cat. No. Fs152-8F-PDF (Electronic PDF, French)
ISSN 2817-0083

A web version is available here:

[Notices to Mariners – Monthly Editions](#) (English)

[Avis aux navigateurs – Publications mensuelles](#) (French)

Explanatory Notes – Notices to Mariners (NOTMAR)

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Distances may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email chsinfo@dfo-mpo.gc.ca.

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- *16 on a cellphone (where available)

NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.

Explanatory Notes – Canadian Hydrographic Service (CHS)

Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:

	Chart Number	Chart Title	Chart latest new edition date	Horizontal Chart Datum	Last Correction
Weekly Chart Correction Date	1312	Lac Saint-Pierre - New Edition - 10-MAY-2019 - NAD 1983			
	05-AUG-2022				LN/D. 24-SEP-2021
	Amend				46°03'32.4"N 073°03'21.6"W
		(See Chart 1 P16)		(Q2022035) LL(2177)	DFO(6410690-01)
	Chart Action	Chart 1 Reference No.	CCG Reference No.	List of Lights No.	CHS Reference No.

The last correction number is identified with the **LN/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in "Section 2 – Chart Corrections." This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

Explanatory Notes – Marine Communications and Traffic Services (MCTS)

Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping¹, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the [CCG Navigational Warnings](#).

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

Atlantic Region (North) *Port aux Basques MCTS Centre “N” Series NAVWARN Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0 Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784 Email: NAVWARN.MCTSPortAuxBasques@innav.gc.ca	Central Region *Prescott MCTS Centre “Q” and “C” Series NAVWARN Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0 Telephone: 613-925-0666 Facsimile: 613-925-4519 Email: NAVWARN.MCTSPrescott@innav.gc.ca
Atlantic Region (South) *Sydney MCTS Centre “M” Series NAVWARN Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6 Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662 Email: NAVWARN.MCTSSydney@innav.gc.ca	Arctic Region *Iqaluit MCTS Centre <i>Operational from approximately mid-May until late December.</i> “A” Series NAVWARN Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0 Telephone: 867-979-5269 Facsimile: 867-979-4264 Email: NAVWARN.MCTSIqaluit@innav.gc.ca

*Service available in English and in French.

¹ The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

Table of Contents

Section 1: General and Safety Information	1
*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations	1
*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process	1
*1206/24 Canadian Hydrographic Service – Canadian Sailing Directions PAC 205 and PAC 206 to be replaced by PAC 203.....	1
*301/25 Canadian Hydrographic Service – Nautical Charts.....	1
*302/25 Canadian Hydrographic Service – Electronic Navigational Charts.....	1
*303/25 Transport Canada - Ship Safety Bulletins #02 and #03/2025.....	3
*304/25 Canadian Coast Guard – Great Lakes Waterway Information	4
*305/25 Canadian Hydrographic Service – Raster Navigational Charts Discontinued	4
*307/25 North Manitou Island to/à Whiskey Jack Island – Unlit Buoy Repositioned	5
Section 1A: Temporary and Preliminary Notices	6
Reminder – Comment Period for Active Preliminary Notices	6
*309(T)/25 Cape St Mary's to / à Argentia – Marine Works – Dredging Operations	6
*310/25 Approaches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction Charted	7
*311/25 Georges Bank / Banc de Georges: Eastern Portion / Partie Est – Obstruction Charted.....	7
*312(P)/25 Approaches to / Approches à Saint John – Notice of Proposed Changes.....	8
*313/25 Upper Gap to/à Telegraph Narrows – Construction Operations Completed	8
*314/25 Kingston Harbour and Approaches/et les approches – Aid to Navigation Operating Properly.....	8
*315/25 Hamilton Harbour – Aid to Navigation	8
*316/25 Harbours in Lake Erie/Havres dans le lac Érié – Unlit Buoys Permanently Repositioned	9
Section 2: Chart Corrections	10
Section 3: Radio Aids to Marine Navigation Corrections	20
No corrections for this section.	20
Section 4: Canadian Sailing Directions Corrections	21
Section 5: List of Lights, Buoys and Fog Signals Corrections	22

Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1223	6	4826	17		
1233	10	4841	6, 7, 17, 18		
1236	10, 11	4850	18		
1317	11	4851	18		
2006	8	4920	18		
2017	8	4921	18		
2067	8	4934	18		
2120	1	4950	18		
2123	22	4956	18		
2181	9, 11, 12, 13, 14	5338	24, 25		
2228	22	5352	24		
2300	14	5410	23		
3800	4	5412	23		
4011	7	5449	23		
4021	14	5450	24		
4023	14	5452	24		
4025	6	5625	25		
4116	8	5640	25		
4118	14	5707	23		
4203	14	6251	23		
4227	15	6273	5		
4235	15	6436	18, 19		
4237	15	7127	24		
4255	7	7511	23		
4266	15	14853 (U.S.)	4, 22		
4275	15	14882 (U.S.)	4		
4279	16	14883 (U.S.)	4		
4376	16	14884 (U.S.)	4, 23		
4377	22				
4425	16				
4448	16				
4530	16				
4619	16				
4640	17				
4820	17				

Section 1: General and Safety Information

*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations

(Recurrent publication of notice *505/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 05/2023 publication.)

Mariners are advised that CHS has adopted the harmonized World Magnetic Model (WMM), as found on the NCEI/NOAA website. Old compass rose declination information on CHS navigational products can be updated using this website: <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>. While the differences in the model declinations are small each year, they can become more significant over a large period of time.

*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process

(Recurrent publication of notice *1207/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 12/2023 publication.)

The records of the Canadian Hydrographic Service could contain geographical names that may be considered inappropriate, offensive and derogatory. Geographical naming authorities are in the process of addressing many offensive place names, the review process is underway. For more information, about inappropriate geographical names, please see the [following announcement](#).

*1206/24 Canadian Hydrographic Service – Canadian Sailing Directions PAC 205 and PAC 206 to be replaced by PAC 203

(Recurrent publication of notice *1206/24, originally published in the *Notices to Mariners – Monthly Eastern Edition* 12/2024 publication.)

Canadian Sailing Directions PAC 205 and PAC 206 will be cancelled on January 31, 2025 and replaced by PAC 203 which will contain information previously in both editions. Mariners can obtain PAC 203 on January 31, 2025 from [Canadian Sailing Directions](#).

*301/25 Canadian Hydrographic Service – Nautical Charts

Charts	Main Title	Scale	Edition Date	Published	Cat#	Price
New Editions						
2120	Niagara River to/à Long Point	1:120 000	2025-02-14	2025-03-14	3	\$20.00

*302/25 Canadian Hydrographic Service – Electronic Navigational Charts

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
New Charts			
CA54AQAA (Edn 1.000)	CA54AQAA	1:4 000	2025-03-14
CA54AQBA (Edn 1.000)	CA54AQBA	1:4 000	2025-03-14
CA54AQDA (Edn 1.000)	CA54AQDA	1:4 000	2025-03-14
CA54BQ9A (Edn 1.000)	CA54BQ9A	1:6 000	2025-03-14

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA54BQAA (Edn 1.000)	CA54BQAA	1:6 000	2025-03-14
CA55ASDA (Edn 1.000)	CA55ASDA	1:6 000	2025-03-21
CA571516 (Edn 1.000)	CA571516	1:11 000	2025-03-28
CA571517 (Edn 1.000)	CA571517	1:11 000	2025-03-28
CA571518 (Edn 1.000)	CA571518	1:11 000	2025-03-28
CA571519 (Edn 1.000)	CA571519	1:11 000	2025-03-28
CA571520 (Edn 1.000)	CA571520	1:11 000	2025-03-28
CA571521 (Edn 1.000)	CA571521	1:11 000	2025-03-28
CA571522 (Edn 1.000)	CA571522	1:11 000	2025-03-28
CA571523 (Edn 1.000)	CA571523	1:11 000	2025-03-28
CA571524 (Edn 1.000)	CA571524	1:11 000	2025-03-28
CA571525 (Edn 1.000)	CA571525	1:11 000	2025-03-28
CA571526 (Edn 1.000)	CA571526	1:11 000	2025-03-28
CA571527 (Edn 1.000)	CA571527	1:11 000	2025-03-28
CA571528 (Edn 1.000)	CA571528	1:11 000	2025-03-28
CA571529 (Edn 1.000)	CA571529	1:11 000	2025-03-28
CA571530 (Edn 1.000)	CA571530	1:11 000	2025-03-28
CA571531 (Edn 1.000)	CA571531	1:11 000	2025-03-28
CA571532 (Edn 1.000)	CA571532	1:11 000	2025-03-28
CA571533 (Edn 1.000)	CA571533	1:11 000	2025-03-28
CA571534 (Edn 1.000)	CA571534	1:11 000	2025-03-28
CA571535 (Edn 1.000)	CA571535	1:11 000	2025-03-28
CA571536 (Edn 1.000)	CA571536	1:11 000	2025-03-28
CA571537 (Edn 1.000)	CA571537	1:11 000	2025-03-28
CA571538 (Edn 1.000)	CA571538	1:11 000	2025-03-28
CA571539 (Edn 1.000)	CA571539	1:11 000	2025-03-28
CA571540 (Edn 1.000)	CA571540	1:11 000	2025-03-28
CA571541 (Edn 1.000)	CA571541	1:11 000	2025-03-28
New Editions			
CA44JN4A (Edn 3.000)	Transit4700N07100W	1:22 500	2025-03-21
CA473300 (Edn 10.000)	Lac St-Louis au/to Lac St-Francois	1:12 500	2025-03-21
CA54WQ0A (Edn 2.000)	Port4820N06480W	1:4 000	2025-03-21
CA570006 (Edn 9.000)	Active Pass	1:6 000	2025-03-28
CA570008 (Edn 8.000)	Montague Harbour	1:9 000	2025-03-28
CA670740 (Edn 3.000)	Ogden Point	1:1 000	2025-03-07
Charts Permanently Withdrawn			
CA570009	Fishermans Cove	Cancelled by CA571522	
CA570010	Horseshoe Bay	Cancelled by CA571522	
CA570011	Mannion Bay and/et Snug Cove	Cancelled by CA571523	

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA570015	Fraser River/Fleuve Fraser, Sand Heads to/à Douglas Island		
CA570073	Vancouver Harbour Western Portion/Partie Ouest		
CA570123	Vancouver Harbour Central Portion/Partie Centrale		
CA570127	Vancouver Harbour Eastern Portion/Partie Est		
CA570176	Fraser River/Fleuve Fraser, North Arm		
CA570297	Roberts Bank		
CA570747	Approaches to/Approches à Vancouver Harbour		
CA670746	Canada Place	Cancelled by CA571526	
CA670748	Deltaport	Cancelled by CA571536	
CA670757	Canexus	Cancelled by CA571527	

***303/25 Transport Canada - Ship Safety Bulletins #02 and #03/2025**

New **Ship Safety Bulletins** have recently been posted on the [Transport Canada website](#).

To view or download these bulletins, please click on the links below:

[SSB#02/2025](#) – Guidance for marine operators to report illness on board
RDIMS# 20762068

[SSB#03/2025](#) – Belgian seafarers can now seek Canadian recognition of their STCW certificates
RDIMS# 20826902

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free).

*304/25 Canadian Coast Guard – Great Lakes Waterway Information

Reference chart: 14853 (U.S.), 14882 (U.S.), 14883 (U.S.), 14884 (U.S.)

Updated shoaling conditions for the navigational channels in the Great Lakes are available on the Canadian Coast Guard websites:

[CCG e-Nav - Shoals in the Detroit River](#)

[CCG e-Nav - Shoals in the St. Clair River](#)

[CCG e-Nav - Shoals in the St. Mary's River](#)

Great Lakes Waterways Channel Bottom Conditions and Active Shoals are available at the website:

[GCC - e-Nav Portal - Central - Great Lakes Waterways - Channel Bottom Conditions](#)

Areas		
Detroit River	North Channel	St. Clair River
Great Lakes	Lake Huron	St. Marys River
Lake Erie	Lake St. Clair	Whitefish Bay

*305/25 Canadian Hydrographic Service – Raster Navigational Charts Discontinued

The Canadian Hydrographic Service (CHS) commenced the discontinuation of its digital Raster Navigational Charts (RNC) offered in BSB format in March 2022.

Charts to be cancelled effective immediately as part of this ongoing initiative are listed below.

CHS will support Global Navigation Satellite System (GNSS) users by offering Electronic Navigational Charts (ENC) in S-57 format, as well as non-GNSS users by continuing to offer Paper Charts. To learn more about the advantages of ENC over RNC, please visit the [What is the difference between a raster chart and a vector chart](#) page.

BSB Chart	Title	BSB Chart	Title
RM-3800	Dixon entrance	RM-4745	White Point to / à Sandy Island
RM-3863	Port Chanal	RM-5046	Kaipokok Bay and / et Cape Makkovik to / à Winsor Harbour Island
RM-4130	Petitcodiac River and/et Cumberland Basin	RM-5047	Winsor Harbour Island to / aux Kikkertaksoak Islands
RM-4320	Egg Island to / à West Ironbound Island	RM-5055	Cape Kiglapait to/à Khikkertarsoak North Island
RM-4335	Strait of Canso and Approaches / et les approches	RM-5056	Khikkertarsoak North Island to/a Morhardt Point
RM-4426	Rivière Ristigouche / Restigouche River	RM-5057	Hare Island to/à North Head
RM-4542	Hampden Bay	RM-5058	North Head to/à Murphy Head
RM-4661	Bear Head to / à Cow Head	RM-5059	Saglek Bay
RM-4701	Ship Harbour Head to / aux Camp Islands	RM-5138	Sandwich Bay

***307/25 North Manitou Island to/à Whiskey Jack Island – Unlit Buoy Repositioned**

Reference chart: 6273

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Spruce Bluff buoy J7	9844	52° 45' 08.3"N 100° 02' 09.7"W

(P2025-010)

Section 1A: Temporary and Preliminary Notices

Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
Atlantic Coast			
208(P)/25	1223	1748	Aid to Navigation to be Abandoned
209(P)/25	4025	1513.2	Aid to Navigation to be Abandoned

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

Newfoundland and Labrador Coast

Temporary Notices

*309(T)/25 Cape St Mary's to / à Argentia – Marine Works – Dredging Operations

Reference: Notice 1117(T)/24 is cancelled.

Reference chart: 4841

Debris removal, boulder removal, and dredging operations are underway in the areas bounded by the following coordinates:

The pipeline are fitted with lights and radar reflectors with combined total length measuring approximately 596 meters. Pipeline anchor positions are individually marked by yellow cautionary buoys.

Inner Channel:

47° 19.659'N 053° 57.518'W

47° 19.699'N 053° 57.007'W

47° 19.059'N 053° 56.972'W

47° 19.045'N 053° 57.484'W

Outer Channel:

47° 20.965'N 053° 58.704'W

47° 20.583'N 053° 57.292'W

47° 20.269'N 053° 57.533'W

47° 20.657'N 053° 58.975'W

Environmental monitoring buoys equipped with lights and radar reflectors deployed in:

47° 19.969'N 053° 59.099'W

47° 19.725'N 053° 57.066'W

47° 19.686'N 053° 56.798'W

Removed boulders are relocated to the areas bounded by the following coordinates:

Inner Channel Boulder Relocation Area:

47° 19.089'N 053° 57.115'W

47° 19.092'N 053° 57.036'W

47° 19.653'N 053° 57.067'W

47° 19.651'N 053° 57.147'W

Outer Channel Boulder Relocation Area:

47° 20.543'N 053° 57.405'W

47° 20.594'N 053° 57.376'W

47° 20.945'N 053° 58.703'W

47° 20.894'N 053° 58.732'W

Vessels are moving to transit dredged material to offshore disposal areas in the vicinity of:

Placentia Sound Offshore Disposal Site:	The Pond Offshore Disposal Site:
47° 18.393'N 053° 55.372'W	47° 18.990'N 053° 59.576'W

Multiple vessels, barges and dredges are involved in the operations, all are monitoring VHF channel 16 and are requesting a wide berth of at least 100 meters.

Caution.

Preliminary Notices

No notices applicable for this edition.

Atlantic Coast

Temporary Notices

***310/25 Approaches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction Charted**

Reference: Notice 314(T)/23 is cancelled (Chart 4011).

Subsurface scientific equipment has been charted on chart 4011.

***311/25 Georges Bank / Banc de Georges: Eastern Portion / Partie Est – Obstruction Charted**

Reference: Notice 315(T)/23 is cancelled (Chart 4255).

Subsurface scientific equipment has been charted on chart 4255.

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: DFO.CCGATLAidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca

***312(P)/25 Approaches to / Approches à Saint John – Notice of Proposed Changes**

Reference chart: 4116

The Canadian Coast Guard proposes to permanently change the following aids to navigation:

Aid Name	LL #	Position	Proposed Changes
Fixed Aids			
Lighthouse Point	83	45° 03' 46.7"N 066° 43' 59.0"W	Discontinue the fog horn.
Beaver Harbour	84	45° 04' 07.9"N 066° 44' 14.5"W	Change flash characteristics to: Fl 1 s; Ec 4 s. Increase lantern intensity.
Floating Aids			
Beaver Harbour buoy KE2	5080.2	45° 03' 52.5"N 066° 43' 47.0"W	Change the function of the buoy from starboard to West Cardinal. Change the buoy designator from KE2 to KEW. Add white lantern with flash characteristics: Q (9) 15 s.
Wright Bluff buoy KE3	5080.3	45° 04' 06.0"N 066° 44' 03.0"W	Change the buoy designator from KE3 to KE7. Add green lantern with flash characteristics: Fl 0.5 s; Ec 3.5 s.
Calder Ledge buoy KE5	5080.5	45° 03' 59.0"N 066° 43' 28.0"W	Add green lantern with flash characteristics: Fl 0.5 s; Ec 3.5 s.

Initial publication date: Friday, March 28, 2025

[Comment submission deadline](#): Thursday, June 26, 2025

(F2025-001)

Inland Waters

Temporary Notices

***313/25 Upper Gap to/à Telegraph Narrows – Construction Operations Completed**

Reference: Notice 112(T)/21 is cancelled (Chart 2006).

Construction operations on the Bay of Quinte Skyway Bridge are completed.

***314/25 Kingston Harbour and Approaches/et les approches – Aid to Navigation Operating Properly**

Reference: Notice 413(T)/21 is cancelled (Chart 2017).

Aid to navigation Marysville Wharf light (LL 399.3) is now operating properly.

***315/25 Hamilton Harbour – Aid to Navigation**

Reference: Notice 1023(T)/24 is cancelled (Chart 2067).

Aid to navigation permanently established.

***316/25 Harbours in Lake Erie/Havres dans le lac Érié – Unlit Buoys Permanently Repositioned**

Reference: Notice 108(T)/17 is cancelled (Chart 2181).

Unlit buoys permanently repositioned at the following :

Aid Name	LL #	Position
Buoy ES2	7169	42° 39' 09.1"N 081° 12' 31.6"W
Buoy ES3	7170	42° 39' 15.3"N 081° 12' 40.86"W
Buoy ES4	7171	42° 39' 16.6"N 081° 12' 38.0"W

Preliminary Notices

No notices applicable for this edition.

Section 2: Chart Corrections

1233 - Cap aux Oies à/to Sault-au-Cochon - New Edition - 21-OCT-2022 - NAD 1983

07-MAR-2025

LNMD. 11-OCT-2024

Affix	patch	47°25'15.0"N 070°23'33.4"W
	Download Patch - https://www.notmar.gc.ca/chsftp/patches/1233_6411188_1_202502050743.pdf	
		DFO(6411188-01)

1236 - Matane - New Edition - 26-OCT-2012 - NAD 1983

21-MAR-2025

LNMD. 07-FEB-2025

Add	depth of 8,5 metres (See Chart 1, I10)	48°50'45.5"N 067°34'57.1"W DFO(6411242-01)
Delete	depth of 9,3 metres (See Chart 1, I10)	48°50'49.7"N 067°34'53.7"W DFO(6411242-02)
Add	depth of 9 metres (See Chart 1, I10)	48°50'49.6"N 067°34'53.5"W DFO(6411242-03)
Add	drying depth of 0 metres (See Chart 1, I10)	48°50'56.3"N 067°34'41.8"W DFO(6411242-04)
Add	depth of 9,6 metres (See Chart 1, I10)	48°51'02.5"N 067°34'29.6"W DFO(6411242-05)
Delete	depth of 5 metres (See Chart 1, I10)	48°50'44.7"N 067°34'47.9"W DFO(6411242-06)
Add	depth of 4,6 metres (See Chart 1, I10)	48°50'44.3"N 067°34'48.5"W DFO(6411242-07)
Delete	depth of 8,2 metres (See Chart 1, I10)	48°50'42.0"N 067°34'38.9"W DFO(6411242-08)
Add	depth of 7,7 metres (See Chart 1, I10)	48°50'42.1"N 067°34'38.7"W DFO(6411242-09)
Delete	depth of 9,9 metres (See Chart 1, I10)	48°50'31.3"N 067°34'43.0"W DFO(6411242-10)
Add	depth of 9,6 metres (See Chart 1, I10)	48°50'33.1"N 067°34'42.3"W DFO(6411242-11)
Add	depth of 9,5 metres (See Chart 1, I10)	48°50'31.3"N 067°34'43.1"W DFO(6411242-12)

Delete	depth of 9,5 metres (See Chart 1, I10)	48°50'29.9"N 067°34'41.9"W <i>DFO(6411242-13)</i>
Add	depth of 9 metres (See Chart 1, I10)	48°50'30.0"N 067°34'42.0"W <i>DFO(6411242-14)</i>
Add	depth of 1,5 metres (See Chart 1, I10)	48°50'31.6"N 067°34'25.8"W <i>DFO(6411242-15)</i>
Delete	depth of 1,6 metres (See Chart 1, I10)	48°50'34.3"N 067°34'23.3"W <i>DFO(6411242-16)</i>
Add	depth of 1,2 metres (See Chart 1, I10)	48°50'34.3"N 067°34'23.3"W <i>DFO(6411242-17)</i>

1317 - Sault-au-Cochon à/to Québec - New Edition - 03-APR-2020 - NAD 1983
07-MAR-2025

LNMD. 11-OCT-2024

Delete	depth of 14,7 metres (See Chart 1, I10)	47°08'44.4"N 070°40'29.4"W <i>DFO(6411227-05)</i>
Add	depth of 13,1 metres (See Chart 1, I10)	47°08'44.4"N 070°40'29.4"W <i>DFO(6411227-06)</i>
Add	depth of 14,6 metres (See Chart 1, I10)	47°07'22.8"N 070°41'47.4"W <i>DFO(6411227-07)</i>

2181 - Kingsville - New Edition - 11-MAY-2007 - NAD 1983
28-MAR-2025

LNMD. 14-FEB-2025

Delete	depth of 2.2 metres (See Chart 1, I10)	42°01'27.7"N 082°43'54.5"W <i>DFO(6605392-01)</i>
Add	obstruction with known depth of 1.4 metres (See Chart 1, K41)	42°01'27.6"N 082°43'54.5"W <i>DFO(6605392-02)</i>
Delete	depth of 2.3 metres (See Chart 1, I10)	42°01'31.4"N 082°43'50.6"W <i>DFO(6605392-03)</i>
Add	obstruction with known depth of 1.4 metres (See Chart 1, K41)	42°01'31.4"N 082°43'50.8"W <i>DFO(6605392-04)</i>
Delete	depth of 5.2 metres (See Chart 1, I10)	42°01'25.9"N 082°43'48.7"W <i>DFO(6605392-05)</i>
Add	obstruction with known depth of 1.6 metres (See Chart 1, K41)	42°01'25.8"N 082°43'48.8"W <i>DFO(6605392-06)</i>

Delete	depth of 5 metres (See Chart 1, I10)	42°01'25.2"N 082°43'48.3"W <i>DFO(6605392-07)</i>
Add	obstruction with known depth of 2.2 metres (See Chart 1, K41)	42°01'25.2"N 082°43'48.3"W <i>DFO(6605392-08)</i>
Delete	depth of 3.9 metres (See Chart 1, I10)	42°01'28.2"N 082°43'52.9"W <i>DFO(6605392-09)</i>
Add	depth of 3.3 metres (See Chart 1, I10)	42°01'28.2"N 082°43'52.9"W <i>DFO(6605392-10)</i>
Delete	depth of 5.3 metres (See Chart 1, I10)	42°01'27.1"N 082°43'45.2"W <i>DFO(6605392-11)</i>
Add	depth of 4.4 metres (See Chart 1, I10)	42°01'27.1"N 082°43'45.2"W <i>DFO(6605392-12)</i>
Delete	depth of 5.4 metres (See Chart 1, I10)	42°01'24.3"N 082°43'47.1"W <i>DFO(6605392-13)</i>
Add	depth of 2.8 metres (See Chart 1, I10)	42°01'24.3"N 082°43'47.1"W <i>DFO(6605392-14)</i>
Delete	depth of 5.4 metres (See Chart 1, I10)	42°01'24.2"N 082°43'44.9"W <i>DFO(6605392-15)</i>
Add	depth of 4.9 metres (See Chart 1, I10)	42°01'24.2"N 082°43'44.9"W <i>DFO(6605392-16)</i>
Delete	depth of 5.2 metres (See Chart 1, I10)	42°01'23.5"N 082°43'45.7"W <i>DFO(6605392-17)</i>
Add	depth of 3.4 metres (See Chart 1, I10)	42°01'23.5"N 082°43'45.7"W <i>DFO(6605392-18)</i>
Add	depth of 3.5 metres (See Chart 1, I10)	42°01'24.8"N 082°43'45.0"W <i>DFO(6605392-19)</i>
Add	depth of 2.5 metres (See Chart 1, I10)	42°01'24.7"N 082°43'46.5"W <i>DFO(6605392-20)</i>
Add	obstruction with known depth of 2.3 metres (See Chart 1, K41)	42°01'25.6"N 082°43'47.8"W <i>DFO(6605392-21)</i>

2181 - Leamington - New Edition - 11-MAY-2007 - NAD 1983

28-MAR-2025

LNMD. 14-FEB-2025

Delete	depth of 4.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'26.2"N 082°35'55.6"W <i>DFO(6605447-01)</i>
Add	depth of 2.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'26.2"N 082°35'55.6"W <i>DFO(6605447-02)</i>
Delete	depth of 3.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'28.8"N 082°35'55.9"W <i>DFO(6605447-03)</i>
Add	depth of 2.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'28.8"N 082°35'55.8"W <i>DFO(6605447-04)</i>
Add	depth of 3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'28.1"N 082°35'59.4"W <i>DFO(6605447-05)</i>
Add	depth of 3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'25.5"N 082°36'00.5"W <i>DFO(6605447-06)</i>
Delete	depth of 4.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'28.7"N 082°35'58.0"W <i>DFO(6605447-07)</i>
Add	depth of 2.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'24.9"N 082°36'07.4"W <i>DFO(6605447-08)</i>
Add	depth of 2.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'28.7"N 082°35'57.5"W <i>DFO(6605447-09)</i>
Add	depth of 2.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'27.2"N 082°35'55.7"W <i>DFO(6605447-10)</i>
Add	depth of 3.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'24.9"N 082°35'54.2"W <i>DFO(6605447-11)</i>
Add	depth of 3.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'22.9"N 082°35'55.9"W <i>DFO(6605447-12)</i>

Add	depth of 2.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'20.4"N 082°35'59.2"W DFO(6605447-13)
Delete	depth of 4.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'24.2"N 082°35'53.8"W DFO(6605447-14)
Delete	depth of 4.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA573315	42°01'22.5"N 082°35'55.5"W DFO(6605447-15)
2300 - Lake Superior/Lac Supérieur - New Edition - 25-FEB-2022 - NAD 1983		
28-MAR-2025		LNMD. 12-JUL-2024
Amend	FI 10s 18m to read FI 10s20m14M against light (See Chart 1, P16)	46°30'43.7"N 084°36'55.0"W (D2025012) LL(1081) DFO(6605450-01)
4021 - Pointe Amour à / to Cape Whittle et / and Cape George - New Edition - 01-NOV-2002 - NAD 1983		
07-MAR-2025		LNMD. 22-NOV-2024
Delete	drying height of 1 fathom, 1 foot (See Chart 1, I15)	50°42'22.3"N 058°55'50.5"W DFO(6311914-01)
4023 - Northumberland Strait / Détroit de Northumberland - New Edition - 27-DEC-2002 - World Geodetic System 1984		
07-MAR-2025		LNMD. 28-FEB-2025
Delete	red and white fairway lighted spar buoy Mo(A) (See Chart 1, Qd)	46°26'44.8"N 062°49'43.7"W (G2024496) LL(1046.81) DFO(6311806-01)
Add	red and white fairway lighted pillar buoy Mo(A) (See Chart 1, Qd)	46°26'45.5"N 062°49'29.7"W DFO(6311806-02)
4118 - Meteghan - New Edition - 13-NOV-1998 - NAD 1983		
07-MAR-2025		LNMD. 19-JUL-2024
Amend	FI R to read LFI R against light (See Chart 1, P16, P10.5)	44°11'44.2"N 066°10'00.0"W LL(239.5) DFO(6311468-01)
4118 - St. Marys Bay - New Edition - 13-NOV-1998 - NAD 1983		
07-MAR-2025		LNMD. 19-JUL-2024
Amend	FI R to read LFI R against light (See Chart 1, P16, P10.5)	44°11'44.3"N 066°09'59.8"W LL(239.5) DFO(6311468-01)
4203 - Halifax Harbour: Black Point to / à Point Pleasant - New Edition - 28-DEC-2018 - NAD 1983		
28-MAR-2025		LNMD. 04-OCT-2024
Amend	FI G to read Q G against green port hand lighted pillar buoy, marked H9 (See Chart 1, P10.6, Qc)	44°34'19.0"N 063°32'10.8"W (F2024061) LL(523) DFO(6311899-01)

4227 - Country Harbour to / au Ship Harbour - New Chart - 24-MAY-1991 - NAD 1983

21-MAR-2025

LNMD/D. 21-JUN-2024

Delete front range/leading light F17m 44°51'30.0"N 062°26'53.6"W
(See Chart 1, P20.2)
(F2024058) LL(598) DFO(6311879-01)

Delete rear range/leading light F 20m 18M with leading line and bearings 163½° - 343½° between 44°51'38.6"N 062°26'57.2"W
(See Chart 1, P20.2, Pa) and 44°47'22.1"N 062°25'09.1"W
(F2024059) LL(599) DFO(6311879-02)

4235 - Barren Island to / à Taylors Head - New Edition - 28-APR-2000 - NAD 1983

21-MAR-2025

LNMD/D. 17-MAY-2024

Delete front range/leading light F 17m 44°51'30.0"N 062°26'53.6"W
(See Chart 1, P20.2)
(F2024058) LL(598) DFO(6311879-01)

Delete rear range/leading light F 20m 18M with leading line and bearings 163½° - 343½° between 44°51'38.6"N 062°26'57.2"W
(See Chart 1, P20.2, Pa) and 44°47'19.2"N 062°25'09.0"W
(F2024059) LL(599) DFO(6311879-02)

4237 - Approaches to / Approches de Halifax Harbour - New Edition - 28-MAY-2021 - World Geodetic System 1984

28-MAR-2025

LNMD/D. 13-SEP-2024

Amend FI G to read Q G against green port hand lighted pillar buoy, marked H9 44°34'19.1"N 063°32'11.3"W
(See Chart 1, P10.6, Qc)
(F2024061) LL(523) DFO(6311899-01)

4266 - International Piers - New Edition - 28-FEB-2014 - NAD 1983

21-MAR-2025

LNMD/D. 30-AUG-2024

Amend F G 15m to read Oc G 12m against front range light 46°09'26.5"N 060°12'13.3"W
(See Chart 1, P10.2, P20.2)
(G2024576) LL(784) DFO(6311897-01)

Amend F G 22m to read F G 19m against rear range light 46°09'22.2"N 060°12'11.1"W
(See Chart 1, P20.2)
(G2024577) LL(785) DFO(6311897-02)

4266 - Sydney Harbour - New Edition - 28-FEB-2014 - NAD 1983

21-MAR-2025

LNMD/D. 30-AUG-2024

Amend F G 15m to read Oc G 12m against front range light 46°09'26.5"N 060°12'13.3"W
(See Chart 1, P10.2, P20.2)
(G2024576) LL(784) DFO(6311897-01)

Amend F G 22m to read F G 19m against rear range light 46°09'22.2"N 060°12'11.1"W
(See Chart 1, P20.2)
(G2024577) LL(785) DFO(6311897-02)

4275 - St. Peters Bay - New Edition - 28-MAR-2014 - NAD 1983

14-MAR-2025

LNMD/D. 28-JUL-2017

Reposition green port hand lighted spar buoy FI G, marked NN5 from 45°35'51.2"N 060°46'15.4"W
(See Chart 1, Qc) to 45°35'14.0"N 060°46'15.3"W
This notice affects Electronic Navigational Chart: CA576291
(G2024491) LL(737.05) DFO(6311799-01)

4279 - Bras D'Or Lake - New Edition - 25-SEP-2020 - World Geodetic System 1984

14-MAR-2025

LNMD. 14-FEB-2025

Reposition green port hand lighted spar buoy FI G, marked NN5
(See Chart 1, Qc)
This notice affects Electronic Navigational Chart: CA576291

from 45°35'51.2"N 060°46'15.4"W
to 45°35'14.0"N 060°46'15.3"W

(G2024491) LL(737.05) DFO(6311799-01)

4376 - Louisbourg Harbour - New Edition - 14-JUN-2002 - NAD 1983

28-MAR-2025

LNMD. 28-JUN-2024

Add obstruction with known depth of 20 feet
(See Chart 1, K41)

45°54'59.3"N 059°58'16.4"W

DFO(6311929-01)

4425 - Savage Harbour - New Edition - 01-NOV-2002 - NAD 1983

07-MAR-2025

LNMD. 27-DEC-2024

Delete red and white fairway lighted spar buoy Mo(A), marked JE
(See Chart 1, Qd)

46°26'46.2"N 062°49'29.5"W

(G2024496) LL(1046.81) DFO(6311806-01)

Add red and white fairway lighted pillar buoy Mo(A), marked JE
(See Chart 1, Qd)

46°26'45.5"N 062°49'29.7"W

DFO(6311806-02)

4448 - Port Hood - New Edition - 13-DEC-2002 - NAD 1983

14-MAR-2025

LNMD. 30-AUG-2024

Add red starboard hand conical buoy, marked VK14
(See Chart 1, Qb)
This notice affects Electronic Navigational Chart: CA576661

46°00'31.1"N 061°32'30.6"W

(G2024490) DFO(6311801-01)

4530 - Hamilton Sound: Eastern Portion / Partie-est - New Edition - 15-MAR-2002 - NAD 1983

07-MAR-2025

LNMD. 15-NOV-2024

Delete light FI 6s22m
(See Chart 1, P1)

49°35'03.8"N 054°11'14.6"W

(N2024255) LL(380) DFO(6311883-01)

Delete legend 'Fog Sig 60s' against light
(See Chart 1, R20)

49°36'03.5"N 054°09'29.3"W

(N2025001) LL(378) DFO(6311903-01)

Amend FI 6s 13m 16M to read FI 5s13m11M against light
(See Chart 1, P16)

49°36'03.5"N 054°09'29.3"W

(N2025002) LL(378) DFO(6311903-02)

4619 - Continuation A - New Edition - 20-NOV-1998 - NAD 1983

14-MAR-2025

LNMD. 19-JUL-2024

Add marine farm limits
(See Chart 1, K48.1)

joining 47°28'01.7"N 054°32'15.6"W
47°27'56.8"N 054°31'42.7"W
47°27'29.3"N 054°31'35.1"W
47°26'28.9"N 054°32'18.7"W
and 47°26'41.0"N 054°33'18.5"W
DFO(6311892-01)

4640 - Isle aux Morts and Approches / et les approches - New Edition - 27-AUG-1999 - NAD 1983

28-MAR-2025

LNMD. 05-MAY-2023

Add light Fl G 47°34'20.9"N 059°02'32.9"W
(See Chart 1, P1)
(N2024256) LL(159.01) DFO(6311885-01)

4820 - Cape Freels to / à Exploits Islands - New Chart - 01-JUL-2005 - NAD 1983

07-MAR-2025

LNMD. 16-AUG-2024

Delete light Fl 49°35'03.6"N 054°11'14.6"W
(See Chart 1, P1)
(N2024255) LL(380) DFO(6311883-01)

Delete legend 'Fog Sig 60s' against light 49°36'03.3"N 054°09'29.2"W
(See Chart 1, R20)
(N2025001) LL(378) DFO(6311903-01)

Amend Fl 6s 13m 16M to read Fl 5s13m11M against light 49°36'03.3"N 054°09'29.2"W
(See Chart 1, P16)
(N2025002) LL(378) DFO(6311903-02)

4826 - Burgeo to / à François - New Chart - 24-FEB-2006 - NAD 1983

14-MAR-2025

LNMD. 29-NOV-2024

Delete marine farm 47°38'11.7"N 056°42'22.8"W
(See Chart 1, K48.1, K48.2)
DFO(6311902-01)

Delete marine farm 47°37'51.5"N 056°40'08.9"W
(See Chart 1, K48.1, K48.2)
DFO(6311902-02)

Add marine farm limits joining 47°38'25.6"N 056°42'01.7"W
(See Chart 1, K48.1) 47°37'51.7"N 056°41'52.0"W
47°37'33.8"N 056°41'55.8"W
47°37'36.5"N 056°42'20.9"W
47°37'46.9"N 056°42'15.5"W
47°38'13.7"N 056°42'35.2"W
and 47°38'25.6"N 056°42'01.7"W
DFO(6311902-03)

Add marine farm limits joining 47°38'17.1"N 056°40'00.1"W
(See Chart 1, K48.1) 47°38'01.3"N 056°39'53.0"W
47°38'01.5"N 056°39'42.1"W
47°37'18.8"N 056°39'40.5"W
47°37'20.8"N 056°40'03.3"W
47°37'25.9"N 056°40'00.5"W
47°37'58.2"N 056°40'17.8"W
and 47°38'17.1"N 056°40'00.1"W
DFO(6311902-04)

4841 - Argentia - New Edition - 29-MAY-2015 - NAD 1983

28-MAR-2025

LNMD. 21-JUN-2024

Add obstruction, depth unknown with legend Rep (2025) 47°20'06.0"N 053°56'24.0"W
(See Chart 1, K40, I3)
DFO(6311928-01)

4841 - Cape St Mary's to / à Argentia - New Edition - 29-MAY-2015 - NAD 1983

28-MAR-2025

LNMD. 21-JUN-2024

Add obstruction, depth unknown with legend Rep (2025)
(See Chart 1, K40, I3)

47°20'06.0"N 053°56'24.0"W

DFO(6311928-01)

4850 - Cape St Francis to / à Baccalieu Island and / et Heart's Content - New Chart - 11-MAY-1990 - NAD 1983

21-MAR-2025

LNMD. 29-NOV-2024

Delete fog signal 'Fog Sig 30 s' against light
(See Chart 1, R20)

47°54'53.8"N 053°21'34.0"W

(N2025011) LL(468.7) DFO(6311924-01)

4851 - Trinity Bay: Southern Portion / Partie Sud - New Edition - 30-SEP-2016 - World Geodetic System 1984

21-MAR-2025

LNMD. 13-DEC-2024

Delete fog signal 'FogSig30s' against light
(See Chart 1, R20)

47°54'53.8"N 053°21'34.0"W

(N2025011) LL(468.7) DFO(6311924-01)

4920 - Bathurst Harbour - New Edition - 14-DEC-2018 - NAD 1983

14-MAR-2025

LNMD. 14-FEB-2025

Reposition red starboard hand pillar buoy, marked EP32
(See Chart 1, Qb)

from 47°39'11.9"N 065°37'35.0"W
to 47°39'12.2"N 065°37'25.7"W
(G2024414) DFO(6311723-01)

4921 - Quai / Wharf Newport-Point - New Edition - 02-DEC-2016 - NAD 1983

14-MAR-2025

LNMD. 08-NOV-2024

Affix patch

48°17'05.7"N 064°43'16.7"W

Download Patch - https://www.notmar.gc.ca/chsftp/patches/4921_6411239_1_202502101319.pdf

DFO(6411239-01)

4934 - Fortune Harbour - New Chart - 30-JUN-2023 - World Geodetic System 1984

07-MAR-2025

LNMD. 28-JUN-2024

Reposition green port hand lighted pillar buoy Q G, marked NC9
(See Chart 1, Qc)

from 46°19'39.4"N 062°20'46.8"W
to 46°19'39.0"N 062°20'46.8"W
LL(948.22) DFO(6311901-01)

4950 - Îles de la Madeleine - New Edition - 19-JUL-2013 - NAD 1983

07-MAR-2025

LNMD. 12-MAY-2023

Delete Carte/Chart 4955

47°23'20.7"N 061°49'31.2"W
DFO(6411237-01)

Amend 4956 for read 4958

47°21'27.0"N 061°48'06.7"W
DFO(6411237-02)

6436 - Napoiak Channel, including / y compris Schooner and/et Taylor Channels Kilometre/Kilomètre 1590 - 1650 - New Edition - 24-APR-2020 - NAD 1983

28-MAR-2025

Delete front leading beacon marked, RAM
(See Chart 1, Q120)

68°25'10.4"N 134°11'00.5"W

DFO(6605448-01)

Delete	rear leading beacon with leading line (See Chart 1, Q120)	68°25'11.6"N 134°11'16.5"W <i>DFO(6605448-02)</i>
Add	front leading beacon marked, RAM (See Chart 1, Q120)	68°25'26.2"N 134°12'26.4"W <i>DFO(6605448-03)</i>
Add	rear leading beacon with leading line (See Chart 1, Q120, Pa)	68°25'27.7"N 134°12'43.1"W <i>DFO(6605448-04)</i>

Section 3: Radio Aids to Marine Navigation Corrections

No corrections for this section.

Section 4: Canadian Sailing Directions Corrections

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
Atlantic Coast	
ATL 100	General Information, Atlantic Coast
ATL 108	Gulf of St. Lawrence (Southwest Portion)
Central Canada	
CEN 302	Lake Ontario
Pacific Coast	
PAC 200	General Information, Pacific Coast
PAC 201	Juan de Fuca Strait and Strait of Georgia
PAC 202	Discovery Passage to Queen Charlotte Strait and West Coast of Vancouver Island
PAC 203	Cape Caution to Stewart and Haida Gwaii
Northern Canada	
ARC 400	General Information, Northern Canada
ARC 401	Hudson Strait, Hudson Bay and Adjoining Waters
ARC 402	Eastern Arctic
ARC 403	Western Arctic

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ATLANTIC COAST

CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)

765.4 H0745	Moque Head	46 00 25.4 059 49 21.7	LFI W 6s	12.1	12	Square skeleton tower, with 3 red daymark red, with white band, red. 6.8	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Horn – Blast 3 s; sil. 27 s. Horn points 070°.
							Chart:4377 Edn 03/25 (G25-025)

INLAND WATERS

LAKE ERIE (LL 552 – 623)

597	Southeast Shoal Racon - - (K) X & S Bands	Near S. end of shoal. 41 49 34.8 082 27 46.0	FI R 10s	21.3	15	White square tower. 18.7	Flash 0.3 s; eclipse 9.7 s. Year round. Synthetic AIS MMSI: 993161106
							Chart:2123 Edn 03/25 (B25-006)
620	Colchester Reef	Near SE. edge of reef. 41 55 56.6 082 53 31.5	FI R 4s	21.6	White skeleton tower. 12.4	Year round. Synthetic AIS MMSI: 993161079
							Chart:2123 Edn 03/25 (B25-007)

ST. CLAIR RIVER (LL 731.2 – 766.8)

745	Chenal Ecarté Shoal light buoy A36	42 38 12.8 082 30 35.4	FI R 4s	Red, marked "A36".	(Winter spar.) Seasonal. Physical AIS MMSI: 993161102
							Chart:14853(U.S.) Edn 03/25 (B25-008)

LAKE HURON (LL 768 – 813)

780	Goderich North Pier range	On N. pier. 43 44 46.6 081 43 50.0	F	R	10.0	15	Square skeleton tower, white daymark with orange vertical stripe. 8.2	Operates 24 h. Year round.
781		086°30' 205.0 m from front.	F	R	19.8	15	Square skeleton tower, white daymark with orange vertical stripe. 16.1	Operates 24 h. Year round.
Chart:2228 Edn 03/25 (D25-013, 014)									

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. MARYS RIVER (LL 1059.6 – 1081)							
1081	Gros Cap Reefs	On crib , SW. extremity of reefs. 46 30 43.7 084 36 55.0	Fl W 10s	19.7	14	White tower. 18.3	Flash 1 s; eclipse 9 s. Seasonal. Chart:14884(U.S.) Edn 03/25 (D25-012)
LAKE WINNIPEG (LL 1563.1 – 1625)							
1567.8	Willow Point light buoy D16	S. of Gimli. 50 35 42.6 096 55 57.3	Q R 1s	Red spar, marked "D16".	Seasonal. Position in NAD83. Chart:6251 Edn 03/25 (P25-011)
MACKENZIE RIVER AND BAY (LL 1716.96 – 2540)							
2530 H14.5	Resolute Bay range 4	74 41 10.5 094 48 02.9	Iso W 2s	47.0	15	Square skeleton tower. 13.6	Visible in line of range. Operates 24 h. Seasonal (in place year round). Position in NAD83.
2531 H14.51		023°14' 303. 8m from front.	Iso W 2s	66.0	15	Skeleton tower, orange daymark, black vertical stripe. 8.6	Visible in line of range. Seasonal. Chart:7511 Edn 03/25 (A25-010)
HUDSON STRAIT AND BAY (LL 2545 – 2621)							
2545 H0034	Bear Island	On E. side of entrance to Coral Harbour. 64 00 40.1 083 12 58.7	Fl W 5s	20.1	7	Red and white square tower, orange rectangular daymark. 11.8	Flash 1 s; eclipse 4 s. Omnidirectional. Radar reflector. Seasonal (in place year round). Position in NAD83. Chart:5410 Edn 03/25 (A25-011)
2548 H0033	Cape Pembroke	NE. end of Coats Island. 62 54 53.6 081 52 13.0	Fl W 5s	16.5	8	Square tower, orange rectangular daymark. 10.9	Flash 1 s; eclipse 4 s. Omnidirectional. Seasonal (in place year round). Position in NAD83. Chart:5449 Edn 03/25 (A25-014)
2552 H0036.4	Broomfield Island Light	55 40 24.3 079 14 16.5	Fl R 6s	44.0	8	Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal (in place year round). Position in NAD83. Chart:5707 Edn 03/25 (A25-016)
	Racon - . (N) X & S Bands						
2553 H0038	Digges Islet	On NW. islet of the Digges islands. 62 35 15.7 078 06 36.8	Fl W 6s	27.7	8	Square tower, orange square daymark. 7.9	Flash 1 s; eclipse 5 s. Omnidirectional. Radar reflector. Seasonal (in place year round). Chart:5412 Edn 03/25 (A25-018)
2554 H0040	Nottingham Island Light	On S. extremity of island. 63 05 35.5 077 56 54.6	Fl W 6s	28.0	8	Square tower, orange rectangular daymark with black vertical stripe. 12.4	Flash 1 s; eclipse 5 s. Omnidirectional. Radar reflector. Seasonal (in place year round). Position in NAD83. Chart:5449 Edn 03/25 (A25-019)
	Racon - . (N) X & S Bands						

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
2556 <i>H0042</i>	Charles Island West End	62 41 49.6 074 36 05.7	Fl W 6s	20.7	Red and white square tower, orange rectangular daymark. 16.1	Flash 1 s; eclipse 5 s. Omnidirectional. Radar reflector. Seasonal (in place year round). Position in NAD83.	
Chart:5450 Edn 03/25 (A25-020)								
2560 <i>H0052</i>	Cape Hopes Advance	61 04 42.7 069 33 16.2	Fl W 6s	8	Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Omnidirectional. Radar reflector. Seasonal.	
Chart:5452 Edn 03/25 (A25-021)								
2561.1	Innermost #4 range Racon - - (M) X & S Bands	Payne Bay. 60 00 45.4 069 59 31.2	F G	29.0	Square skeleton tower, orange daymark with black stripe.	Operates 24 h. Seasonal. Position in NAD83.
2561.2		297°49' 488.7 m from front.	F G	73.0	10	Square skeleton tower, orange daymark with black stripe.	Operates 24 h. Seasonal.
Chart:5352 Edn 03/25 (A25-022)								
2577	White Top Ledge light buoy N22	Koojesse Inlet, SW. of ledge. 63 42 50.2 068 30 07.7	Fl R 4s	Red, marked "N22".	Seasonal. Physical AIS MMSI: 993161107	
Chart:7127 Edn 03/25 (A25-023)								
2597.4	Chapel range	E. shore, Rivière Koksoak river, Kuujjuaq. 58 12 27.6 068 17 10.4	F G	24.8	16	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Visible in line of range. Operates at night only. Emergency mode. Seasonal.
2597.5		195°46' 1429.3 m from front.	F G	42.1	16	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 03/25 (A25-026)								
2597.6	Whale range	W. shore, Rivière Koksoak river, Kuujjuaq. 58 11 11.1 068 19 32.4	F R	38.8	14	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Visible in line of range. Operates at night only. Emergency mode. Seasonal.
2597.7		209°06' 1441.2 m from front.	F R	70.0	14	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
Chart:5338 Edn 03/25 (A25-027)								

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
2597.8	Paint range	W. shore, Rivière Koksoak river , Kuujuaq. 58 14 19.5 068 18 25.6	Iso G 2s	24.6	16	Square skeleton tower, orange daymark with black vertical stripe. 15.6	Visible in line of range. Emergency mode. Operates at night only. Seasonal.
2597.9		359°41' 1787.3 m from front.	Iso G 2s	48.9	16	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
2603.021	Schooner Cove range	Chesterfield Inlet (Narrows) . 63 59 19.0 094 15 50.7	Iso G 4s	4.0	7	Square skeleton tower, orange daymark with black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).
2603.022		110°37' 170.0 m from front.	Iso G 4s	11.1	7	Square skeleton tower, orange daymark with black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).
2603.023	Twist Point range	Chesterfield Inlet (Narrows) . 63 59 40.7 094 17 24.4	Iso W 4s	3.8	6	Square skeleton tower, orange daymark with black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).
2603.024		079°06' 259.5 m from front.	Iso W 4s	8.8	6	Square skeleton tower orange daymark with black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).
2608 <i>H0028</i>	Fort Prince of Wales range	58 47 39.4 094 12 56.0	F W	7.9	15	Skeleton tower, orange daymark with black vertical stripe.	Operates 24 h. Seasonal (in place year round).
2609 <i>H0028.1</i>		343°49' 385.2 m from front.	F W	10.9	15	Tripod skeleton tower, orange daymark with black vertical stripe.	Seasonal.
2610 <i>H0029</i>	Ship Point range	58 47 28.1 094 13 22.7	F W	9.1	15	Square skeleton tower , orange daymark with black vertical stripe. 6.1	Operates 24 h. Seasonal (in place year round).
2611 <i>H0029.1</i>		317°37' 196.4 m from front.	F W	13.3	15	Tripod skeleton tower, orange daymark with black vertical stripe.	Seasonal.

Chart:5338
Edn 03/25 (A25-028)

Chart:5625
Edn 03/25 (A25-029)

Chart:5625
Edn 03/25 (A25-030)

Chart:5640
Edn 03/25 (A25-031)

Chart:5640
Edn 03/25 (A25-032)