



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

# Notices to Mariners

**Edition No. 12/2024**  
**December 27, 2024**



Safety First, Service Always

## Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition  
Edition No. 12/2024

Aussi disponible en français :  
Avis aux navigateurs – Édition mensuelle de l'Est  
Édition n° 12/2024

**Published under the Authority of:**

Canadian Coast Guard Programs  
Aids to Navigation and Waterways  
Fisheries and Oceans Canada  
Montreal, QC H2Y 2E7

For more information, contact [DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca](mailto:DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca).

© His Majesty the King in Right of Canada,  
as represented by the Minister of Fisheries, Oceans  
and the Canadian Coast Guard, 2024.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)  
ISSN 2817-0075

Cat. No. Fs152-8F-PDF (Electronic PDF, French)  
ISSN 2817-0083

A web version is available here:

[Notices to Mariners – Monthly Editions](#) (English)

[Avis aux navigateurs – Publications mensuelles](#) (French)

## Explanatory Notes – Notices to Mariners (NOTMAR)

**Geographical positions** refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

**Bearings** refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

**Visibility** of lights is that in clear weather.

**Depths** - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

**Elevations** are normally given above Higher High Water, Large Tide (unless otherwise indicated).

**Distances** may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

### Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

### Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: [DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca](mailto:DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca).

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email [chsinfo@dfo-mpo.gc.ca](mailto:chsinfo@dfo-mpo.gc.ca).

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- \*16 on a cellphone (where available)

### NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.


## Explanatory Notes – Canadian Hydrographic Service (CHS)

### Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LNM/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in "Section 2 – Chart Corrections." This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

### Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2024*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the [Canadian Hydrographic Service – List of Charts](#).

## Explanatory Notes – Marine Communications and Traffic Services (MCTS)

### Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping<sup>1</sup>, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the [CCG Navigational Warnings](#).

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

<b>Atlantic Region (North)</b> <b>*Port aux Basques MCTS Centre</b>  “N” Series NAVWARN  Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0  Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784  Email: <a href="mailto:NAVWARN.MCTSPortAuxBasques@innav.gc.ca">NAVWARN.MCTSPortAuxBasques@innav.gc.ca</a>	<b>Central Region</b> <b>*Prescott MCTS Centre</b>  “Q” and “C” Series NAVWARN  Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0  Telephone: 613-925-0666 Facsimile: 613-925-4519  Email: <a href="mailto:NAVWARN.MCTSPrescott@innav.gc.ca">NAVWARN.MCTSPrescott@innav.gc.ca</a>
<b>Atlantic Region (South)</b> <b>*Sydney MCTS Centre</b>  “M” Series NAVWARN  Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6  Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662  Email: <a href="mailto:NAVWARN.MCTSSydney@innav.gc.ca">NAVWARN.MCTSSydney@innav.gc.ca</a>	<b>Arctic Region</b> <b>*Iqaluit MCTS Centre</b> <i>Operational from approximately mid-May until late December.</i>  “A” Series NAVWARN  Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0  Telephone: 867-979-5269 Facsimile: 867-979-4264  Email: <a href="mailto:NAVWARN.MCTSIqaluit@innav.gc.ca">NAVWARN.MCTSIqaluit@innav.gc.ca</a>

\*Service available in English and in French.

<sup>1</sup> The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

## Table of Contents

<b>Section 1: General and Safety Information</b>	<b>1</b>
*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations .....	1
*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process .....	1
*1201/24 Canadian Hydrographic Service – Electronic Navigational Charts .....	1
*1202/24 Transport Canada – Ship Safety Bulletins #27 and #28/2024 .....	4
*1203/24 Canadian Coast Guard Publication - Amendments to the <i>Notices to Mariners Annual Edition 2024</i> - Section A, Notice 1: Canadian Aids to Navigation System and Private Buoy Regulations .....	5
*1204/24 Canadian Coast Guard Publication – <i>List of Lights, Buoys and Fog Signals</i> Publication: Complete List of Radar Beacons Included as a Dedicated Annex .....	5
*1205/24 Canadian Coast Guard Publication – <i>Radio Aids to Marine Navigation 2025 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)</i> Publication .....	5
*1206/24 Canadian Hydrographic Service – Canadian Sailing Directions PAC 205 and PAC 206 to be replaced by PAC 203 .....	5
*1207/24 Rivière Ristigouche / Restigouche River – Unlit Buoy Repositioned .....	6
<b>Section 1A: Temporary and Preliminary Notices</b>	<b>7</b>
Reminder – Comment Period for Active Preliminary Notices .....	7
*1208(T)/24 Lark Harbour and / et York Harbour – Marine Works: Wharf Construction .....	7
*1209(T)/24 Pointe des Monts aux/to Escoumins – Obstruction: Subsurface Moorings .....	7
*1210(T)/24 Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued ...	8
*1211(P)/24 Hillsborough Bay – Unlit Buoys to be Discontinued .....	8
*1212(T)/24 Nipigon Bay and Approaches/et les approches – Waterway Information: Shallow Depths Reported .....	9
*1213/24 Canal de la Rive Sud – Bridge Demolition Completed .....	9
*1215(T)/24 Canadian Coast Guard – Automatic Identification System Application Specific Messages (AIS ASM) Trial .....	9
<b>Section 2: Chart Corrections</b>	<b>10</b>
<b>Section 3: Radio Aids to Marine Navigation Corrections</b>	<b>21</b>
No corrections for this section. ....	21
<b>Section 4: Canadian Sailing Directions Corrections</b>	<b>22</b>
<b>Section 5: List of Lights, Buoys and Fog Signals Corrections</b>	<b>23</b>

## Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1202	<a href="#">10</a>	4654	<a href="#">7</a>	7171	<a href="#">20</a>
1226	<a href="#">10</a>	4703	<a href="#">14</a>	7663	<a href="#">26</a>
1236	<a href="#">7</a> , <a href="#">10</a> , <a href="#">11</a>	4731	<a href="#">15</a>	7790	<a href="#">20</a>
1310	<a href="#">11</a>	4732	<a href="#">15</a>	8048	<a href="#">20</a>
1429	<a href="#">9</a>	4744	<a href="#">15</a>		
1431	<a href="#">11</a> , <a href="#">25</a>	4823	<a href="#">15</a>		
1432	<a href="#">11</a>	4845	<a href="#">24</a>		
2019	<a href="#">7</a>	4847	<a href="#">24</a>		
2110	<a href="#">11</a>	4849	<a href="#">24</a>		
2181	<a href="#">11</a>	4851	<a href="#">15</a>		
2241	<a href="#">26</a>	4852	<a href="#">15</a>		
2293	<a href="#">26</a>	4854	<a href="#">23</a>		
2312	<a href="#">9</a>	4858	<a href="#">15</a>		
4141	<a href="#">7</a>	4881	<a href="#">16</a>		
4235	<a href="#">24</a>	4905	<a href="#">24</a>		
4240	<a href="#">7</a>	4911	<a href="#">25</a>		
4244	<a href="#">8</a>	4912	<a href="#">25</a>		
4386	<a href="#">11</a>	4913	<a href="#">16</a> , <a href="#">25</a>		
4425	<a href="#">12</a>	4920	<a href="#">25</a>		
4426	<a href="#">6</a>	4935	<a href="#">16</a> , <a href="#">17</a>		
4428	<a href="#">12</a> , <a href="#">13</a>	4937	<a href="#">17</a>		
4449	<a href="#">13</a>	4950	<a href="#">25</a>		
4453	<a href="#">13</a>	4954	<a href="#">17</a>		
4454	<a href="#">13</a>	4969	<a href="#">25</a>		
4466	<a href="#">8</a> , <a href="#">13</a> , <a href="#">14</a>	5051	<a href="#">23</a>		
4467	<a href="#">14</a>	5133	<a href="#">18</a>		
4486	<a href="#">14</a>	5352	<a href="#">18</a>		
4506	<a href="#">14</a>	5449	<a href="#">26</a>		
4523	<a href="#">14</a>	6100	<a href="#">18</a>		
4530	<a href="#">23</a>	6251	<a href="#">18</a>		
4583	<a href="#">14</a> , <a href="#">23</a>	6369	<a href="#">26</a>		
4585	<a href="#">14</a>	7134	<a href="#">19</a>		
4617	<a href="#">14</a>	7150	<a href="#">19</a>		
4622	<a href="#">23</a>	7170	<a href="#">20</a>		

## Section 1: General and Safety Information

### \*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations

(Recurrent publication of notice \*505/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 05/2023 publication.)

Mariners are advised that CHS has adopted the harmonized World Magnetic Model (WMM), as found on the NCEI/NOAA website. Old compass rose declination information on CHS navigational products can be updated using this website: <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>. While the differences in the model declinations are small each year, they can become more significant over a large period of time.

### \*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process

(Recurrent publication of notice \*1207/23, originally published in the *Notices to Mariners – Monthly Eastern Edition* 12/2023 publication.)

The records of the Canadian Hydrographic Service could contain geographical names that may be considered inappropriate, offensive and derogatory. Geographical naming authorities are in the process of addressing many offensive place names, the review process is underway. For more information, about inappropriate geographical names, please see the [following announcement](#).

### \*1201/24 Canadian Hydrographic Service – Electronic Navigational Charts

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
<b>New Charts</b>			
CA4ALCQA (Edn 1.000)	Transit6700N10200W	1:90 000	2024-12-06
CA4ALD1A (Edn 1.000)	Transit6700N10100W	1:90 000	2024-12-06
CA4ALDBA (Edn 1.000)	Transit6700N10000W	1:45 000	2024-12-06
CA4ALDMA (Edn 1.000)	Transit6700N09900W	1:45 000	2024-12-06
CA4AWCQA (Edn 1.000)	Transit6800N10200W	1:90 000	2024-12-06
CA4AWD1A (Edn 1.000)	Transit6800N10100W	1:45 000	2024-12-06
CA4AWDBA (Edn 1.000)	Transit6800N10000W	1:45 000	2024-12-06
CA4AWDMA (Edn 1.000)	Transit6800N09900W	1:45 000	2024-12-06
CA4B7CQA (Edn 1.000)	Transit6900N10200W	1:90 000	2024-12-06
CA4B7D1A (Edn 1.000)	Transit6900N10100W	1:90 000	2024-12-06
CA4B7DBA (Edn 1.000)	Transit6900N10000W	1:90 000	2024-12-06
CA4B7DMA (Edn 1.000)	Transit6900N09900W	1:90 000	2024-12-06
CA53HPTA (Edn 1.000)	CA53HPTA	1:11 000	2024-12-20
CA53HPUA (Edn 1.000)	CA53HPUA	1:11 000	2024-12-20
CA53HPVA (Edn 1.000)	CA53HPVA	1:11 000	2024-12-20
CA53HPWA (Edn 1.000)	CA53HPWA	1:11 000	2024-12-20
CA53JPTA (Edn 1.000)	CA53JPTA	1:11 000	2024-12-20
CA53JPVA (Edn 1.000)	CA53JPVA	1:11 000	2024-12-20



S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA53JPWA (Edn 1.000)	CA53JPWA	1:11 000	2024-12-20
CA53LPYA (Edn 1.000)	CA53LPYA	1:4 000	2024-12-20
CA53RQ4A (Edn 1.000)	CA53RQ4A	1:11 000	2024-12-20
CA53RQ5A (Edn 1.000)	CA53RQ5A	1:11 000	2024-12-20
CA53SQ5A (Edn 1.000)	CA53SQ5A	1:11 000	2024-12-20
CA53SQ6A (Edn 1.000)	CA53SQ6A	1:6 000	2024-12-20
CA546QBA (Edn 1.000)	CA546QBA	1:6 000	2024-12-20
CA547R5A (Edn 1.000)	CA547R5A	1:11 000	2024-12-20
CA547R6A (Edn 1.000)	CA547R6A	1:6 000	2024-12-20
CA547R7A (Edn 1.000)	CA547R7A	1:6 000	2024-12-20
CA548R5A (Edn 1.000)	CA548R5A	1:11 000	2024-12-20
CA548R7A (Edn 1.000)	CA548R7A	1:6 000	2024-12-20
CA549QAA (Edn 1.000)	CA549QAA	1:4 000	2024-12-20
CA549R7A (Edn 1.000)	CA549R7A	1:6 000	2024-12-20
CA54AQ2A (Edn 1.000)	CA54AQ2A	1:4 000	2024-12-06
CA54CQCA (Edn 1.000)	CA54CQCA	1:6 000	2024-12-20
CA54CQDA (Edn 1.000)	CA54CQDA	1:6 000	2024-12-20
CA54CQEA (Edn 1.000)	CA54CQEA	1:6 000	2024-12-20
CA54CQFA (Edn 1.000)	CA54CQFA	1:6 000	2024-12-20
CA54DQCA (Edn 1.000)	CA54DQCA	1:6 000	2024-12-20
CA54DQDA (Edn 1.000)	CA54DQDA	1:6 000	2024-12-20
CA54DQEA (Edn 1.000)	CA54DQEA	1:6 000	2024-12-20
CA54EPYA (Edn 1.000)	CA54EPYA	1:2 000	2024-12-06
CA54GQ5A (Edn 1.000)	CA54GQ5A	1:2 000	2024-12-06
CA54HPYA (Edn 1.000)	CA54HPYA	1:2 000	2024-12-06
CA54HQ7A (Edn 1.000)	CA54HQ7A	1:4 000	2024-12-06
CA54HQ8A (Edn 1.000)	CA54HQ8A	1:4 000	2024-12-06
CA54JPYA (Edn 1.000)	CA54JPYA	1:2 000	2024-12-06
CA54NPYA (Edn 1.000)	CA54NPYA	1:6 000	2024-12-06
CA54PSAA (Edn 1.000)	CA54PSAA	1:11 000	2024-12-27
CA54PSBA (Edn 1.000)	CA54PSBA	1:11 000	2024-12-27
CA54QPQA (Edn 1.000)	CA54QPQA	1:11 000	2024-12-20
CA54RPPA (Edn 1.000)	CA54RPPA	1:4 000	2024-12-20
CA54TPNA (Edn 1.000)	CA54TPNA	1:6 000	2024-12-20
CA54TPPA (Edn 1.000)	CA54TPPA	1:6 000	2024-12-20
CA54YRVA (Edn 1.000)	CA54YRVA	1:4 000	2024-12-06
CA54YRWA (Edn 1.000)	CA54YRWA	1:4 000	2024-12-06
CA550RQA (Edn 1.000)	CA550RQA	1:6 000	2024-12-06
CA550RVA (Edn 1.000)	CA550RVA	1:4 000	2024-12-06

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA552RTA (Edn 1.000)	CA552RTA	1:4 000	2024-12-06
CA554S1A (Edn 1.000)	CA554S1A	1:11 000	2024-12-06
CA554S2A (Edn 1.000)	CA554S2A	1:11 000	2024-12-06
CA554S3A (Edn 1.000)	CA554S3A	1:11 000	2024-12-06
CA555RXA (Edn 1.000)	CA555RXA	1:11 000	2024-12-06
CA555RYA (Edn 1.000)	CA555RYA	1:11 000	2024-12-06
CA556RXA (Edn 1.000)	CA556RXA	1:11 000	2024-12-06
CA556RYA (Edn 1.000)	CA556RYA	1:11 000	2024-12-06
CA556S2A (Edn 1.000)	CA556S2A	1:4 000	2024-12-06
CA559S0A (Edn 1.000)	CA559S0A	1:11 000	2024-12-06
CA55AS2A (Edn 1.000)	CA55AS2A	1:11 000	2024-12-06
CA55AS3A (Edn 1.000)	CA55AS3A	1:11 000	2024-12-06
CA55BS2A (Edn 1.000)	CA55BS2A	1:11 000	2024-12-06
CA55ES3A (Edn 1.000)	CA55ES3A	1:4 000	2024-12-06
CA55TSEA (Edn 1.000)	CA55TSEA	1:6 000	2024-12-06
CA55USEA (Edn 1.000)	CA55USEA	1:6 000	2024-12-06
<b>New Editions</b>			
CA54GN1A (Edn 2.000)	Port4680N07130W	1:6 000	2024-12-13
CA54SNJA (Edn 3.000)	Port4780N06960W	1:2 000	2024-12-13
CA54XN5A (Edn 2.000)	Port4830N07090W	1:6 000	2024-12-27
CA55XSRA (Edn 2.000)	CA55XSRA	1:11 000	2024-12-27
CA55XSSA (Edn 3.000)	CA55XSSA	1:11 000	2024-12-27
<b>Charts Permanently Withdrawn</b>			
CA373262	Victoria Strait		
CA373267	Queen Maud Gulf Eastern Portion		
CA373462	Storis Passage to/à Requisite Channel		
CA373463	Simpson Strait to/à Storis Passage		
CA576039	Shelburne Harbour		
CA576040	Lockeport Harbour		
CA576046	Port Mouton	Cancelled by CA53LPYA	
CA576078	Cape Tormentine	Cancelled by CA549QAA	
CA576129	Port de Plaisance Marina, Shediak Bay	Cancelled by CA54AQ2A	
CA576130	Quai / Wharf Pointe du Chêne	Cancelled by CA54AQ2A	
CA576132	Quai / Wharf Richibucto	Cancelled by CA54EPYA	
CA576142	Baddeck Harbour		
CA576143	Iona and/et Grand Narrows		
CA576144	MacIvers Pt. to/à Little Narrows		
CA576192	The Narrows	Cancelled by CA556S2A	
CA576200	Chester Harbour		

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA576201	Mahone Harbour	Cancelled by CA53RQ4A	
CA576267	Quai / Wharf Petit-Rocher	Cancelled by CA54RPPA	
CA576268	Quai / Wharf Belledune		
CA576270	Bathurst Harbour	Cancelled by CA54QPQA	
CA576462	Rustico Bay		
CA576463	New London Bay		
CA576586	Flowers Cove		
CA576587	St. Barbe wharf and approaches	Cancelled by CA55TSEA	
CA576591	Lark Harbour and/et York Harbour		
CA576592	Humber Arm, Meadows Point to/à Humber River		
CA576593	Blue Beach	Cancelled by CA552RTA	
CA576620	Grey River		
CA576709	Rocky Harbour		
CA576710	Norris Point		
CA576711	Trout River Bay	Cancelled by CA559S0A	
CA576723	Escuminac	Cancelled by CA54JPYA	
CA576726	Val Comeau	Cancelled by CA54NPYA	
CA576727	Pointe Sapin	Cancelled by CA54HPYA	
CA576728	Tignish Harbour		
CA576729	Miminegash Harbour	Cancelled by CA54GQ5A	
CA576741	Martins Point		
CA576816	Cow Head	Cancelled by CA55ES3A	
CA576825	Lower Cove	Cancelled by CA550RQA	
CA576826	Port Harmon		
CA576827	Turf Point Resources Wharf	Cancelled by CA54YRWA	
CA576860	Deep Cove	Cancelled by CA53SQ6A	

### \*1202/24 Transport Canada - Ship Safety Bulletins #27 and #28/2024

New **Ship Safety Bulletins** have recently been posted on the [Transport Canada website](#).

To view or download these bulletins, please click on the links below:

**[SSB#27/2024](#) – Protecting killer whales in the waters of southern British Columbia, 2024**  
RDIMS# 20523233

**[SSB#28/2024](#) – Navigation Safety Assessment Process**  
RDIMS# 20599476

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

**Contact us at** [marinesafety-securitemaritime@tc.gc.ca](mailto:marinesafety-securitemaritime@tc.gc.ca) or 1-855-859-3123 (Toll Free).

**\*1203/24 Canadian Coast Guard Publication - Amendments to the *Notices to Mariners Annual Edition 2024* - Section A, Notice 1: Canadian Aids to Navigation System and Private Buoy Regulations**

**Page 3:**

**AMEND AS FOLLOWS:**

Note:

A detailed listing of all lighted visual aids **and all**, fog signals **and radar beacons** is contained in the [List of Lights, Buoys and Fog Signals](#) publication.

A detailed listing of Radio Beacons **and Radar Beacons** is contained in the [Radio Aids to Marine Navigation](#) publication.

A detailed listing of AIS-AtoN is contained in the interactive map at the [Canadian e-Navigation portal](#).

**\*1204/24 Canadian Coast Guard Publication – *List of Lights, Buoys and Fog Signals*  
Publication: Complete List of Radar Beacons Included as a Dedicated Annex**

The complete list of radar beacons (RACONS) previously published in the *Radio Aids to Marine Navigation* (RAMN) publication is now included as a dedicated annex at the end of each volume of the *List of Lights, Buoys and Fog Signals* publication. This annex contains a list of all lighted aids with a RACON in order of their List of Lights number and are then listed under their respective List of Lights section. Standalone RACONS are listed in the List of Lights section that reflects most closely to their geographic location.

Please note that the RAMN publication previously published information regarding RACONS that were located in neighbouring U.S. waters. However, United States Coast Guard (USCG) aids to navigation are no longer published in the *List of Lights, Buoys and Fog Signals* publication (see notice \*1103/24 for more details). Please refer to the USCG [Light Lists](#) publication for more information on these RACONS.

**\*1205/24 Canadian Coast Guard Publication – *Radio Aids to Marine Navigation 2025 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)*  
Publication**

The 2025 edition of the [Radio Aids to Marine Navigation \(Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific\)](#) publication will be available online at the beginning of January 2025, free of charge.

Amendments to this publication, if any, will be advertised in Section 3 of the monthly edition of [Notices to Mariners](#). The 2025 edition has been revised up to December 31, 2024 and supersedes the 2024 edition. The paper version of this publication is no longer sold.

**\*1206/24 Canadian Hydrographic Service – Canadian Sailing Directions PAC 205 and PAC 206 to be replaced by PAC 203**

Canadian Sailing Directions PAC 205 and PAC 206 will be cancelled on January 31, 2025 and replaced by PAC 203 which will contain information previously in both editions. Mariners can obtain PAC 203 on January 31, 2025 from [Canadian Sailing Directions](#).

**\*1207/24 Rivière Ristigouche / Restigouche River – Unlit Buoy Repositioned**

Reference chart: 4426

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Anse Busteed buoy EV20	6359	48° 03' 01.9"N 066° 32' 59.5"W

(G2024-560)

## Section 1A: Temporary and Preliminary Notices

### Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
<b>Atlantic Coast</b>			
<a href="#">1022(P)/24</a>	4240	405	Fog Horn to be Discontinued
<a href="#">1123(P)/24</a>	4141	122, 122.2	Notice of Proposed Changes
<b>Inland Waters</b>			
<a href="#">1025(P)/24</a>	2019	450, 459	Aids to Navigation to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

### Newfoundland and Labrador Coast

#### Temporary Notices

##### \*1208(T)/24 Lark Harbour and / et York Harbour – Marine Works: Wharf Construction

Reference chart: 4654

Wharf reconstruction underway in Lark Harbour in the vicinity of 49° 06.069'N 058° 21.866'W.

Caution.

(NW-N-1171-24)

#### Preliminary Notices

No notices applicable for this edition.

### Atlantic Coast

#### Temporary Notices

##### \*1209(T)/24 Pointe des Monts aux/to Escoumins – Obstruction: Subsurface Moorings

Reference chart: 1236

Subsurface scientific moorings temporarily established at the following coordinates:

Moorings E1: 48° 53.322'N 068° 06.180'W (depth of 319 metres)

Moorings W1: 48° 48.033'N 068° 23.991'W (depth of 355 metres)

(NW-C-1823-24)

**\*1210(T)/24 Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued**

Reference chart: 4244

The following aid to navigation is temporarily discontinued:

Aid Name	LL #	Position
Pinkneys Point Fog Signal	278.2	43° 42' 11.6"N 066° 03' 12.1"W

(F2024-060T)

**Preliminary Notices**

**Atlantic Region**

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Atlantic Region  
P.O. Box 1000  
50 Discovery Drive  
Dartmouth, NS B2Y 3Z8  
Telephone: (506) 636-4708  
Email: [DFO.CCGATLAidstoNavDiscont-  
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLAidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

**\*1211(P)/24 Hillsborough Bay – Unlit Buoys to be Discontinued**

Reference chart: 4466

The Canadian Coast Guard proposes to permanently discontinue the following aids to navigation:

Aid Name	LL #	Position
Pownal buoy CD1	5989.2	46° 10' 21.8"N 062° 58' 02.7"W
Pownal buoy CD2	5989.3	46° 10' 47.3"N 062° 57' 33.1"W
Pownal buoy CD3	5989.4	46° 10' 51.4"N 062° 57' 33.6"W
Pownal buoy CD4	5989.5	46° 11' 01.1"N 062° 57' 22.2"W
Pownal buoy CD5	5989.6	46° 11' 05.1"N 062° 57' 29.3"W
Pownal buoy CD6	5989.7	46° 11' 11.5"N 062° 57' 22.2"W

Initial publication date: Friday, December 27, 2024

[Comment submission deadline](#): Thursday, March 27, 2025

(G2024-566)

## Inland Waters

### Temporary Notices

#### **\*1212(T)/24 Nipigon Bay and Approaches/et les approches – Waterway Information: Shallow Depths Reported**

Reference chart: 2312

Shallow depths reported at the following coordinates:

48° 55.084'N 088° 12.705'W :	34.41 metres
48° 50.163'N 088° 07.517'W :	47.39 metres
48° 47.846'N 088° 05.353'W :	40.96 metres
48° 46.635'N 088° 05.030'W :	33.89 metres
48° 45.630'N 088° 05.071'W :	8.72 metres
48° 44.243'N 088° 05.666'W :	20.05 metres

(NW-C-1969-24)

#### **\*1213/24 Canal de la Rive Sud – Bridge Demolition Completed**

Reference: Notice 311(T)/24 is cancelled (Chart 1429).

The demolition operations at the bypass bridge of Île des Sœurs are completed.

### Preliminary Notices

No notices applicable for this edition.

## Other (T) & (P) Notices

### Temporary Notices

#### **\*1215(T)/24 Canadian Coast Guard – Automatic Identification System Application Specific Messages (AIS ASM) Trial**

The Canadian Coast Guard (CCG) is testing Automatic Identification System Application Specific Messages (AIS ASM) nationwide. These broadcasts provide mariners on vessels with properly configured shipborne equipment with dynamic information such as water levels, weather, air gap, and a specific area or line displayed as a digitalized signal. A detailed listing of currently broadcasted Coast Guard AIS ASM is contained in the [interactive map](#) on the Canadian e-Navigation Portal. Additional information on AIS ASM may be found in IMO SN.1 Circ 289 [Guidance on the Use of AIS Application-Specific-Messages](#).

Please contact the manufacturer of your specific equipment for instructions on how to receive AIS ASM. Any questions or concerns related to the broadcast may be directed to the Coast Guard [e-Navigation Team](#) or any Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre.



## Section 2: Chart Corrections

### 1202 - Baie des Ha! Ha! - New Edition - 23-OCT-2020 - NAD 1983

13-DEC-2024

LNMD. 10-NOV-2023

Add	light F G(priv) (See Chart 1, P1, P16)	48°20'08.8"N 070°52'08.0"W  (Q2024109) LL(12922) DFO(6411086-01)
Add	light F G(priv) (See Chart 1, P1, P16)	48°20'09.0"N 070°52'07.0"W  (Q2024110) LL(12923) DFO(6411087-01)
Add	light Iso Y 1s(priv) (See Chart 1, P1, P16)	48°19'57.8"N 070°52'25.7"W  (Q2024111) LL(1799.11) DFO(6411088-01)
Add	light F Bu(priv) (See Chart 1, P1, P16)	48°19'59.3"N 070°52'25.3"W  (Q2024113) LL(1799.13) DFO(6411090-01)
Add	rear range light Iso Y 1s(priv) with clearing line bearing 084° and the reciprocal bearing 264° (See Chart 1, P16, M2)	48°19'57.6"N 070°52'28.6"W  (Q2024193) LL(1799.12) DFO(6411195-01)
Add	rear range light F Bu(priv) with leading line bearing 084½° and the reciprocal bearing 264½° (See Chart 1, P20.2)	48°19'59.0"N 070°52'29.7"W  (Q2024194) LL(1799.14) DFO(6411196-01)

### 1226 - Quai public/Public Wharf - New Edition - 12-JAN-2024 - NAD 1983

27-DEC-2024

LNMD. 27-SEP-2024

Delete	depth of 1,2 metres (See Chart 1, I10)	49°14'00.1"N 068°08'00.6"W  DFO(6411218-01)
Add	depth of 0,6 metres (See Chart 1, I10)	49°14'00.0"N 068°08'00.6"W  DFO(6411218-02)
Add	depth of 1,7 metres (See Chart 1, I10)	49°14'00.1"N 068°07'59.7"W  DFO(6411218-03)
Add	depth of 4,6 metres (See Chart 1, I10)	49°14'00.4"N 068°07'58.6"W  DFO(6411218-04)

### 1236 - Godbout - New Edition - 26-OCT-2012 - NAD 1983

27-DEC-2024

LNMD. 05-APR-2024

Add	depth of 2 metres (See Chart 1, I10)	49°19'26.6"N 067°35'22.7"W  DFO(6411224-01)
Delete	depth of 8,5 metres (See Chart 1, I10)	49°19'19.8"N 067°35'28.3"W  DFO(6411224-04)

Add	depth of 4,9 metres (See Chart 1, I10)	49°19'20.0"N 067°35'28.5"W
		<i>DFO(6411224-05)</i>

**1310 - Section B-C - New Edition - 07-JUN-2019 - NAD 1983**

13-DEC-2024

LN/D. 25-OCT-2024

Add	depth of 10 metres (See Chart 1, I10)	45°31'51.4"N 073°32'08.0"W
		<i>DFO(6411213-01)</i>

**1431 - Canal de Beauharnois - New Edition - 25-FEB-2022 - NAD 1983**

27-DEC-2024

LN/D. 03-MAR-2023

Amend	FI G 7m to read FI G 8m against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA473300	45°15'09.8"N 074°12'21.9"W
		<i>(B2024254) LL(83) DFO(6605389-01)</i>

**1432 - Lac Saint-François/Lake St. Francis A-B - New Edition - 26-DEC-2014 - World Geodetic System 1984**

27-DEC-2024

LN/D. 26-MAR-2021

Amend	FI G 7m to read FI G 8m against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA473300	45°15'09.8"N 074°12'21.9"W
		<i>(B2024254) LL(83) DFO(6605389-01)</i>

**2110 - Long Point Bay - New Edition - 23-FEB-2018 - World Geodetic System 1984**

06-DEC-2024

LN/D. 25-MAR-2022

Reposition	green port hand spar buoy, marked EC3 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA273094	from 42°38'23.0"N 080°19'01.0"W to 42°38'25.5"N 080°19'04.6"W
		<i>(B2024251) DFO(6605377-01)</i>

**2181 - Wheatley Harbour - New Edition - 11-MAY-2007 - NAD 1983**

06-DEC-2024

LN/D. 31-MAY-2024

Reposition	green port hand spar buoy, marked EW3 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA573312	from 42°03'34.5"N 082°27'47.0"W to 42°03'34.5"N 082°27'47.3"W
		<i>(B2024252) DFO(6605378-01)</i>

**4386 - St. Margaret's Bay - New Edition - 16-JUL-2004 - NAD 1983**

27-DEC-2024

LN/D. 07-JUN-2024

Delete	red starboard hand conical buoy, marked AT68 (See Chart 1, Qb)	44°29'48.3"N 063°51'50.8"W
		<i>(F2024052) DFO(6311793-01)</i>

Delete	red starboard hand conical buoy, marked AT72 (See Chart 1, Qb)	44°30'00.3"N 063°52'03.7"W
		<i>(F2024054) DFO(6311794-01)</i>

Delete	green port hand spar buoy, marked AT73 (See Chart 1, Qc)	44°30'05.3"N 063°52'03.7"W
		<i>(F2024055) DFO(6311795-01)</i>

**4425 - Tracadie Bay - New Edition - 01-NOV-2002 - NAD 1983**

27-DEC-2024

LNM/D. 28-JUL-2023

Reposition	red starboard hand conical lighted buoy FI R, marked JH2 (See Chart 1, Qb)	from 46°25'09.9"N 063°00'59.5"W to 46°25'21.2"N 063°00'54.5"W (G2024391) LL(1049.121) DFO(6311700-01)
------------	---	---

Reposition	green port hand lighted can buoy FI G, marked JH1 (See Chart 1, Qc)	from 46°25'10.3"N 063°00'55.8"W to 46°25'21.2"N 063°00'47.3"W (G2024399) LL(1049.11) DFO(6311708-01)
------------	--	--

**4428 - Havre de Natashquan et les approches/and Approaches - New Edition - 01-FEB-2022 - NAD 1983**

20-DEC-2024

Delete	depth of 4,5 metres (See Chart 1, I10)	50°11'20.8"N 061°50'32.8"W  DFO(6411204-01)
--------	---	---

Add	depth of 4 metres (See Chart 1, I10)	50°11'20.7"N 061°50'32.3"W  DFO(6411204-02)
-----	---	---

Delete	depth of 3,9 metres (See Chart 1, I10)	50°11'20.8"N 061°50'31.2"W  DFO(6411204-03)
--------	---	---

Add	depth of 2,7 metres (See Chart 1, I10)	50°11'20.7"N 061°50'30.6"W  DFO(6411204-04)
-----	---	---

Add	depth of 10,7 metres (See Chart 1, I10)	50°11'25.9"N 061°54'57.2"W  DFO(6411215-01)
-----	--	---

Delete	depth of 2,9 metres (See Chart 1, I10)	50°12'31.6"N 061°53'06.9"W  DFO(6411215-02)
--------	---	---

Add	depth of 2,2 metres (See Chart 1, I10)	50°12'31.6"N 061°53'07.2"W  DFO(6411215-03)
-----	---	---

Add	depth of 5,5 metres (See Chart 1, I10)	50°10'15.6"N 061°52'42.0"W  DFO(6411215-04)
-----	---	---

Add	depth of 5,9 metres (See Chart 1, I10)	50°10'57.6"N 061°52'22.6"W  DFO(6411215-05)
-----	---	---

Add	depth of 5,1 metres (See Chart 1, I10)	50°11'00.5"N 061°52'01.6"W  DFO(6411215-06)
-----	---	---

Add	depth of 5,7 metres (See Chart 1, I10)	50°10'35.2"N 061°51'45.5"W  DFO(6411215-07)
-----	---	---

Add	depth of 14,9 metres (See Chart 1, I10)	50°10'23.9"N 061°51'45.3"W  DFO(6411215-08)
-----	--	---

Add	depth of 5,4 metres (See Chart 1, I10)	50°10'27.7"N 061°51'35.5"W <i>DFO(6411215-09)</i>
Add	depth of 2,9 metres (See Chart 1, I10)	50°10'52.7"N 061°51'08.1"W <i>DFO(6411215-10)</i>
Add	depth of 5,3 metres (See Chart 1, I10)	50°10'43.7"N 061°50'47.9"W <i>DFO(6411215-11)</i>
Add	depth of 6,4 metres (See Chart 1, I10)	50°10'14.9"N 061°50'06.0"W <i>DFO(6411215-12)</i>
Delete	depth of 4,1 metres (See Chart 1, I10)	50°10'41.4"N 061°49'42.2"W <i>DFO(6411215-13)</i>
Add	depth of 3,3 metres (See Chart 1, I10)	50°10'41.1"N 061°49'42.6"W <i>DFO(6411215-14)</i>

**4449 - Margaree Harbour - New Edition - 03-JUL-1998 - NAD 1983**  
20-DEC-2024

LNMD. 30-JUN-2023

Reposition	red starboard hand conical buoy, marked VH16 (See Chart 1, Qb)	from 46°26'19.2"N 061°06'21.8"W to 46°26'25.2"N 061°06'25.1"W (G2024298) <i>DFO(6311614-01)</i>
------------	---	---

**4453 - Île à la Brume à/to Pointe Curlew - New Edition - 28-APR-2023 - NAD 1983**  
27-DEC-2024

Add	depth of 5,4 metres over a fish haven (See Chart 1, K46.2)	50°10'53.5"N 061°09'53.7"W <i>DFO(6411214-02)</i>
-----	---	--

**4454 - Pointe Curlew à/to Baie Washtawouka - New Edition - 17-NOV-2023 - NAD 1983**  
27-DEC-2024

Replace	fish haven with depth of 5,7 metres by a fish haven with depth of 5,4 metres (See Chart 1, K46.2)	50°10'53.5"N 061°09'53.7"W <i>DFO(6411214-01)</i>
---------	--	--

**4466 - Hillsborough Bay - New Edition - 21-MAR-2003 - NAD 1983**  
20-DEC-2024

LNMD. 16-AUG-2024

Amend	NV6 to read NV14 against red starboard hand spar buoy (See Chart 1, Qb)	46°03'21.8"N 062°56'05.3"W (G2024326) <i>DFO(6311639-01)</i>
Amend	NV7 to read NV17 against green port hand spar buoy (See Chart 1, Qc)	46°03'24.4"N 062°55'44.9"W (G2024327) <i>DFO(6311640-01)</i>
Amend	NV8 to read NV18 against red starboard hand spar buoy (See Chart 1, Qb)	46°03'27.4"N 062°55'25.7"W (G2024328) <i>DFO(6311641-01)</i>

Amend NV9 to read NV21 against green port hand spar buoy  
(See Chart 1, Qc) 46°03'14.6"N 062°54'46.0"W  
(G2024329) DFO(6311642-01)

**4467 - New London Bay - New Edition - 27-JAN-2023 - NAD 1983**

20-DEC-2024

LNMD. 29-MAR-2024

Reposition green port hand lighted pillar buoy FI G, marked JM7  
(See Chart 1, Qc) from 46°30'59.2"N 063°28'54.8"W  
to 46°30'55.2"N 063°28'56.9"W  
(G2024359) LL(1060.1) DFO(6311668-01)

**4486 - Baie des Chaleurs / Chaleur Bay - New Edition - 19-FEB-1999 - NAD 1983**

06-DEC-2024

LNMD. 07-JUN-2024

Reposition red starboard hand lighted pillar buoy FI R, marked TH2  
(See Chart 1, Qb) from 47°38'51.2"N 064°46'30.4"W  
to 47°38'59.3"N 064°46'09.3"W  
(G2024291) LL(1246.5) DFO(6311606-01)

**4506 - Grévigneaux Harbour and / et Aiguillettes Harbour - New Edition - 05-DEC-2003 - NAD 1983**

13-DEC-2024

LNMD. 23-AUG-2024

Amend FI R to read FI Y against light  
(See Chart 1, P16) 50°43'55.2"N 056°06'24.1"W  
(N2024168) LL(251) DFO(6311501-01)

**4523 - Little Bay Arm and Approaches / et les approches - New Edition - 20-DEC-2002 - NAD 1983**

06-DEC-2024

LNMD. 16-AUG-2024

Delete green port hand lighted spar buoy FI G, marked DB5  
(See Chart 1, Qc) 49°35'30.0"N 055°55'45.5"W  
(N2024154) LL(336.27) DFO(6311488-01)

**4583 - Silver Cove - New Edition - 31-MAY-2002 - Unknown**

13-DEC-2024

LNMD. 23-AUG-2024

Amend FI R to read Q R against light  
(See Chart 1, P16) 50°53'04.2"N 055°53'51.8"W  
(N2024163) LL(247.1) DFO(6311496-01)

**4585 - Green Head to / à Little Bay Island - New Edition - 30-MAY-2003 - NAD 1983**

06-DEC-2024

LNMD. 23-AUG-2024

Delete green port hand lighted spar buoy FI G, marked DB5  
(See Chart 1, Qc) 49°35'31.0"N 055°55'44.5"W  
(N2024154) LL(336.27) DFO(6311488-01)

**4617 - Red Island to / à Pinchgut Point - New Edition - 30-APR-2010 - NAD 1983**

06-DEC-2024

LNMD. 14-JUN-2024

Amend FI G to read FI Y against light  
(See Chart 1, P16) 47°25'39.3"N 053°51'44.0"W  
(N2024184) LL(37.509) DFO(6311519-01)

**4703 - White Point to / à Corbet Island - New Edition - 04-APR-2003 - NAD 1983**

27-DEC-2024

LNMD. 19-APR-2024

Reposition yellow and black South cardinal lighted pillar buoy Q(6)+LFI 15s,  
marked NBT from 53°25'18.4"N 055°42'49.9"W  
(See Chart 1, Q130.3) to 53°25'06.1"N 055°42'43.5"W  
LL(280.85) DFO(6311470-01)

**4731 - Forteau Bay to / à Domino Run - New Edition - 13-JUN-2003 - Unknown**

20-DEC-2024

LNMD. 22-NOV-2024

Delete subsurface Ocean Data Acquisition System ODAS/SADO with known  
depth of 22 fathoms  
(See Chart 1, L25)

53°26'55.8"N 055°17'59.8"W

*DFO(6311236-01)*

**4732 - Approaches to / Approches à Hamilton Inlet - New Edition - 06-JUN-2003 - NAD 1983**

20-DEC-2024

LNMD. 19-APR-2024

Delete subsurface Ocean Data Acquisition System ODAS/SADO with known  
depth of 22 fathoms  
(See Chart 1, L25)

53°26'55.8"N 055°17'59.8"W

*DFO(6311236-01)*

**4744 - Spotted Island Harbour - New Edition - 20-DEC-2002 - NAD 1983**

27-DEC-2024

LNMD. 19-APR-2024

Delete red starboard hand conical lighted buoy FI R, marked NSP2  
(See Chart 1, Qb)

53°29'21.8"N 055°45'37.0"W

*LL(280.79) DFO(6311470-02)*

Add red starboard hand lighted pillar buoy FI R, marked NSP2  
(See Chart 1, Qb)

53°29'21.1"N 055°45'37.4"W

*LL(280.79) DFO(6311470-03)*

**4823 - Cape Ray to / à Garia Bay - New Chart - 16-JAN-2004 - NAD 1983**

13-DEC-2024

LNMD. 15-NOV-2024

Reposition green port hand lighted spar buoy FI G, marked QH1  
(See Chart 1, Qc)

from 47°35'27.7"N 058°44'30.9"W  
to 47°35'35.8"N 058°44'24.4"W  
*(N2024224) LL(151.5) DFO(6311555-01)*

**4851 - Trinity Bay: Southern Portion / Partie Sud - New Edition - 30-SEP-2016 - World Geodetic System 1984**

13-DEC-2024

LNMD. 26-JUL-2024

Amend FI R to read FI Y 5s against light  
(See Chart 1, P16)

48°00'53.8"N 053°41'22.1"W

*(N2024190) LL(465.6) DFO(6311525-01)*

**4852 - Smith Sound and / et Random Sound - New Chart - 02-DEC-1994 - NAD 1983**

13-DEC-2024

LNMD. 26-JUL-2024

Amend FI R to read FI Y 5s against light  
(See Chart 1, P16)

48°00'53.8"N 053°41'22.1"W

*(N2024190) LL(465.6) DFO(6311525-01)*

**4858 - Greenspond Harbour to / à Pound Cove - New Chart - 25-DEC-1998 - NAD 1983**

06-DEC-2024

LNMD. 16-AUG-2024

Amend FI G to read FI Y against light  
(See Chart 1, P16)

49°07'14.8"N 053°36'26.3"W

*(N2024188) LL(420) DFO(6311523-01)*

**4858 - Valleyfield - New Chart - 25-DEC-1998 - NAD 1983**

06-DEC-2024

LNMD. 16-AUG-2024

Amend FI G to read FI Y against light  
(See Chart 1, P16)

49°07'14.8"N 053°36'26.3"W

*(N2024188) LL(420) DFO(6311523-01)*

**4881 - Norris Point - New Chart - 26-JUL-2019 - World Geodetic System 1984**

06-DEC-2024

LNMD. 23-AUG-2024

Add	light FI R (See Chart 1, P1)	49°31'38.3"N 057°52'21.7"W  (N2024150) LL(205.2) DFO(6311485-01)
Add	breakwater, with legend Bkw (See Chart 1, F4.1)	between 49°31'38.3"N 057°52'21.7"W and 49°31'40.3"N 057°52'21.8"W DFO(6311485-02)

**4913 - Caraquet Harbour, Baie de Shippegan and / et Miscou Harbour - New Chart - 07-AUG-1992 - NAD 1983**

06-DEC-2024

LNMD. 30-AUG-2024

Add	red starboard hand lighted spar buoy FI R, marked TK42 (See Chart 1, Qb)	47°53'12.4"N 064°33'01.7"W  (G2024256) LL(1272.272) DFO(6311593-01)
Add	green port hand lighted spar buoy FI G, marked EA17 (See Chart 1, Qc)	47°53'18.4"N 064°35'12.4"W  (G2024282) LL(1272.11) DFO(6311597-01)
Reposition	red and white fairway lighted spar buoy Mo(A), marked EN (See Chart 1, Qd)	from 47°50'41.5"N 064°54'59.0"W to 47°50'47.5"N 064°54'58.3"W (G2024284) LL(1322.5) DFO(6311599-01)
Delete	red starboard hand lighted pillar buoy FI R, marked EG14 (See Chart 1, Qb)	47°48'53.2"N 064°43'27.6"W  (G2024293) LL(1286) DFO(6311608-01)
Add	red starboard hand lighted spar buoy FI R, marked EG14 (See Chart 1, Qb)	47°48'50.0"N 064°43'27.2"W  LL(1286) DFO(6311608-02)
Add	green port hand lighted can buoy FI G, marked TK41 (See Chart 1, Qc)	47°53'02.1"N 064°33'03.9"W  (G2024257) LL(1264.271) DFO(6311613-01)
Delete	green port hand lighted pillar buoy FI G, marked EG21 (See Chart 1, Qc)	47°46'07.4"N 064°43'00.0"W  (G2024320) LL(1289) DFO(6311633-01)
Add	green port hand lighted spar buoy FI G, marked EG21 (See Chart 1, Qc)	47°46'06.7"N 064°42'00.0"W  LL(1289) DFO(6311633-02)
Delete	red starboard hand lighted pillar buoy FI R, marked TK2 (See Chart 1, Qb)	47°53'12.7"N 064°29'30.6"W  (G2024338) LL(1262.5) DFO(6311651-01)
Add	red starboard hand lighted spar buoy FI R, marked TK2 (See Chart 1, Qb)	47°53'14.9"N 064°29'44.5"W  LL(1262.5) DFO(6311651-02)

**4935 - Murray Harbour to/à Boughton Bay - New Chart - 18-JAN-2019 - NAD 1983**

06-DEC-2024

LNMD. 28-JUN-2024

Reposition	red starboard hand conical buoy, marked NM26 (See Chart 1, Qb)	from 46°01'37.8"N 062°31'17.4"W to 46°01'40.2"N 062°31'19.8"W (G2024294) DFO(6311609-01)
------------	---	--

Reposition	green port hand can buoy, marked NJ19 (See Chart 1, Qc)	from 46°13'33.7"N 062°35'36.7"W to 46°13'33.6"N 062°35'50.4"W (G2024295) DFO(6311610-01)
------------	--	--

**4937 - Amet Sound and Approaches - New Chart - 25-NOV-2022 - NAD 1983**

20-DEC-2024

LNMD. 22-NOV-2024

Reposition	red starboard hand lighted spar buoy FI R, marked UD4/2 (See Chart 1, Qb)	from 45°44'32.7"N 063°15'14.2"W to 45°44'20.4"N 063°15'16.2"W (G2024302) LL(920.8) DFO(6311618-01)
------------	--	--

Delete	green port hand lighted spar buoy FI G, marked UD3 (See Chart 1, Qc)	45°46'15.9"N 063°12'59.5"W  (G2024304) LL(920.6) DFO(6311619-01)
--------	---	--

Add	green port hand lighted spar buoy Q G, marked UD3 (See Chart 1, Qc)	45°46'09.6"N 063°13'10.8"W  (G2024304) LL(920.6) DFO(6311619-02)
-----	--	--

Reposition	red starboard hand conical lighted buoy Q R, marked UD4 (See Chart 1, Qb)	from 45°45'06.4"N 063°14'21.7"W to 45°45'27.6"N 063°14'14.4"W (G2024305) LL(920.7) DFO(6311620-01)
------------	--	--

Reposition	red starboard hand lighted spar buoy FI R, marked UE6 (See Chart 1, Qb)	from 45°47'45.4"N 063°13'04.6"W to 45°47'45.0"N 063°13'27.0"W (G2024306) LL(920.9) DFO(6311621-01)
------------	--	--

Reposition	red starboard hand spar buoy, marked UE4 (See Chart 1, Qb)	from 45°49'11.4"N 063°13'10.5"W to 45°49'07.2"N 063°13'07.8"W (G2024308) DFO(6311623-01)
------------	---	--

Reposition	green port hand can buoy, marked UD5 (See Chart 1, Qc)	from 45°44'27.0"N 063°15'12.0"W to 45°44'16.8"N 063°15'07.2"W (G2024316) DFO(6311629-01)
------------	---	--

**4954 - Chenal du Havre de la Grande Entrée - New Edition - 18-MAR-2016 - NAD 1983**

20-DEC-2024

LNMD. 13-OCT-2023

Delete	private red starboard hand lighted pillar buoy FI R ,marked CB10 (See Chart 1, Qb)	47°34'12.8"N 061°33'07.4"W  (Q2024123) LL(1485.54) DFO(6411107-01)
--------	---	--

Delete	private green port hand lighted pillar buoy FI G , marked CB11 (See Chart 1, Qc)	47°34'14.6"N 061°33'11.4"W  (Q2024124) LL(1485.55) DFO(6411108-01)
--------	---	--

Delete	private red starboard hand lighted pillar buoy FI R, marked CB14 (See Chart 1, Qb)	47°35'01.9"N 061°32'18.4"W  (Q2024125) LL(1485.58) DFO(6411109-01)
--------	---	--

Delete	private green port hand lighted pillar buoy FI G, marked CB15 (See Chart 1, Qc)	47°35'03.7"N 061°32'22.4"W  (Q2024126) LL(1485.59) DFO(6411110-01)
--------	--	--

**4954 - Quai / Wharf Mines Seleine - New Edition - 18-MAR-2016 - NAD 1983**

20-DEC-2024

LNMD. 13-OCT-2023

Delete	private red starboard hand lighted pillar buoy FI R, marked CB34 (See Chart 1, Qb)	47°36'37.2"N 061°33'21.6"W  (Q2024127) LL(1486.6) DFO(6411111-01)
--------	---	---



**5133 - Domino Point to / à Cape North - New Edition - 27-JUN-2003 - NAD 1983**

27-DEC-2024

LNMD. 19-APR-2024

Reposition	yellow and black South cardinal lighted pillar buoy Q(6)+LFI 15s, marked NBT (See Chart 1, Q130.3)	from 53°25'18.5"N 055°42'49.7"W to 53°25'06.1"N 055°42'43.5"W  LL(280.85) DFO(6311470-01)
------------	--	--

**5352 - Payne Bay and River (Tuvalik Point to Basking Island) - New Edition - 29-MAY-2015 - Unknown**

27-DEC-2024

Delete	front leading beacon marked, Bn Or B (See Chart 1, Q120)	60°00'44.6"N 069°59'33.9"W  LL(2561.1) DFO(6605386-01)
Add	front range/leading light marked, FG 29m10M (See Chart 1, P20.2)	60°00'44.6"N 069°59'33.9"W  LL(2561.1) DFO(6605386-02)
Add	radar transponder beacon marked, Racon (See Chart 1, S3.1-S3.4)	60°00'44.6"N 069°59'33.9"W  LL(2561.1) DFO(6605386-03)
Delete	rear leading beacon marked, Bn Or B (See Chart 1, Q120)	60°00'52.0"N 070°00'01.8"W  LL(2561.2) DFO(6605387-01)
Add	rear range/leading light marked, FG 73m10M (See Chart 1, P20.2)	60°00'52.0"N 070°00'01.8"W  LL(2561.2) DFO(6605387-02)

**6100 - La Belle Rivière - Sheet/Feuille 1 - New Edition - 15-APR-2016 - NAD 1983**

06-DEC-2024

LNMD. 02-DEC-2022

Affix	patch Download Patch - <a href="https://www.notmar.gc.ca/chsftp/patches/6100_6411119_2_202411080809.pdf">https://www.notmar.gc.ca/chsftp/patches/6100_6411119_2_202411080809.pdf</a>	48°29'07.3"N 071°47'37.6"W  DFO(6411119-02)
-------	---	---

**6100 - Saint-Gédéon - Sheet/Feuille 1 - New Edition - 15-APR-2016 - NAD 1983**

06-DEC-2024

LNMD. 02-DEC-2022

Affix	patch Download Patch - <a href="https://www.notmar.gc.ca/chsftp/patches/6100_6411119_1_202411150926.pdf">https://www.notmar.gc.ca/chsftp/patches/6100_6411119_1_202411150926.pdf</a>	48°29'15.7"N 071°47'45.2"W  DFO(6411119-01)
-------	---	---

**6251 - Red River / Rivière Rouge to/à Gull Harbour - Sheet/Feuille 1 - New Edition - 26-MAY-2000 - NAD 1927**

13-DEC-2024

LNMD. 17-MAY-2024

Add	depth of 7 feet (See Chart 1, I10)	50°39'57.6"N 096°27'52.9"W  DFO(6605362-01)
Add	groyne (See Chart 1, F6)	between 50°39'54.1"N 096°28'40.7"W and 50°39'54.1"N 096°28'33.5"W DFO(6605362-02)
Add	groyne (See Chart 1, F6)	between 50°39'52.5"N 096°28'33.8"W and 50°39'52.5"N 096°28'40.1"W DFO(6605362-03)

**7134 - Robinson Bay and Approaches/et les Approches - New Chart - 23-JUL-1993 - NAD 1983**

20-DEC-2024

Add	obstruction with known depth of 4.4 metres Rep (2024) (See Chart 1, K41)	62°33'19.0"N 064°36'42.1"W <i>DFO(6605365-01)</i>
Add	obstruction with known depth of 10.3 metres Rep (2024) (See Chart 1, K41)	62°33'20.0"N 064°36'48.8"W <i>DFO(6605365-02)</i>
Add	obstruction with known depth of 11.8 metres Rep (2024) (See Chart 1, K41)	62°33'17.6"N 064°36'53.9"W <i>DFO(6605365-03)</i>

**7150 - Approaches to Pangnirtung et les approches - New Edition - 02-NOV-2018 - World Geodetic System 1984**

27-DEC-2024

Reposition	light, marked FI R (See Chart 1, P1) This notice affects Electronic Navigational Chart: CA473477, CA573395	from 66°09'01.7"N 065°42'38.5"W to 66°09'01.6"N 065°42'38.6"W <i>(A2024035) LL(2599.2) DFO(6605381-01)</i>
Reposition	front range/leading light, marked Iso Y 2s (See Chart 1, P20.2) This notice affects Electronic Navigational Chart: CA473477, CA573395	from 66°08'51.3"N 065°42'15.5"W to 66°08'51.1"N 065°42'15.8"W <i>(A2024036) LL(2599.3) DFO(6605382-01)</i>
Replace	bearing 033½° with 326½° (See Chart 1, Pa) This notice affects Electronic Navigational Chart: CA473477, CA573395	66°09'22.9"N 065°43'03.3"W <i>DFO(6605383-01)</i>
Reposition	rear range/leading light, marked Iso Y 2s with leading line and bearings 146½° - 326½° (See Chart 1, P20.2, Pa) This notice affects Electronic Navigational Chart: CA473477, CA573395	from 66°08'47.5"N 065°42'09.4"W to 66°08'47.4"N 065°42'09.7"W <i>DFO(6605383-02)</i>

**7150 - Pangnirtung - New Edition - 02-NOV-2018 - World Geodetic System 1984**

27-DEC-2024

Reposition	light, marked FI G (See Chart 1, P1) This notice affects Electronic Navigational Chart: CA473477, CA573395	from 66°09'00.5"N 065°42'24.5"W to 66°09'00.4"N 065°42'24.8"W <i>(A2024034) LL(2599.1) DFO(6605380-01)</i>
Reposition	front range/leading light, marked Iso Y 2s (See Chart 1, P20.2) This notice affects Electronic Navigational Chart: CA473477, CA573395	from 66°08'51.3"N 065°42'15.5"W to 66°08'51.1"N 065°42'15.8"W <i>(A2024036) LL(2599.3) DFO(6605382-01)</i>
Replace	bearing 033½° with 326½° (See Chart 1, Pa) This notice affects Electronic Navigational Chart: CA473477, CA573395	66°09'22.9"N 065°43'03.3"W <i>DFO(6605383-01)</i>
Reposition	rear range/leading light, marked Iso Y 2s with leading line and bearings 146½° - 326½° (See Chart 1, P20.2, Pa) This notice affects Electronic Navigational Chart: CA473477, CA573395	from 66°08'47.5"N 065°42'09.4"W to 66°08'47.4"N 065°42'09.7"W <i>DFO(6605383-02)</i>

**7170 - Exeter Bay and Approaches/et les Approches - New Edition - 25-MAR-2016 - NAD 1983**

20-DEC-2024

Delete	beacon, Bn R (See Chart 1, Q81)	66°32'19.4"N 061°43'50.5"W <i>DFO(6605375-01)</i>
Delete	beacon, Bn R (See Chart 1, Q81)	66°33'51.0"N 061°46'53.1"W <i>DFO(6605375-02)</i>
Delete	legend, Tanks/Réservoirs (See Chart 1, E32)	66°34'31.0"N 061°40'14.6"W <i>DFO(6605375-07)</i>

**7171 - Exeter Bay Landing Beach - New Edition - 25-MAR-2016 - NAD 1983**

20-DEC-2024

Delete	beacon, Bn R (See Chart 1, Q81)	66°32'19.4"N 061°43'50.5"W <i>DFO(6605375-01)</i>
Delete	beacon, Bn R (See Chart 1, Q81)	66°33'51.0"N 061°46'53.1"W <i>DFO(6605375-02)</i>
Delete	tide station (See Chart 1, T32.2)	66°32'17.7"N 061°43'40.1"W <i>DFO(6605375-03)</i>
Delete	tank (See Chart 1, E32)	66°34'26.2"N 061°40'28.3"W <i>DFO(6605375-04)</i>
Delete	tank (See Chart 1, E32)	66°34'27.6"N 061°40'29.9"W <i>DFO(6605375-05)</i>
Delete	tank and legend, Tanks/Réservoirs (See Chart 1, E32)	66°34'29.7"N 061°40'32.2"W <i>DFO(6605375-06)</i>

**7790 - Roberts Bay - New Chart - 30-SEP-2005 - NAD 1983**

13-DEC-2024

Add	outfall pipe (See Chart 1, L41.1)	joining 68°11'24.7"N 106°38'25.3"W 68°11'09.7"N 106°38'22.1"W and 68°10'38.3"N 106°38'12.8"W <i>DFO(6605374-01)</i>
This notice affects Electronic Navigational Chart: CA573348		

**8048 - Cape Harrison to / à St. Michael Bay - New Edition - 20-JUN-2003 - NAD 1983**

20-DEC-2024

Delete	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 40 metres (See Chart 1, L25)	LNMD. 19-APR-2024 53°26'55.8"N 055°17'59.8"W <i>DFO(6311236-01)</i>
--------	---	---

### **Section 3: Radio Aids to Marine Navigation Corrections**

---

No corrections for this section.

## Section 4: Canadian Sailing Directions Corrections

---

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
<b>Atlantic Coast</b>	
<b>ATL 102</b>	Newfoundland, East and South Coasts
<b>ATL 104</b>	Cape North to Cape Canso (including Bras d'Or Lake)
<b>ATL 106</b>	Gulf of Maine and Bay of Fundy
<b>ATL 107</b>	Saint John River
<b>Pacific Coast</b>	
<b>PAC 201</b>	Juan de Fuca Strait and Strait of Georgia
<b>PAC 202</b>	Discovery Passage to Queen Charlotte Strait and West Coast of Vancouver Island
<b>PAC 205</b>	Inner Passage - Queen Charlotte Sound to Chatham Sound
<b>PAC 206</b>	Hecate Strait, Dixon Entrance, Portland Inlet and Adjacent Waters and Haida Gwaii

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

## Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are **highlighted** and deletions are **crossed out**. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### NEWFOUNDLAND AND LABRADOR COAST

#### PLACENTIA BAY (LL 14.4 – 79)

19	<i>Come by Chance light and whistle fairway buoy PCC</i>	47 19 29.9 054 07 26.1	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "PCC".	Year round.
	Racon . - (A) X & S Bands						Chart:4622 Edn 12/24

#### WHITE BAY (LL 235 – 269.2)

251 H0718.4	Englee Wharf Light	Englee Harbour. 50 43 56.0 056 06 24.0	Fl Y 5s	4.0	2	Cylindrical Mast. 2.4	Flash 1 s; eclipse 4 s. Visible 180°. Seasonal.
							Chart:4583 Edn 12/24 (N24-168, 252)

#### NEWFOUNDLAND AND LABRADOR COAST (LL 269.99 – 325.23)

324.19 H0060.3	Black Top Island Light	56 21 05.8 060 32 40.8	Fl W 5s	12.9	5	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 4 s. Year round.
	Racon - - - (Z) X & S Bands						Chart:5051 Edn 12/24 (N24-257)

#### NOTRE DAME BAY (LL 326 – 395)

378	Burnt Point						Delete from list.
							Chart:4530 Edn 12/24 (N24-254)
380	Cann Island (Seldom Cove)						Delete from list.
							Chart:4530 Edn 12/24 (N24-255)

#### BONAVISTA BAY (LL 396 – 449.5)

442.12 H0540.7	Open Hall Wharf Light	48 32 47.5 053 29 08.0	Fl G 5s	.....	2	Cylindrical Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.
							Chart:4854 Edn 12/24 (N24-251)
442.3 H0541	Plate Cove West Breakwater Light	48 30 00.8 053 30 18.6	Fl R 5s	.....	4	Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.
							Chart:4854 Edn 12/24 (N24-250)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**CONCEPTION BAY (LL 471.7 – 498.2)**

478 H0492	Carbonear Wharf Light	47 44 14.4 053 13 26.6	Fl Y 5s	4.3	4	Mast.  2.6	Flash 1 s; eclipse 4 s. Year round.  Chart:4849 Edn 12/24 (N24-249)
488.1 H0479.2	Cupids Wharf Light	47 33 03.3 053 13 24.8	Fl G 4s	.....	2	Mast.  2.6	Year round.  Chart:4847 Edn 12/24 (N24-243)
488.2 H0479	Brigus Wharf Light	47 32 21.8 053 12 20.6	Fl R 4s	5.2	4	Mast.  3.4	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4847 Edn 12/24 (N24-244)
493.5 H0468.5	Bauline Light	47 43 23.0 052 50 05.0	Fl (2) W 5s	9.9	6	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse 4 s. Year round.  Chart:4847 Edn 12/24 (N24-245)
493.52 H0469	Bauline North Breakwater Light	47 43 22.0 052 50 05.0	Fl G 5s	3.2	2	Mast.  2.3	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4847 Edn 12/24 (N24-246)

**CAPE ST. FRANCIS TO RENEWS (LL 499 – 516)**

507.7 H0453.5	Petty Harbour South Breakwater Light	Harbour entrance. 47 27 51.0 052 42 16.0	Fl G 4s	3.2	4	Cylindrical Mast. 2.3	Flash 1 s; eclipse 3 s. Year round.  Chart:4845 Edn 12/24 (N24-247)
------------------	--	--	---------	-----	---	--------------------------	---

**ATLANTIC COAST**

**NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)**

598 H3542	Sheet Harbour Passage range						Delete from list.
599 H3542.1							Delete from list.
							Chart:4235 Edn 12/24 (F24-058, 059)

**CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)**

774.5	Lingan Harbour light buoy KQ7	46 13 44.0 060 02 28.1	Fl G 4s	.....	.....	Green, marked "KQ7".	Seasonal.  Chart:N/A Edn 12/24 (G24-565)
-------	----------------------------------	---------------------------	---------	-------	-------	----------------------	---

**NORTHUMBERLAND STRAIT – WEST (LL 1085 – 1165.9)**

1099.5 H1322	Little Cape Outer Breakwater	46 11 55.3 064 09 42.7	LF R 6s	.....	7	Square skeleton tower, red and white rectangular daymark with red triangle in the centre.  3.7	Flash 2 s; eclipse 4 s. Seasonal.  Chart:4905 Edn 12/24 (G24-546)
-----------------	---------------------------------	---------------------------	---------	-------	---	---	---

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**GASPÉ – CHALEUR BAY (LL 1169.1 – 1426)**

1172	The Lump light buoy M5	47 06 21.0 064 57 56.2	Q	G	1s	.....	.....	Green spar, marked "M5".	Seasonal (in place year round).	Chart:4911 Edn 12/24 (G24-549)
1172.5	The Lump light buoy M6	47 06 23.8 064 58 10.3	Q	R	1s	.....	.....	Red spar, marked "M6".	Seasonal (in place year round).	Chart:4911 Edn 12/24 (G24-548)
1186	Horse Shoe Bar light buoy M26	47 07 20.9 065 06 37.6	Q	R	1s	.....	.....	Red spar, marked "M26".	Seasonal (in place year round).	Chart:4911 Edn 12/24 (G24-550)
1199	The Willows light buoy M37	47 06 30.8 065 16 03.5	Q	G	1s	.....	.....	Green spar, marked "M37".	Seasonal (in place year round).	Chart:4912 Edn 12/24 (G24-551)
1310.5	Caraquet Channel light buoy EM12	47 49 12.8 064 50 01.0	Fl	R	4s	.....	.....	Red spar, marked "EM12".	Seasonal (in place year round).	Chart:4913 Edn 12/24 (G24-556)
1332.35	Bathurst Harbour light buoy EP33	47 39 01.1 065 37 50.9	Fl	G	4s	.....	.....	Green, marked "EP33".	Seasonal.	Chart:4920 Edn 12/24 (G24-557)

**GULF OF ST. LAWRENCE (LL 1477.5 – 1617)**

1480	Pointe de l'Est East Cardinal light buoy YY	SE. of point 47 36 45.2 061 19 39.4	Q(3)	W	10s	.....	.....	Black, yellow and black, marked "YY".	Seasonal.	Chart:4950 Edn 12/24
1539.2 H1890.42	Pointe du Nord-Est  Racon - . (N) X & S Bands	On NE. point of Île de la Grande Passe. 51 10 37.6 058 25 39.3	Fl	W	6s	13.6	7	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.	Chart:4969 Edn 12/24

**INLAND WATERS**

**ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON (LL 33 – 401)**

83 H2541	Canal de Soulanges Upper Entrance	On SE. end of breakwater, E. of Coteau-Landing wharf. 45 15 09.8 074 12 21.9	Fl	G	4s	7.8	4	Mast, white cylindrical daymark with green upper portion. 5.9	Seasonal.	Chart:1431 Edn 12/24 (B24-254)
-------------	---	---	----	---	----	-----	---	--	-----------	-----------------------------------



Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**GEORGIAN BAY (LL 814 – 982)**

864	Brébeuf Island Sector	On N. end of island. 44 52 36.0 079 53 04.4	F R W G	.....	.....	.....	White tower, orange rectangular daymark. 11.0  Visible over an arc of 5.5°; red from 226° to 268°; white from 268° to 269.5°; green from 269.5° to 271.5°. Operates 24 h. Seasonal (in place year round).  Chart:2241 Edn 12/24 (D24-095)
-----	--------------------------	---	------------------	-------	-------	-------	---

954	Gereaux Island Racon - - - (G) X & S Bands	On S. side of entrance to Byng Inlet. 45 44 40.0 080 39 32.7	Oc W 10s	15.9	13	White square tower. 15.1	Flash 7 s; eclipse 3 s. Operates 24 h. Seasonal (in place year round).  Chart:2293 Edn 12/24
-----	--	--	----------	------	----	-----------------------------	---

**GREAT SLAVE LAKE (LL 1671.7 – 1716)**

1707	Pilot Islands range	On N. side of S. island. 62 13 03.8 114 06 46.7	F W .....	16.8	8	Tripod skeleton tower, red daymark with white vertical stripe. 12.2	Radar reflector. Seasonal.
1708	Racon - - - (C) X & S Bands	345° 39' 523.8 m from front.	F W .....	26.5	16	Tripod skeleton tower, red daymark with white vertical stripe. 18.3	Radar reflector. Seasonal.  Chart:6369 Edn 12/24 (A24-044, 045)

**MACKENZIE RIVER AND BAY (LL 1716.96 – 2540)**

2518	Atkinson Point Racon - - - (Y) X & S Bands	On point. 69 56 46.7 131 26 59.3	Fl W 4s	23.0	7	Tripod skeleton tower, red rectangular daymark. 18.3	Radar reflector. Seasonal (in place year round).  Chart:7663 Edn 12/24
------	--	--	---------	------	---	---	---

**HUDSON STRAIT AND BAY (LL 2545 – 2621)**

2549 H0032	Coats Island Light and Racon Racon - - - (C) X & S Bands	On Carys Swan Nest, SE. point of island. 62 10 25.9 083 07 42.3	Fl W 6s	13	8	Red and white Skeleton tower, orange rectangular daymark. 11.2	Flash 1 s; eclipse 5 s. Shoal water surrounds this point and should not be approached nearer than 5 miles. Radar reflector. Seasonal (in place year round). Position in NAD 83.  Chart:5449 Edn 12/24 (A24-046)
---------------	--	---	---------	----	---	---	--

2550 H0036	Mansel Island Light and Racon Racon - - - (K) X & S Bands	N. extremity of island. 62 24 51.6 079 36 18.2	Fl W 5s	18	.....	Square tower, orange rectangular daymark. 15.5	Flash 1 s; eclipse 4 s. Omnidirectional. Radar reflector. Seasonal (in place year round). Position in NAD 83.  Chart:5449 Edn 12/24 (A24-048)
---------------	---	--	---------	----	-------	---	--