



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

NOTICES TO MARINERS PUBLICATION WESTERN EDITION

MONTHLY EDITION N° 2
February 26th, 2016



Safety First, Service Always

Published monthly by the
CANADIAN COAST GUARD
www.notmar.gc.ca/subscribe

CONTENTS

	Page
Section 1	Safety and General Information 1 - 3
Section 2	Chart Corrections 4 - 22
Section 3	Radio Aids to Marine Navigation Corrections N/A
Section 4	Sailing Directions and Small Craft Guide Corrections 24
Section 5	List of Lights, Buoys and Fog Signals Corrections 25-26

Canadian Coast Guard Programs
Aids to Navigation and Waterways

EXPLANATORY NOTES.

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile	= 1 852 metres (6,076.1 feet)
1 statute mile	= 1 609.3 metres (5,280 feet)
1 metre	= 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) in the section 1. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet.

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

Canadian Hydrographic Service.

Information Published in Section 2 Notices to Mariners - Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Chart Corrections - Section 2. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or height of a light may not result in the production of a chart correction, in *Notices to Mariners*, but may result in a *List of Lights, Buoys and Fog Signals* correction.

In case of discrepancy between information provided on CHS charts related to aids to navigation, and the List of Lights publication, the latter shall be deemed as containing the most up to date information.

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & Publications* is published in Notice No. 14 of the *Notices to Mariners Annual Edition April 2014*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following website:

www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp


NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2.

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction.



The last correction number is identified with the **LNM/D** or **Last Notice to Mariners Number / Date**. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

MONTHLY EDITION OF NOTICES TO MARINERS WEB ACCESS.

We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the website to subscribe for this service:

www.notmar.gc.ca/subscribe

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page :

www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25lJmxbhmc9ZSI7

This feature permits users to register the nautical charts they currently have in their possession.

Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

ADVISORY NOTICES TO SHIPPING (WRITTEN AND BROADCAST).

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until cancelled or superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are available on the Canadian Coast Guard Website at www.ccg-gcc.gc.ca/eng/CCG/NOTSHIP.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Western

Fisheries and Oceans Canada
Canadian Coast Guard
Victoria MCTS Centre
P. O. Box 6000,
9860 West Saanich Road
SIDNEY, BC V8L 4B2

Telephone : (250) 363-6333

Email: supervisor.Victoria@innav.gc.ca

Website: www.ccg-gcc.gc.ca/Marine-communications/Home

* Fisheries and Oceans Canada
Canadian Coast Guard
Iqaluit MCTS Centre
Notices to Shipping Series "A" and Series "H"
P.O. Box 189
IQALUIT, NU, X0A 0H0

Telephone: (867) 979-5269

Facsimile: (867) 979-4264

Email: IQANORDREG@INNAV.GC.CA

Website: www.ccg-gcc.gc.ca/eng/CCG/Notship-Home

*** Services provided in English and French**

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE	
CHART PATCHES.	1
CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.....	1
CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.	1
CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.....	1
CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.....	2
UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES	2
ERRATUM:	2
*201 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS	2
*202 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4)	2
*203 TRANSPORT CANADA – SHIP SAFETY BULLETIN.....	3
*204(T) KENORA, RAT - PORTAGE BAY- STRUCTURE REPORTED DAMAGED.....	3
*209(P) BURTON TO/À ARROWHEAD - LIGHT BUOY TO BE DISCONTINUED.....	3

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
3057	3	3958	17,18,19,20		
3312	4, 5	3977	20, 21		
3313	5, 6	3984	21		
3442	6, 7	6218	3		
3443	7	6242	21, 22		
3477	7, 8	6428	22		
3527	8, 9	6429	22		
3538	9,10				
3545	10				
3555	10, 11				
3668	11				
3675	12				
3724	12				
3726	12				
3737	12				
3742	12				
3794	13				
3890	13				
3894	13				
3908	13				
3945	13				
3947	13, 14				
3948	14				
3955	14, 15				
3956	15, 16				
3957	16, 17				

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 1
SAFETY AND GENERAL INFORMATION**

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notices to Mariners corrections for charts can now be accessed at www.notmar.gc.ca/search/notmar-eng.php

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notices to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notices to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can be accessed at www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 1
SAFETY AND GENERAL INFORMATION**

CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES

The Canadian Coast Guard is modernizing and consolidating its Marine Communications and Traffic Services Centres. Clients will continue to receive the high-quality service they have come to expect.

Once complete, there will be a total of 12 MCTS Centres strategically located across the country. Additional information pertaining to this project will be advertised to clients by all available means.

Western Region

Comox MCTS will consolidate to Victoria MCTS in Winter/Spring 2016

The new technology will increase efficiency permitting employees to have a greater ability to focus on the safety services they provide to mariners. Mariners are encouraged to visit the Radio Aids to Marine Navigation (RAMN), www.ccg-gcc.gc.ca/Marine-Communications/Home and Notices to Mariners (NOTMAR), www.notmar.gc.ca/ PART 3 on a monthly basis for updated information and potential changes to contact information and marine broadcast schedules.

ERRATUM:

Take note that notices to mariners of January 29th 2016 should have been published in Monthly Edition of Notices to Mariners, No 1, 2016, Section 2. The information for those notices has been published in the current edition.

***201 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS**

NEW PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA376619	Burgeo to/à François
CA576620	Grey River
CA576621	François

***202 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4)**

CHARTS	MAIN TITLE	SCALE	PUBLISHED
New Editions			
R/M4114	Campobello Island	1:20000	24-APR-2015
R/M4430	Plans - Île D'Anticosti	1:72000	22-MAY-2015

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 1
SAFETY AND GENERAL INFORMATION

***203 TRANSPORT CANADA – SHIP SAFETY BULLETIN.**

This is to notify you that a new **Ship Safety Bulletin** has recently been posted to the Transport Canada website at www.tc.gc.ca/ssb-bsn/.

To go online to view or download this bulletin, please click on the link below:

Subject: Large Fishing Vessels – Efficient Bilge Drainage Systems in all Watertight and Refrigerated Spaces.

Issue: Bulletin No.: 01/2016

RDIMS No.: 11363543

Date: 2016-01-20

Link: [Large Fishing Vessels – Efficient Bilge Drainage Systems in all Watertight and Refrigerated Spaces](#)

Sign yourself up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our Website.

Contact us at marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free)

***204(T) KENORA, RAT - PORTAGE BAY- STRUCTURE REPORTED DAMAGED**

Reference: Chart 6218

Safety Bay Light (LL 1471) (49° 45' 34.7"N 094° 31' 24.2"W)
Structure reported damaged and light showing improper characteristics

401 King Street West,
P.O. Box 1000
Prescott, Ontario
K0E 1T0
Telephone: 613-925-0666
Facsimile: 613-925-4519

(NOTSHIP C1007/14)

***209(P) BURTON TO/À ARROWHEAD - LIGHT BUOY TO BE DISCONTINUED.**

Reference Chart: 3057

The Canadian Coast Guard proposes to permanently discontinue the following Aid to navigation:

Arrowhead light buoy A29 (LL40.7) (50 40 22.4N 117 54 31W) (NAD83)

Comments on this action are solicited from mariners and other interested parties.
Comments should be directed to the following before June 15, 2016:

Superintendent, Kevin Carrigan
Aids to Navigation and Waterways,
Canadian Coast Guard
25 Huron Street,
Victoria, British Columbia,
V8V 4V9
Telephone: 250-480-2600
Email: kevin.carrigan@dfo-mpo.gc.ca

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

(P2016-022)

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

3312 - Squirrel Cove - Sheet/Feuille 10 - New Edition - 05-JAN-2007 - NAD 1983
12-FEB-2016

LNMD. 15-JAN-2016

Add	rock which covers and uncovers with drying height of 0.6 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470103	50°08'13.1"N 124°55'34.0"W	<i>DFO(6203182-01)</i>
Delete	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'11.9"N 124°55'34.8"W	<i>DFO(6203182-02)</i>
Delete	depth of 4.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'31.3"N 124°55'08.0"W	<i>DFO(6203182-03)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'31.4"N 124°55'10.2"W	<i>DFO(6203182-04)</i>
Add	depth of 1 metres (See Chart No. 1, I10)	50°08'20.2"N 124°55'17.9"W	<i>DFO(6203182-05)</i>
Add	rock which covers and uncovers with drying height of 1.9 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470103	50°07'53.2"N 124°55'23.0"W	<i>DFO(6203182-06)</i>
Add	depth of 2.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'21.9"N 124°55'10.3"W	<i>DFO(6203182-08)</i>
Delete	depth of 4.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'22.6"N 124°55'07.1"W	<i>DFO(6203182-10)</i>
Add	depth of 3 metres (See Chart No. 1, I10)	50°08'08.4"N 124°53'47.8"W	<i>DFO(6203182-11)</i>
Delete	depth of 14.6 metres (See Chart No. 1, I10)	50°08'07.4"N 124°53'48.3"W	<i>DFO(6203182-12)</i>
Add	depth of 3.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'08.8"N 124°55'32.6"W	<i>DFO(6203182-13)</i>

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Delete depth of 5.8 metres 50°08'08.8"N 124°55'32.5"W
(See Chart No. 1, I10) *DFO(6203182-14)*

Add depth of 3.9 metres 50°07'53.3"N 124°55'19.6"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 *DFO(6203182-17)*

Delete depth of 5.8 metres 50°07'53.2"N 124°55'18.7"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 *DFO(6203182-18)*

3312 - Sutil Channel - Discovery Passage - Sheet/Feuille 18 - New Edition - 05-JAN-2007 - NAD 1983
12-FEB-2016 LNM/D. 15-JAN-2016

Delete radar reflector 50°06'24.3"N 125°03'31.2"W
(See Chart No. 1, S4)
This notice affects Electronic Navigational Chart: CA470103 *(P2016001) LL(483.3) DFO(6203189-01)*

3312 - Hoskyn Channel - Sutil Channel - Sheet/Feuille 19 - New Edition - 05-JAN-2007 - NAD 1983
12-FEB-2016 LNM/D. 15-JAN-2016

Delete radar reflector 50°06'24.3"N 125°03'31.2"W
(See Chart No. 1, S4)
This notice affects Electronic Navigational Chart: CA470103 *(P2016001) LL(483.3) DFO(6203189-01)*

3313 - Stuart Channel South/Sud - Sheet/Feuille 15 - New Edition - 02-JAN-2009 - NAD 1983
05-FEB-2016 LNM/D. 08-JAN-2016

Add depth of 2.8 metres 48°58'17.4"N 123°40'45.6"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188 *DFO(6203180-06)*

Add depth of 3.6 metres 48°57'34.4"N 123°39'44.1"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188 *DFO(6203180-08)*

Delete depth of 4.6 metres 48°58'19.1"N 123°40'47.3"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188 *DFO(6203180-09)*

3313 - The Cut, Telegraph Harbour and/et Preedy Harbour - Sheet/Feuille 16 - New Edition - 02-JAN-2009 - NAD 1983
05-FEB-2016 LNM/D. 08-JAN-2016

Add depth of 0.1 metres 48°58'10.3"N 123°39'33.8"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570188 *DFO(6203180-01)*

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Delete	depth of 4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°58'10.4"N 123°39'33.5"W <i>DFO(6203180-02)</i>
Add	depth of 1.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°59'12.9"N 123°38'16.7"W <i>DFO(6203180-03)</i>
Delete	depth of 8.2 metres (See Chart No. 1, I10)	48°59'13.2"N 123°38'17.5"W <i>DFO(6203180-04)</i>
Add	depth of 2.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570188	48°58'17.4"N 123°40'45.6"W <i>DFO(6203180-06)</i>
Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°57'55.1"N 123°40'29.4"W <i>DFO(6203180-07)</i>
Add	depth of 3.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570188	48°57'34.4"N 123°39'44.1"W <i>DFO(6203180-08)</i>
Delete	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570188	48°58'19.1"N 123°40'47.3"W <i>DFO(6203180-09)</i>
Delete	depth of 9.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070	48°57'34.7"N 123°39'43.9"W <i>DFO(6203180-10)</i>
Add	depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°59'40.0"N 123°38'52.7"W <i>DFO(6203180-14)</i>
3442 - North Pender Island to Thetis Island - New Edition - 01-JUL-2005 - NAD 1983 05-FEB-2016		LN/D. 08-JAN-2016
Add	depth of 2.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570188	48°58'17.4"N 123°40'45.6"W <i>DFO(6203180-06)</i>
Add	depth of 3.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570188	48°57'34.4"N 123°39'44.1"W <i>DFO(6203180-08)</i>

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Delete depth of 4.6 metres 48°58'19.1"N 123°40'47.3"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188

DFO(6203180-09)

Delete depth of 9.4 metres 48°57'34.7"N 123°39'43.9"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070

DFO(6203180-10)

3443 - Thetis Island to/à Nanaimo - New Edition - 20-DEC-2002 - NAD 1983

05-FEB-2016

LNMD. 01-MAY-2015

Add depth of 2.8 metres 48°58'17.4"N 123°40'45.6"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188

DFO(6203180-06)

Add depth of 3.6 metres 48°57'34.4"N 123°39'44.1"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188

DFO(6203180-08)

Delete depth of 4.6 metres 48°58'19.1"N 123°40'47.3"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188

DFO(6203180-09)

Delete depth of 9.4 metres 48°57'34.7"N 123°39'43.9"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070

DFO(6203180-10)

3477 - Telegraph Harbour and/et Preedy Harbour - New Edition - 03-MAY-1985 - NAD 1927

05-FEB-2016

LNMD. 27-MAY-2011

Add depth of 0.1 metres 48°58'11.0"N 123°39'29.0"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570188

DFO(6203180-01)

Delete depth of 4 metres 48°58'11.1"N 123°39'28.9"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570188

DFO(6203180-02)

Add depth of 1.7 metres 48°59'13.5"N 123°38'11.8"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570188

DFO(6203180-03)

Add depth of 2.8 metres 48°57'24.8"N 123°39'42.0"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570188

DFO(6203180-05)

Add depth of 2.8 metres 48°58'18.1"N 123°40'40.8"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470070, CA570188

DFO(6203180-06)

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°57'55.7"N 123°40'24.6"W <i>DFO(6203180-07)</i>
Add	depth of 3.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570188	48°57'35.0"N 123°39'39.3"W <i>DFO(6203180-08)</i>
Delete	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570188	48°58'19.7"N 123°40'42.5"W <i>DFO(6203180-09)</i>
Add	depth of 3.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°58'10.5"N 123°41'21.8"W <i>DFO(6203180-11)</i>
Delete	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°58'42.5"N 123°40'01.6"W <i>DFO(6203180-12)</i>
Add	depth of 3.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°59'16.5"N 123°38'48.9"W <i>DFO(6203180-13)</i>
Add	depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°59'40.6"N 123°38'47.9"W <i>DFO(6203180-14)</i>
Add	depth of 0.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°58'42.5"N 123°40'01.6"W <i>DFO(6203180-15)</i>
Add	depth of 8.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570188	48°58'07.0"N 123°39'37.5"W <i>DFO(6203180-16)</i>
3527 - Baynes Sound - New Edition - 06-APR-2001 - NAD 1983 19-FEB-2016		LNMD. 16-OCT-2015
Add	light F RG (See Chart No. 1, P1) This notice affects Electronic Navigational Chart: CA470218	49°31'33.4"N 124°50'50.4"W <i>DFO(6203209-01)</i>
Add	light F RG (See Chart No. 1, P1) This notice affects Electronic Navigational Chart: CA470218	49°32'05.0"N 124°49'24.2"W <i>DFO(6203209-02)</i>

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Add	note See/Voir note CAUTION/ATTENTION This notice affects Electronic Navigational Chart: CA470218	49°31'47.0"N 124°49'47.0"W <i>DFO(6203209-03)</i>
Add	note CAUTION The lights on the ferry wharfs indicate the location of the ferry, green when docked, red when in transit. Mariners must not proceed when red light is visible. ATTENTION Les feux sur les quais de traversier indiquent l'emplacement du traversier, vert lorsqu'il est à quai, rouge lorsqu'il est en transit. Les navigateurs ne doivent pas procéder lorsque le feu rouge est allumé. This notice affects Electronic Navigational Chart: CA470218	49°30'20.0"N 124°51'40.0"W <i>DFO(6203209-04)</i>
3538 - Desolation Sound and/et Sutil Channel - New Edition - 30-DEC-2005 - NAD 1983 12-FEB-2016		LN/D. 15-JAN-2016
Add	rock which covers and uncovers with drying height of 0.6 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470103	50°08'13.1"N 124°55'34.0"W <i>DFO(6203182-01)</i>
Delete	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'11.9"N 124°55'34.8"W <i>DFO(6203182-02)</i>
Delete	depth of 4.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'31.3"N 124°55'08.0"W <i>DFO(6203182-03)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'31.4"N 124°55'10.2"W <i>DFO(6203182-04)</i>
Add	rock which covers and uncovers with drying height of 1.9 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470103	50°07'53.2"N 124°55'23.0"W <i>DFO(6203182-06)</i>
Add	depth of 2.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'21.9"N 124°55'10.3"W <i>DFO(6203182-08)</i>
Delete	depth of 4.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'22.6"N 124°55'07.1"W <i>DFO(6203182-10)</i>

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 2
CHART CORRECTIONS**

Add	depth of 3.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'08.8"N 124°55'32.6"W <i>DFO(6203182-13)</i>
Add	depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°07'53.3"N 124°55'19.6"W <i>DFO(6203182-17)</i>
Delete	depth of 5.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°07'53.2"N 124°55'18.7"W <i>DFO(6203182-18)</i>
Delete	radar reflector (See Chart No. 1, S4) This notice affects Electronic Navigational Chart: CA470103	50°06'24.3"N 125°03'31.2"W <i>(P2016001) LL(483.3) DFO(6203189-01)</i>
26-FEB-2016		LN/D. 12-FEB-2016
Affix	patch Download Patch - http://www.chs-shc.gc.ca/patches/3538Patch_20160118.pdf	50°00'00.0"N 124°45'00.0"W <i>DFO(6203215-01)</i>
3545 - Johnstone Strait, Port Neville to à Robson Bight - New Chart - 28-APR-1989 - NAD 1983		
05-FEB-2016		LN/D. 21-FEB-2014
Add	marine farm (See Chart No. 1, K48.2) This notice affects Electronic Navigational Chart: CA470309	50°36'07.0"N 126°20'50.5"W <i>DFO(6203187-01)</i>
3555 - Squirrel Cove - New Edition - 27-JUN-1986 - NAD 1927		
12-FEB-2016		LN/D. 18-DEC-2015
Add	rock which covers and uncovers with drying height of 2 feet (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470103	50°08'13.8"N 124°55'28.8"W <i>DFO(6203182-01)</i>
Delete	depth of 1 fathom 2 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'13.7"N 124°55'29.5"W <i>DFO(6203182-02)</i>
Add	depth of 0 fathoms 3 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'32.0"N 124°55'05.0"W <i>DFO(6203182-04)</i>
Add	depth of 0 fathoms 3 feet (See Chart No. 1, I10)	50°08'20.8"N 124°55'12.8"W <i>DFO(6203182-05)</i>
Add	rock which covers and uncovers with drying height of 6 feet (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470103	50°07'53.8"N 124°55'17.8"W <i>DFO(6203182-06)</i>

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 2
CHART CORRECTIONS**

Delete	depth of 6 fathoms 2 feet (See Chart No. 1, I10)	50°07'53.6"N 124°55'16.8"W <i>DFO(6203182-07)</i>
Add	depth of 1 fathom 3 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'22.5"N 124°55'05.2"W <i>DFO(6203182-08)</i>
Delete	depth of 3 fathoms 3 feet (See Chart No. 1, I10)	50°08'22.3"N 124°55'04.5"W <i>DFO(6203182-09)</i>
Add	depth of 1 fathom 4 feet (See Chart No. 1, I10)	50°08'09.0"N 124°53'42.6"W <i>DFO(6203182-11)</i>
Delete	depth of 8 fathoms (See Chart No. 1, I10)	50°08'08.0"N 124°53'43.1"W <i>DFO(6203182-12)</i>
Add	depth of 1 fathom 4 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470103	50°08'09.4"N 124°55'27.4"W <i>DFO(6203182-13)</i>
Delete	depth of 3 fathoms 1 foot (See Chart No. 1, I10)	50°08'09.4"N 124°55'27.3"W <i>DFO(6203182-14)</i>
Add	depth of 1 fathom 5 feet (See Chart No. 1, I10)	50°08'28.9"N 124°55'18.7"W <i>DFO(6203182-15)</i>
Delete	depth of 2 fathoms 3 feet (See Chart No. 1, I10)	50°08'28.9"N 124°55'18.7"W <i>DFO(6203182-16)</i>

**3668 - Port Alberni - New Edition - 07-APR-2000 - NAD 1983
19-FEB-2016**

LNM/D. 18-APR-2014

Delete	conveyor (See Chart No. 1, Dc)	joining 49°14'32.3"N 124°48'44.9"W 49°14'32.3"N 124°48'44.6"W 49°14'35.5"N 124°48'44.6"W 49°14'38.8"N 124°48'45.8"W 49°14'38.7"N 124°48'46.1"W 49°14'35.5"N 124°48'44.9"W and 49°14'32.3"N 124°48'44.9"W <i>DFO(6203210-01)</i>
	This notice affects Electronic Navigational Chart: CA470167	

26-FEB-2016

LNM/D. 19-FEB-2016

Affix	patch Download Patch - http://www.chs-shc.gc.ca/patches/3668PA_20160121.pdf This notice affects Electronic Navigational Chart: CA570168	49°14'00.0"N 124°49'00.0"W <i>DFO(6203184-01)</i>
-------	--	--

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 2
CHART CORRECTIONS**

3675 - Nootka Sound - New Chart - 20-NOV-1998 - NAD 1983

05-FEB-2016

LNMD. 25-DEC-2015

Amend FI (3) to read FI (3) R 12s against light 49°38'12.3"N 126°35'34.2"W
(See Chart No. 1,P1)
This notice affects Electronic Navigational Chart: CA470352
(P2015102) LL(104.8) DFO(6203186-01)

Add radar reflector 49°38'12.3"N 126°35'34.2"W
(See Chart No. 1, S4)
This notice affects Electronic Navigational Chart: CA470352
(P2015102) LL(104.8) DFO(6203186-02)

3724 - Caamaño Sound and Approaches/et les approches - New Edition - 23-MAY-1980 - Unknown

19-FEB-2016

LNMD. 08-JAN-2016

Delete underwater rock of unknown depth, dangerous to surface navigation, marked Rep 52°58'43.2"N 129°30'58.4"W
(2005) PA
(See Chart No. 1, K13,I3.2)
DFO(6203211-01)

3726 - Laredo Sound and Approaches - New Edition - 23-MAY-1980 - Unknown

19-FEB-2016

LNMD. 08-JAN-2016

Amend FI to read FI 6s against light 52°36'21.4"N 128°55'20.0"W
(See Chart No. 1,P1)
DFO(6203213-01)

3737 - Laredo Channel including/y compris Laredo Inlet and/et Surf Inlet - New Edition - 14-AUG-1987 - Unknown

19-FEB-2016

LNMD. 08-JAN-2016

Amend FI to read FI 6s against light 52°36'20.6"N 128°55'18.1"W
(See Chart No. 1,P1)
DFO(6203213-01)

3742 - Otter Passage to/à McKay Reach - New Edition - 16-JUL-1982 - NAD 1927

12-FEB-2016

LNMD. 27-MAR-2015

Amend FI to read FI G 6s against light 53°18'09.5"N 129°20'03.0"W
(See Chart No. 1,P1)
This notice affects Electronic Navigational Chart: CA370721, CA470590
(P2016007) LL(665.2) DFO(6203195-01)

Reposition light, marked FI G 6s from 53°18'09.5"N 129°20'03.0"W
(See Chart No. 1, P1) to 53°18'06.3"N 129°20'08.1"W
(P2016007) LL(665.2) DFO(6203195-02)

Amend FI (3) to read Q against light 53°21'27.6"N 129°13'38.5"W
(See Chart No. 1,P1)
This notice affects Electronic Navigational Chart: CA370721, CA470590
(P2016008) LL(664) DFO(6203196-01)

Reposition light marked, FI from 53°25'50.0"N 128°54'09.0"W
(See Chart No. 1, P1) to 53°25'47.4"N 128°54'10.6"W
(P2016009) LL(662) DFO(6203197-01)

Amend FI to read FI R 6s against light 53°25'47.4"N 128°54'10.6"W
(See Chart No. 1,P1)
This notice affects Electronic Navigational Chart: CA370721
(P2016009) LL(662) DFO(6203197-02)

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

3794 - Stewart - New Edition - 30-AUG-2002 - NAD 1983

19-FEB-2016

LN/D. 30-JAN-2009

Affix patch

55°55'00.0"N 130°00'00.0"W

Download Patch - http://www.chs-shc.gc.ca/patches/3794Patch_20160113.pdf

This notice affects Electronic Navigational Chart: CA570080

DFO(6203212-01)

3890 - Approaches to/Approches à Skidegate Inlet - New Chart - 14-MAR-1986 - NAD 1927

26-FEB-2016

LN/D. 15-JAN-2016

Delete light marked, FG and radar reflector

53°14'45.8"N 132°00'31.7"W

(See Chart No. 1, P1,S4)

This notice affects Electronic Navigational Chart: CA470197

DFO(6203214-01)

3894 - Selwyn Inlet to/à Lawn Point - New Edition - 12-JUN-1998 - NAD 1983

26-FEB-2016

LN/D. 24-APR-2015

Delete FG

53°14'48.6"N 132°00'23.5"W

This notice affects Electronic Navigational Chart: CA370372

DFO(6203214-02)

Delete 2 Lts

53°14'57.9"N 132°00'27.6"W

This notice affects Electronic Navigational Chart: CA370372

DFO(6203214-03)

3908 - Kitimat Harbour - New Chart - 15-MAR-2013 - NAD 1983

19-FEB-2016

LN/D. 07-FEB-2014

Amend FI 6s 7m to read FI R 8m against light

53°54'23.6"N 128°42'38.4"W

(See Chart No. 1,P1)

This notice affects Electronic Navigational Chart: CA370603, CA570626

(P2016013) LL(654.9) DFO(6203201-01)

3945 - Approaches to/Approches à Douglas Channel - New Chart - 25-DEC-2009 - NAD 1983

12-FEB-2016

LN/D. 30-MAY-2014

Amend FI 6s to read FI G 6s against light

53°18'05.5"N 129°20'14.2"W

(See Chart No. 1,P1)

This notice affects Electronic Navigational Chart: CA370721, CA470590

(P2016007) LL(665.2) DFO(6203195-01)

Amend FI (3) to read Q against light

53°21'26.8"N 129°13'44.6"W

(See Chart No. 1,P1)

This notice affects Electronic Navigational Chart: CA370721, CA470590

(P2016008) LL(664) DFO(6203196-01)

3947 - Grenville Channel to/à Chatham Sound - New Chart - 25-DEC-2009 - NAD 1983

12-FEB-2016

LN/D. 24-JUL-2015

Add rock which covers and uncovers with drying height of 0.1 metres

54°12'07.5"N 130°18'31.2"W

(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA470597, CA570125

DFO(6203185-03)

Delete depth of 1.2 metres

54°12'07.4"N 130°18'32.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470597, CA570125

DFO(6203185-05)

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Add	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.4"N 130°19'39.0"W <i>DFO(6203185-10)</i>
Delete	depth of 3.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.3"N 130°19'39.3"W <i>DFO(6203185-11)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'13.9"N 130°18'37.7"W <i>DFO(6203188-04)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.6"N 130°18'39.5"W <i>DFO(6203188-05)</i>

3948 - Gardner Canal - New Chart - 31-OCT-2008 - NAD 1983

19-FEB-2016

LNMD. 30-MAY-2014

Amend	Q to read Q R against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA470598	53°28'38.3"N 128°21'43.1"W <i>(P2016004) LL(659) DFO(6203192-01)</i>
Amend	Fl 6s to read Fl R 6s against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA470598	53°26'33.2"N 128°24'18.0"W <i>(P2016011) LL(658) DFO(6203199-01)</i>
Amend	Fl to read Fl G against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA470598	53°25'47.4"N 128°32'43.5"W <i>(P2016012) LL(657) DFO(6203200-01)</i>

**3955 - Porpoise Harbour, Ridley Island and Approaches/et les Approches
New Edition - 21-FEB-2014 - World Geodetic System 1984**

12-FEB-2016

LNMD. 13-NOV-2015

Add	rock which covers and uncovers with drying height of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'58.0"N 130°19'43.2"W <i>DFO(6203185-01)</i>
Add	depth of 0.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'05.2"N 130°19'16.4"W <i>DFO(6203185-02)</i>
Add	rock which covers and uncovers with drying height of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'07.5"N 130°18'31.2"W <i>DFO(6203185-03)</i>
Add	rock which covers and uncovers with drying height of 0.2 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'08.1"N 130°18'32.5"W <i>DFO(6203185-04)</i>

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'07.4"N 130°18'32.4"W <i>DFO(6203185-05)</i>
Add	rock which covers and uncovers with drying height of 0.4 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'22.0"N 130°19'01.7"W <i>DFO(6203185-06)</i>
Delete	depth of 3.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'19.8"N 130°19'00.5"W <i>DFO(6203185-07)</i>
Add	rock which covers and uncovers with drying height of 0.6 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'20.2"N 130°19'00.2"W <i>DFO(6203185-08)</i>
Add	depth of 1.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'18.1"N 130°18'59.0"W <i>DFO(6203185-09)</i>
Add	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.4"N 130°19'39.0"W <i>DFO(6203185-10)</i>
Delete	depth of 3.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.3"N 130°19'39.3"W <i>DFO(6203185-11)</i>
Add	depth of 4.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'06.2"N 130°18'35.1"W <i>DFO(6203185-12)</i>
3956 - Malacca Passage to à Bell Passage - New Edition - 01-MAR-1996 - NAD 1983 12-FEB-2016		LNMD. 25-DEC-2015
Add	rock which covers and uncovers with drying height of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'07.5"N 130°18'31.2"W <i>DFO(6203185-03)</i>
Add	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.4"N 130°19'39.0"W <i>DFO(6203185-10)</i>
Add	depth of 0.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'28.4"N 130°18'17.8"W <i>DFO(6203188-01)</i>

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 2
CHART CORRECTIONS**

Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'28.4"N 130°18'17.4"W <i>DFO(6203188-02)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'13.9"N 130°18'37.7"W <i>DFO(6203188-04)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.6"N 130°18'39.5"W <i>DFO(6203188-05)</i>
Add	depth of 0.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'21.4"N 130°18'30.7"W <i>DFO(6203188-06)</i>
3957 - Approches to/Approches à Prince Rupert Harbour - New Edition - 05-JUN-1998 - NAD 1983		
05-FEB-2016		LNMD. 25-DEC-2015
Add	depth of 0.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'37.7"N 130°26'54.2"W <i>DFO(6203181-03)</i>
Add	depth of 0.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'46.4"N 130°27'25.0"W <i>DFO(6203181-04)</i>
Add	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'35.5"N 130°27'20.2"W <i>DFO(6203181-08)</i>
Delete	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'35.6"N 130°27'19.6"W <i>DFO(6203181-09)</i>
Add	depth of 4.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'32.1"N 130°27'23.6"W <i>DFO(6203181-12)</i>
Add	depth of 5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074	54°16'47.4"N 130°27'49.5"W <i>DFO(6203181-14)</i>
Add	depth of 10.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'18.0"N 130°26'54.3"W <i>DFO(6203181-17)</i>

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 2
CHART CORRECTIONS**

Delete	depth of 8.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074	54°16'49.4"N 130°27'48.0"W <i>DFO(6203181-19)</i>
Delete	depth of 6.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074	54°16'36.7"N 130°26'56.3"W <i>DFO(6203181-20)</i>
12-FEB-2016		LNMD. 05-FEB-2016
Add	rock which covers and uncovers with drying height of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'07.5"N 130°18'31.2"W <i>DFO(6203185-03)</i>
Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'07.4"N 130°18'32.4"W <i>DFO(6203185-05)</i>
Add	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.4"N 130°19'39.0"W <i>DFO(6203185-10)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'13.9"N 130°18'37.7"W <i>DFO(6203188-04)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.6"N 130°18'39.5"W <i>DFO(6203188-05)</i>
3958 - Prince Rupert Harbour - New Edition - 13-DEC-2013 - World Geodetic System 1984		
05-FEB-2016		LNMD. 25-DEC-2015
Add	rock awash at chart datum (See Chart No. 1, K12) This notice affects Electronic Navigational Chart: CA570715	54°16'18.3"N 130°26'36.9"W <i>DFO(6203181-01)</i>
Add	depth of 0.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°16'13.6"N 130°26'29.2"W <i>DFO(6203181-02)</i>
Add	depth of 0.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'37.7"N 130°26'54.2"W <i>DFO(6203181-03)</i>
Add	depth of 0.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'46.4"N 130°27'25.0"W <i>DFO(6203181-04)</i>

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°16'50.0"N 130°27'26.9"W <i>DFO(6203181-05)</i>
Delete	depth of 3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°16'49.7"N 130°27'28.2"W <i>DFO(6203181-06)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°16'40.3"N 130°27'19.8"W <i>DFO(6203181-07)</i>
Add	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'35.5"N 130°27'20.2"W <i>DFO(6203181-08)</i>
Delete	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'35.6"N 130°27'19.6"W <i>DFO(6203181-09)</i>
Add	depth of 2.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°16'30.2"N 130°26'44.0"W <i>DFO(6203181-10)</i>
Add	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°15'06.9"N 130°25'17.0"W <i>DFO(6203181-11)</i>
Add	depth of 4.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'32.1"N 130°27'23.6"W <i>DFO(6203181-12)</i>
Add	depth of 4.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°15'31.0"N 130°25'24.3"W <i>DFO(6203181-13)</i>
Add	depth of 6.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°16'09.8"N 130°26'51.5"W <i>DFO(6203181-15)</i>
Add	depth of 7.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°14'52.6"N 130°25'08.2"W <i>DFO(6203181-16)</i>
Add	depth of 10.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470074, CA570715	54°16'18.0"N 130°26'54.3"W <i>DFO(6203181-17)</i>

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Delete	depth of 2.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570715	54°16'12.6"N 130°26'29.0"W <i>DFO(6203181-18)</i>
12-FEB-2016		LNMD. 05-FEB-2016
Add	rock which covers and uncovers with drying height of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'07.5"N 130°18'31.2"W <i>DFO(6203185-03)</i>
Add	rock which covers and uncovers with drying height of 0.2 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'08.1"N 130°18'32.5"W <i>DFO(6203185-04)</i>
Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'07.4"N 130°18'32.4"W <i>DFO(6203185-05)</i>
Add	rock which covers and uncovers with drying height of 0.4 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'22.0"N 130°19'01.7"W <i>DFO(6203185-06)</i>
Delete	depth of 3.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'19.8"N 130°19'00.5"W <i>DFO(6203185-07)</i>
Add	rock which covers and uncovers with drying height of 0.6 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'20.2"N 130°19'00.2"W <i>DFO(6203185-08)</i>
Add	depth of 1.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'18.1"N 130°18'59.0"W <i>DFO(6203185-09)</i>
Add	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.4"N 130°19'39.0"W <i>DFO(6203185-10)</i>
Delete	depth of 3.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°12'37.3"N 130°19'39.3"W <i>DFO(6203185-11)</i>
Add	depth of 4.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'06.2"N 130°18'35.1"W <i>DFO(6203185-12)</i>
Add	depth of 0.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'28.4"N 130°18'17.8"W <i>DFO(6203188-01)</i>

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 2
CHART CORRECTIONS**

Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'28.4"N 130°18'17.4"W <i>DFO(6203188-02)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'21.1"N 130°18'30.4"W <i>DFO(6203188-03)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'13.9"N 130°18'37.7"W <i>DFO(6203188-04)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.6"N 130°18'39.5"W <i>DFO(6203188-05)</i>
Add	depth of 0.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'21.4"N 130°18'30.7"W <i>DFO(6203188-06)</i>

**3977 - Douglas Channel - New Chart - 27-DEC-2013 - World Geodetic System 1984
12-FEB-2016**

Amend	FI 6s to read FI G 6s against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370721, CA470590	53°18'05.5"N 129°20'14.2"W <i>(P2016007) LL(665.2) DFO(6203195-01)</i>
Amend	FI (3) to read Q against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370721, CA470590	53°21'26.8"N 129°13'44.6"W <i>(P2016008) LL(664) DFO(6203196-01)</i>
Amend	FI 6s to read FI R 6s against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370721	53°25'46.6"N 128°54'16.7"W <i>(P2016009) LL(662) DFO(6203197-02)</i>
Amend	Q to read Q R against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370721	53°32'59.8"N 128°58'07.6"W <i>(P2016010) LL(661) DFO(6203198-01)</i>
19-FEB-2016		LNMD. 12-FEB-2016
Amend	FI(3) to read FI against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370603, CA470604	53°46'34.5"N 128°51'40.1"W <i>(P2016002) LL(654) DFO(6203190-01)</i>
Amend	FI 6s to read FI R against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370721	53°31'33.4"N 128°44'14.5"W <i>(P2016005) LL(656) DFO(6203193-01)</i>

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 2
CHART CORRECTIONS**

Amend	FI 6s to read FI R against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370603, CA570626	53°54'23.6"N 128°42'38.4"W (P2016013) LL(654.9) DFO(6203201-01)
Amend	FI to read FI G against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370603	53°48'52.8"N 128°52'21.2"W (P2016014) LL(654.2) DFO(6203202-01)
Amend	FI 6s to read FI G 6s against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370603, CA470604	53°45'30.7"N 128°58'20.7"W (P2016015) LL(653) DFO(6203203-01)
Amend	FI 6s to read Q R against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370603	53°37'08.7"N 129°10'51.3"W (P2016016) LL(652.2) DFO(6203204-01)
3977 - Douglas Channel-Central Portion - New Chart - 27-DEC-2013 - World Geodetic System 1984		
	19-FEB-2016	LNMD. 12-FEB-2016
Amend	FI(3) to read FI against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370603, CA470604	53°46'34.5"N 128°51'40.1"W (P2016002) LL(654) DFO(6203190-01)
Amend	FI 6s to read FI G 6s against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA370603, CA470604	53°45'30.7"N 128°58'20.7"W (P2016015) LL(653) DFO(6203203-01)
3984 - Principe Channel Southern Portion/Partie Sud - New Chart - 25-DEC-2009 - NAD 1983		
	19-FEB-2016	LNMD. 16-OCT-2015
Amend	FI 6s6m6M to read FI 6s7m5M against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA470615	53°23'30.7"N 129°54'19.9"W (P2016017) LL(739) DFO(6203205-01)
6242 - Selkirk to Lake Winnipeg - Sheet/Feuille 2 - New Edition - 01-JUN-2007 - NAD 1983		
	19-FEB-2016	LNMD. 21-AUG-2015
Add	green port hand spar buoy, marked X23A (See Chart No.1 Qg)	50°21'09.6"N 096°50'16.2"W (A2015011) LL(9766.5) DFO(6604169-01)
Delete	beacon and BnB (See Chart No. 1, Q80, Q81)	50°21'09.0"N 096°50'11.0"W (A2015012) DFO(6604170-01)
Add	green port hand can buoy, marked X13 (See Chart No.1, Q21)	50°24'00.6"N 096°48'46.8"W (A2015013) DFO(6604171-01)
Add	red starboard hand conical buoy marked X18 (See Chart No.1, Q20)	50°23'47.3"N 096°48'40.7"W (A2015015) DFO(6604172-01)

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 2
CHART CORRECTIONS

Add green port hand can buoy marked X17A 50°23'48.2"N 096°48'40.5"W
(See Chart No. 1, Qg) (A2015017) DFO(6604173-01)

Add red starboard hand spar buoy marked X20 50°23'43.4"N 096°48'36.5"W
(See Chart No. 1, Qf) (A2015018) DFO(6604174-01)

**6428 - Aklavik Channel to Napoiak Channel Including Aklavik Channel to Aklavik (Kilometre 1530 to Kilometre 1597) -
New Edition - 11-FEB-2011 - NAD 1983**

05-FEB-2016

LNMD. 14-FEB-2014

Delete front leading beacon 68°24'39.0"N 134°04'41.0"W
(See Chart No. 1, Q120) DFO(6604168-01)

Delete rear leading beacon and unusable portion of the leading line 68°24'37.0"N 134°04'19.0"W
(See Chart No. 1, Q120) DFO(6604168-04)

Add port hand daybeacon 68°24'44.0"N 134°04'18.0"W
(See Chart No. 1, Qt) DFO(6604168-06)

**6429 - Kilometre/Kilomètre 1580 - 1645 including/y compris East Channel, Inuvik to/à Kilometre/Kilomètre 1645 - New
Edition - 27-FEB-2009 - NAD 1983**

05-FEB-2016

Delete front leading beacon 68°24'39.0"N 134°04'41.0"W
(See Chart No. 1, Q120) DFO(6604168-01)

Delete rear leading beacon and unusable portion of the leading line 68°24'37.0"N 134°04'19.0"W
(See Chart No. 1, Q120) DFO(6604168-04)

Add port hand daybeacon 68°24'44.0"N 134°04'18.0"W
(See Chart No. 1, Qt) DFO(6604168-06)

**SECTION 3
CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION**

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

British Columbia, Volume 1, Seventeenth Edition, 2004 —

Chapter 6 — Delete paragraph 33

Replace by: ³³ **Light.** — Cape Mudge Sector light (511) is a flashing light shown at an elevation of 17.7 m from a white tower. The fog signal consists of one blast every 30 seconds. Cape Mudge North Sector light (511.1) is a fixed light shown at an elevation of 7.4 m from a white tower.

(P2015-43.1)

Chapter 7 — Paragraph 433, after “to Port Harvey (*Chart 3564*).”

Add: **Marine farm** facilities are located at the entrance to Cracroft Inlet near the west side of Dorman Island.

(P2016-02.1)

Chapter 10 — Delete paragraph 318

Replace by: ³¹⁸ **Lights.** — Vernaci Island light (104.8), on a drying rock off the west side of the island, is shown at an elevation of 6.9 m.

(P2016-01.1)

PAC 201 — Juan de Fuca Strait and Strait of Georgia, First Edition, 2012 —

Chapter 10 — Paragraph 251

Delete: least depth of 19 feet (5.8 m)

Replace by: least depth of 13 feet (3.9 m)

(P2015-42.1)

PAC 206 — Hecate Strait, Dixon Entrance, Portland Inlet and Adjacent Waters and Haida Gwaii, Second Edition, 2015 —

Chapter 3 — Delete paragraph 418

Replace by: ⁴¹⁸ A **floating breakwater** extends about 183 m west from the center of the west end of the public wharf and is marked at its west extremity by the *Queen Charlotte Breakwater light* (782.7), which is fitted with a radar reflector and starboard hand daymark. The breakwater protects a **boat harbour** to the north with three **public floats** with a total length of about 260 m connected to a pier at the southern end of a causeway. A **seaplane float**, about 24 m long, extends from the outer end of the west float. Power is available on the floats. **Fresh water** is obtainable.

(P2015-41.1)

Chapter 3 — Adjacent to paragraph 418, add a light pictograph.

(P2015-41.2)

**Monthly Notices to Mariners - Western Edition
Edition 2/2016**

**SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
104.8 G5217.4	Vernaci Island	49 38 12.3 126 35 34.2	Fl(3) R 12s	6.9	5	White square skeleton tower, red band at top.	Flash 0.5s; eclipse 2s, Flash 0.5s; eclipse 2s, Flash 0.5s; eclipse 6.5s. Year round. Radar reflector. Chart:3675 Edn 02/16 (P15-102)
483.3 G5572	Whaletown Bay Entrance	Cortes Island. 50 06 24.3 125 03 31.2	Fl G 4s	7	4	White square skeleton tower, green band at top.	Year round. Chart:3538 Edn 02/16 (P16-001)
652.2 G5739.66	Hawkesbury Island	W. side of island. 53 37 08.6 129 10 51.4	Q R 1s	6.7	5	White square skeleton tower, red band at top.	Flash 0.3s eclipse 0.7s Year round. Chart:3977 Edn 02/16 (P16-016)
653 G5739.6	Emilia Island	On SE. end of island. 53 45 30.7 128 58 20.7	Fl G 6s	7.1	5	White square skeleton tower, green band at top.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3977 Edn 02/16 (P16-015)
654 G5740	Kersey Point	On point. 53 46 34.5 128 51 40.1	Fl W 4s	5.7	5	White square skeleton tower. White daymarks on three sides.	Year round. Chart:3977 Edn 02/16 (P16-002)
654.2 G5740.1	Hilton Point	On point. 53 48 52.8 128 52 21.2	Fl G 4s	6.9	5	White square skeleton tower, green band at top.	Year round. Chart:3977 Edn 02/16 (P16-014)
654.9 G5740.2	Clio Point	On point. 53 54 23.6 128 42 38.4	Fl R 4s	7.9	7	White square skeleton tower with red band on top, white rectangular daymark with red top.	Year round. Chart:3908 Edn 02/16 (P16-013)
656 G5738.2	Rix Island	At northeasterly end of island. 53 31 33.4 128 44 14.5	Fl R 4s	7	5	White square skeleton tower, red band at top.	Year round. Chart:3977 Edn 02/16 (P16-005)
657 G5738.4	Europa Point	On point. 53 25 47.4 128 32 43.5	Fl G 4s	6.6	5	White square skeleton tower, green band at top.	Year round. Chart:3948 Edn 02/16 (P16-012)
658 G5738.6	Allen Point	On point on S. side of channel, Europa Reach. 53 26 33.2 128 24 18	Fl R 6s	6.8	5	White square skeleton tower, red band at top.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3948 Edn 02/16 (P16-011)
659 G5739	Cornwall Point	On point. 53 28 38.5 128 21 45.0	Q R 1s	7	7	White square skeleton tower, red band at top.	Flash 0.3s; eclipse 0.7s. Year round. Chart:3948 Edn 02/16 (P16-004)
661 G5737.4	Mary Point	On point, Verney Passage. 53 32 59.8 128 58 7.6	Q R 1s	6.9	4	White square skeleton tower with red band on top, dayboards on 3 sides. White rectangular daymark with red top.	Flash 0.3s; eclipse 0.7s. Year round. Chart:3977 Edn 02/16(P16-010)

Monthly Notices to Mariners - Western Edition
Edition 2/2016

SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
662 G5737.2	Tomkinson Point	On point, Ursula Channel. 53 25 46.6 128 54 16.7	Fl R 6s	7	5	White square skeleton tower, red band at top.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3977 Edn 02/16 (P16-009)
663	Clio Point						Delete from list. Carte:3908 Ed. 02/16 (P16-013)
664	Cape Farewell	53 21 26.8 129 13 44.6	Q W 1s	8.9	7	White square skeleton tower, white rectangular daymark.	Flash 0.3 s; eclipse 0.7 s. Year round. Chart:3945 Edn 02/16 (P16-008)
665.2 G5747.34	Block Head	On SE. end of Farrant Island. 53 18 05.5 129 20 14.4	Fl G 6s	7.0	5	White square skeleton tower, green band at top.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3945 Edn 02/16 (P16-007)
665.3 G5747.39	Fin Rock	53 13 57.1 129 21 39.3	Fl(3) G 12s	8.5	4	White square skeleton tower, green band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3945 Edn 02/16 (P16-006)
739 G5747.4	Principe Channel	On shore. 53 23 30.7 129 54 19.9	Fl W 6s	7.1	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3984 Edn 02/16 (P16-017)

Monthly Notices to Mariners - Western Edition
Edition 2/2016

CANADIAN COAST GUARD MARINE INFORMATION REPORT AND SUGGESTION SHEET.

Name of Ship or Sender: Date:

Address of Sender:
Street # Street Name

Town / City: Prov / State: Postal Code / Zip Code:

Tel / Fax / E-mail address of sender:

Observation Date: Time (UTC):

Geographical Position:

Coordinate Position: Lat: Long:

Position Method: DGPS GPS with WAAS GPS Radar Other

Horizontal Datum Used: WGS 84 NAD 27 Other

Estimated Position Accuracy:

Chart #: Datum: NAD 27 NAD 83

Chart Edition: Last Correction applied:

Publications affected: (Quote Volume and page):

*Full details (Attach additional sheets as necessary)

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Leader, Notices to Mariners
Canadian Coast Guard
Department of Fisheries and Oceans
Montréal, Qc H2Y 2E7

In the case of information concerning aids to navigation
or the List of Lights, Buoys and Fog Signals.

Notmar.XNCR@dfo-mpo.gc.ca

OR

Director General, Canadian Hydrographic Service &
Oceanographic Services
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation
or where corrections to "Sailing Directions" appear
to be necessary.

CHSINFO@dfo-mpo.gc.ca

Or general questions on Coast Guard programs or services please send an e-mail message to:
info@dfo-mpo.gc.ca