



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

NOTICES TO MARINERS PUBLICATION WESTERN EDITION

MONTHLY EDITION N° 12
December 25th, 2015



Safety First, Service Always

Published monthly by the
CANADIAN COAST GUARD
www.notmar.gc.ca/subscribe

CONTENTS

	Page
Section 1	Safety and General Information 1 - 3
Section 2	Chart Corrections 4 - 15
Section 3	Radio Aids to Marine Navigation Corrections 16
Section 4	Sailing Directions and Small Craft Guide Corrections 17
Section 5	List of Lights, Buoys and Fog Signals Corrections 18 -19

Canadian Coast Guard Programs
Aids to Navigation and Waterways

EXPLANATORY NOTES.

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile = 1 852 metres (6,076.1 feet)

1 statute mile = 1 609.3 metres (5,280 feet)

1 metre = 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) in the section 1. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet.

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

Canadian Hydrographic Service.

Information Published in Section 2 Notices to Mariners - Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Chart Corrections - Section 2. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or height of a light may not result in the production of a chart correction, in *Notices to Mariners*, but may result in a *List of Lights, Buoys and Fog Signals* correction.

In case of discrepancy between information provided on CHS charts related to aids to navigation, and the List of Lights publication, the latter shall be deemed as containing the most up to date information.

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & Publications* is published in Notice No. 14 of the *Notices to Mariners Annual Edition April 2014*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following website:

www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp


NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2.

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction.



The last correction number is identified with the **LNMD** or **Last Notice to Mariners Number / Date**. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

MONTHLY EDITION OF NOTICES TO MARINERS WEB ACCESS.

We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the website to subscribe for this service:

www.notmar.gc.ca/subscribe

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page :

www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25Jmxbmc9ZSI7

This feature permits users to register the nautical charts they currently have in their possession.

Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

ADVISORY NOTICES TO SHIPPING (WRITTEN AND BROADCAST).

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are available on the Canadian Coast Guard Website at www.ccg-gcc.gc.ca/eng/CCG/NOTSHIP.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Western

Fisheries and Oceans Canada
Canadian Coast Guard
Victoria MCTS Centre
P. O. Box 6000,
9860 West Saanich Road
SIDNEY, BC V8L 4B2

Telephone : (250) 363-6333

Email: supervisor.Victoria@innav.gc.ca

Website: www.ccg-gcc.gc.ca/Marine-communications/Home

* Services provided in English and French

* Fisheries and Oceans Canada
Canadian Coast Guard
Iqaluit MCTS Centre
Notices to Shipping Series "A" and Series "H"
P.O. Box 189
IQALUIT, NU, X0A 0H0

Telephone: (867) 979-5269

Facsimile: (867) 979-4264

Email: IQANORDREG@INNAV.GC.CA

Website: www.ccg-gcc.gc.ca/eng/CCG/Notship-Home

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE

CHART PATCHES. 1

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS..... 1

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES. 1

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE..... 1

CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS..... 2

UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES 2

ERRATUM: REFERENCE NOTICE 1013(P) PLANS – SLATSPRING ISLAND – DAY BEACON TO BE DISCONTINUED 2

***1201 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS 2**

***1202 CANADIAN HYDROGRAPHIC SERVICE – ANNOUNCEMENT REGARDING TIDAL INFORMATION TABLES ON
 CHARTS..... 3**

***1218(P)BROUGHTON STRAIT – LIGHT TO BE RELOCATED..... 3**

***1219 RADIO AIDS TO MARINE NAVIGATION 2015 (PACIFIC AND ARCTIC)..... 16**

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
3002	4				
3056	4				
3312	4, 5				
3313	5				
3447	5, 6				
3458	6				
3475	6				
3535	6				
3536	6, 7				
3538	8				
3555	8				
3671	8				
3675	8				
3800	9				
3909	9				
3936	9				
3939	10				
3956	10, 11				
3957	12, 13				
3958	13, 14, 15				

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 1
SAFETY AND GENERAL INFORMATION**

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notices to Mariners corrections for charts can now be accessed at www.notmar.gc.ca/search/notmar-eng.php

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notices to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notices to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can be accessed at www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 1
SAFETY AND GENERAL INFORMATION

CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES

The Canadian Coast Guard is modernizing and consolidating its Marine Communications and Traffic Services Centres. Clients will continue to receive the high-quality service they have come to expect.

Once complete, there will be a total of 12 MCTS Centres strategically located across the country. Additional information pertaining to this project will be advertised to clients by all available means.

Western Region

Comox MCTS will consolidate to Victoria MCTS in Winter/Spring 2016.

The new technology will increase efficiency permitting employees to have a greater ability to focus on the safety services they provide to mariners. Mariners are encouraged to visit the Radio Aids to Marine Navigation (RAMN), www.ccg-gcc.gc.ca/Marine-Communications/Home and Notices to Mariners (NOTMAR), www.notmar.gc.ca/ PART 3 on a monthly basis for updated information and potential changes to contact information and marine broadcast schedules.

ERRATUM: REFERENCE NOTICE 1013(P) PLANS – SLATSPRING ISLAND – DAY BEACON TO BE DISCONTINUED

AMEND

Regional Superintendent
Aids & Waterways, Central & Arctic Region
101 boulevard Champlain, Québec
G1K 7Y7
Phone: 418-648-7493
Email: frederic.filion@dfo-mpo.gc.ca

TO READ

Superintendent, Kevin Carrigan
Aids to Navigation and Waterways,
Canadian Coast Guard
25 Huron Street,
Victoria, British Columbia, V8V 4V9
Telephone: 250-480-2600
Email: kevin.carrigan@dfo-mpo.gc.ca

***1201 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS**

NEW PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA179245	Golfe du Saint-Laurent / Gulf of St. Lawrence
CA473446	Rivière George
CA476622	Burgeo and Ramea Islands
WITHDRAWN PRODUCTS	
CA179171	Golfe du Saint-Laurent / Gulf of St. Lawrence
CA179172	Golfe du Saint-Laurent / Gulf of St. Lawrence

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 1
SAFETY AND GENERAL INFORMATION**

***1202 CANADIAN HYDROGRAPHIC SERVICE – ANNOUNCEMENT REGARDING TIDAL INFORMATION TABLES ON CHARTS.**

Mariners are advised that the tidal levels listed in the 2016 edition of Canadian Tide and Current Tables, volumes 2 and 3 have been updated. This revision is aimed to get more precise tidal predictions in time and height. This will result in corrections to the Tidal Information Table shown on charts. These corrections will be published in 2016, through Notices to Mariners.

***1218(P)BROUGHTON STRAIT – LIGHT TO BE RELOCATED.**

Reference Notice 1113(P)/14 is now canceled.

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 2
CHART CORRECTIONS

3002 - Queen Charlotte Sound to Dixon Entrance - New Edition - 16-DEC-1994 - NAD 1927

25-DEC-2015

LNMD. 24-OCT-2014

Add Pilots transferred by helicopter within a radius of 1.5 nautical miles of position given (See Chart No. 1, T1.4,Tb) This notice affects Electronic Navigational Chart: CA270390, CA370190

54°19'00.0"N 131°02'30.0"W
DFO(6203161-01)

3056 - Hugh Keenleyside Dam to Gladstone Creek (A-B) - Sheet/Feuille 1 - New Chart - 21-JUN-1991 - NAD 1983

25-DEC-2015

LNMD. 10-DEC-2004

Add light marked FI G (See Chart No. 1, P1)

49°20'18.8"N 117°52'49.8"W

(P2015088) LL(26.0) DFO(6203153-01)

Delete light marked FI G (See Chart No. 1, P1)

49°20'07.6"N 117°51'56.8"W

(P2015088) LL(26.0) DFO(6203153-02)

Add light marked FI R (See Chart No. 1, P1)

49°21'31.9"N 117°55'23.1"W

(P2015087) LL(26.5) DFO(6203154-01)

Delete light marked FI R (See Chart No. 1, P1)

49°20'18.8"N 117°52'49.8"W

(P2015087) LL(26.5) DFO(6203154-02)

3312 - False Bay - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983

25-DEC-2015

LNMD. 18-DEC-2015

Add rock which covers and uncovers with drying height of 1.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570160

49°29'46.9"N 124°21'31.2"W

DFO(6203148-02)

Add depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160

49°29'37.3"N 124°22'09.4"W

DFO(6203148-05)

Delete depth of 2.7 metres (See Chart No. 1, I10)

49°29'36.5"N 124°22'10.5"W

DFO(6203148-06)

3312 - Lasqueti Island - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983

25-DEC-2015

LNMD. 18-DEC-2015

Add depth of 2.6 metres (See Chart No. 1, I10)

49°30'08.0"N 124°23'03.9"W

DFO(6203148-16)

Delete depth of 4.6 metres (See Chart No. 1, I10)

49°30'07.0"N 124°23'03.0"W

DFO(6203148-17)

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 2
CHART CORRECTIONS

3312 - Homfray Channel - Sheet/Feuille 9 - New Edition - 05-JAN-2007 - NAD 1983

25-DEC-2015

LNMD. 18-DEC-2015

Add rock which covers and uncovers, with height above chart datum of 1.1 metres
(See Chart No. 1, K11) 50°07'11.6"N 124°42'39.5"W

DFO(6203163-01)

Add depth of 0.1 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°07'19.5"N 124°42'41.8"W

DFO(6203163-02)

Add depth of 8.6 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°07'08.7"N 124°41'55.1"W

DFO(6203163-03)

Delete depth of 16.5 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°07'08.2"N 124°41'55.5"W

DFO(6203163-04)

Add depth of 3.5 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°06'34.3"N 124°42'54.1"W

DFO(6203163-05)

Delete depth of 4.1 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°06'35.2"N 124°42'53.5"W

DFO(6203163-06)

3312 - Prideaux Haven - Sheet/Feuille 11 - New Edition - 05-JAN-2007 - NAD 1983

18-DEC-2015

LNMD. 27-NOV-2015

Add wreck least depth known of 25.5 metres
(See Chart No. 1, K26) 50°08'20.9"N 124°41'54.9"W

DFO(6203147-01)

3313 - Nanaimo Harbour and/et Departure Bay - Sheet/Feuille 21 - New Edition - 02-JAN-2009 - NAD 1983

18-DEC-2015

LNMD. 16-OCT-2015

Add depth of 2.2 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570383 49°12'28.8"N 123°57'12.5"W

DFO(6203146-01)

Delete depth of 5.1 metres
(See Chart No. 1, I10) 49°12'28.8"N 123°57'12.5"W

DFO(6203146-02)

3447 - Nanaimo Harbour and/et Departure Bay - New Edition - 21-DEC-2012 - World Geodetic System 1984

18-DEC-2015

LNMD. 11-SEP-2015

Add depth of 2.2 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570383 49°12'28.8"N 123°57'12.5"W

DFO(6203146-01)

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 2
CHART CORRECTIONS

Add	depth of 1.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570383	49°12'23.8"N 123°57'07.5"W <i>DFO(6203146-03)</i>
Delete	depth of 3.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570383	49°12'23.8"N 123°57'07.5"W <i>DFO(6203146-04)</i>
3458 - Approaches to/Approches à Nanaimo Harbour - New Edition - 10-MAR-1995 - NAD 1983 18-DEC-2015		LNMD. 01-MAY-2015
Add	depth of 2.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570383	49°12'28.8"N 123°57'12.5"W <i>DFO(6203146-01)</i>
3475 - Osborn Bay - New Edition - 30-DEC-2005 - NAD 1983 04-DEC-2015		LNMD. 01-MAY-2015
Affix	patch Download Patch - http://www.chs-shc.gc.ca/patches/3475Patch_20151102.pdf This notice affects Electronic Navigational Chart: CA570155	48°52'00.0"N 123°38'00.0"W <i>DFO(6203141-01)</i>
3535 - Welcome Passage - New Edition - 16-AUG-1985 - NAD 1927 11-DEC-2015		LNMD. 21-AUG-2015
Delete	depth of 1.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470411	49°30'08.8"N 123°58'02.9"W <i>DFO(6203144-01)</i>
Add	rock which covers and uncovers with unknown drying height (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470411	49°30'08.6"N 123°58'02.4"W <i>DFO(6203144-02)</i>
3536 - False Bay - New Chart - 21-APR-1978 - NAD 1927 25-DEC-2015		LNMD. 11-JUL-2014
Add	depth of 0.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'53.6"N 124°21'22.6"W <i>DFO(6203148-01)</i>
Add	rock which covers and uncovers with drying height of 1.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570160	49°29'47.6"N 124°21'26.2"W <i>DFO(6203148-02)</i>
Add	rock which covers and uncovers with drying height of 1.4 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570160	49°29'15.5"N 124°21'37.2"W <i>DFO(6203148-03)</i>

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 2
CHART CORRECTIONS

Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'27.9"N 124°21'10.1"W <i>DFO(6203148-04)</i>
Add	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'37.9"N 124°22'04.4"W <i>DFO(6203148-05)</i>
Add	depth of 2.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'29.1"N 124°21'01.7"W <i>DFO(6203148-07)</i>
Add	depth of 3.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'34.5"N 124°22'02.5"W <i>DFO(6203148-08)</i>
Delete	depth of 4.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'34.0"N 124°22'02.5"W <i>DFO(6203148-09)</i>
Add	depth of 3.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°28'57.9"N 124°22'00.7"W <i>DFO(6203148-10)</i>
Add	depth of 3.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'35.0"N 124°21'16.1"W <i>DFO(6203148-11)</i>
Add	depth of 4.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'01.5"N 124°21'57.7"W <i>DFO(6203148-12)</i>
Add	depth of 6.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'36.3"N 124°22'06.8"W <i>DFO(6203148-13)</i>
Add	depth of 8.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'29.1"N 124°21'12.2"W <i>DFO(6203148-14)</i>
Delete	depth of 16.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570160	49°29'29.0"N 124°21'13.3"W <i>DFO(6203148-15)</i>

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 2
CHART CORRECTIONS

3538 - Desolation Sound and/et Sutil Channel - New Edition - 30-DEC-2005 - NAD 1983

25-DEC-2015

LNMD. 25-SEP-2015

Add rock which covers and uncovers, with height above chart datum of 1.1 metres
(See Chart No. 1, K11) 50°07'11.6"N 124°42'39.5"W

DFO(6203163-01)

Add depth of 0.1 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°07'19.5"N 124°42'41.8"W

DFO(6203163-02)

Add depth of 8.6 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°07'08.7"N 124°41'55.1"W

DFO(6203163-03)

Delete depth of 16.5 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°07'08.2"N 124°41'55.5"W

DFO(6203163-04)

Add depth of 3.5 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°06'34.3"N 124°42'54.1"W

DFO(6203163-05)

Delete depth of 4.1 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470103 50°06'35.2"N 124°42'53.5"W

DFO(6203163-06)

3555 - Prideaux Haven - New Edition - 27-JUN-1986 - NAD 1927

18-DEC-2015

LNMD. 27-NOV-2015

Add wreck least depth known of 14 fathoms
(See Chart No. 1, K26) 50°08'21.5"N 124°41'49.8"W

DFO(6203147-01)

3671 - Barkley Sound - New Edition - 04-NOV-2005 - NAD 1983

11-DEC-2015

LNMD. 21-AUG-2015

Amend Printing error showing incorrect color fill of red on port hand pillar buoy marked FI G WHIS Y49 to show color fill of black
(See Chart No. 1, Q2) 48°48'53.7"N 125°12'19.6"W

LL(PAC173) DFO(6203143-01)

3675 - Gold River - New Chart - 20-NOV-1998 - NAD 1983

25-DEC-2015

LNMD. 06-MAR-2015

Affix patch 49°41'00.0"N 126°07'00.0"W
Download Patch - http://www.chs-shc.gc.ca/patches/3675Patch_20151103_GoldRiver-Final.pdf
This notice affects Electronic Navigational Chart: CA570277

DFO(6203165-01)

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 2
CHART CORRECTIONS

3800 - Dixon Entrance - New Chart - 06-MAY-2011 - NAD 1983

25-DEC-2015

LNMD. 16-JAN-2015

Add Pilots transferred by helicopter within a radius of 1.5 nautical miles of position given (See Chart No. 1, T1.4,Tb)
This notice affects Electronic Navigational Chart: CA270390, CA370190
54°19'00.0"N 131°02'30.0"W
DFO(6203161-01)

3909 - Hunt Inlet - New Chart - 11-DEC-1987 - NAD 1983

25-DEC-2015

LNMD. 28-AUG-2015

Add depth of 1.5 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570234
54°03'39.3"N 130°26'26.1"W
DFO(6203162-01)

Add depth of 1.4 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570234
54°04'01.1"N 130°26'24.1"W
DFO(6203162-02)

Add depth of 4.8 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570234
54°04'28.7"N 130°26'45.1"W
DFO(6203162-03)

Delete depth of 7.0 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570234
54°04'28.9"N 130°26'44.6"W
DFO(6203162-04)

Add depth of 4.1 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570234
54°04'26.9"N 130°26'40.3"W
DFO(6203162-05)

Add depth of 4.7 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315, CA570234
54°04'46.2"N 130°27'34.0"W
DFO(6203162-06)

Delete depth of 8.2 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315, CA570234
54°04'45.9"N 130°27'33.0"W
DFO(6203162-07)

3936 - Fitz Hugh Sound to à Lama Passage - New Edition - 21-MAR-2014 - World Geodetic System 1984

25-DEC-2015

LNMD. 08-AUG-2014

Amend FI to read FI 6s 4m 5M against light (See Chart No. 1,P1)
This notice affects Electronic Navigational Chart: CA470318
52°07'33.8"N 127°53'26.2"W
LL(594) DFO(6203164-01)

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 2
CHART CORRECTIONS**

3939 - Fisher Channel to/à Seaforth Channel and/et Dean Channel - New Edition - 01-AUG-2014

World Geodetic System 1984

25-DEC-2015

LNMD. 10-OCT-2014

Amend FI 6s 4m 6M to read FI 6s 4m 5M against light
(See Chart No. 1,P1)

52°07'33.8"N 127°53'26.2"W

LL(594) DFO(6203164-02)

3956 - Malacca Passage to/à Bell Passage - New Edition - 01-MAR-1996 - NAD 1983

25-DEC-2015

LNMD. 18-DEC-2015

Amend FI(3) 12s 7m to read FI(3) 12s 9m against light
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA470597

54°10'20.4"N 130°21'39.9"W

DFO(6203150-02)

Add depth of 4.7 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315, CA570234

54°04'46.2"N 130°27'34.0"W

DFO(6203162-06)

Delete depth of 8.2 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315, CA570234

54°04'45.9"N 130°27'33.0"W

DFO(6203162-07)

Add depth of 2.7 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315

54°05'03.9"N 130°29'04.9"W

DFO(6203162-08)

Add depth of 3.6 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315

54°04'50.5"N 130°29'03.2"W

DFO(6203162-09)

Delete depth of 7.0 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315

54°04'29.3"N 130°26'45.0"W

DFO(6203162-10)

18-DEC-2015

LNMD. 21-AUG-2015

Add rock which covers and uncovers, with height above chart datum of 0.3 metres
(See Chart No. 1, K11)
This notice affects Electronic Navigational Chart: CA470315, CA570125

54°12'23.7"N 130°24'31.6"W

DFO(6203145-04)

Add rock which covers and uncovers, with height above chart datum of 0.3 metres
(See Chart No. 1, K11)
This notice affects Electronic Navigational Chart: CA470315, CA570125

54°12'30.3"N 130°24'36.0"W

DFO(6203145-05)

Delete depth of 0.9 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA470315, CA570125

54°12'30.2"N 130°24'35.7"W

DFO(6203145-06)

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 2
CHART CORRECTIONS

Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'06.5"N 130°24'48.3"W <i>DFO(6203145-07)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'05.0"N 130°24'47.2"W <i>DFO(6203145-08)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'03.3"N 130°24'45.8"W <i>DFO(6203145-10)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'07.1"N 130°24'08.4"W <i>DFO(6203145-11)</i>
Add	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.1"N 130°24'32.5"W <i>DFO(6203145-12)</i>
Delete	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.0"N 130°24'31.6"W <i>DFO(6203145-13)</i>
Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.8"N 130°24'11.0"W <i>DFO(6203145-15)</i>
Delete	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.3"N 130°24'10.4"W <i>DFO(6203145-16)</i>
Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'45.1"N 130°25'22.6"W <i>DFO(6203145-17)</i>
Delete	rock awash at chart datum (See Chart No. 1, K12) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'44.8"N 130°25'20.9"W <i>DFO(6203145-18)</i>
Add	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'19.5"N 130°25'13.3"W <i>DFO(6203145-19)</i>

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 2
CHART CORRECTIONS**

3957 - Approches to/Approches à Prince Rupert Harbour - New Edition - 05-JUN-1998 - NAD 1983

25-DEC-2015

LNMD. 18-DEC-2015

Amend	Fl(3) 12s 7m to read Fl(3) 12s 9m against light (See Chart No. 1, P1) This notice affects Electronic Navigational Chart: CA470597	54°10'20.4"N 130°21'39.9"W
		<i>DFO(6203150-02)</i>

18-DEC-2015

LNMD. 04-DEC-2015

Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'23.7"N 130°24'31.6"W
		<i>DFO(6203145-04)</i>

Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'30.3"N 130°24'36.0"W
		<i>DFO(6203145-05)</i>

Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'06.5"N 130°24'48.3"W
		<i>DFO(6203145-07)</i>

Delete	depth of 1.5 metres (See Chart No. 1, I10)	54°12'05.0"N 130°24'48.5"W
		<i>DFO(6203145-09)</i>

Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'03.3"N 130°24'45.8"W
		<i>DFO(6203145-10)</i>

Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'07.1"N 130°24'08.4"W
		<i>DFO(6203145-11)</i>

Add	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.1"N 130°24'32.5"W
		<i>DFO(6203145-12)</i>

Delete	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.0"N 130°24'31.6"W
		<i>DFO(6203145-13)</i>

Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.8"N 130°24'11.0"W
		<i>DFO(6203145-15)</i>

Delete	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.7"N 130°24'11.0"W
		<i>DFO(6203145-16)</i>

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 2
CHART CORRECTIONS**

Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'45.1"N 130°25'22.6"W <i>DFO(6203145-17)</i>
Delete	rock awash at chart datum (See Chart No. 1, K12) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'44.8"N 130°25'20.9"W <i>DFO(6203145-18)</i>
Add	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'19.5"N 130°25'13.3"W <i>DFO(6203145-19)</i>
Delete	depth of 3.0 metres (See Chart No. 1, I10)	54°12'19.2"N 130°25'12.2"W <i>DFO(6203145-20)</i>
04-DEC-2015		LNMD. 16-OCT-2015
Amend	FI R 5s 22m 12M to read FI R 6s 22m 14M against light (See Chart No. 1, P1)	54°17'44.6"N 130°36'31.6"W <i>LL(PAC719) DFO(6203142-01)</i>
3958 - Prince Rupert Harbour - New Edition - 13-DEC-2013 - World Geodetic System 1984		
25-DEC-2015		LNMD. 18-DEC-2015
Amend	FI(3) 12s 9m 6M to read FI(3) 12s 9m 5M against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA570125	54°10'20.4"N 130°21'39.9"W <i>(P2015084) LL(690) DFO(6203150-01)</i>
18-DEC-2015		LNMD. 16-OCT-2015
Delete	depth of 0.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°12'14.2"N 130°25'14.1"W <i>DFO(6203145-01)</i>
Add	rock which covers and uncovers, with height above chart datum of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'14.8"N 130°25'13.7"W <i>DFO(6203145-02)</i>
Add	rock which covers and uncovers, with height above chart datum of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°12'05.8"N 130°24'30.4"W <i>DFO(6203145-03)</i>
Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'23.7"N 130°24'31.6"W <i>DFO(6203145-04)</i>
Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'30.3"N 130°24'36.0"W <i>DFO(6203145-05)</i>

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 2
CHART CORRECTIONS**

Delete	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'30.2"N 130°24'35.7"W <i>DFO(6203145-06)</i>
Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'06.5"N 130°24'48.3"W <i>DFO(6203145-07)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'05.0"N 130°24'47.2"W <i>DFO(6203145-08)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'03.3"N 130°24'45.8"W <i>DFO(6203145-10)</i>
Add	depth of 1.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'07.1"N 130°24'08.4"W <i>DFO(6203145-11)</i>
Add	depth of 1.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.1"N 130°24'32.5"W <i>DFO(6203145-12)</i>
Delete	depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.0"N 130°24'31.6"W <i>DFO(6203145-13)</i>
Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.8"N 130°24'11.0"W <i>DFO(6203145-15)</i>
Delete	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'01.7"N 130°24'10.6"W <i>DFO(6203145-16)</i>
Add	rock which covers and uncovers, with height above chart datum of 0.3 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'45.1"N 130°25'22.6"W <i>DFO(6203145-17)</i>
Delete	rock awash at chart datum (See Chart No. 1, K12) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'45.1"N 130°25'21.1"W <i>DFO(6203145-18)</i>
Add	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'19.5"N 130°25'13.3"W <i>DFO(6203145-19)</i>

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 2
CHART CORRECTIONS**

Add

depth of 4.2 metres
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570125

54°12'12.3"N 130°25'14.9"W

DFO(6203145-21)

SECTION 3
CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

*1219 RADIO AIDS TO MARINE NAVIGATION 2015 (PACIFIC AND ARCTIC)

PART 3 – Page 3

AMEND:

3.3.3 English Language

All communications with Tofino, Seattle, Prince Rupert, Comox, Vancouver or Victoria Traffic must be made in clear, unbroken English. At least one person capable of conducting two-way radio communications using the English language must be present on the bridge at all times within the Co-operative VTS area. When language problems do arise, communications may be preceded by using message markers as found in the International Maritime Organisation Standard Marine Communication Phrases (SMCP).

TO READ:

3.3.3 English Language

All communications with Seattle, Prince Rupert, Comox or Victoria Traffic must be made in clear, unbroken English. At least one person capable of conducting two-way radio communications using the English language must be present on the bridge at all times within the Co-operative VTS area. When language problems do arise, communications may be preceded by using message markers as found in the International Maritime Organisation Standard Marine Communication Phrases (SMCP).

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

PAC 201 — Juan de Fuca Strait and Strait of Georgia, First Edition, 2012 —

Chapter 10 — Paragraph 235, after “in 13 fathoms (23.8 m), sand.”

Insert: A **wreck** lies near the center of the anchorage with a known depth of 14 fathoms (25.5 m).

(P2015-36.1)

**Monthly Notices to Mariners - Western Edition
Edition 12/2015**

**SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
26	Syringa Creek	S. side of channel opposite creek. 49 20 18.8 117 52 49.7	Fl G 4s	12.8	4	Mast, green, white and black square daymark.	Year round. Chart:3056 Edn 12/15 (P15-088)
26.5	Tulip Point	E. of creek. 49 21 31.9 117 55 23.1	Fl R 4s	13.1	4	Mast.	Year round. Chart:3056 Edn 12/15 (P15-087)
327 G5412	New Cut Outbound range	49 07 54.7 123 13 21.3	F Y	9.5	10	Square skeleton tower on 9-pile dolphin, red daymark, white vertical stripe.	Year round. In operation 24 hours.
			F G	10.0	4		
328 G5412.1	Woodward Island Inbound range	301°30' 201m from front. 49 06 23.3 123 08 41.4	F Y	15.1	10	Square skeleton tower on 9-pile dolphin, red daymark, white vertical stripe.	Year round. In operation 24 hours. Chart:3490 Edn 12/15
340			Fl(2) R 6s	7.9	4	Square skeleton tower, on 9-pile dolphin, red daymark, white vertical stripe.	Visible in line of range. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. In operation 24 hours. Year round.
341	Kirkland Island range	109°11' 113.4 m from front. 49 06 47.3 123 05 13.4	F Y	11.7	10	Square skeleton tower, on 6-pile dolphin, red daymark, white vertical stripe.	In operation 24 hours. Year round. Chart:3490 Edn. 12/15 (P15-092; 093)
348			F Y	8.5	10	Square skeleton tower on 9-pile dolphin, white daymark, red vertical stripe.	Year round. In operation 24 hours.
348.1	Gallows Point	221°03' 264.2m from front. 49 10 12.2 123 55 04.6	F Y	14.7	10	Square skeleton tower on 6-pile dolphin, white daymark, red vertical stripe.	Year round. In operation 24 hours. Chart:3490 Edn 12/15
439 G5492			Iso W 2s	7.3	12	White square skeleton tower.	In operation 24 hours. Radar reflector. Year round. Chart:3447 Edn 12/15 (P15-091)
534.5	Kelsey Bay Breakwater	50 23 46.4 125 57 31.3	Fl Y 4s	1.5	3	Mast.	Flash 0.5s ; eclipse 3.5s Year round. Chart:3544 Edn 12/15 (P15-089)
580 G5662	Watcher Island	On W. point of island. 51 16 16.1 127 43 08.4	Fl W 4s	12.6	5	White square skeleton tower.	Year round. Visible from 357° through N., E. and S. to 250° Chart:3934 Edn 12/15 (P15-090)

Monthly Notices to Mariners - Western Edition
Edition 12/2015

SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
689 G5773	Inverness Passage	Mouth of Skeena River. 54 11 56 130 15 49	Fl W 4s	3.7	3	Square skeleton tower.	Year round. Chart:3958 Edn 12/15 (P15-083)
690 G5772	Holland Rock	On the southern extremity of rock. 54 10 20.4 130 21 39.9	Fl(3) W 12s	9.1	5	Square skeleton tower. 2.6	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Year round. Chart:3958 Edn 12/15(P15-084)
691 G5772.5	Greentop Islet	On islet. 54 10 39 130 24 41.3	Fl W 6s	13.2	7	White cylindrical tower.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3958 Edn 12/15 (P15-085)
704 G5795	Casey Point	On edge of shoal, off point. 54 16 27.1 130 21 41.8	Q R 1s	7.8	6	White square skeleton tower, red band at top on 3-pile dolphin.	Year round. Chart:3958 Edn 12/15 (P15-086)
727	Lax Kw'alaams light buoy D91	NW of jetty. 54 33 49.3 130 25 45.0	Fl G 4s	Green, marked "D91".	Chart: 3963 Edn 12/15
739 G5747.4	Principe Channel	On shore. 53 23 30.7 129 54 19.9	Fl W 6s	6.1	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:3984 Edn 12/15 (P15-094)
745.5	Kitkatla Boat Harbour light buoy E95	Approach to Kitkatla wharf. 53 47 53.1 130 26 16.6	Fl G 4s	Green, marked "E95".	Year round. Chart: 3986 Edn 12/15
795.5	Stubbs Rock light buoy C40	SW of Ship Island. 53 44 34.1 132 16 16.5	Fl R 4s	Red, marked "C40".	Year round. Chart: 3893 Edn 12/15

Monthly Notices to Mariners - Western Edition
Edition 12/2015

CANADIAN COAST GUARD MARINE INFORMATION REPORT AND SUGGESTION SHEET.

Name of Ship or Sender: Date:

Address of Sender:
Street # Street Name

Town / City: Prov / State: Postal Code / Zip Code:

Tel / Fax / E-mail address of sender:

Observation Date: Time (UTC):

Geographical Position:

Coordinate Position: Lat: Long:

Position Method: DGPS GPS with WAAS GPS Radar Other

Horizontal Datum Used: WGS 84 NAD 27 Other

Estimated Position Accuracy:

Chart #: Datum: NAD 27 NAD 83

Chart Edition: Last Correction applied:

Publications affected: (Quote Volume and page):

*Full details (Attach additional sheets as necessary)

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Leader, Notices to Mariners
Canadian Coast Guard
Department of Fisheries and Oceans
Montréal, Qc H2Y 2E7

In the case of information concerning aids to navigation
or the List of Lights, Buoys and Fog Signals.

Notmar.XNCR@dfo-mpo.gc.ca

OR

Director General, Canadian Hydrographic Service &
Oceanographic Services
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation
or where corrections to "Sailing Directions" appear
to be necessary.

CHSINFO@dfo-mpo.gc.ca

Or general questions on Coast Guard programs or services please send an e-mail message to:
info@dfo-mpo.gc.ca