

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
942	East Point Reef East Cardinal light and whistle buoy NDN	Off East reef. 46 28 04.2 061 56 14.6	Q(3) W 10s	.....	.....	Black, yellow and black, marked "NDN".	Seasonal.  <b>Chart:4023</b>
943 H920	East Point	Near S. shore of point. 46 27 09.1 061 58 18.6	Fl W 5s	27.1	11	White octagonal tower, red upper portion. 19.5	Flash 2 s; eclipse 3 s.  <b>Chart:4403 Edn 12/10 (G10-182)</b>
946	Souris Harbour light and whistle buoy NA	Entrance to Colville Bay. 46 19 46.1 062 15 23.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "NA-Souris Harbour".	Seasonal.  <b>Chart:4419</b>
947 H922	Souris East	On Knight Point, SE. of breakwater. 46 20 45.1 062 14 50.9	Iso W 4s	27.2	13	White square tower, red upper portion. 14.4	Operates at night only. Year round.  <b>Chart:4419</b>
948 H924	Souris East Breakwater	On outer end of breakwater. 46 20 51.0 062 15 17.4	Fl R 4s	10.5	8	Square skeleton tower.	Flash 1 s; eclipse 3 s.  <b>Chart:4419 Edn 07/16</b>
948.05	Rollo Bay light buoy NC1	46 19 24.2 062 19 27.7	Q G 1s	.....	.....	Green, marked "NC1".	Seasonal.  <b>Chart:4403</b>
948.1	Fortune Bay Entrance light buoy NC6	46 19 42 062 20 24	Fl R 4s	.....	.....	Red spar, marked "NC6".	Seasonal.  <b>Chart:4403</b>
948.2	Fortune Bay Entrance light buoy NC8	46 19 42 062 20 42	Q R 1s	.....	.....	Red spar, marked "NC8".	Seasonal.  <b>Chart: N/A</b>
948.3 H0925	Fortune Bay North Sector	SW. corner of N. wharf. 46 19 44 062 21 00.9	F R W G	6.9	9	Square skeleton tower, red and white rectangular daymark. 5.4	Red from 265° through W. to 280°; white from 280° to 282°; green from 282° to 291°. White sector indicates preferred channel. Seasonal.  <b>Chart:4403</b>
948.5	Annandale light buoy NE	In Boughton Bay. 46 14 31.2 062 23 00.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "NE".	Seasonal.  <b>Chart:4421</b>
948.6	Grand River East light buoy NE2	46 14 55.8 062 24 54.1	Fl R 4s	.....	.....	Red, marked "NE6".	Seasonal.  <b>Chart:4421 Edn 09/14 (G14-040)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>									
949.5	Annandale Sector light	On Banks Point. 46 15 32.9 062 25 19.7	F	R W G	.....	9.1	13	White Square tower, red upper portion.	Green from 304° 30'00 to 303° 30'00 White from 303° 30'00 to 302° 30'00 Red From 302° 30'00 to 301° 30'00. White sector indicate preferred channel. Operates 24 h.
									Chart:4421 Edn 02/15 (G14-208)
950.1	Annandale light buoy NE5	Boughton Bay. 46 15 09.7 062 24 30.8	Fl	G	4s	.....	.....	Green, marked "NE5".	Seasonal.
									Chart:4421 Edn 09/14 (G14-044)
950.12	Annandale light buoy NE7	46 15 17 062 24 50.9	Q	G	1s	.....	.....	Green, marked "NE7".	Seasonal.
									Chart:4421 Edn 09/14 (G14-046)
950.15	Annandale light buoy NE9	Grand River East. 46 15 24.3 062 25 19.9	Fl	G	4s	.....	.....	Green spar marked "NE9".	Seasonal.
									Chart:4421 Edn 05/16 (G16-041)
950.2	Banks Point light buoy NE10	SE. of Annandale wharf. 46 15 25.2 062 25 15.9	Fl	R	4s	.....	.....	Red spar, marked "NE10".	Seasonal.
									Chart:4421 Edn 09/14 (G14-049)
950.3 H0928.15	Annandale West Breakwater	46 15 29 062 25 29	Q	G	1s	3.9	1	Pipe swing pole, green and white square daymark, green square in centre. 3.3	Seasonal.
									Chart:4421 Edn 02/13 (G12-217)
951 H0930	Launching Pond Breakwater	On outer end of N. breakwater. 46 13 13.3 062 24 32.6	Fl	R	3s	5.4	4	Cylindrical mast. 3.7	Flash 1 s; eclipse 2 s. Privately maintained. Seasonal.
									Chart:4421 Edn 08/09 (G09-043) Edn 04/15 (G15-017) Edn 06/15 (G15-037)
951.2 H0931	Launching Pond South Breakwater	46 13 12.3 062 24 33.6	Fl	G	4s	4.5	4	Cylindrical mast. 3.6	Privately maintained. Seasonal.
									Chart:4421 Edn 08/09 (G09-044) Edn 04/15 (G15-018)
951.5	Launching Pond light buoy NY2	46 13 06.2 062 24 05.8	Fl	R	4s	.....	.....	Red spar, marked "NY2".	Seasonal.
									Chart:4421
951.6	Cardigan River light buoy NJ2	46 12 03.2 062 29 51.2	Fl	R	4s	.....	.....	Red, marked "NJ2".	Seasonal.
									Chart:4422
951.7	Upper Cardigan (MacPhee Shoal) light buoy NJ3	46 12 02.7 062 30 20.6	Fl	G	4s	.....	.....	Green spar, marked "NJ3".	Seasonal.
									Chart:4422

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
951.75	Cardigan river(Morrison's Beach) light buoy NJ7	46 12 52.5 062 32 07.1	Fl G 4s	.....	.....	Green ,marked "NJ7".	Seasonal.  Carte:4422 Edn. 03/14 (G13-142) Edn. 04/14 (G13-142)
951.8	Cardigan River light Buoy NJ14	Green's Point. 46 13 24.2 062 33 48.6	Fl R 4s	.....	.....	Red, marked "NJ14".	Seasonal.  Carte:4422 Edn. 03/14 (G14-008)
951.85	Cardigan River (Wilson's Point) light buoy NJ15	46 13 23.7 062 34 16.6	Q G 1s	.....	.....	Green,marked"NJ15".	Seasonal.  Carte:4422 Edn. 03/14 (G14-009)
951.9	Cardigan River (Crawford's Point) light buoy NJ18	46 13 24.2 062 34 52.6	Q R 1s	.....	.....	Red, marked "NJ18".	Seasonal.  Carte:4422 Edn. 03/14 (G14-011)
951.91	Cardigan River light buoy (Owen's Flats) NJ23	46 13 56.2 062 36 25.6	Q G 1s	.....	.....	Green, marked "NJ23".	Seasonal.  Chart:4422 Edn 08/14
951.95	Cardigan River light buoy NJ25	46 13 59.2 062 36 33.6	Fl G 4s	.....	.....	Green, marked "NJ25".	Seasonal.  Chart:4422 Edn 02/14 (G14-012)
952	Cardigan River light buoy NJ30	46 13 55 062 36 44.1	Q R 1s	.....	.....	Red, marked "NJ30".	Seasonal.  Chart:4422 Edn 02/14 (G14-010)
952.5	Georgetown light buoy NH	In Cardigan Bay. 46 09 15.2 062 27 01.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "NH".	Seasonal.  Chart:4422
953 H932	<b>Panmure Head</b>	SE. extremity of Cardigan Bay. 46 08 39.2 062 27 59.6	Fl W 4s	25.0	<b>19</b>	White octagonal tower, red upper portion.	Year round.  Chart:4422 Edn 04/10 (G10-018)
953.4	Cardigan Shoal light buoy NH4	46 09 41.6 062 29 53.9	Fl R 4s	.....	.....	Red spar, marked "NH4".	Seasonal (in place year round).  Operates 24 h.  Carte: 4422 Edn 08/16 (G16-113)
953.5	Wheeler Bar light buoy NH3	46 09 31.1 062 29 34.5	Fl G 4s	.....	.....	Green spar, marked "NH3".	(Winter spar.) Seasonal (in place year round).  Chart: 4422 Edn 07/15 (G15-041)
953.7	Georgetown Range light buoy NH9	46 09 45.3 062 31 00.7	Q G 1s	.....	.....	Green spar, marked "NH9".	  Chart: 4422 Edn 08/15 (G15-054)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
954	St. Andrews Point light buoy NH10	46 09 55.2 062 31 13.7	Q R 1s	.....	.....	Red spar, marked "NH10".	Seasonal (in place year round).  Chart:4422 Edn 03/17 (G17-007)
956.15	Gaudin Point light buoy NH14	46 10 32.2 062 32 26.6	Fl R 4s	.....	.....	Red spar, marked "NH14".	Seasonal.  Chart:4422
956.2	Thrumcap Spit light buoy NH12	Off Spit. 46 10 08.7 062 31 33.6	Fl R 4s	.....	.....	Red, marked "NH12".	Seasonal.  Chart:4422
956.3	Aitken Point light buoy NH15	Montague River entrance. 46 10 34.2 062 33 03.6	Q G 1s	.....	.....	Green, marked "NH15".	Seasonal.  Chart:4422
956.4	Brudenell Point light buoy NH18	46 10 34.2 062 33 36.7	Q R 1s	.....	.....	Red spar, marked "NH18".	Seasonal.  Chart:4422
957 H0939	Lower Montague Wharf	NE. corner of wharf. 46 10 14.2 062 33 46.5	Fl G 4s	6.0	5	Cylindrical mast.	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4422
957.3	Montague River light buoy NH22	46 10 30.2 062 35 58.6	Fl R 4s	.....	.....	Red, marked "NH22".	Seasonal.  Chart:4422
957.4	Montague River light buoy NH23	46 10 30.2 062 36 21.6	Q G 1s	.....	.....	Green, marked "NH23".	Seasonal.  Chart:4422
957.41	Montague River light buoy NH27	46 10 16.2 062 36 57.6	Fl G 4s	.....	.....	Green spar, marked "NH27".	Seasonal.  Chart:4422
957.5	Montague River light buoy NH30	46 10 06.2 062 37 13.6	Q R 1s	.....	.....	Red, marked "NH30".	Seasonal.  Chart:4422
957.7	Montague River light buoy NH38	46 10 00.7 062 37 57.6	Fl R 4s	.....	.....	Red, marked "NH38".	Seasonal.  Chart:4422
957.8	Montague River light buoy NH43	46 10 01.2 062 38 19.6	Q G 1s	.....	.....	Green, marked "NH43".	Seasonal.  Chart:4422
958.5	Graham Ledge light buoy NP	46 05 45.2 062 25 57.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "NP".	Seasonal.  Chart:4403
959 H0949	Graham Pond	On outer end of N. breakwater. 46 05 46.7 062 27 04.5	Iso R 4s	6.0	6	Square skeleton tower. 5.1	Seasonal.  Chart:4403 Edn 09/10 (G10-145)
960 H0949.2	Graham Pond South Breakwater	46 05 46.1 062 27 06.2	Fl G 6s	4.3	4	Square skeleton tower. 3.6	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4403 Edn 06/10 (G10-089)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
960.1 H0949.3	Graham Pond West Breakwater	46 05 47.7 062 27 03.4	Fl Y 4s	3.6	2	Cylindrical mast. 2.6	Privately maintained. Seasonal.  Chart:4403
960.2 H0949.4	Graham Pond East Breakwater	46 05 46.8 062 27 01.6	Fl R 4s	3.2	2	Cylindrical mast. 2.6	Flash 1 s; eclipse 3 s. Privately maintained. Seasonal.  Chart:4403
961	Murray Harbour light buoy NM	Off harbour entrance. 46 02 05.2 062 27 08.2	Mo(A) W 4s	.....	.....	Red and white vertical stripes spar, marked "NM".	Seasonal.  Chart:4420
963	Murray Harbour Entrance light buoy NM3	E. of Oldstore Point. 46 01 40.2 062 27 46.2	Fl G 4s	.....	.....	Green marked "NM3".	Seasonal.  Chart:4420 Edn 08/13 (G13-092) Edn 09/14 (G14-082)
963.5	Murray Harbour light buoy NM6	Off Oldstore Point. 46 01 31.6 062 28 18.8	Fl R 4s	.....	.....	Red, marked "NM6".	Seasonal.  Chart:4420 Edn 09/10 (G10-115)
963.6	Murray Harbour light buoy NM7	46 01 21.6 062 28 39	Q G 1s	.....	.....	Green, marked "NM7".	Seasonal.  Chart:4420 Edn 10/10 (G10-120) Edn 08/11 (G11-219) Edn 09/14 (G14-080)
964 H0954	Murray Harbour range	On Oldstore Point, S. side of harbour. 46 01 17.5 062 28 41.7	F R .....	6.3	10	White square tower, red upper portion, red vertical stripe. 7.2	Visible in line of range. Seasonal.
965 H0954.1		234°04' 1360.9m from front.	F R .....	17.8	10	White square tower, red upper portion, red vertical stripe. 13.6	Visible in line of range. Seasonal.  Chart:4420
966	Sable Point light buoy NM8	Off Point. 46 01 13.1 062 28 56.4	Fl R 4s	.....	.....	Red, marked "NM8".	Seasonal.  Chart:4420 Edn 08/11 (G11-220)
966.5	Beach Point light buoy NM11	46 01 07.2 062 29 13.6	Fl G 4s	.....	.....	Green, marked "NM11".	Seasonal.  Chart:4420 Edn 08/11 (G11-221)
966.6	Murray Harbour light buoy NM12	46 01 09.5 062 29 12.7	Q R 1s	.....	.....	Red, marked "NM12".	Seasonal.  Chart:4420 Edn 09/10 (G10-119)
967 H0958	Beach Point Breakwater	On outer end, E. breakwater. 46 01 00.3 062 29 12.9	Fl G 4s	4.7	4	Square skeleton tower. 3.7	Operates at night only. Seasonal.  Chart:4420

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
968	<i>Penny Point light buoy NM13</i>	<i>On S. side of dredged cut. 46 01 04.9 062 29 37.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "NM13".</i>	<i>Seasonal.</i>  <b>Chart:4420 Edn 08/11 (G11-213)</b>
968.1	<i>Murray Harbour light buoy NM14</i>	<i>46 01 07.4 062 29 42.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NM14".</i>	<i>Seasonal.</i>  <b>Chart:4420 Edn 08/11 (G11-214)</b>
968.3	<i>Murray Harbour light buoy NM16</i>	<i>46 01 07.7 062 29 59.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NM16".</i>	<i>Seasonal.</i>  <b>Chart:4420 Edn 08/11 (G11-216)</b>
969	<i>Machons Point light buoy NM15</i>	<i>SE. of point. 46 01 06 062 30 03</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "NM15".</i>	<i>Seasonal.</i>  <b>Chart:4420 Edn 14/14 (G14-083)</b>
969.5 H0958	<i>Murray Harbour Village range</i>	<i>On shore line. 46 00 23.6 062 31 25.6</i>	<i>Iso R 1s</i>	<i>6.1</i>	<i>13</i>	<i>Square skeleton tower, white daymark, red vertical stripe. 6.0</i>	<i>Visible in line of range. Seasonal.</i>
969.6 H0958.1		<i>233°44' 100.9m from front.</i>	<i>Iso R 4s</i>	<i>9.0</i>	<i>14</i>	<i>Square skeleton tower, white daymark, red vertical stripe. 6.7</i>	<i>Visible in line of range. Seasonal.</i>  <b>Chart:4420 Edn 12/10 (G10-139)</b>
969.7	<i>Sharams Point light buoy NM24</i>	<i>N. of point. 46 01 30.7 062 31 12.6</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red boat type, marked "NM24".</i>	<i>Seasonal.</i>  <b>Chart:4420</b>
969.8	<i>Reynolds Island light buoy NM30</i>	<i>W. of island. 46 02 04.2 062 31 41.4</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NM30".</i>	<i>Seasonal.</i>  <b>Chart:4420 Edn 10/14 (G14-081)</b>
969.9	<i>Fairchild Point light buoy NM33</i>	<i>NE. of point. 46 02 34.7 062 31 46.6</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green boat type, marked "NM33".</i>	<i>Seasonal.</i>  <b>Chart:4420</b>
970.4	<i>Bear Reef East Cardinal light buoy NN</i>	<i>46 00 44.2 062 26 17.2</i>	<i>Q(3) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Black, yellow and black spar, marked "NN".</i>	<i>Flash 0.3 s; eclipse 0.7 s; flash 0.3 s; eclipse 0.7 s; flash 0.3 s; eclipse 7.7 s. Seasonal.</i>  <b>Chart:4420 Edn 07/13 (G13-085)</b>
971 H950	<i>Cape Bear</i>	<i>On the headland. 46 00 11.0 062 27 34</i>	<i>LFl Y 6s</i>	<i>16.7</i>	<i>10</i>	<i>Square skeleton tower, two red and white rectangular daymarks. 8.3</i>	<i>One daymark facing due South and one facing due East. Flash 2 s; eclipse 4 s. Year round.</i>  <b>Chart:4420 Edn 07/11 (G11-165) Edn 10/11 Edn 12/11 (G11-309)</b>
972.5	<i>Wood Islands Harbour Entrance light buoy NS2</i>	<i>45 56 46.4 062 44 59.3</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NS2".</i>	<i>Seasonal.</i>  <b>Chart:4405</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
975 H0964.5	Wood Islands Harbour West Breakwater	On W. breakwater. 45 56 54 062 45 08.1	Fl G 3s	6.0	5	Square skeleton tower, red and white rectangular daymark, green square in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal.  <b>Chart:4483</b>
975.1 H0964	Wood Islands Harbour East Breakwater	On E. breakwater. 45 56 54.2 062 45 04.8	Fl R 3s	6.0	5	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal.  <b>Chart:4483</b>
976 H962	Wood Islands	On S. side of E. portion. 45 56 59.5 062 44 46.1	Iso W 10s	21.8	12	White square tower, red upper portion. 15.3	Year round.  <b>Chart:4405 Edn 11/10 (G10-183)</b>
977	Indian Rocks light and whistle buoy N8	SW. of rocks. 45 54 54.2 062 49 11.7	Fl R 4s	.....	.....	Red, marked "Indian Rocks "N8".	Seasonal.  <b>Chart:4405</b>
980.5	Pinette Harbour light buoy NV4	46 02 42.2 062 57 15.5	Q R 1s	.....	.....	Red spar, marked "NV4".	Seasonal.  <b>Chart:4466 Edn 08/14 (G14-055)</b>
983 H982	<b>Prim Point</b>	SE. extremity of Hillsborough Bay, near point. 46 03 00.7 063 02 20.5	Fl W 5s	20.7	18	White cylindrical tower, red upper portion. 18.6	Flash 0.2 s; eclipse 4.8 s. Year round. Operates at night only.  <b>Chart:4466 Edn 04/10 (G10-017)</b>
983.4	St. Peters Island light buoy C1	46 05 00.2 063 13 45.7	Fl G 4s	.....	.....	Green, marked "C1".	Seasonal.  <b>Chart:4466</b>
984	Prim Reefs light and whistle buoy C2	Off Western extremity of reefs. 46 02 40.2 063 06 47.7	Q R 1s	.....	.....	Red, marked "Prim Reefs C2".	Seasonal.  <b>Chart:4466</b>
<b>Hillsborough Bay</b>							
989	Fitzroy Rock light and bell buoy C4	SW. of rock. 46 07 05.7 063 06 39.7	Fl R 4s	.....	.....	Red, marked "Fitzroy Rock C4".	(Winter spar.) Seasonal.  <b>Chart:4466</b>
990	Spithead light buoy C5	E. of Governors Island. 46 08 54.2 063 06 01.7	Q G 1s	.....	.....	Green, marked "C5".	Seasonal.  <b>Chart:4466</b>
991 H1006	E. side of entrance to Charlottetown Harbour. Haszard Point range 46 11 39.7 063 04 25.2	F Y .....	18.3	13	Red square tower, black vertical stripe. 17.3	Visible in line of range. Year round.	
992 H1006.1	019°19' 650.1m from front.	F Y .....	46.3	13	Red square tower, black vertical stripe. 14.0	Visible in line of range. Year round.  <b>Chart:4466</b>	
<b>Charlottetown Harbour</b>							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
993 H1008	Blockhouse Point	W. side of entrance to harbour. 46 11 26.1 063 07 45.7	Oc W 4s	18.3	12	White square tower, red upper portion. 12.6	Flash 3 s; eclipse 1 s. Year round.  Chart:4460
993.5	Blockhouse Point light buoy C7	46 11 36.2 063 07 33.7	Fl G 4s	.....	.....	Green, marked "C7".	Seasonal.  Chart:4460
994 H1012	Brighton Beach range	On crib on E. side of Yorke River. 46 13 50.5 063 08 51.2	F Y .....	11.0	19	White square tower, red upper portion, red vertical stripe.	Visible in line of range. Year round.
995 H1012.1		336°56' 398m from front.	F Y .....	26.3	19	White hexagonal tower, red vertical stripe.	Visible in line of range. Year round.  Chart:4460 Edn 12/12 (G12-211, 212)
995.1 H1013	Peakes Quay Marina	Entrance to Peakes Quay Marina. 46 13 51.4 063 07 15.4	Q G 1s	.....	3	Cylindrical mast. 2.2	Flash 0.3 s; eclipse 0.7 s. Privately maintained. Operates at night only. Seasonal.  Chart:4460
996 H1016	Warren Cove range	W. side of harbour, N. of Blockhouse Point. 46 11 56.4 063 08 17.6	F Y .....	17.3	12	White square tower, red upper portion, red vertical stripe.	Year round.
997 H1016.1		197°39' 327.4m from front.	F Y .....	21.4	12	White square tower, red upper portion, red vertical stripe.	Year round.  Chart:4460
998	Battery Point light buoy C8	W. of point. 46 12 14.7 063 07 51.7	Fl R 4s	.....	.....	Red, marked "Battery Point C8".	(Winter spar.) Seasonal.  Chart:4460
998.5	Canceaux Spit light buoy C9	E. of spit. 46 12 37.7 063 08 06.7	Fl G 4s	.....	.....	Green, marked "C9".	Seasonal.  Chart:4460
999	Rosebank Point Outer light buoy C12	46 12 54.2 063 07 48.7	Fl R 4s	.....	.....	Red, marked "C12".	(Winter spar.) Seasonal.  Chart:4460
999.2	Old Battery Point light buoy C13	SE. of point. 46 13 17.2 063 07 51.7	Fl G 4s	.....	.....	Green, marked "C13".	Seasonal.  Chart:4460
999.5	Rosebank Point Centre light buoy C14	NW. of point. 46 13 28.2 063 07 23.2	Fl R 4s	.....	.....	Red, marked "C14".	Seasonal.  Chart:4460
1001	Charlottetown Harbour light buoy C15	Off outer S. corner of wharf. 46 13 40.2 063 07 30.2	Q G 1s	.....	.....	Green spar, marked "C15".	Seasonal.  Chart:4460 Edn 08/09 (G09-083)



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1003	Charlottetown Railway Wharf Turning light buoy C18	Off S. corner of railway wharf. 46 13 46.7 063 06 44.7	Q R 1s	.....	.....	Red, marked "Turning C18".	(Winter spar.) Seasonal.  Chart:4460
1006 H0998	Nine Mile Creek Wharf	On outer S. corner of wharf. 46 08 53.0 063 13 03.7	Fl R 4s	5.4	5	Pipe swing pole, red and white rectangular daymark, red triangle in center. 5.0	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4466 Edn 05/12 (G12-047) Edn 03/16 Edn 07/16 (G16-075)
1007 H996	St. Peters Island	On SE. side of island. 46 07 01.1 063 10 49.5	Fl W 4s	20.6	10	White square tower, red upper portion. 9.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round.  Chart:4466
<b>Victoria Harbour</b>							
1008.1 H1036	<b>Victoria Harbour</b>	W. end of bridge at head of harbour. 46 12 50.8 063 29 19.7	Fl W 4s	.....	<b>17</b>	White square tower, red upper portion, red vertical stripe. 10.7	Flash 0.1 s; eclipse 3.9 s. Operates at night only. Seasonal.  Chart:4405 Edn 02/12 (G12-001)
1009.11	Victoria Harbour Fairway light buoy NX	46 10 35.2 063 28 00.6	Mo(A) W 6s	.....	.....	Spar, red and white vertical stripes, marked "NX".	Seasonal.  Chart:4405 Edn 05/11 (G11-114)
1009.12	Cameron Point Shoal light buoy NX4	46 11 26.2 063 28 31.9	Fl R 4s	.....	.....	Red, marked "NX4".	Seasonal.  Chart:4405 Edn 05/11 (G11-116)
1009.13	Victoria Harbour light buoy NX5	46 11 39 063 28 36.9	Fl G 4s	.....	.....	Green, marked "NX5".	Seasonal.  Chart:4405 Edn 06/12 (G12-058)
1009.17	Victoria Harbour light buoy NX9	46 11 50.9 063 28 41	Fl G 4s	.....	.....	Green, marked "NX9".	Seasonal.  Chart:4405 Edn 06/12 (G12-057)
1009.2	Victoria Harbour light buoy NX12	46 12 15.7 063 29 19.9	Q R 1s	.....	.....	Red, marked "NX12".	Seasonal.  Chart:4405 Edn 07/09 (G09-069) Edn 07/11 (G11-164) Edn 06/12 (G12-054)
1011.1	Victoria Harbour light buoy NX11	46 11 56.2 063 28 47.7	Q G 1s	.....	.....	Green, marked "NX11".	Seasonal.  Chart:4405 Edn 07/09 (G09-070)
1011.14	Victoria Harbour light buoy NX17	46 12 25.4 063 29 22.4	Fl G 4s	.....	.....	Green, marked "NX17".	Seasonal.  Chart:4405 Edn 12/09 (G09-071) Edn 06/12 (G12-053)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1011.15	Victoria Harbour light buoy NX18	46 12 25.4 063 29 21.8	Fl R 4s	.....	.....	Red, marked "NX18".	Seasonal.  Chart:4405 Edn 06/12 (G12-052)
1011.18	Victoria Harbour light buoy NX19/5	46 12 34 063 29 21.2	Fl G 4s	.....	.....	Green, marked "NX19/5".	Seasonal.  Chart:4405 Edn 06/12 (G12-067)
1011.19	Victoria Harbour light buoy NX20	46 12 33.9 063 29 20.3	Fl R 4s	.....	.....	Red, marked "NX20".	Seasonal.  Chart:4405 Edn 12/09 (G09-155)
1011.21	Victoria Harbour light buoy NX21	46 12 40.9 063 29 20.4	Fl G 4s	.....	.....	Green, marked "NX21".	Seasonal.  Chart:4405 Edn 06/12 (G12-060)
1011.22	Victoria Harbour light buoy NX22	46 12 40.9 063 29 19.7	Fl R 4s	.....	.....	Red, marked "NX22".	Seasonal.  Chart:4405 Edn 06/12 (G12-051)
1014	Tryon Shoals light and bell buoy N14	Off S. extremity of shoal. 46 09 39.2 063 31 42.7	Fl R 4s	.....	.....	Red spar, marked "N14".	Seasonal.  Chart:4405
1015 H1044	Port Borden Breakwater	SW. end of breakwater. 46 14 38.9 063 41 50.3	Fl R 4s	4.5	3	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  Chart:4905
1017.5 H1039	Port Borden Pier	On outer end of Ferry Pier. 46 14 42.5 063 41 58	Iso G 4s	10.0	7	White square tower, red upper portion. 8.5	Operates at night only. Seasonal.  Chart:4905 Edn 10/10 (G10-163)
1017.69 H1039	Confederation Bridge	Mid span on each side of navigation span. 46 12 35.9 063 45 07.8	Iso 2W 6s	50.5	13	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round.  Chart:4406
1017.7	Strait Crossing light and whistle buoy XF	46 17 00.3 063 52 15.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "XF".	Seasonal.  Chart:4406
1017.71	Strait Crossing light buoy XB2	46 11 03.3 063 42 27.7	Fl R 4s	.....	.....	Red, marked "XB2".	Seasonal.  Chart:4406
1017.72	Strait Crossing light buoy XB3	46 11 00.2 063 42 36.7	Fl G 4s	.....	.....	Green, marked "XB3".	Seasonal.  Chart:4406
1017.73	Strait Crossing light buoy XB4	46 14 24.2 063 47 54.7	Fl R 4s	.....	.....	Red, marked "XB4".	Seasonal.  Chart:4406

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1017.74	Strait Crossing light buoy XB5	46 14 18.2 063 48 00.7	Fl G 4s	.....	.....	Green, marked "XB5".	Seasonal.  <b>Chart:4406</b>
1017.75	Strait Crossing light and whistle buoy XB	46 09 24.2 063 39 51.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "XB".	Seasonal.  <b>Chart:4406</b>
1017.76 H1039.5	Confederation Bridge S.E.	46 12 35.8 063 45 07.7	F R W G	.....	64.0	.....	On bridge.  Red from 308°39' to 310°39'; white from 310°39' to 311°39'; green from 311°39' to 313°39'. White sector indicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.77 H1039.6	Confederation Bridge N.W.	46 12 36 063 45 08	F R W G	.....	64.0	.....	On bridge.  Green from 129°08' to 131°08'; white from 131°08' to 132°08'; red from 132°08' to 134°08'. White Rindicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.78 H1039.7	Confederation Bridge  <b>Racon -... (B) X &amp; S Band</b>	On either side of pier 22. 46 12 33.8 063 45 13.1	F G	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.781 H1039.75	Confederation Bridge	On either side of pier 22. 46 12 32 063 45 10.1	F G	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.79 H1039.8	Confederaton Bridge  <b>Racon – (T) X &amp; S Band</b>	On each side of pier 21. 46 12 39.9 063 45 05.5	F R	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.791 H1039.85	Confederaton Bridge	On each side of pier 21. 46 12 38.1 063 45 02.5	F R	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.8	Seacow Head Information light buoy DC	46 18 21.2 063 49 57.7	Fl Y 4s	.....	.....	Orange and white spar, marked "DC".	Seasonal (in place year round).  <b>Chart:4406 Edn 10/12 Edn 03/17 (G17-007)</b>
1017.9	Seacow Head Information light buoy DD	46 18 45.2 063 49 25.7	Fl Y 4s	.....	.....	Orange and white spar, marked "DD".	Seasonal (in place year round).  <b>Chart:4406 Edn 10/12 Edn 03/17 (G17-007)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1018 H1046	Seacow Head	On outer end of point. 46 18 57.7 063 48 35.9	Fl(2) W 12s	26.8	12	White octagonal tower, red upper portion. 18.3	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 6 s. Year round.  <b>Chart:4406</b>
1018.1 H1049	<b>Summerside Outer range</b>	W. side of Summerside River. 46 23 43.1 063 48 35	F R .....	9.3	<b>18</b>	White square tower, white daymark, red vertical stripe. 9.0	Visible in line of range. Year round.
1018.2 H1049.1		028°57' 430.3m from front.	F R .....	14.8	<b>18</b>	White square tower, white daymark, red vertical stripe. 10.1	Visible in line of range. Year round.  <b>Chart:4459</b>
1018.5	Summerside Harbour light buoy DE3	46 21 58.2 063 50 01.7	Fl G 4s	.....	.....	Green, marked "DE3".	Seasonal.  <b>Chart:4459</b>
1018.6	Summerside Harbour light buoy DE4	46 22 20.2 063 49 39.2	Fl R 4s	.....	.....	Red, marked "DE4".	Seasonal.  <b>Chart:4459</b>
1019	Indian Point light buoy DE6	46 22 42.2 063 49 21.7	Q R 1s	.....	.....	Red, marked "DE6".	Seasonal (in place year round).  <b>Chart:4459 Edn 03/17 (G17-007)</b>
1019.1	Summerside Harbour light buoy DE7	46 22 49.2 063 49 20.2	Q G 1s	.....	.....	Green, marked "DE7".	Seasonal.  <b>Chart:4459</b>
1020 H1048	Indian Head	On outer end of breakwater. 46 22 47 063 49 01.1	IsO W 10s	14.0	10	White octagonal tower, red upper portion. 12.9	Year round. Operates at night only.  <b>Chart:4459 Edn 12/10 (G10-189)</b>
1020.1	Summerside Harbour light buoy DE8	46 22 49.2 063 49 08.7	Fl R 4s	.....	.....	Red spar, marked "DE8".	Seasonal.  <b>Chart:4459</b>
1020.2	Summerside Harbour light buoy DE10	46 22 56.2 063 48 36.7	Fl R 4s	.....	.....	Red spar, marked "DE10".	(Winter spar.) Seasonal.  <b>Chart:4459</b>
1020.3	Summerside Harbour light buoy DE11	46 23 03.7 063 48 15.7	Fl G 4s	.....	.....	Green, marked "DE11".	(Winter spar.) Seasonal.  <b>Chart:4459</b>
1020.4	Summerside Harbour light buoy DE14	46 23 08.2 063 47 43.7	Q R 1s	.....	.....	Red, marked "DE14".	(Winter spar.) Seasonal.  <b>Chart:4459</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>PRINCE EDWARD ISLAND</b>								
1021 H1050	<b>Summerside range</b>	Near outer end of wharf. 46 23 14.4 063 47 21.2	F G	.....	10.8	<b>18</b> Square skeleton tower, white daymark, red vertical stripe. 9.4	Visible in line of range.	
1022 H1050.1		072°04' 1436.3m from front.	F G	.....	24.8	<b>18</b> White square tower, red upper portion, red vertical stripe. 20.1	Visible in line of range.  <b>Chart:4459</b>	
1022.5 H1054	Summerside Marina	On outer end of breakwater. 46 23 18.2 063 47 14.6	Fl R	4s	5.3	7 Square skeleton tower, red and white rectangular daymark, red triangle in centre. 3.5	Visible from 269° through W. and N. to 029°. Seasonal.  <b>Chart:4459</b>	
1023	<i>Miscouche Shoal light and bell buoy DE</i>	<i>W. of Graham Head. 46 19 50.2 063 51 18.7</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white, vertical stripes, marked "DE".</i>  <i>Seasonal.</i>  <b>Chart:4459</b>	
1023.1	<i>Abrams Village light buoy DH2</i>	<i>46 27 08.8 064 07 44</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "DH2".</i>  <i>Seasonal.</i>  <b>Chart:4905 Edn 03/13</b>
1023.2	<i>Abrams Village light buoy DH6</i>	<i>46 27 05.1 064 07 18</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "DH6".</i>  <i>Seasonal.</i>  <b>Chart:4905 Edn 12/10 (G10-168) Edn 10/11 (G11-288) Edn 03/13</b>
1023.3	<i>Abrams Village light buoy DH8</i>	<i>Egmont Bay South. 46 27 02.7 064 07 13</i>	<i>Q</i>	<i>R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "DH8".</i>  <i>Seasonal.</i>  <b>Chart:4905 Edn 03/13 (G12-195)</b>
1023.4	<i>Abrams Village light buoy DH9</i>	<i>46 27 05.1 064 07 14.6</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "DH9".</i>  <i>Seasonal.</i>  <b>Chart:4905 Edn 03/13 (G12-196)</b>
1023.5	<i>Abrams Village light buoy DH10</i>	<i>46 26 59.6 064 07 09.2</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "DH10".</i>  <i>Seasonal.</i>  <b>Chart:4905 Edn 03/13 (G12-197)</b>
1023.6	<i>Abrams Village light buoy DH14</i>	<i>Egmont Bay South. 46 26 47.9 064 06 55.5</i>	<i>Q</i>	<i>R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "DH14".</i>  <i>Seasonal.</i>  <b>Chart:4905 Edn 03/13 (G12-198)</b>
1024 H1056	Cape Egmont	On point. 46 24 06.6 064 08 02.4	Fl W	5s	19.8	12 White square tower, red upper portion. 12.4	Flash 2 s; eclipse 3 s.  <b>Chart:4406</b>	
1024.5	<i>Fishing Cove light buoy DG2</i>	<i>46 24 06.2 064 08 30.7</i>	<i>Q</i>	<i>R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "DG2".</i>  <i>Seasonal.</i>  <b>Chart:4406</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1025 H1057	Fishing Cove	On outer end of breakwater. 46 24 26.2 064 08 04.9	Fl R 3s	7.5	5	Pipe swing pole. 6.9	Flash 1 s; eclipse 2 s. Seasonal.  Chart:4905
1025.5 H1057.5	Fishing Cove West Breakwater	On S. end of W. breakwater. 46 24 26.1 064 08 06.7	Q G 1s	3.2	4	Cylindrical mast. 2.8	Operates at night only. Seasonal.  Chart:4905 Edn 06/15 (G15-038)
1026 H1058	Canoe Gully Outer range	N. of Cape Egmont. 46 26 53.5 064 06 20.5	F Y .....	5.7	13	Square skeleton tower, white daymark, red vertical stripe. 5.2	Visible in line of range. Seasonal.
1027 H1058.1		105°49' 175.6m from front.	F Y .....	9.9	13	Square skeleton tower, white daymark, red vertical stripe. 8.3	Visible in line of range. Seasonal.  Chart:4905
1027.31 H1060	Abrams Village Wharf	46 26 25.9 064 06 48.4	Fl G 4s	.....	2	Pipe swing pole, green and white square daymark.	Seasonal.  Chart:4905 Edn 07/12 (G12-112)
1027.42	Egmont Bay North light buoy DJ12	46 33 28 064 05 18	Q R 1s	.....	.....	Red, marked "DJ12".	Seasonal.  Chart:4905
1027.425	Egmont Bay North light buoy DJ15	46 33 21.2 064 05 38.5	Fl G 4s	.....	.....	Green, marked "DJ15".	Seasonal.  Chart:4905 Edn 05/12 (G10-179)
1027.43	Egmont Bay North light buoy DJ20	46 33 16.8 064 05 10.2	Fl R 4s	.....	.....	Red, marked "DJ20".	Seasonal.  Chart:4905
1027.45	Egmont Bay light buoy DJ	46 33 21 064 07 28	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "DJ".	Seasonal.  Chart:4905
1027.6	Howards Cove light buoy DN2	46 44 28 064 23 26	Q R 1s	.....	.....	Red spar, marked "DN2".	Seasonal.  Chart:4906
1027.7	West Point light buoy DM1	46 36 30 064 22 50	Fl G 4s	.....	.....	Green spar, marked "DM1".	Seasonal.  Chart:4905
1027.8	West Point light buoy DM2	46 36 30 064 22 15	Fl R 4s	.....	.....	Red spar, marked "DM2".	Seasonal.  Chart:4905
1028.2 H1062.1	West Point Wharf	End of wharf. 46 37 04.1 064 22 17.7	Fl G 4s	6.6	4	Square skeleton tower, red rectangular daymark, white band, green square in centre. 5.3	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4905 Edn 12/16 (G16-134)
1029 H1062	West Point	On Sand Beach. 46 37 13.1 064 23 12.3	Iso W 12s	20.1	12	White square tower, red upper portion, black horizontal bands. 20.7	Privately maintained by West Point Development Corp. Year round.  Chart:4905

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1030	West Point light and whistle buoy D8	N. of point. 46 40 06 064 30 01	Fl R 4s	.....	.....	Red, marked "D8".	Seasonal.  <b>Chart:4905</b>
1031 H1068	Seal Point (Howards Cove) Wharf	On wharf. 46 44 22.9 064 22 46.3	Iso R 2s	8.3	4	Square skeleton tower, red and white rectangular daymark, red triangle in centre.  6.4	Operates at night only. Year round.  <b>Chart:4906</b>
1031.5 H1068.5	Howards Cove Breakwater	On the outermost extremity of the port hand breakwater. 46 44 25.5 064 22 46	Q G 1s	5.9	2	Cylindrical mast.  2.6	Operates at night only. Seasonal.  <b>Chart:4906</b>
1032 H1068.1	Howards Cove	Near Seal Point. 46 44 25.1 064 22 36.5	LFI W 6s	14.2	12	White square tower, red upper portion.  5.8	Flash 2 s; eclipse 4 s. Seasonal.  <b>Chart:4906</b>
1032.05	Miminegash light buoy DP	NE. of reef. 46 54 03 064 14 20	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "DP".	Seasonal.  <b>Chart:4906</b>
1032.1	Miminegash light buoy DP3	46 53 30.5 064 14 06.6	Fl G 4s	.....	.....	Green, marked "DP3".	Operates 24 h. Seasonal.  <b>Chart:N/A Edn 07/17 (G17-027)</b>
1032.2	Miminegash light buoy DP6	46 53 16.7 064 14 17.4	Fl R 4s	.....	.....	Red, marked "DP6".	Operates 24 h. Seasonal.  <b>Chart:N/A Edn 07/17 (G17-028)</b>
1032.35	Miminegash East Cardinal light buoy DPB	46 52 51.5 064 14 21.0	Q(3) W 10s	.....	.....	Black, yellow and black spar, marked "DPB".	Operates 24 h. Seasonal.  <b>Chart:4906 Edn 07/17 (G17-043, 051, 079) Edn 08/17 Edn 10/17 (G17-081)</b>
1032.45	Miminegash South Cardinal light buoy DPA	46 52 23.5 064 14 43.8	Q(6) W + LFI	15s	.....	Yellow and black spar, marked "DPA".	Operates 24 h. Seasonal.  <b>Chart:4906 Edn 07/17 (G17-044) Edn 08/17 Edn 10/17 (G17-080)</b>
1032.55	Miminegash East Cardinal light buoy DPC	46 53 07.0 064 14 21.0	Q(3) W 10s	.....	.....	Black, yellow and black spar, marked "DPC".	Operates 24 h. Seasonal.  <b>Chart:N/A Edn 10/17 (G17-086)</b>
1033.5 H1072	Miminegash North Breakwater Light	46 52 49.0 064 14 06.9	Fl G 4s	.....	4	Square skeleton tower, green and white rectangular daymark.	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  <b>Chart:4906 Edn 07/17 (G17-014, 073, 076)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1035 <i>H1074</i>	Skinners Pond	N. end of S. breakwater. 46 57 58.3 064 07 35.1	Fl R 4s	4.4	4	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:4906 Edn 03/11 (G10-232) Edn 06/17 (G17-024)</b>
1035.5 <i>H10784.4</i>	Skinners Pond North Breakwater	On outer end of N. breakwater. 46 57 59.2 064 07 33.1	Fl G 4s	4.2	4	Cylindrical mast.	Flash 0.5 s; eclipse 3.5 s. Seasonal.  <b>Chart:4906 Edn 03/11</b>
1036 <i>H1076</i>	<b>North Cape</b>	On cape. 47 03 27.7 063 59 48.8	Fl Y 5s	23.7	<b>18</b>	White octagonal tower, red upper portion. 19.5	Flash 1 s; eclipse 4 s. Year round.  <b>Chart:4906</b>
1036.1	Seacow Pond North	47 01. 45.7 063 59 19.8	Fl R 4s	.....	.....	.....	Privately maintained. Seasonal. Operates at night only. Position is approximate. Owned by Small Craft Harbours.  <b>Chart :4906 Edn 06/16 (G16-033)</b>
1037	<i>North Cape Reef North Cardinal light and bell buoy DS</i>	<i>N. of North Cape. 47 05 00 064 00 03</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black and yellow, marked "DS".</i>	<i>Seasonal.</i>  <b>Chart:4906 Edn. 03/13 (G12-201)</b>
1037.5	<i>ODAS light buoy IML-5</i>	<i>47 24 12 063 23 31.8</i>	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "IML-5".</i>	<i>Seasonal.</i>  <b>Chart:4024</b>
1037.6	<i>ODAS light buoy IML-6</i>	<i>E. of Shippegan Island. 47 47 00 064 02 00</i>	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "IML-6".</i>	<i>Seasonal.</i>  <b>Chart:4024</b>
1038.5	<i>North Lake Harbour Fairway light buoy JA</i>	<i>N. of harbour. 46 28 56.2 062 03 27.6</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JA".</i>	<i>Seasonal.</i>  <b>Chart:4023</b>
1039 <i>H1173</i>	<b>North Lake Harbour range</b>	On outer end of E. breakwater. 46 28 06.9 062 04 05.1	Iso G 1s	7.5	11	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.
1039.1 <i>H1173.1</i>		204°34' 328.5m from front.	Iso G 4s	14.5	<b>15</b>	Square skeleton tower, white daymark, red vertical stripe. 11.0	Visible in line of range. Operates at night only. Seasonal.  <b>Chart:4023 Edn 03/11 (G11-012)</b>
1039.5 <i>H1174</i>	North Lake Harbour West	On outer end of W. breakwater. 46 28 08.8 062 04 04.9	Iso R 2s	7.1	5	Pipe swing pole, two red and white triangular daymarks, red triangle in center of each. 5.2	Operates at night only. Seasonal.  <b>Chart:4023 Edn 09/10 (G10-150) Edn 02/12 (G12-008)</b>



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1040.05	Naufrage Harbour Fairway light buoy JC	N. of Shipwreck Point. 46 29 00.2 062 24 40.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JC".	Seasonal.  <b>Chart:4023</b>
1040.2 H1170.3	Naufrage Harbour East Breakwater Light	On outer end of E. breakwater. 46 28 08.2 062 25 00.3	Fl G 4s	5.0	5	Pipe swing pole, green, white and black square daymark.  3.6	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:4023 Edn 07/09 (G09-081) Edn 11/17 (G17-113)</b>
1040.5 H1170.4	Naufrage West Breakwater	Outer end of W. breakwater. 46 28 11.3 062 24 59.7	Fl R 4s	5.1	4	Square skeleton tower. 3.6	Operates at night only. Seasonal.  <b>Chart:4023</b>
1041.1 H1170.5	Naufrage Harbour Bridge	On the bridge. 46 28 04 062 25 02.5	F W .....	6.0	6	On bridge, red and white rectangular daymark. 6.0	Operates at night only. Seasonal.  <b>Chart:4023 Edn 09/11</b>
1042 H1168	Shipwreck Point	On the point. 46 28 07.2 062 25 22.6	Oc W 5s	25.6	12	White octagonal tower, red upper portion. 13.4	Flash 3 s; eclipse 2 s.  <b>Chart:4023</b>
1043.1	St. Peters Harbour Fairway light buoy JD	46 27 09.2 062 44 21.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JD".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4023 Edn 04/15 (G15-001)</b>
1044.1	St. Peters Harbour light buoy JD5	46 27 00.2 062 44 10.6	Fl G 4s	.....	.....	Green, marked "JD5".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1044.2	St. Peters Harbour light buoy JD6	46 26 58.2 062 44 24.6	Fl R 4s	.....	.....	Red, marked "JD6".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1044.3	St. Peters Harbour light buoy JD8	46 26 51.7 062 44 18.6	Fl R 4s	.....	.....	Red, marked "JD8".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1044.4	St. Peters Harbour light buoy JD9	46 26 48.2 062 44 17.6	Fl G 4s	.....	.....	Green, marked "JD9".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113) Edn 11/12 (G12-194)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1044.5	St. Peters Harbour light buoy JD10	46 26 45.2 062 44 18.6	Fl R 4s	.....	.....	Red, marked "JD10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113) Edn 01/14 (G13-021)
1046.04	St. Peters Harbour light buoy JD9.5	46 26 42.2 062 44 14.6	Fl G 4s	.....	.....	Green, marked "JD9.5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119) Edn 04/15 (G15-001)
1046.05	St. Peters Harbour light buoy JD11	At harbour entrance. 46 26 39.2 062 44 12.1	Q G 1s	.....	.....	Green, marked "JD11".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.06	St. Peters Harbour light buoy JD12	46 26 24.6 062 44 07.8	Fl R 4s	.....	.....	Red, marked "JD12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 06/09 (G09-057) Edn 05/11 (G11-113)
1046.1	St. Peters Bay light buoy JD13	46 26 35.2 062 43 52.6	Q G 1s	.....	.....	Green, marked "JD13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.15	St. Peters Harbour light buoy JD16	46 26 31.2 062 43 29.6	Q R 1s	.....	.....	Red, marked "JD16".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.2	St. Peters Bay light buoy JD18	46 26 26.7 062 43 17.6	Q R 1s	.....	.....	Red, marked "JD18".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.3	St. Peters Bay light buoy JD21	46 26 07.2 062 42 50.6	Fl G 4s	.....	.....	Green, marked "JD21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.4	St. Peters Harbour light buoy JD23	46 26 06.6 062 42 37.8	Q G 1s	.....	.....	Green, marked "JD23".	Buoy may be repositioned due to shifting channel. Operates at night only. Seasonal.  Chart: N/A Edn 09/14 (G14-079)
1046.5 H1164	Red Head Wharf	46 25 59.7 062 42 46.5	Q G 1s	3.5	2	Cylindrical mast. 2.6	Seasonal.  Chart:4425

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1046.81	Savage Harbour Fairway light buoy JE	Off harbour. 46 26 46.2 062 49 29.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JE".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 04/15 (G15-001)
1047 H1160	Savage Harbour	46 26 00.9 062 49 56.1	Fl W 4s	4.9	3	Pipe Swing Pole. 3.3	Operates at night only. Seasonal.  Chart:4425 Edn 02/11 (G10-233)
1047.01	Savage Harbour light buoy JE6	46 26 10.2 062 49 53.6	Fl R 4s	.....	.....	Red spar, marked "JE6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.011	Savage Harbour light buoy JE7/1	46 25 49.6 062 50 00.6	Q G 1s	.....	.....	Green, marked "JE7/1".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 06/11 (G11-124) Edn 09/11
1047.02	Savage Harbour light buoy JE8	46 25 58.4 062 49 58.9	Fl R 4s	.....	.....	Red, marked "JE8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.021	Savage Harbour light buoy JE8/2	46 25 47.4 062 50 01.4	Q R 1s	.....	.....	Red, marked "JE8/2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.028	Savage Harbour light buoy JE9	46 25 44.5 062 50 05	Fl G 4s	.....	.....	Green, marked "JE9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 11/10 (G10-176) Edn 05/11 (G11-113)
1047.03	Savage Harbour Entrance light buoy JE10	46 25 46.1 062 50 03.3	Q R 1s	.....	.....	Red, marked "JE10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.04	Savage Harbour light buoy JE12	46 25 49.7 062 50 12.5	Fl R 4s	.....	.....	Red spar, marked "JE12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.051	Savage Harbour light buoy JE14	46 25 50 062 50 04.4	Fl R 4s	.....	.....	Red, marked "JE14".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113) Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1047.06	Savage Harbour light buoy JE17	46 25 45.2 062 50 13.4	Fl G 4s	.....	.....	Green spar, marked "JE17".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.1	Savage Harbour light buoy JE15	46 25 49.2 062 50 08.6	Q G 1s	.....	.....	Green, marked "JE15".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.2	Savage Harbour light buoy JE16	46 25 39.2 062 50 15.6	Q R 1s	.....	.....	Red, marked "JE16".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.51	North Tracadie Fairway light buoy JH	N. of harbour entrance. 46 26 03.2 063 02 01.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JH".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425
1049.09	Grand Tracadie light buoy JH5	46 24 58.8 063 00 47.4	Fl G 4s	.....	.....	Green, marked "JH5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 11/12 (G12-206) Edn 07/16 (G16-061)
1049.1	Grand Tracadie light buoy JH6	46 24 58.2 063 00 51.6	Fl R 4s	.....	.....	Red, marked "JH6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 05/11 (G11-113) Edn 11/12 (G12-202) Edn 07/16 (G16-056)
1049.11	Grand Tracadie light buoy JH1	46 25 10.2 063 00 58.2	Fl G 4s	.....	.....	Green, marked "JH1".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-071)
1049.121	Grand Tracadie light buoy JH2	46 25 09.6 063 01 01.8	Fl R 4s	.....	.....	Red, marked "JH2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-054)
1049.131	Grand Tracadie light buoy JH3	46 25 04.2 063 00 51.6	Fl G 4s	.....	.....	Green, marked "JH3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-068)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1049.14	Grand Tracadie light buoy JH4	46 25 03.6 063 00 55.8	Fl R 4s	.....	.....	Red, marked "JH4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-069)
1049.15	Grand Tracadie light buoy JH7	46 24 52.8 063 00 41.4	Fl G 4s	....	.....	Green, marked "JH7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-065)
1049.16	Grand Tracadie light buoy JH8	46 24 51.6 063 00 45.0	Fl R 4s	.....	.....	Red, marked "JH8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-064)
1049.2	Grand Tracadie light buoy JH9	46 24 50.4 063 00 39.0	Fl G 4s	.....	.....	Green, marked "JH9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 10/09 (G09-140) Edn 05/11 (G11-113) Edn 07/16 (G16-057)
1049.21	Grand Tracadie light buoy JH10	46 24 45.6 063 00 38.4	Fl R 4s	.....	.....	Red, marked "JH10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-113) Edn 11/12 (G12-203) Edn 07/16 (G16-058)
1049.211	Grand Tracadie light buoy JH11	46 24 47.4 063 00 37.8	Fl G 4s	.....	.....	Green, marked "JH11".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-067)
1049.22	Grand Tracadie light buoy JH12	46 24 38.4 063 00 24.0	Q R 1s	.....	.....	Red, marked "JH12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-062)
1049.24	Grand Tracadie light buoy JH19	46 24 22.2 062 59 58.2	Fl G 4s	.....	.....	Green spar, marked "JH19".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-055)
1049.26	Grand Tracadie light buoy JH22	46 24 05.0 063 00 17.0	Q R 1s	.....	....	Red, marked "JH22".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-070)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1049.27	Grand Tracadie light buoy JH26	46 24 06.1 063 01 11.7	Fl R 4s	.....	.....	Red, marked "JH26".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-066)
1049.28	Grand Tracadie light buoy JH30	46 24 08.1 063 01 42.4	Q R 1s	.....	.....	Red spar, marked "JH30".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-063)
1049.4	Grand Tracadie light buoy JH16	46 24 18.6 062 00 00.0	Q R 1s	.....	.....	Red spar, marked "JH16".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-113) Edn 07/16 (G16-059)
1049.6	Grand Tracadie light buoy JH21	46 24 02.6 063 00 23.6	Fl G 4s	.....	.....	Green spar, marked "JH21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-113) Edn 07/16 (G16-060)
1050.05	Covehead Fairway light buoy JJ	N. of Cape Stanhope. 46 26 54.2 063 08 18.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JJ".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 04/15 (G15-001)
1050.1	Covehead Harbour light buoy JJ3	46 26 07.9 063 08 36.7	Q G 1s	.....	.....	Green, marked "JJ3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-122) Edn 05/11 (G11-113)
1050.12	Covehead Harbour light buoy JJ4	46 26 08.5 063 08 39.2	Fl R 4s	.....	.....	Red, marked "JJ4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-158) Edn 05/11 (G11-113)
1050.13	Covehead Harbour light buoy JJ5	46 26 02.9 063 08 39	Fl G 4s	.....	.....	Green, marked "JJ5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-159) Edn 05/11 (G11-113)
1050.2	Covehead Harbour light buoy JJ6	46 26 02 063 08 43.1	Q R 1s	.....	.....	Red spar, marked "JJ6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 03/12 (G10-161) Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1050.3	Covehead Harbour light buoy JJ7	46 25 55.3 063 08 44.3	Q G 1s	.....	.....	Green, marked "JJ7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-129) Edn 05/11 (G11-113)
1050.5	Covehead Harbour light buoy JJ8	46 25 55.7 063 08 45.4	Fl R 4s	.....	.....	Red, marked "JJ8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-131) Edn 05/11 (G11-113)
1050.9	Covehead Harbour light buoy JJ9	46 25 51 063 08 45.8	Fl G 4s	.....	.....	Green, marked "JJ9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-132) Edn 05/11 (G11-113)
1050.91	Covehead Harbour light buoy JJ10	46 25 50.8 063 08 47.1	Fl R 4s	.....	.....	Red, marked "JJ10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 03/12 (G10-162) Edn 04/15 (G15-001)
1051 H1150	Covehead Harbour	On Cape Stanhope. 46 25 48.2 063 08 35.3	Fl W 5s	11.0	11	White square tower, red upper portion. 8.2	Flash 0.5 s; eclipse 4.5 s. Seasonal.  Horn - Blast 3 s; sil. 27 s. Horn points 005°. Privately maintained by Local Harbour Authority.  Chart:4425
1053.5 H1149	Covehead Bridge	46 25 46.2 063 08 47.4	Fl W 4s	8.5	5	Cylindrical mast. 2.8	Operates at night only. Seasonal.  Chart:4425 Edn 11/10 (G10-174)
1054	North Rustico Fairway light buoy JK	NE. entrance to harbour. 46 27 54 063 16 30	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JK".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 04/15 (G15-001)
1054.1	North Rustico light buoy JK3	46 27 24.8 063 17 06.4	Fl G 4s	.....	.....	Green spar, marked "JK3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 07/09 (G09-067) Edn 06/10 (G10-076) Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1054.11	North Rustico light buoy JK4	46 27 24.2 063 17 12.6	Fl R 4s	.....	.....	Red spar, marked "JK4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 07/09 (G09-068) Edn 06/10 (G10-077) Edn 05/11 (G11-113)
1054.3	Rustico Harbour light buoy JK7	46 27 25 063 17 18	Fl G 4s	.....	.....	Green, marked "JK7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-113)
1054.4	Rustico light buoy JK9	46 27 24.2 063 17 11.8	Fl G 4s	.....	.....	Green, marked "JK9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 05/11 (G11-113)
1054.6	Rustico light buoy JK12	46 27 17.2 063 17 26.1	Q R 1s	.....	.....	Red, marked "JK12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 05/11 (G11-113)
1054.9	Rustico Harbour light buoy JK13	46 27 20.2 063 17 54.8	Fl G 4s	.....	.....	Green, marked "JK13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 05/11 (G11-113)
1055 H1140	Rustico Harbour Northern Breakwater	On outer end of N. breakwater. 46 27 25.2 063 17 16.9	Fl R 3s	2.7	3	Cylindrical mast. 1.8	Flash 1 s; eclipse 2 s. Seasonal.  Chart:4467 Edn 02/11 (G10-234) Edn 06/12 (G12-106)
1056 H1141	North Rustico Harbour	46 27 19.1 063 17 31.7	Iso Y 10s	12.4	13	White square tower, red upper portion. 10.4	Year round.  Chart:4467
1057 H1142	North Rustico Inner Breakwater	On SE. corner of inner breakwater. 46 27 14 063 17 29.1	Iso R 4s	7.5	4	Pipe swing pole. 6.8	Seasonal.  Chart:4467 Edn 09/10 (G10-143)
1057.5	North Rustico Landing Wharf	On outer end of wharf. 46 27 22.3 063 18 27.9	Iso R 4s	6.0	3	Square skeleton tower. 5.3	Seasonal.  Chart:4467
1058	New London Fairway light buoy JM	N. of entrance to New London Bay. 46 31 41.1 063 28 18	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JM".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 04/15 (G15-001)



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1060.01 H1130.05	New London	46 30 37.4 063 29 13.9	Iso W 4s	13	7	White square tower, red upper portion. 13.3	Seasonal.  <b>Chart:4467 Edn 02/11 (G10-235)</b>
1060.1 H1129	Southwest River Outer light buoy JM7	46 30 59.2 063 28 54.8	Fl G 4s	.....	.....	Green, marked "JM7".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467 Edn 04/15 (G15-001)</b>
1060.15	New London light buoy JM11	46 30 37.6 063 28 56.5	Q G 1s	.....	.....	Green, marked "JM11".	Buoy may be repositioned due to shifting channel. Operates 24 h. Seasonal.  <b>Chart: 4467 Edn 07/15(G15-058)</b>
1060.2	Southwest River light buoy JN	46 30 42.1 063 28 57.9	Fl G 6s (2+1)	.....	.....	Green, red and green, marked "JN".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467 Edn 04/15 (G15-001)</b>
1060.3	Southwest River light buoy JMA	46 30 23 063 29 24.8	Fl R 6s (2+1)	.....	.....	Red, green and red, marked "JMA".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467 Edn 04/15 (G15-001)</b>
1060.4	Southwest River light buoy JM20	46 29 50.7 063 29 25.5	Fl R 4s	.....	.....	Red boat type, marked "JM20".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467 Edn 04/15 (G15-001)</b>
1060.45	New London Harbour light buoy JM6	46 30 59.7 063 28 55.8	Fl R 4s	.....	.....	Red, marked "JM6".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467 Edn 05/11 (G11-113)</b>
1060.5	Southwest River light buoy JM25	46 29 03.2 063 29 52.8	Fl G 4s	.....	.....	Green boat type, marked "JM25".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467 Edn 04/15 (G15-001)</b>
1060.55	Southwest River light buoy JN1	46 30 36.7 063 28 58.6	Fl G 4s	.....	.....	Green, marked "JN1".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467 Edn 05/11 (G11-113)</b>
1060.57	New London light buoy JN3	46 30 24.5 063 28 43.8	Fl G 4s	.....	.....	Green spar, marked "JN3".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:N/A Edn 10/09 (G09-125) Edn 05/11 (G11-113) Edn 08/16 (G16-115)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1060.6	Southwest River light buoy JN4	46 30 24.9 063 28 16.2	Q R 1s	.....	.....	Red spar, marked "JN4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-119) Edn 08/16 (G16-114)
1060.8	Stanley Bridge Channel light buoy JN7	46 29 50.7 063 27 46.8	Q G 1s	.....	.....	Green boat type, marked "JN7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 04/15 (G15-001)
1060.9	Stanley Bridge Channel light buoy JN15	46 28 55.7 063 27 29.8	Fl G 4s	.....	.....	Green boat type, marked "JN15".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 04/15 (G15-001)
1061 H1129	Cape Tryon	On extremity of cape. 46 32 02.3 063 30 21.9	LFl W 6s	33.4	8	White square tower, red upper portion. 12.4	Flash 2 s; eclipse 4 s. Year round.  Chart:4467
1065.05	Malpeque Harbour Fairway light buoy JP	N.E. of McKay Point. 46 35 00.2 063 37 07.7	Mo(A) W 6s	.....	.....	Red and white vertical stripe, marked "JP".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 04/15 (G15-001)
1065.5	Malpeque West Entrance light buoy JP6	46 34 30.7 063 39 09.6	Fl R 4s	.....	.....	Red spar, marked "JP6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 04/15 (G15-001)
1065.6	Royalty Point light buoy JP9	46 33 48.2 063 43 00.7	Fl G 4s	.....	.....	Green spar, marked "JP9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 04/15 (G15-001)
1069.5	Darnley Basin Outer light buoy JU3	Basin entrance. 46 33 46.3 063 41 37.6	Q G 1s	.....	.....	Green spar, marked "JU3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 04/15 (G15-001) Edn 07/15 (G15-057)
1069.65	Darnley Basin light buoy JU5	46 33 28.2 063 40 57.7	Q G 1s	.....	.....	Green, marked "JU5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1069.66	Darnley Basin light buoy JU6	46 33 20 063 41 15.1	Fl R 4s	.....	.....	Red, marked "JU6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113) Edn 08/11 (G11-226) Edn 10/11
1069.7	Darnley Basin light buoy JU7	46 33 20.2 063 41 16.7	Fl G 4s	.....	.....	Green, marked "JU7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)
1069.8	Darnley Basin light buoy JU8	46 33 19.2 063 41 42.7	Q R 1s	.....	.....	Red, marked "JU8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)
1069.9	Darnley Basin light buoy JU9	46 33 21.2 063 41 57.7	Q G 1s	.....	.....	Green, marked "JU9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)
1071.1	Darnley Basin light buoy JT4	46 32 18.2 063 40 12.7	Fl R 4s	.....	.....	Red spar, marked "JT4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 04/15 (G15-001)
1071.2 H1123	Darnley Bridge	On center span of bridge. 46 32 02.8 063 40 17.7	F W	.....	3.5	6	On bridge.  Seasonal.  Chart:4491 Edn 03/12
1071.35	Conway Inlet Fairway light buoy JS	E. of inlet. 46 39 08.2 063 50 51.3	Mo(A) W 6s	.....	.....	Red and white vertical striped spar, marked "JS".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-025) Edn 07/10 (G10-090) Edn 04/15 (G15-001)
1071.39	Conway Inlet light buoy JS2	46 39 10.2 063 51 19.7	Fl R 4s	.....	.....	Red spar, marked "JS2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-027) Edn 05/11 (G11-113)
1071.41	Conway Inlet light buoy JS3	46 39 09.3 063 51 18.7	Q G 1s	.....	.....	Green spar, marked "JS3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-028) Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1071.42	Conway Inlet light buoy JS4	46 39 09.5 063 51 34.7	Fl R 4s	.....	.....	Red spar, marked "JS4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-034) Edn 05/11 (G11-113)
1071.45	Conway Inlet light buoy JS5	46 39 08.2 063 51 34.5	Fl G 4s	.....	.....	Green spar, marked "JS5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-029) Edn 05/11 (G11-113)
1071.5	Conway Inlet light buoy JS7	46 39 05.9 063 51 48.2	Fl G 4s	.....	.....	Green spar, marked "JS7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-035) Edn 05/11 (G11-113)
1071.52	Conway Inlet light buoy JS8	46 39 06.5 063 51 56.8	Fl R 4s	.....	.....	Red spar, marked "JS8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-080) Edn 05/11 (G11-113)
1071.89	Conway Inlet light buoy JS12	46 39 05.2 063 52 07.8	Fl R 4s	.....	.....	Red, marked "JS12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-041) Edn 05/11 (G11-113) Edn 07/12 (G12-130)
1071.9	Conway Inlet light buoy JS13	46 39 03.9 063 52 16	Fl G 4s	.....	.....	Green spar, marked "JS13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-042) Edn 05/11 (G11-113)
1071.95	Conway Inlet light buoy JS14	46 39 05.3 063 52 16.8	Q R 1s	.....	.....	Red spar, marked "JS14".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-052) Edn 05/11 (G11-113)
1071.96	Conway Inlet light buoy JS21	46 39 28.3 063 52 34.4	Q G 1s	.....	.....	Green, marked "JS21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-053) Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1071.961	Conway Inlet light buoy JS22	46 39 29.6 063 52 49.7	Q R 1s	.....	.....	Red, marked "JS22".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-054) Edn 05/11 (G11-113)
1071.962	Conway Inlet light buoy JS23	46 39 36.2 063 52 57.3	Q G 1s	.....	.....	Green, marked "JS23".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-055) Edn 05/11 (G11-113)
1071.963	Conway Inlet light buoy JS24	46 39 37.3 063 52 55.6	Fl R 4s	.....	.....	Red, marked "JS24".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-056) Edn 05/11 (G11-113)
1071.977	Conway Inlet light buoy JS27	46 39 43.8 063 53 05.7	Q G 1s	.....	.....	Green, marked "JS27".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-059) Edn 05/11 (G11-113)
1071.98	Conway Inlet light buoy JS32	46 39 37.7 063 53 29.3	Q R 1s	.....	.....	Red, marked "JS32".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-060) Edn 05/11 (G11-113)
1071.99	Conway Inlet light buoy JS33	46 39 36.7 063 53 44.5	Q G 1s	.....	.....	Green, marked "JS33".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-061) Edn 05/11 (G11-113)
1072.1	Conway Inlet light buoy JS39	46 39 24.5 063 53 46.3	Q G 1s	.....	.....	Green, marked "JS39".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-062) Edn 05/11 (G11-113)
1072.4	Conway Inlet light buoy JS42	46 39 22.4 063 53 59	Fl R 4s	.....	.....	Red, marked "JS42".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-064) Edn 05/11 (G11-113)
1072.5	Conway Inlet light buoy JS43	46 39 20.9 063 54 26.6	Q G 1s	.....	.....	Green, marked "JS43".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-065) Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1072.59	Conway Inlet light buoy JS40	46 39 25.4 063 53 47.4	Fl R 4s	.....	.....	Red, marked "JS40".	Buoy may be repositioned due to shifting channel. Operates 24 h. Seasonal.  Chart:N/A Edn 07/15 (G15-052) Edn 06/17 (G16-168)
1072.6	Conway Inlet light buoy JS44	46 39 21.5 063 54 26.6	Fl R 4s	.....	.....	Red, marked "JS44".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-066) Edn 05/11 (G11-113)
1075.05	Cascumpeque Harbour Fairway light buoy JV	E. of harbour entrance. 46 47 44.3 063 59 38.2	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "JV".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 04/15 (G15-001)
1075.2	Cascumpeque light buoy JV4	46 48 12.4 064 00 47	Fl R 4s	.....	.....	Red spar, marked "JV4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.3	Cascumpeque light buoy JV5	46 48 07.6 064 00 51.6	Fl G 4s	.....	.....	Green, marked "JV5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.32	Cascumpeque light buoy JV8	46 48 15.7 064 01 20.7	Fl R 4s	.....	.....	Red spar, marked "JV8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.33	Cascumpeque light buoy JV6	46 48 13.2 064 01 05.7	Q R 1s	.....	.....	Red spar, marked "JV6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.34	Cascumpeque light buoy JV7	46 48 07.8 064 01 08.2	Q G 1s	.....	.....	Green spar, marked "JV7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.4	Cascumpeque light buoy JV9	46 48 08.5 064 01 37.6	Fl G 4s	.....	.....	Green spar, marked "JV9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1075.5	Alberton Harbour light buoy JV10	46 48 12.9 064 01 55.4	Q R 1s	.....	.....	Red spar, marked "JV10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.6	Alberton Harbour light buoy JV15	46 48 00.6 064 02 31.8	Fl G 4s	.....	.....	Green spar, marked "JV15".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.7	Alberton Harbour light buoy JV12	46 47 47.2 064 03 17.8	Q R 1s	.....	.....	Red, marked "JV12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.805	Alberton Harbour light buoy JV17	Cascumpeque. 46 47 42.6 064 03 12.2	Fl G 4s	.....	.....	Green, marked "JV17".	Seasonal.  Chart:N/A Edn 06/17 (G17-025)
1081 H1094	Northport range	Near outer end of railway wharf. 46 47 42.2 064 03 32.5	Iso G 1s	9.2	15	Square skeleton tower, white rectangular daymark, red vertical stripe. 8.2	Visible in line of range. Seasonal.
1082 H1094.1		244°54' 277.3m from front.	Iso G 4s	12.8	15	White square tower, red vertical stripe.	Visible in line of range. Seasonal.  Chart:4492 Edn 02/11 (G10-230-231)
1082.1 H1095	Alberton Breakwater	Outer end of breakwater. 46 47 38.9 064 03 35.2	Fl W 3s	6	2	Cylindrical mast.	Privately maintained. Operates at night only. Seasonal.  Chart:4492 Edn 03/11 (G10-204) Edn 06/16 (G16-034)
1083 H1081.4	Big Tignish Breakwater	46 57 01.9 063 59 28.9	Iso R 1s	7.0	5	Cylindrical mast. 5.4	Operates at night only. Seasonal.  Chart:4023
1083.5 H1081.5	Big Tignish South Breakwater	46 57 01.8 063 59 33.9	Iso G 1s	3.1	2	Cylindrical mast. 2.6	Operates at night only. Seasonal.  Chart:4023
1084.52	Tignish Inner light buoy JX5	46 57 09.3 063 59 55.1	Fl G 4s	.....	.....	Green, marked "JX5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4023 Edn 05/11 (G11-113)
1084.53	Tignish Inner light buoy JX7	46 57 12.6 063 59 58.3	Fl G 4s	.....	.....	Green, marked "JX7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4023 Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

PRINCE EDWARD ISLAND

1084.54	<i>Tignish Inner light buoy JX9</i>	46 57 12 064 00 09.2	<i>Fl G 4s</i>	.....	.....	<i>Green, marked "JX9".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
---------	---	-------------------------	----------------	-------	-------	-----------------------------	--

**Chart:4023  
Edn 05/11 (G11-113)**

1084.7 <i>H1078</i>	North Point East	On outer end of S. breakwater. 47 01 45.6 063 59 22	<i>Fl G 3s</i>	6.5	4	Pipe swing pole, green and white square daymark. 4.6	Flash 1 s; eclipse 2 s. Seasonal.
------------------------	------------------	--	----------------	-----	---	--	--------------------------------------

**Chart:4023  
Edn 09/11 (G11-258)**