

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND - LABRADOR COAST**

269.99	Twelve Foot Rock (Henely Hr.), West Cardinal light buoy NJT	W. of Chateau. 51 58 52.8 055 51 48	VQ (9)	W	10s	.....	.....	Yellow, black and yellow spar, marked "NJT".	Seasonal.	Chart:5030 Edn 02/10 (N10-003)
270	Henley Harbour (Château Point)	Near S. end of Castle Island. 51 58 19.9 055 51 11.3	Fl	W	6s	20.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:5030
270.01	Flat Island Rock light buoy NJ1	Henley Hr Entrance. 51 59 14.9 055 51 58.6	Fl	G	4s	.....	.....	Green spar, marked "NJ1".	Seasonal.	Chart:5030 Edn 09/15 Edn 12/15 (N15-065)
270.02	Freezer Rock light buoy NJ2	51 59 37.7 055 51 57	Fl	R	4s	.....	.....	Red spar, marked "NJ2".	Seasonal.	Chart:5030
270.03	Allen Shoal East Cardinal light buoy NP	52 03 58.2 055 38 52.8	Q(3)	W	10s	.....	.....	Black, yellow and black, marked "NP".	Seasonal.	Chart:5030
270.1	Cape St. Francis	E. of Granby Island. 52 33 51 055 42 13.8	Fl	W	6s	39.4	2	Red mast, white vertical stripe. 2.9	Flash 0.5 s; eclipse 5.5 s. Seasonal.	Chart:5179 Edn 01/11 (N10-066)
270.2	Williams Harbour light buoy NW5	52 33 14.8 055 46 17.2	Fl	G	4s	.....	.....	Green, marked "NW5".	Seasonal.	Chart:5179 Edn 08/10 (N10-016)
270.23	Leg Island light buoy NW6	Williams Harbour Run. 52 34 11.4 055 51 00.2	Fl	R	4s	.....	.....	Red spar, marked "NW6".	Seasonal.	Chart:5179 Edn 07/10 (N10-016)
270.25	Main Tickle Shoal light buoy NW7	52 33 48.8 055 52 54.6	Fl	G	4s	.....	.....	Green spar, marked "NW7".	Seasonal.	Chart:5179 Edn 09/15 (N15-066)
270.3	Shinney Rock light buoy NW3	Williams Harbour entrance. 52 32 19.9 055 44 39.2	Fl	G	4s	.....	.....	Green spar, marked "NW3".	Seasonal.	Chart:5179 Edn 07/10 (N10-016)
270.4	Red Point Bank light buoy NW1	On E. side of bank. 52 31 21.7 055 44 21.7	Fl	G	4s	.....	.....	Green spar, marked "NW1".	Seasonal.	Chart:5179
270.45	Mad Moll Rocks North Cardinal light buoy NA	52 30 28.8 055 43 51	Q	W	1s	.....	.....	Black and yellow, marked "NA".	Seasonal.	Chart: 5179
270.5	Bobbs Island	On S. side of island. 52 30 47 055 45 54	Fl	R	3s	19.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.	Chart:5179

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
270.7	Gull Rock light buoy NA1	52 31 42.6 055 51 26	Fl G 4s	.....	.....	Green spar, marked "NA1".	Seasonal.  Chart:5179
270.9	Northern Ship light buoy NA3	52 32 11.5 055 59 37.2	Fl G 4s	.....	.....	Green spar, marked "NA3".	Seasonal.  Chart:5179 Edn 11/15 (N15-067)
270.92	Brandies Shoal light buoy NA5	Northern Ships Run. 52 32 40.2 056 02 19.2	Fl G 4s	.....	.....	Green spar, marked "NA5".	Seasonal.  Chart:5179 Edn 03/11 (N10-016)
270.93	Groves Island Tickle light buoy NA7	52 32 22.2 056 09 15	Fl G 4s	.....	.....	Green spar, marked "NA7".	Seasonal.  Chart:5179
271	Groves Island Tickle North light buoy NA8	E. of island. 52 32 24 056 09 20.8	Fl R 4s	.....	.....	Red, marked "NA8".	Seasonal.  Chart:5179
271.5	Groves Island Tickle light buoy NA10	52 32 11.8 056 10 46	Fl R 4s	.....	.....	Red spar, marked "NA10".	Seasonal.  Chart:5179
272	Groves Island Tickle South light buoy NA9	SE. of island. 52 32 07 056 09 33.3	Fl G 4s	.....	.....	Green, marked "NA9".	Seasonal.  Chart:5179
273	Groves Island, East-West range	On S. shore. 52 31 56.4 056 09 32	Iso R 4s	9.1	11	Skeleton tower, white daymark, red vertical stripe.  6.2	Seasonal. Visible in line of range.
274		106°26' 269.1m from front.	Iso R 4s	17.7	11	Skeleton tower, white daymark, red vertical stripe.  4.8	Seasonal.  Chart:5179
275	Groves Island, North-South range	On S. shore. 52 31 49.4 056 09 56	Iso R 4s	8.8	11	Skeleton tower, white daymark, red vertical stripe.  7.6	Seasonal.
276		216°13' 134.7m from front.	Iso R 4s	14.0	11	Skeleton tower, white daymark, red vertical stripe.  5.7	Seasonal.  Chart:5179
276.2	Spear Point	52 26 41.5 055 37 48.3	Fl W 3s	39.1	5	Cylindrical mast, red and white daymark.  2.4	Flash 0.5 s, eclipse 2.5 s. Seasonal.  Chart:5031
276.4	Fox Harbour light buoy NF2	52 21 35.7 055 41 41.4	Fl R 4s	.....	.....	Red, marked "NF2".	Seasonal.  Chart:5031
276.5	Fox Harbour light buoy NF3	52 21 55 055 41 04.5	Fl G 4s	.....	.....	Green, marked "NF3".	Seasonal.  Chart:5031
276.7	Captain Jacks light buoy NMS1	52 19 47.4 055 46 48.6	Fl G 4s	....	.....	Green, marked "NMS1".	Seasonal.  Chart:5031

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
276.75	Duck Island Shoal light buoy NS2	52 18 10.2 055 46 42	Fl R 4s	.....	.....	Red spar, marked "NS2".	Seasonal.  Chart:5031
276.77	Burnt Point Shoal light buoy NMH2	52 18 48.0 055 49 0.5	Fl R 4s	.....	.....	Red spar, marked "NMH2".	Seasonal.  Chart:5031 Edn 09/15 (N15-068) Edn 01/16 (N15-068)
276.771	Mary's Harbour (Inner Harbour) light buoy NMH4	52 18 37 055 50 02.9	Fl R 4s	.....	.....	Red spar, marked "NMH4".	Seasonal.  Chart:5031
276.772	Mary's Harbour (Inner Harbour) light buoy NMH5	52 18 35.5 055 50 11.4	Fl G 4s	.....	.....	Green spar, marked "NMH5".	Seasonal.  Chart:5031
276.78	Mary's Harbour (Inner Harbour) light buoy NMH3	52 18 35.1 055 50 01.8	Fl G 4s	.....	.....	Green spar, marked "NMH3".	Seasonal.  Chart:5031 Edn 09/15 (N15-069)
276.8	Marley Rocks light buoy NS1	52 17 43.8 055 45 44.4	Fl G 4s	.....	.....	Green, marked "NS1".	Seasonal.  Chart:5031
276.81	Cape St. Lewis	52 22 04.8 055 37 48	Fl W 4s	40.7	5	Square skeleton tower, red and white rectangular daymark, white horizontal band.  4.7	Seasonal.  Chart:5031
276.85	Killick Island	Entrance to Battle Harbour. 52 16 40 055 35 33	Fl G 4s	6.3	4	Square skeleton tower, green and white rectangular daymark.  4.5	Seasonal.  Chart:5031 Edn 09/11
276.87	Green Island	52 17 38 055 41 02	Fl W 4s	13.7	5	Square skeleton tower, red and white rectangular daymark.  4.5	Seasonal.  Chart:5031
276.89	Tilcey Island	St. Charles Channel. 52 16 42 055 35 58	Fl R 4s	11.3	2	Mast.  2.4	Seasonal.  Chart:5031 Edn 01/11 (N10-066)
276.9	Nimrod Shoal light buoy NS	52 16 30.5 055 42 59	Fl(2) W 5s	.....	.....	Black, red and black, marked "NS".	Seasonal.  Chart:5031
277 H90	Copper Island	SE. end of island. 52 15 50.1 055 40 11.6	Fl W 3s	9.1	7	Red and white cylindrical tower, red daymark, white horizontal band.  4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:5031
277.2	Caribou Run South light buoy NU2	52 14 51.4 055 38 57.9	Fl R 4s	.....	.....	Red spar, marked "NU2".	Seasonal.  Chart:5031 Edn 09/15

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
277.3	Caribou Run Inner light buoy NU1	52 14 50 055 39 01.5	Fl G 4s	.....	.....	Green spar, marked "NU1".	Seasonal.  <b>Chart:5031</b>
277.4	Caribou Run North light buoy NU4	52 15 32.3 055 39 51	Fl R 4s	.....	.....	Red spar, marked "NU4".	Seasonal.  <b>Chart:5031</b>
277.5	Walls Island Point	52 13 10.2 055 36 48.4	Fl G 4s	30.6	4	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal.  <b>Chart:5030</b>
277.56	Caribou Run Mid Rock light buoy NU6	52 15 55.2 055 39 49.2	Fl R 4s	.....	.....	Red spar, marked "NU6".	Seasonal.  <b>Chart:5031</b>
277.6	St. Charles Inner light buoy NUC2	52 13 13.2 055 36 17.4	Fl R 4s	.....	.....	Red, marked "NUC2".	Seasonal.  <b>Chart:5031</b>
278 H92	<b>Double Island</b>	On island. 52 15 18 055 33 16.4	Fl W 6s	38.4	7	White cylindrical tower, black and white horizontal bands. 9.1	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5031</b>
279 H94	<b>Camp Islands</b>	E. side of island. 52 10 00.7 055 38 24.8	Fl W 5s	41.3	15	White octagonal tower, red upper portion. 9.9	Flash 0.2 s; eclipse 4.8 s. Seasonal.  <b>Horn - Blast 4 s; sil. 56 s. Horn points 103°.</b>  <b>Chart:5030</b>
279.282	Long Island light buoy NMP2	52 42 08.2 055 51 02.6	Fl R 4s	.....	.....	Red spar, marked "NMP2".	Seasonal.  <b>Chart:5032</b>
279.283	Pinsent's Arm light buoy NMP1	52 42 06.3 055 50 06.8	Fl G 4s	.....	.....	Green spar, marked "NMP1".	Seasonal.  <b>Chart:5032</b>
279.285	Pinsent's Arm Entrance light buoy NMP4	52 41 18 055 53 03.3	Fl R 4s	.....	.....	Red spar, marked "NMP4".	Seasonal.  <b>Chart:5032</b>
279.286	Pinsent's Arm Outer light buoy NMP3	52 41 14.4 055 53 04.2	Fl G 4s	.....	.....	Green spar, marked "NMP3".	Seasonal.  <b>Chart:5032</b>
279.29	Mad Moll Rock light buoy NM2	St. Michaels Bay. 52 42 45 055 48 00.5	Fl R 4s	.....	.....	Red, marked "NM2".	Seasonal.  <b>Chart:5032 Edn 08/10 (N10-041)</b>
279.3	Twin Island	52 40 18 055 44 50	Fl W 4s	30.8	5	Cylindrical mast, red daymark, white horizontal band. 3.0	Seasonal.  <b>Chart:5032</b>
279.31	Pigeon Island	52 43 01.7 055 51 25.1	Fl G 4s	11.5	4	Square skeleton tower, green and white rectangular daymark. 5.9	Seasonal.  <b>Chart:5032</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
279.4	Deepwater Island	NW. of Long Island. 52 43 34 055 53 50.9	Fl W 4s	7.6	6	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal.  Chart:5032
279.45	St. Michaels Bay light buoy NM5	52 44 01.2 055 54 53.4	Fl G 4s	.....	.....	Green spar, marked "NM5".	Year round.  Chart:5032 Edn 09/15 (N06-034) Edn 05/17 (N17-002)
279.5	St. Michaels Bay light buoy NM6	52 44 11.3 055 55 21	Fl R 4s	.....	.....	Red spar, marked "NM6".	Year round.  Chart:5032
279.58	Curlew Island North light buoy NM9	52 44 28.5 055 56 04.5	Fl G 4s	.....	.....	Green spar, marked "NM9".	Year round.  Chart:5032
279.59	Narrows Island South light buoy NM8	52 44 30.9 055 55 56	Fl R 4s	.....	.....	Red spar, marked "NM8".	Year round.  Chart:5032
279.6	St. Michaels Bay North light buoy NM7	52 44 19.8 055 55 36	Fl G 4s	.....	.....	Green spar, marked "NM7".	Year round.  Chart:5032
279.62	Narrows Island light buoy NM10	52 44 38.6 055 56 09.5	Fl R 4s	.....	.....	Red spar, marked "NM10".	Year round.  Chart:5032
279.65	Charlottetown Inner light buoy NM12	52 46 34.7 056 06 56	Fl R 4s	.....	.....	Red spar, marked "NM12".	Seasonal.  Chart:5032 Edn 11/15 (N15-070)
279.7	Goose Island	NW. end of White Bear Arm. 52 47 36 056 06 09	Fl W 4s	7.6	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.  Chart:5032
279.72	Barr Tickle Shoal West Cardinal light buoy NM	52 46 34.8 055 54 14.4	VQ(9) W 10s	.....	.....	Yellow, black and yellow spar, marked "NM".	Year round.  Chart:5032 Edn 09/10 (N10-040)
279.73	Square Island South Cardinal light buoy NMS	52 46 14.4 055 54 22.2	Q(6) W 15s +LFl	.....	.....	Yellow and black spar, marked "NMS".	Year round.  Chart:5032 Edn 01/10
279.74	Barr Tickle	52 46 45 055 54 20	Fl R 4s	15.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal.  Chart:5032
279.8	Cape Bluff	N. of St. Michaels Bay. 52 50 13.2 055 48 24	Fl W 6s	54.7	4	Red mast, red daymark, white horizontal band. 2.9	Flash 1 s; eclipse 5 s. Seasonal.  Chart:5032 Edn 02/11 (N10-066)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
279.809	Gull and Matthews Rock West Cardinal light buoy NGM	NNE. of Cape Bluff. 52 51 34.8 055 47 14.9	Q(9) W 15s	.....	.....	Yellow, black and yellow, marked "NGM".	Seasonal.  Chart:5033
279.81	Lady Arm Shoal light buoy NG2	52 56 18.4 055 53 35.8	FI R 4s	.....	.....	Red spar, marked "NG2".	Seasonal.  Chart:5033
279.83	The Sisters light buoy NM4	53 43 03.7 055 49 16.7	FI R 4s	.....	.....	Red spar, marked "NM4".	Seasonal.  Chart:5032
279.84	Whales Back Shoal light buoy NE1	52 56 42.6 055 49 38.2	FI G 4s	.....	.....	Green, marked "NE1".	Seasonal.  Chart:5033
280	Red Island	SW. side of island. 53 00 37.6 055 45 36.7	FI W 3s	28.0	6	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:4712 Edn 09/15
280.01	Squasho North light buoy NE3	53 04 46.5 055 52 14.8	FI G 4s	.....	.....	Green spar, marked "NE3".	Seasonal.  Chart:5033
280.011	Deer Pass light buoy NE2	53 04 43.9 055 52 11.7	FI R 4s	.....	.....	Red spar, marked "NE2".	Seasonal.  Chart:5033
280.012	Squasho South North Cardinal light buoy NE	53 05 42 055 51 28.9	Q W 1s	.....	.....	Black and yellow spar, marked "NE".	Seasonal.  Chart:5033 Edn 09/15 (N06-058)
280.02	The Feather Bed North Cardinal light buoy NKF	N. of Big Island. 53 07 35.7 055 45 40.7	Q W 1s	.....	.....	Black and yellow, marked "NKF".	Seasonal.  Chart:4702
280.03	Old King East Cardinal light buoy NK	53 07 46.1 055 43 12.9	Q(3) W 10s	.....	.....	Black, yellow and black, marked "NK".	Seasonal.  Chart:4702
280.04	Pippies South Cardinal light buoy NLP	53 11 35 055 41 34	Q(6) W 15s +LFI	.....	.....	Yellow and black, marked "NLP".	Seasonal.  Chart:4702
280.05	Fish Island	53 12 42 055 43 12	FI W 6s	17.7	6	Skeleton tower, red daymark, white horizontal band.  4.8	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:4702
280.1	Bradbury Island South Cardinal light buoy NL	53 15 27.8 055 41 22.1	Q(6) W 15s +LFI	.....	.....	Yellow and black, marked "NL".	Seasonal.  Chart:4702 Edn 07/10 (N10-016)
280.13	Walker Island West Cardinal light buoy NLW	53 18 50.2 055 45 06.7	VQ(9) W 10s	.....	.....	Yellow, black, yellow, marked "NLW".	Seasonal.  Chart:4703 Edn 07/10 (N10-016)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
280.15	Gushue Rock East Cardinal light buoy NLG	53 20 56.6 055 43 42.4	Q(3) W 10s	.....	.....	Black, yellow and black, marked "NLG".	Seasonal.  Chart:4745 Edn 07/10 (N10-016)
280.16	Toole Rock light buoy NB2	53 23 45.8 055 45 20.5	Fl R 4s	.....	.....	Red, marked "NB2".	Seasonal.  Chart:4703
280.4	Punchbowl Channel light buoy NL5	53 15 09.5 055 45 06	Fl G 4s	.....	.....	Green spar, marked "NL5".	Seasonal.  Chart:5080
280.79	Spotted Islands Harbour light buoy NSP2	53 29 21.1 055 45 37.5	Fl R 4s	.....	.....	Red spar, marked "NSP2".	Seasonal.  Chart:4744 Edn 02/10 (N10-004)
280.8	Roundhill Island	N. point of island. 53 26 07.4 055 36 41	Fl W 3s	66.5	5	Skeleton tower, red daymark, white horizontal band.  7.1	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:4744
280.85	Saddle Bank South Cardinal light buoy NBT	53 25 06.1 055 42 43.5	Q(6) W 15s +LFI	.....	.....	Yellow and black, marked "NBT".	Seasonal.  Chart:4744
280.9	Cod Bag Islets	53 25 58.9 055 44 39.5	Fl W 4s	32.6	6	Skeleton tower, red daymark, white horizontal band.  4.3	Seasonal.  Chart:4744
280.91	Black Tickle light buoy NBT1	53 27 07.2 055 45 49.5	Fl G 4s	.....	.....	Green spar, marked "NBT1".	Seasonal.  Chart:4745
280.95	Black Tickle Wharf	53 27 21.7 055 45 50.5	Fl G 4s	.....	2	Cylindrical mast.  2.1	Seasonal.  Chart:4744
281 H0084	Domino Point  <b>Racon --- (Y) X &amp; S Bands</b>	Centre of island. 53 27 42.4 055 44 31	Fl W 6s	38.7	7	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:4745
281.7	Indian Tickle South light buoy N12	53 33 02.2 055 58 35.6	Fl R 4s	.....	.....	Red spar, marked "N12".	Seasonal.  Chart:4745
281.8	Indian Tickle North light buoy N14	53 33 35.3 055 59 23.5	Fl R 4s	.....	.....	Red spar, marked "N14".	Seasonal.  Chart:4745 Edn 07/10 (N10-016)
281.9	White Rowsel Shoal light buoy N15	53 33 32.3 055 59 42.6	Fl G 4s	.....	.....	Green spar, marked "N15".	Seasonal.  Chart:4745
282	White Point	Entrance to Indian Tickle. 53 34 38.4 056 01 31	Fl W 6s	20.9	7	Square skeleton tower, red and white rectangular daymark.  4.6	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:4745

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
283	South Wolf Island	NE. end of island. 53 41 06.4 055 54 12.3	Fl W 6s	88.1	6	Skeleton tower. 14.0	Flash 1 s; eclipse 5 s. Seasonal.  Chart:5133
284	Cape North	NE. side of point. 53 47 10.4 056 28 35.3	Fl W 6s	72.5	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:5133
284.1	Tinker Rock South Cardinal light buoy NCT	53 48 33 056 34 54	VQ(6) W +LFI	10s	.....	.....	Yellow and black, marked "NCT". Seasonal.  Chart:5134
284.3	Hare Rock light buoy NC1	N. of Hare Rock. 53 46 10 056 48 42.9	Fl G 4s	.....	.....	Green, marked "NC1".	Seasonal.  Chart:5138 Edn 07/10 (N10-016)
284.35	Leading Mark Island	53 45 31.2 057 03 56.4	Fl G 4s	8.9	4	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal.  Chart:5134
284.351	Packs Harbour Approaches light buoy NX2	53 51 12.9 056 59 11.5	Fl R 4s	.....	.....	Red spar, marked "NX2".	Seasonal.  Chart:5134 Edn 03/11 (N10-016)
284.352	Packs Harbour Approaches light buoy NX1	53 51 18.9 056 59 18.5	Fl G 4s	.....	.....	Green spar, marked "NX1".	Seasonal.  Chart:5134 Edn 12/15 (N15-075)
284.4	Crab Head light buoy NC2	53 44 51.6 056 55 01.8	Fl R 4s	.....	.....	Red spar, marked "NC2".	Seasonal.  Chart:5138 Edn 03/11 (N10-016)
284.45	Divers Island light buoy NCD2	53 42 35.4 057 06 17.4	Fl R 4s	.....	.....	Red spar, marked "NCD2".	Seasonal.  Chart:5138
284.5	Cartwright light buoy NC5	53 42 10 057 02 07	Fl G 4s	.....	.....	Green, marked "NC5".	Seasonal.  Chart:5138
284.6	Cartwright light buoy NC4	53 43 00.4 057 01 35.8	Fl R 4s	.....	.....	Red, marked "NC4".	Seasonal.  Chart:5138
284.71	Cartwright light buoy NC6	53 42 00.1 057 01 11.6	Fl R 4s	.....	.....	Red spar, marked "NC6".	Seasonal.  Chart:5138 Edn 07/10 (N10-016)
284.72	Cartwright Wharf	53 42 11 057 01 16.5	Fl R 4s	3.4	4	Cylindrical mast. 2.4	Seasonal.  Chart:5138
284.8	Hatten Shoal light buoy NCH2	53 39 28 057 04 24	Fl R 4s	.....	.....	Red, marked "NCH2".	Seasonal.  Chart:5138



NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
284.96	Snack Cove	53 47 39.2 056 48 11.4	Fl W 4s	23.6	5	Square skeleton tower, red and white square daymark. 4.7	Seasonal.  <b>Chart:5134</b>
285 H0078	Packs Harbour Light	53 51 31.2 056 59 25.4	Fl W 3s	32.3	6	Square skeleton tower, red rectangular daymark, white band. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5134 Edn 01/17 (N16-092)</b>
285.2	Old Man Shoal East Cardinal light buoy HM	54 09 24.1 057 18 50.6	Q(3) W 10s	.....	.....	Black, yellow and black, marked "HM".	Seasonal.  <b>Chart:5135</b>
286 H74.5	Grappling Island  <b>Racon -- (G) X &amp; S Bands</b>	White Bear Islands. 54 27 22.5 056 52 51.5	Fl W 6s	31.5	6	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 0.5 s; eclipse 5.5 s. Seasonal.  <b>Chart:5135</b>
287 H74.7	Herring Islands	On NE. island. 54 20 11.5 057 05 32.7	Fl W 3s	35.2	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5135</b>
287.2	George Island South Cardinal light buoy HGE	54 13 21.1 057 15 46.9	VQ(6) W + LFI 10s	.....	.....	Yellow and black, marked "HGE".	Seasonal.  <b>Chart:5135 Edn 01/16 (N15-096)</b>
287.3	South Duck Island Shoal light buoy HD1	54 13 28.3 057 21 22	Fl G 4s	.....	.....	Green, marked "HD1".	Seasonal.  <b>Chart:5135 Edn 07/10 (N10-016)</b>
288 H75	Little Black Island	At N. end of island. 54 18 24.6 057 50 03.9	Fl W 6s	36.0	7	Square skeleton tower, red and white square daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  <b>Chart:5140</b>
289 H75.5	Big Island	On SE. side of island. 54 17 12.6 058 02 01.9	Fl W 4s	12.2	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.  <b>Chart:5140</b>
290	Man of War Rock light buoy H1	54 13 19.7 058 20 03.2	Fl G 4s	.....	.....	Green, marked "H1".	Seasonal.  <b>Chart:4724 Edn 07/10 (N10-016)</b>
290.3	Hart Head	54 11 40.1 058 24 36.4	Fl R 4s	7.1	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:4724</b>
290.31	Dart Rock light buoy HR1	54 10 52.3 058 25 27.9	Fl G 4s	.....	.....	Green spar, marked "HR1".	Seasonal.  <b>Chart:4724</b>
290.5	Rigolet Cove	54 10 50.4 058 25 37.9	Fl R 4s	4.8	3	Cylindrical mast. 2.4	Seasonal.  <b>Chart:4724</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
291 H75.6	Rigolet	S. of Rigolet Point. 54 10 39.6 058 25 35.9	Fl W 6s	12.3	5	Square skeleton tower. 8.8	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4724 Edn 02/10 (N09-063)
292 H75.7	Snooks Cove	On point, W. side of Cul de Sac. 54 04 38.6 058 34 04.9	Fl W 6s	5.3	6	Skeleton tower, orange and white rectangular daymark. 4.0	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:4724
293 H75.8	Henrietta Island	W. end of island. 54 04 13.6 058 33 34.9	Fl W 6s	5.5	6	Skeleton tower, orange and white rectangular daymark. 4.6	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4724
294 H75.9	Eskimo Island	Southeasterly end of island. 54 03 10.6 058 33 37.9	Fl W 3s	5.5	7	Square skeleton tower, red and white rectangular daymark. 4.0	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:4724
295	Lareto Shoal light buoy H2	Off E. side of shoal. 53 58 38.4 058 45 48.6	Fl R 4s	.....	.....	Red, marked "H2".	Seasonal.  Chart:4725
296 H76	Green Island	At easterly end of Melville Lake. 53 55 37.3 058 59 36.6	Fl W 6s	18.9	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:4725
296.1	Long Point	53 41 45.7 059 19 06.1	Fl W 4s	53.4	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5143
297	Cartier Shoal light buoy H4	South of Shoal. 53 35 48.6 059 50 53.4	Fl R 4s	.....	.....	Red, marked "H4".	Seasonal.  Chart:4728 Edn 10/10
297.4	Blake Shoal light buoy H6	54 34 21.6 059 56 41.4	Fl R 4s	.....	.....	Red spar, marked "H6".	Seasonal.  Chart:4728
297.5	Epinette Point light buoy H7	53 31 20.6 059 56 56.4	Fl G 4s	.....	.....	Green spar, marked "H7".	Seasonal.  Chart:4728
297.51	Southern Epinette Shoal light buoy HC1	53 29 45 059 56 42	Fl G 4s	.....	.....	Green spar, marked "HC1".	Seasonal.  Chart:4728
297.52	Carter Basin Outside light buoy HC2	53 30 00.5 059 53 12.9	Fl R 4s	.....	.....	Red spar, marked "HC2".	Seasonal.  Chart:4728
297.53	Carter Basin Inside light buoy HC4	53 29 57.8 059 52 49.7	Fl R 4s	.....	.....	Red spar, marked "HC4".	Seasonal.  Chart:4728 Edn 07/10 (N10-016)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND - LABRADOR COAST**

297.6	<i>North West Point light buoy H8</i>	53 30 02.4 060 00 25.2	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "H8".</i>	<i>Seasonal.</i>	<b>Chart:4728</b>
-------	---	---------------------------	----------------	-------	-------	-------------------------------	------------------	-------------------

298	<i>North West River Entrance light buoy HN1</i>	<i>At entrance to river. 53 31 23.4 060 07 07.2</i>	<i>Fl G 4s</i>	.....	.....	<i>Green, marked "HN1".</i>	<i>Seasonal.</i>	<b>Chart:4728</b>
-----	---	---	----------------	-------	-------	-----------------------------	------------------	-------------------

**Goose Bay**

298.1	Green Island	53 33 30 060 04 01.9	<i>Fl G 4s</i>	3.8	2	Cylindrical mast.	Year round.	<b>Chart:4728</b>
-------	--------------	-------------------------	----------------	-----	---	-------------------	-------------	-------------------

298.3	<i>River Center Shoal light buoy HN3</i>	53 31 17 060 07 58.4	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "HN3".</i>	<i>Seasonal.</i>	<b>Chart:4728 Edn 06/12</b>
-------	--	-------------------------	----------------	-------	-------	----------------------------------	------------------	---------------------------------

298.5	Baikie Point	53 31 25.7 060 07 59.9	<i>Fl R 4s</i>	3.2	2	Cylindrical mast.	Year round.	<b>Chart:4728</b>
-------	--------------	---------------------------	----------------	-----	---	-------------------	-------------	-------------------

299 H76.4	Lake Melville. 53 26 34.3 059 56 42.7	Oc G 6s	7.9	13	Square skeleton tower, trapezoid white daymark, red vertical stripe. 6.3	Flash 4 s; eclipse 2 s. Seasonal.	<b>Chart:4728 Edn 02/11 (N10-066)</b>
300 H76.5	163°30' 88.4m from front.	Oc G 6s	19.2	13	Square skeleton tower, trapezoid white daymark, red vertical stripe. 6.3	Flash 4 s; eclipse 2 s. Seasonal.	

301 H77	Lake Melville. 53 28 14.6 059 54 52.4	Oc G 6s	7.9	13	Square skeleton tower, white daymark, red vertical stripe. 6.4	Flash 4 s; eclipse 2 s. Visible in line of range. Seasonal.	<b>Chart:4728 Edn 02/11 (N10-066)</b>
302 H77.1	047°30' 1517.9m from front.	Oc G 6s	18.9	13	Square skeleton tower, white daymark, red vertical stripe. 18.6	Flash 4 s; eclipse 2 s. Visible in line of range. Seasonal.	

303	<i>Sandy Point Turning light buoy H10</i>	53 27 21.5 059 57 26.4	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "H10".</i>	<i>Year round.</i>	<b>Chart:4728</b>
-----	---	---------------------------	----------------	-------	-------	--------------------------------	--------------------	-------------------

304	<i>Sandy Point Channel light buoy H12</i>	53 26 13.1 059 58 43.4	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "H12".</i>	<i>Year round.</i>	<b>Chart:4728 Edn 07/10 (N10-016)</b>
-----	---	---------------------------	----------------	-------	-------	--------------------------------	--------------------	---

305	<i>Sandy Point Channel light buoy H11</i>	53 26 09 059 58 33	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "H11".</i>	<i>Year round.</i>	<b>Chart:4728</b>
-----	---	-----------------------	----------------	-------	-------	----------------------------------	--------------------	-------------------

306	<i>Sandy Point Channel light buoy H14</i>	53 25 41.5 059 59 44.4	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "H14".</i>	<i>Year round.</i>	<b>Chart:4728</b>
-----	---	---------------------------	----------------	-------	-------	--------------------------------	--------------------	-------------------

307	<i>Sandy Point Channel light buoy H13</i>	53 25 39 059 59 33	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "H13".</i>	<i>Year round.</i>	<b>Chart:4728 Edn 08/10 (N10-042)</b>
-----	---	-----------------------	----------------	-------	-------	----------------------------------	--------------------	---

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
307.3	Sandy Point Channel light buoy H15	53 25 24 060 00 01	Fl G 4s	.....	.....	Green spar, marked "H15".	Year round.  Chart:4728 Edn 07/10 (N10-016)
307.6	Sandy Point Channel light buoy H16	53 25 25.2 060 00 09	Fl R 4s	.....	.....	Red spar, marked "H16".	Year round.  Chart:4728 Edn 07/10 (N10-016)
308	Sandy Point Channel light buoy H18	53 25 03.6 060 00 47.4	Fl R 4s	.....	.....	Red spar, marked "H18".	Year round.  Chart:4728 Edn 07/10 (N10-016)
309	Sandy Point Channel light buoy H17	53 25 03.3 060 00 38.9	Fl G 4s	.....	.....	Green spar, marked "H17".	Year round.  Chart:4728 Edn 07/10 (N10-016)
310	Hamilton River light buoy H19	At mouth of river. 53 22 57.6 060 09 45.6	Fl G 4s	.....	.....	Green spar, marked "H19".	Year round.  Chart:4728
310.5	Hamilton River SW light buoy H21	53 22 49.7 060 11 00.6	Fl G 4s	.....	.....	Green spar, marked "H21".	Year round. Operates 24 h.  Chart:4728 Edn 08/16 (N16-038)
311	Rabbit Island light buoy H20	SW. of island. 53 23 04.2 060 11 18	Fl R 4s	.....	.....	Red spar, marked "H20".	Year round.  Chart:4728
312	Birch Island light buoy H22	SSE. of Birch Island. 53 22 51.6 060 15 24.6	Fl R 4s	.....	.....	Red, marked "H22".	Seasonal.  Chart:4728
313	Chaulk Point light buoy H23	S. side of channel. 53 21 48 060 17 17.4	Fl G 4s	.....	.....	Green, marked "H23".	Seasonal.  Chart:4728
313.5	Grebe Point light buoy H25	E. of Groves Point Channel. 53 21 22.2 060 18 53.4	Fl G 4s	.....	.....	Green, marked "H25".	Seasonal.  Chart:4728
313.6	Groves Point Entrance light buoy H27	53 21 01.5 060 20 57.1	Fl G 4s	.....	.....	Green spar, marked "H27".	Year round.  Chart:4722 Edn 01/10
314	Terrington Narrows Channel light buoy H30	53 21 02.5 060 21 11.5	Fl R 4s	.....	.....	Red spar, marked "H30".	Year round.  Chart:4722 Edn 07/10 (N10-016)
315	Terrington Narrows Channel light buoy H29	53 20 59.9 060 21 09.4	Fl G 4s	.....	.....	Green spar, marked "H29".	Year round.  Chart:4722

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND - LABRADOR COAST**

316	Terrington Narrows Channel light buoy H32	53 21 00.3 060 21 34.1	Fl R 4s	.....	.....	Red spar, marked "H32".	Year round.  <b>Chart:4722</b> <b>Edn 07/10 (N10-016)</b>
317	Terrington Narrows Channel light buoy H33	53 20 57.3 060 21 33.8	Fl G 4s	.....	.....	Green spar, marked "H33".	Year round.  <b>Chart:4722</b> <b>Edn 07/10 (N10-016)</b>
317.5	<b>Terrington Narrows Sector</b>	53 20 37.3 060 24 07.1	F R AI W RW G AI GW	10.5	<b>19</b>	Square skeleton tower, red and white rectangular daymark.  10.0	Red from 255°35' to 256°55'; AI RW from 256°55' to 257°10'; white from 257°10' to 257°30'; AI GW from 257°30' to 257°45'; green from 257°45' to 259°05'. The light is visible over an arc of 003°30'. White sector indicates preferred channel. Seasonal.  <b>Chart:4722</b>
317.8	East Big Island	54 27 13.7 057 05 37.7	Fl W 3s	48.1	5	Square skeleton tower, red and white rectangular daymark.  4.5	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5135</b>
317.9	Run By Guess	S. of Run By Guess Island. 54 28 00.5 057 19 22.1	Fl W 3s	17.5	4	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5042</b>
318 H74	Cut Throat Point	On Cut Throat Island. 54 29 25.5 057 06 26.5	Fl W 4s	28.0	7	Square skeleton tower, red and white rectangular daymark.  5.2	Seasonal.  <b>Chart:5135</b>
318.2	Cockies South Cardinal light and bell buoy HCl	54 38 30 056 58 53.2	Q(6) +LFI	W 15s	.....	.....	Yellow and black, marked "HCl". Year round.  <b>Chart:5135</b>
319	Sloop Harbour Point	NE. point of Brig Harbour Island. 54 34 05.2 057 09 15.1	Fl W 3s	20.4	7	Square skeleton tower, red and white rectangular daymark.  4.1	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5135</b>
319.06	Holton Island	54 37 37.5 057 16 24.2	Fl W 4s	46.2	5	Red and white square skeleton tower, red and white rectangular daymark.  4.7	Seasonal.  <b>Chart:5135</b>
319.07	Pigeon Island	54 40 24 057 29 55.2	Fl W 4s	34.0	5	Square skeleton tower, red and white rectangular daymark.  4.7	Seasonal.  <b>Chart:5135</b>
319.08	Duck Island	54 43 41 057 41 23	Fl W 4s	20.1	5	Square skeleton tower, red and white rectangular daymark.  4.7	Seasonal.  <b>Chart:5043</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
319.09	False Cape Island	54 50 08.5 057 49 50	Fl W 4s	25.8	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5043</b>
319.1	Northern Island	54 58 52.8 058 17 43.2	Mo(A) W 6s	57.8	5	Square skeleton tower, red and white rectangular daymark. 7.2	Flash 0.3 s; eclipse 0.6 s; flash 1 s; eclipse 4.1 s. Seasonal.  <b>Chart:5044</b>
319.12	Quaker Hat light buoy NQ1	54 59 55.9 058 30 48.7	Fl G 4s	.....	.....	Green, marked "NQ1".	Seasonal.  <b>Chart:5045</b>
319.2	Quaker Hat <b>Racon Q (- - -) X &amp; S Bands</b>	54 44 12.5 057 20 37.7	LFI W 10s	36.0	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal.  <b>Chart:5135</b>
319.21	Conical Island	54 55 39.3 058 50 33.7	Fl R 4s	30.4	4	Square skeleton tower, red and white square daymark. 7.2	Seasonal.  <b>Chart:5045</b>
319.22	Blandford Island	55 03 33.3 058 44 26.4	Q R 1s	32.9	4	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.  <b>Chart:5045</b>
319.225	Double Island	55 04 20.3 058 54 44	Fl W 4s	70.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5045</b>
319.229	Tobins Shoal light buoy NQ3	E. of Pomiadluk Pt. 55 07 45 058 56 52.8	Fl G 4s	.....	.....	Green, marked "NQ3".	Seasonal.  <b>Chart:5045</b>
319.23	Green Island	55 07 48.3 058 53 35.4	Fl R 4s	20.9	4	Square skeleton tower, red and white rectangular daymark. 5.9	Seasonal.  <b>Chart:5045</b>
319.239	North East Breaker West Cardinal light buoy NQB	55 10 42 059 07 00	VQ(9) W 10s	.....	.....	Yellow, black and yellow, marked "NQB".	Seasonal.  <b>Chart:5045</b>
319.24	Jackos Island	55 09 46.5 059 05 08.4	Mo(A) W 6s	18.6	5	Square skeleton tower, red and white rectangular daymark. 5.9	Flash 0.3 s; eclipse 0.6 s; flash 1 s; eclipse 4.1 s. Seasonal.  <b>Chart:5045</b>
319.25	Sisters Island	55 13 43.3 059 07 39.3	LFI W 10s	17.6	6	Square skeleton tower, red and white rectangular daymark. 5.9	Flash 2 s; eclipse 8 s. Seasonal.  <b>Chart:5045</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
319.254	Double Point	54 50 24 058 22 25	Fl W 4s	32.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5044</b>
319.3 H71.8	Cape Harrison	54 55 30 057 56 27	Fl W 4s	185.9	7	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5043</b>
319.31	Aillik Islands	55 13 31 059 14 15.9	Q R 1s	11.4	3	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.  <b>Chart:5046</b>
319.316	Long Island Point	55 08 38.1 059 22 19.2	Fl G 3s	22.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5046</b>
319.32	Alkami Island	55 00 05.1 059 34 15.7	Fl G 4s	35.2	4	Square skeleton tower, green and white rectangular daymark. 5.9	Seasonal.  <b>Chart:5046</b>
319.321	Cape Roy	55 09 30.4 059 24 56.9	Fl R 4s	23.5	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5046</b>
319.322	West Turnavik Island	55 15 40.2 059 20 05.9	Fl G 3s	24.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5046</b>
319.323 H0071.2	Drunken Harbour Island Light	55 13 20.3 059 30 16.9	Fl W 3s	7.3	.....	Square skeleton tower, red rectangular daymark, white band. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5046 Edn 12/16 (N16-058)</b>
319.35	Ikey's Point	55 08 58.5 059 08 33.6	Fl R 4s	12.3	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5045</b>
319.4	Harrys Reef light buoy NY1	Postville. 54 55 07.4 059 43 56.3	Fl G 4s	.....	.....	Green spar, marked "NY1".	Seasonal.  <b>Chart:5046 Edn 01/16 (N15-095)</b>
319.5	Postville Wharf	54 54 25.3 059 46 02	Fl R 4s	4.8	4	Cylindrical mast. 2.4	Seasonal.  <b>Chart:5046</b>
319.6	Purching Island	55 11 07.7 059 23 01.2	Mo(A) W 6s	27.1	5	Square skeleton tower, red and white rectangular daymark. 7.2	Flash 0.3 s; eclipse 0.6 s.; flash 1.0 s; eclipse 4.1 s. Seasonal.  <b>Chart:5046</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
320	White Bear Island (Nanuaktok)  <b>Racon -. (N) X &amp; S Bands</b>	On island. 55 26 00.7 059 30 40.9	Fl W 6s	23.5	5	Square skeleton tower, red and white rectangular daymark.  7.6	Flash 0.5 s; eclipse 5.5 s. Seasonal.   <b>Chart:5046</b>
320.6	Bluff Point	55 15 51.7 060 02 02	Fl W 3s	15.2	5	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5047</b>
321	Winsor Point	NE. point of Winsor Harbour Island. 55 20 54.2 059 43 55.9	Fl W 3s	27.8	5	Cylindrical tower, red and white rectangular daymark. 4.9	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5046</b>
321.05	Clusters Island	W. of Turnavik Island. 55 16 49.2 059 30 13.1	Fl R 4s	5.0	7	Square skeleton tower. 4.7	Seasonal.  <b>Chart:5046</b>
321.058	Striped Island	55 19 04.6 059 38 31.9	Fl W 4s	37.3	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5046</b>
321.1	Kidialuit Island (Ironbound Islands)	55 11 58.3 058 45 36.4	Fl W 6s	143.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5045</b>
321.3	Makkovik Wharf	55 05 07.1 059 10 11	Fl R 4s	2.8	4	Mast. 2.4	Seasonal.  <b>Chart:5045 Edn 02/11 (N10-066) Edn 07/11 (N11-040)</b>
321.4	Hopedale Harbour light buoy NH1	55 27 13.3 060 12 55.9	Fl G 4s	.....	.....	Green spar, marked "NH1".	Seasonal.  <b>Chart:5047</b>
321.45	Hopedale Harbour light buoy NH2	55 27 22.6 060 12 59.9	Fl R 4s	.....	.....	Red spar, marked "NH2".	Seasonal.  <b>Chart:5047</b>
321.5	Hopedale Harbour range	55 27 18.6 060 13 30.1	F R .....	20.1	11	Skeleton tower, white daymark, red vertical stripe. 5.7	Visible in line of range. Seasonal.
321.6		278° 60m from front.	F R .....	25.9	11	Skeleton tower, white daymark, red vertical stripe. 3.2	Visible in line of range. Seasonal.  <b>Chart:5047</b>
321.62	Hopedale Shoal West Cardinal light buoy NHH	55 27 23.2 060 11 54.7	Q(9) W 15s	.....	.....	Yellow, black, yellow, marked NHH.	Seasonal.  <b>Chart:5047</b>



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
321.7	Annaltalik Island	55 27 12.6 059 46 00.1	Fl W 6s	33.4	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5046</b>
321.73	<i>Napojotalik Shoal light buoy NHN2</i>	55 24 15.6 059 57 30	Fl R 4s	.....	.....	<i>Red spar, marked "NHN2".</i>	<i>Seasonal.</i>  <b>Chart:5047</b>
321.74	Landmark Point	55 24 55.1 060 01 51.8	Fl G 4s	34.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5047</b>
321.75	Satoarsook Island	55 26 09.6 060 11 22.1	LFl W 10s	10.0	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal.  <b>Chart:5047</b>
321.77	<i>Seneraluk Rock (Hopedale) East Cardinal light buoy NH</i>	55 27 30.4 060 12 01.7	Q(3) W 10s	.....	.....	<i>Black, yellow and black, marked "NH".</i>	<i>Seasonal.</i>  <b>Chart:5047</b>
321.8	Umiaginak Island	55 28 48.2 060 12 37.5	Q R 1s	15.8	3	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.  <b>Chart:5047</b>
321.9 <i>H0068.4</i>	Achvitaaksook Island Light	55 29 34.8 060 13 42.6	Fl W 4s	48.6	4	Square skeleton tower, three red rectangular daymarks, white band. 4.7	Seasonal.  <b>Chart:5047 Edn 03/17 (N16-094)</b>
322	Manuel Island (Napakataktalik)	NW. side of island. 55 33 06.6 060 14 54	Fl W 4s	35.2	5	Red and white cylindrical tower, red and white rectangular daymark. 4.6	Seasonal.  <b>Chart:5047</b>
322.01	Cross Island	55 36 06.3 060 18 24.1	Fl W 3s	23.1	5	Square skeleton tower, red and white rectangular daymark. 4.8	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5047</b>
322.02	Cant Island	55 38 22.1 060 23 42.3	Fl W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5047</b>
322.03	Gourley Island	55 43 26.6 060 20 31.8	Fl W 4s	11.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5047</b>
322.1	Windy Tickle	55 46 35.6 060 19 38.3	Fl W 3s	7.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5048</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
322.2	Farmyard Island	55 49 27.9 059 54 07.7	Fl W 3s	53.9	5	Square skeleton tower, red and white square daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:5048
322.3	Ukasiksalik Island	55 56 26.5 060 44 57.9	Fl W 6s	21.1	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 5 s. Year round.  Chart:5048
322.8	<i>Windy Tickle light buoy NVW2</i>	55 45 33 060 19 39.6	Fl R 4s	.....	.....	<i>Red spar, marked "NVW2".</i>	<i>Seasonal.</i>  Chart:5048
323 H64	Cape Harrigan  <b>Racon -- (K) X &amp; S Bands</b>	On cape. 55 50 34 060 18 56.8	Fl W 6s	44.0	6	Cylindrical tower, red and white horizontal bands. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:5048
323.29	South Tikigakjuk Island	55 48 20 060 29 16.1	Fl G 4s	37.3	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.  Chart:5048
323.3	4 Meter Islet	55 57 28.7 060 24 43.5	Fl W 3s	7.6	7	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:5048
323.31	Katauyak Island	55 54 00.1 060 33 27.1	Fl W 4s	43.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5048
323.32	Entry Island	55 51 25.7 060 43 18.7	Fl W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5048
323.49	<i>Pigeon Island (Inlet) light buoy NT2</i>	<i>Tom Gears Run.</i> 56 02 27.4 061 14 02.5	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NT2".</i>	<i>Seasonal.</i>  Chart:5049 Edn 01/16 (N15-092) Edn 01/17 (N16-086)
323.491	<i>Uyagaksuak Rock light buoy NV2</i>	55 56 55.8 061 03 39	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NV2".</i>	<i>Seasonal.</i>  Chart:5049
323.51	<i>Pigeon Island light buoy NT1</i>	<i>Tom Gears Run.</i> 56 02 23.9 061 14 20.4	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NT1".</i>	<i>Seasonal.</i>  Chart:5049 Edn 08/10 (N10-016)
323.52	<i>Tom Gears Run South light buoy NT3</i>	56 06 20.4 061 14 54	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NT3".</i>	<i>Seasonal.</i>  Chart:5049
323.521	<i>Tom Gears Run light buoy NT4</i>	56 06 59.0 061 13 37.2	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NT4".</i>	<i>Seasonal.</i>  Chart:5049 Edn 01/16 (N15-097) Edn 09/17 (N17-034)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
323.53	Tom Gears Run North light buoy NT5	56 07 20.2 061 12 38.4	Fl G 4s	.....	.....	Green spar, marked "NT5".	Seasonal.  Chart:5049 Edn 01/16 (N15-090)
323.54	Perrett's Tickle light buoy NT7	56 08 51.0 061 14 37.5	Fl G 4s	.....	.....	Green spar, marked "NT7".	Seasonal.  Chart:5049 Edn 01/16 (N15-091)
323.55	Big Island	56 13 20.5 061 19 25	Fl W 4s	22.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5049
323.6	The Horses Light	56 03 41.7 060 44 18.2	Fl W 3s	16.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:5048 Edn 07/14 (N14-027)
324 H0062	Drawbucket Tickle Light	56 08 59.1 060 52 19.7	Fl W 3s	14.0	6	Rectangular skeleton tower, red rectangular daymark, white horizontal stripe. 5.8	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:5049 Edn 02/17 (N17-004)
324.1	Drawbucket Tickle East	56 08 43.2 060 50 51	Q R 1s	12.7	4	Square skeleton tower, red and white square daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.  Chart:5049
324.12	Nameless Island	56 08 14.5 060 57 59.5	Fl W 4s	23.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5049
324.14	Nochalik Island	56 19 38.2 061 22 20.6	Fl W 4s	18.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5049
324.19	Negro Island	56 21 05.8 060 32 40.8	Fl W 6s	12.9	6	Red and white rectangular skeleton tower, red and white rectangular daymark.	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:5051
<b>Racon - - - (Z) X &amp; S Bands</b>							
324.2	Amatut Island	56 21 45 060 51 13.7	Fl G 4s	7.1	5	Skeleton tower, green and white rectangular daymark.	Year round.  Chart:5052 Edn 02/14 (N14-010)
324.21	Potuk Island	56 22 47.2 060 59 52.7	Fl R 4s	20.9	5	Rectangular skeleton tower, red and white rectangular daymark.	Year round.  Chart:5052
324.3	Crown Island	56 16 55.5 060 56 47.5	Fl R 4s	31.1	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5049

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND - LABRADOR COAST</b>							
324.33	Black Island	56 47 40.7 061 20 02.1	Fl G 4s	52.2	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.  <b>Chart:4775</b>
324.34	Little Fish Island	56 54 55.5 061 18 30.9	Fl R 4s	49.2	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5054</b>
324.35	Beachy Island	57 08 06.3 061 20 09.5	Fl W 4s	65.9	5	Square skeleton tower, red rectangular daymark, white horizontal stripe. 4.7	Seasonal.  <b>Chart:5055 Edn 05/11 (N11-020)</b>
324.4	Rifle Sight Hill	56 29 35.1 061 38 37.5	Mo(A) W 6s	22.9	5	Square skeleton tower, red and white square daymark. 4.7	Year round.  <b>Chart:5052</b>
324.5 <i>H0059.6</i>	Hen and Chickens Light  <b>Racon . - - (W) X &amp; S Bands</b>	56 30 39.5 060 38 37.5	Fl W 3s	24.2	5	Cylindrical tower, red with white horizontal stripe. 4.7	Flash 0.5 s; eclipse 2.5 s. Year round.  <b>Chart:5051 Edn 03/14 (N14-012) Edn 04/14 (N14-012) Edn 02/17 (N17-003)</b>
324.6	<i>Fairway Rock South Cardinal light buoy NN</i>	<i>Stratacona Run. 56 31 53 060 47 08.5</i>	<i>VQ(6) W 10s +LFI</i>	.....	.....	<i>Yellow and black, marked "NN".</i>	<i>Seasonal.  <b>Chart:5052 Edn 03/11 (N10-016) Edn 03/14 (N14-014)</b></i>
324.61	Wood Island	56 32 23.3 060 56 23.4	Fl R 4s	10.8	5	Skeleton tower, red and white rectangular daymark.	Year round.  <b>Chart:5052</b>
324.62	Dugong Island	56 30 15 061 08 47	Fl R 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.63	Turtle Island	56 30 10 061 07 23	Fl G 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.64	False Start Island	56 27 06.5 061 05 56	Fl G 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.65	<i>Amushavik light buoy NNA3</i>	<i>W. of Sandy Island. 56 25 22.9 061 07 10.3</i>	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "NNA3".</i>	<i>Seasonal.  <b>Chart:5052</b></i>
324.66	<i>Sandy Island Shoal light buoy NNA2</i>	<i>W. of Sandy Island. 56 23 48.2 061 07 52.4</i>	<i>Q R 1s</i>	.....	.....	<i>Red, marked "NNA2".</i>	<i>Seasonal.  <b>Chart:5052 Edn 01/16 (N15-094)</b></i>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND - LABRADOR COAST**

324.67	Unknown Island range	56 22 16.4 061 09 21.7	Fl G 4s	18.3	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained. Operates 24 h. Year round.
324.671		204°45' 6645m from front.	Fl G 4s	22.9	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained . Operates 24 h. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical mile range.
<b>Chart:5052 Edn 05/15 (N15-020, 022)</b>							
324.672	Mount Pickle Light Sectors	56 23 12.4 061 11 34.8	F R W G	35.2	.....	Square skeleton tower, red and white rectangular daymark.	The light is visible over an arc of 003°30'. White sector indicates preferred channel. Privately maintained. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical mile range.
<b>Chart:5052</b>							
324.673	Uigortlek Island range	56 24 52.4 061 16 14.7	Fl G 4s	18.3	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained.
324.674		109°30' 4572m from front.	Fl G 4s	25.6	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical miles range.
<b>Chart:5052 Edn 05/15 (N15-023, 024)</b>							
324.69	Taktok Point	56 24 13.5 061 27 40.3	Fl W 4s	21.4	5	Square skeleton tower, red and white rectangular daymark.	Seasonal.
<b>Chart:5052</b>							

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND - LABRADOR COAST**

324.691	Sentinel Hill	56 25 21 061 32 24	Fl R 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.692	Kikkertavak Island	56 24 57.5 061 45 44	Fl G 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.693	Laura's Point	56 26 17.4 061 57 30.2	Fl G 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5070</b>
324.71	Bridges Passage light buoy NNB3	56 27 09.6 061 33 58.2	Fl G 4s	.....	.....	Green spar, marked "NNB3".	Seasonal.  <b>Chart:5052</b>
324.72	Palungitak (Bridges Passage) light buoy NNB2	56 26 58.1 061 33 24.3	Fl R 4s	.....	.....	Red spar, marked "NNB2".	Seasonal.  <b>Chart:5052</b>
324.79	Small Unnamed Island	56 22 35.6 061 06 30.1	Q G 1s	5.0	5	Skeleton tower, green and white rectangular daymark.	Year round.  <b>Chart:5052</b>
324.83	Jenks Rock light buoy NNB5	W. of Glasis Point. 56 28 25.5 061 39 03.3	Fl G 4s	.....	.....	Green spar, marked "NNB5".	Seasonal.  <b>Chart:5052</b> <b>Edn 08/10 (N10-016)</b>
324.9	Stirrup Island	E. of Okak Island. 57 34 12.4 061 18 49	LFl W 10s	74.8	6	Square skeleton tower, red rectangular daymark, white horizontal stripe. 4.7	Flash 2 s; eclipse 8 s. Seasonal.  <b>Chart:5055</b> <b>Edn 05/11 (N11-020)</b>
325	Ford Harbour	On point, N. side of Harbour. 56 28 19.9 061 10 08.4	Fl W 4s	13.7	6	Square skeleton tower, red and white rectangular daymark. 5.7	Seasonal.  <b>Chart:5052</b>
325.09	Strathcona Run light buoy NS5	56 32 30 061 27 18	Fl G 4s	.....	.....	Green, marked "NS5".	Seasonal.  <b>Chart:5052</b>
325.1	Strathcona Run (Nain) light buoy NNS2	56 32 10.5 061 22 07.8	Fl R 4s	.....	.....	Red, marked "NNS2".	Seasonal.  <b>Chart:5052</b> <b>Edn 01/16 (N15-093)</b>
325.2	Strathcona Run (Labrador) light buoy NNS3	56 33 42.7 061 35 45	Fl G 4s	.....	.....	Green spar, marked "NNS3".	Seasonal.  <b>Chart:5052</b>
325.21 H0059.55	Nain Wharf Light	56 32 36.4 061 41 11.3	Fl R 4s	.....	2	Mast. 2.4	Seasonal.  <b>Chart:5052</b> <b>Edn 06/17 (N17-009)</b>
325.23	Turnpike Island	56 36 04.3 061 38 09.9	Fl R 4s	17.2	4	Square skeleton mast, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5052</b>