

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------------|--|---|--------------------------|--|-----------------------|--|--|
| JUAN DE FUCA STRAIT | | | | | | | |
| 180 G5288 | Carmanah Point | On point. 48 36 42.4 124 45 04.8 | Fl W 5s | 55.6 | 19 | White octagonal tower with red top | Flash 0.1s; eclipse 4.9 s. Year round. Chart:3606 |
| 180.8 | <i>Juan de Fuca Traffic Lane Separation light buoy J (U.S.)</i> Racon - - - (O) X Band | 48 29 36.8 125 00 00.0 | Fl Y 2.5s | | | Yellow, marked "J". | Year round. Chart:3602 Edn 07/17 (P17-034) |
| 180.9 | <i>Juan de Fuca Traffic Lane Separation light buoy JA (U.S.)</i> | 48 29 35.2 124 43 34.5 | Fl Y 2.5s | | | Yellow, marked "1JA". | Year round. Chart:3606 Edn 10/12 (P12-051) |
| 181 G4756 | Cape Flattery (U.S.) | 48 23 30.7 124 44 13.3 | Fl(2) W 20s | | 14 | White tower. | Flash 0.2 s; eclipse 4.8 s; flash 0.2 s; eclipse 14.8 s. Emergency light. Year round. Chart:3606 |
| 181.4 | <i>Duntze Rock light and whistle buoy 2 (U.S.)</i> | 48 24 53.9 124 45 06.6 | Fl R 4s | | 5 | Red, marked "2". | Year round. Chart:3606 |
| 182 G4760 | Neah Bay (U.S.) | 48 22 41.4 124 35 40.1 | Fl R 6s | | 5 | Skeleton tower, red triangular daymark. | Flash every 6 s. Obscured from 114° to 196°. Year round. Horn - Blast 3 s; sil. 27 s. Chart:3606 |
| 183 | <i>Port San Juan light and whistle buoy YK</i> | At entrance to port. 48 32 04.2 124 29 05.9 | Mo(A) W 6s | | | Red and white vertical stripes, marked "YK". | Year round. Chart:3647 |
| 183.1 | <i>UVic Renfre buoy Odas</i> | 48 32 11.2 124 29 05.6 | Fl(5) Y 20s | | | ODAS. | Private. Year round. Chart:3647 Edn. 11/15 (P15-076) |
| 186 G5292 | Sheringham Point | On point. 48 22 36.1 123 55 15.9 | Fl G 15s | 21.9 | 9 | White hexagonal tower. | Year round. Chart:3606 |
| 187 | <i>Rosario Strait Traffic Lane Entrance light buoy R (U.S.)</i> Racon - (T) | 48 16 25.3 123 06 34.6 | Fl Y 2.5s | | | Yellow, marked "R" | Year round. Chart:3461 |
| 187.5 | <i>Juan de Fuca Traffic Lane Separation light buoy PA (U.S.)</i> | 48 12 54 123 28 40.9 | Fl Y 2.5s | | | Yellow, marked "PA". | Year round. Chart:3461 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | | | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------------|---|--|--------------------------|---------|-------|--|-----------------------|---|---|
| JUAN DE FUCA STRAIT | | | | | | | | | |
| 188 G5296 | Whiffin Spit | E. end of spit, Sooke Inlet. 48 21 30.1 123 42 41.3 | Q | W | 1s | 6.6 | 7 | White cylindrical tower, green band at top. | Year round. Horn - Blast 3 s; sil. 27 s. Operated only on request to Victoria Coast Guard radio. Chart:3411 |
| 188.1 G5296.2 | Sooke Harbour Outer range | 48 21 36.2 123 42 24.1 | F | Y | | 2.7 | 9 | 1-pile dolphin, white daymark, red vertical stripe. | Year round. |
| 188.12 G5296.21 | | 049°44' 100.9m from front. | F | Y | | 5.7 | 9 | 1-pile dolphin, white daymark, red vertical stripe. | Year round. Chart:3411 |
| 188.2 G5296.3 | Sooke Harbour Inner range | 48 21 45 123 42 34.6 | F | Y | | 2.7 | 9 | 1-pile dolphin, white daymark, red vertical stripe. | Year round. |
| 188.22 G5296.31 | | 007°38' 44.8m from front. | F | Y | | 4.8 | 9 | 1-pile dolphin, white daymark, red vertical stripe. | Year round. Chart:3411 |
| 189 G5300 | Race Rocks | Great Race Rock. 48 17 52.9 123 31 53.1 | Fl | W | 10s | 36.0 | 19 | Cylindrical tower, black and white bands. | Flash 0.3 s; eclipse 9.7 s. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 155°. Chart:3410 |
| 189.1 | Rosedale Rock light buoy V15 | SE. of Race Rocks. 48 17 26.3 123 31 33.7 | Q | G | 1s | | | Green, marked "V15". | Year round. Chart:3410 |
| 189.5 | Race Rocks South Cautionary light buoy VF Racon - . 1B) X & S Bands | Traffic Lane Separator. 48 14 04.4 123 31 58.7 | Fl | Y | 4s | | | Yellow, marked "VF". | Year round. Chart:3461 |
| 189.7 | Ediz Hook light buoy 4 (U.S.) | 48 09 47.7 123 28 24 | Fl | R | 4s | | | Red, marked "4". | Year round. Chart:3461 |
| 190 G4768 | Ediz Hook (U.S.) | 48 08 24.5 123 24 08.1 | Al Fl + Fl(2) | G- W | 10s | 15.2 | 16 18 | Skeleton tower. | Flash green 0.1 s; eclipse 2.4 s; flash white 0.1s; eclipse 2.4 s; flash white 0.1s; eclipse 4.9 s. Year round. Horn - Blast 3 s; sil. 27 s. Mariners requiring the operation of the horn will have to key the microphone five (5) consecutive times on VHF-FM Channel 83A (157.175 MHz) 1perates for 30 minutes. Chart:3461 Edn 10/12 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals | |
|----------------------------|--|---|--------------------------|--|-----------------------|--|---|-------------------------------|
| JUAN DE FUCA STRAIT | | | | | | | | |
| 190.2 | Ediz Hook light buoy 2 (U.S.) | 48 08 20.5 123 23 57.8 | Fl R 2.5s | | | Red, marked "2". | Year round. Chart:3461 | |
| 192 | Race Rocks East Cautionary light buoy VG | Traffic Lane Separator. 48 16 04.4 123 27 49.7 | Fl Y 4s | | | Yellow, marked "VG". | Year round. Chart:3461 | |
| 196 G5307 | Scroggs Rocks | S. side of rocks. 48 25 34.2 123 26 19.8 | Fl R 4s | 7.3 | 5 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3419 Edn 03/17 (P17-004) | |
| Esquimalt Harbour | | | | | | | | |
| 197 G5306 | Fisgard Sector | On Fisgard Island, W. side of entrance. 48 25 49.4 123 26 51.2 | Iso W-R 2s | 21.6 | | White cylindrical tower. | Red from 195° to 332°; white from 332° through W. to 195°. Floodlit below balcony. Operates 24 h. Year round. Chart:3419 | |
| 198 | Fisgard Island light buoy V17 | E. of island. 48 25 49.8 123 26 40.7 | Fl G 4s | | | Green, marked "V17". | Year round. Chart:3419 | |
| 199 G5308 | Inskip Island range | On island. 48 26 30.9 123 26 20.2 | F Y | | 5.8 | 10 | White mast, white daymark, red vertical stripe. | Year round. |
| 200 G5308.1 | | 015° 91.4m from front. | F Y | | 10.8 | 10 | White tripod skeleton tower, white daymark, red vertical stripe. | Year round. Chart:3419 |
| 201 | Village Rocks West Cardinal light buoy VL | Off N. end of rocks. 48 25 57.8 123 25 37.2 | Q(9) W 15s | | | Yellow, black and yellow, marked "VL". | Year round. Chart:3419 | |
| 202 | Whale Rock bifurcation light buoy VC | S. of Whale Rock. 48 26 35.2 123 26 44.4 | Fl R (2+1) 6s | | | Red, green and red marked "VC". | Year round. Chart:3419 | |
| Victoria Harbour | | | | | | | | |
| 203 | Victoria Harbour Cautionary light buoy VH Racon -- (K) X & S Bands | SW. of Brotchie Ledge. 48 22 31.3 123 23 33.7 | Fl Y 4s | | | Yellow, marked "VH". | Year round. Chart:3440 | |
| 204 G5312 | Ogden Point Breakwater | On outer end of breakwater. 48 24 48.6 123 23 37.7 | Q R 1s | 12.2 | 9 | White tower, red band at bottom. | Year round. Chart:3412 | |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------------|---|--|--------------------------|--|-----------------------|--|---|
| JUAN DE FUCA STRAIT | | | | | | | |
| 204.5 | Victoria Harbour Entrance light buoy V21 | At entrance. 48 24 52.1 123 24 11.7 | Fl G 4s | | | Green, marked, "V21". | Year round. Chart:3412 |
| 205 G5310 | Brotchie Ledge | Off entrance to harbour. 48 24 23.2 123 23 16.8 | Fl G 4s | 12.0 | 7 | White cylindrical tower, green band at top. | Year round. Chart:3412 |
| 206 G5312.4 | Berens Island Aeronautical beacon | On SE. extremity of island, W. of harbour entrance. 48 25 26.7 123 23 34.7 | Q G 1s Q W 1s | 6.1 | 3 | White cylindrical tower, green band at top. | Radar reflector. Year round. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs. Chart:3412 |
| 207 G5320 | Shoal Point Aeronautical beacon | W. of point. 48 25 24.4 123 23 20.2 | Q R 1s Q W 1s | 5.8 | 3 | White cylindrical tower, red band at top on 19-pile dolphin. | Radar reflector. Year round. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs. Chart:3412 |
| 208 G5322 | Pelly Island Aeronautical beacon | On S. extremity of island. 48 25 32.1 123 23 03.1 | Fl G 4s Q W 1s | 5.8 6.0 | 3 | White cylindrical tower, green band at top. | Year round. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs. Chart:3412 |
| 208.2 | Victoria Harbour Traffic Scheme Cautionary light buoy #1 | 48 25 26.9 123 22 59.1 | Fl Y 4s | | | Yellow. | Year round. Chart:3412 |
| 208.4 | Victoria Harbour Traffic Scheme Cautionary light buoy #2 | 48 25 26.3 123 22 51.7 | Fl Y 4s | | | Yellow. | Year round. Chart:3412 |
| 208.6 | Victoria Harbour Traffic Scheme Cautionary light buoy #3 | 48 25 27.2 123 22 44.7 | Fl Y 4s | | | Yellow. | Year round. Chart:3412 |
| 208.8 | Victoria Harbour Traffic Scheme Cautionary light buoy #4 | 48 25 27.1 123 23 05.6 | Fl Y 4s | | | Yellow. | Year round. Chart:3412 |
| 208.9 | Victoria Harbour Traffic Scheme Cautionary light buoy #5 | 48 25 27.1 123 23 13.1 | Fl Y 4s | | | Yellow. | Year round. Chart:3412 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|----------------------------|--|---|----------------------------|--|-----------------------|--|--|
| JUAN DE FUCA STRAIT | | | | | | | |
| 209 G5324 | Laurel Point Aeronautical beacon | NW. extremity of point. 48 28 28.2 123 22 38.1 | Q R 1s Q W 1s | 5.6 | 3 | White cylindrical tower, red band at top. | Radar reflector. Year round. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs. Chart:3412 |
| 210 G5325 | Tuzo Rock | On rock. 48 25 32 123 22 29.7 | Q G 1s | 5.7 | 3 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3412 |
| 212 G5328 | Trial Islands | On S. side of southernmost island. 48 23 42.3 123 18 18.6 | Fl G 5s | 28.3 | 13 | White cylindrical tower. | Flash 0.1 s; eclipse 4.9 s. Year round. Chart:3424 |
| 213 G5330 | Lewis Reef | On reef. 48 25 31.7 123 16 47.1 | Q R 1s | 6.7 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3424 |
| 214 G5333 | Mary Tod Island | SW. extremity of breakwater. 48 25 32.8 123 17 54.9 | Fl R 4s | 6.1 | 4 | Mast. | Year round. Chart:3424 |
| 215 G5332 | Fiddle Reef Sector | On reef. 48 25 45.6 123 17 02.1 | Q W- R 1s | 7.1 | 7 | White cylindrical tower. | Radar reflector. Red 170°30' through S. to 216°; white 216° through W. and N. to 013°20'; red 013°20' to 062°; white 062° through E. to 170°30'. Year round. Chart:3424 |
| 215.5 | <i>Fulford Reef North Cardinal light buoy VK</i> | <i>N. of Chatham Island Haro Strait. 48 26 52.5 123 14 22.7</i> | Q W 1s | | 4 | <i>Black and yellow, marked "VK".</i> | <i>Year round.</i> Chart:3424 |
| 216 G5334 | Discovery Island | On extremity of island, Haro Strait. 48 25 28.5 123 13 32.4 | Fl W 5s | 28.3 | 15 | White cylindrical tower, with red top. | Flash 0.1 s; eclipse 4.9 s. Year round. Chart:3424 Edn 10/15 (P15-070) |
| 216.3 G5334.5 | Baynes Channel North | SSE. of Cadboro Point. 48 27 00.9 123 15 50 | Q G 1s | 6.4 | 4 | White cylindrical tower, green band on top. | Radar reflector. Year round. Chart:3424 |
| 216.4 | <i>Haro Strait South Cardinal light buoy VD</i> | <i>Beaumont Shoal. 48 27 05.3 123 10 50.7</i> | <i>Q(6) +LFl</i> W 15s | | ... | <i>Yellow and black, marked "VD".</i> | <i>Year round.</i> Chart:3440 |