

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>JUAN DE FUCA STRAIT</b>							
180 G5288	<b>Carmanah Point</b>	On point. 48 36 42.4 124 45 04.8	Fl W 5s	55.6	19	White octagonal tower with red top	Flash 0.1s; eclipse 4.9 s. Year round.  <b>Chart:3606</b>
180.8	<i>Juan de Fuca Traffic Lane Separation light buoy J (U.S.)</i>  <b>Racon - - - (O) X Band</b>	48 29 36.8 125 00 00.0	Fl Y 2.5s	.....	.....	Yellow, marked "J".	Year round.  <b>Chart:3602 Edn 07/17 (P17-034)</b>
180.9	<i>Juan de Fuca Traffic Lane Separation light buoy JA (U.S.)</i>	48 29 35.2 124 43 34.5	Fl Y 2.5s	.....	.....	Yellow, marked "JA".	Year round.  <b>Chart:3606 Edn 10/12 (P12-051)</b>
181 G4756	Cape Flattery (U.S.)	48 23 31.2 124 44 13.0	Fl(2) W 20s	35.0	14	Skeleton tower.	Flash 0.2 s; eclipse 4.8 s; flash 0.2 s; eclipse 14.8 s. Emergency light. Year round.  <b>Chart:3606 Edn 10/17 (P17-062)</b>
181.4	<i>Duntze Rock light and whistle buoy 2 (U.S.)</i>	48 24 53.9 124 45 06.6	Fl R 4s	.....	5	Red, marked "2".	Year round.  <b>Chart:3606</b>
182 G4760	Neah Bay (U.S.)	48 22 41.4 124 35 40.1	Fl R 6s	.....	5	Skeleton tower, red triangular daymark.	Flash every 6 s. Obscured from 114° to 196°. Year round.  <b>Horn - Blast 3 s; sil. 27 s.</b>  <b>Chart:3606</b>
183	<i>Port San Juan light and whistle buoy YK</i>	At entrance to port. 48 32 04.2 124 29 05.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "YK".	Year round.  <b>Chart:3647 Edn 01/18 (P17-116)</b>
183.7	<i>UVic Sombrio ODAS buoy</i>	Near Sombrio Point. 48 29 08.4 124 20 22.8	Fl(5) Y 20s	.....	.....	ODAS, yellow.	Privately maintained. Year round.  <b>Chart:3606 Edn 11/17 (P17-065)</b>
186 G5292	Sheringham Point	On point. 48 22 36.1 123 55 15.9	Fl G 15s	21.9	9	White hexagonal tower.	Year round.  <b>Chart:3606</b>
187	<i>Rosario Strait Traffic Lane Entrance light buoy R (U.S.)</i>  <b>Racon - (T)</b>	48 16 25.3 123 06 34.6	Fl Y 2.5s	.....	.....	Yellow, marked "R"	Year round.  <b>Chart:3461</b>
187.5	<i>Juan de Fuca Traffic Lane Separation light buoy PA (U.S.)</i>	48 12 54 123 28 40.9	Fl Y 2.5s	.....	.....	Yellow, marked "PA".	Year round.  <b>Chart:3461</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>JUAN DE FUCA STRAIT</b>									
188 G5296	Whiffin Spit	E. end of spit, Sooke Inlet. 48 21 30.1 123 42 41.3	Q	W	1s	6.6	7	White cylindrical tower, green band at top.	Year round.  <b>Horn</b> - Blast 3 s; sil. 27 s. Operated only on request to Victoria Coast Guard radio.  <b>Chart:3411</b>
188.1 G5296.2	Sooke Harbour Outer range	48 21 36.2 123 42 24.1	F	Y	.....	2.7	9	1-pile dolphin, white daymark, red vertical stripe.	Year round.
188.12 G5296.21		049°44' 100.9m from front.	F	Y	.....	5.7	9	1-pile dolphin, white daymark, red vertical stripe.	Year round.  <b>Chart:3411</b>
188.2 G5296.3	Sooke Harbour Inner range	48 21 45 123 42 34.6	F	Y	.....	2.7	9	1-pile dolphin, white daymark, red vertical stripe.	Year round.
188.22 G5296.31		007°38' 44.8m from front.	F	Y	.....	4.8	9	1-pile dolphin, white daymark, red vertical stripe.	Year round.  <b>Chart:3411</b>
189 G5300	<b>Race Rocks</b>	Great Race Rock. 48 17 52.9 123 31 53.1	Fl	W	10s	36.0	19	Cylindrical tower, black and white bands.	Flash 0.3 s; eclipse 9.7 s. Year round.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 155°.  <b>Chart:3410</b>
189.1	Rosedale Rock light buoy V15	SE. of Race Rocks. 48 17 26.3 123 31 33.7	Q	G	1s	.....	.....	Green, marked "V15".	Year round.  <b>Chart:3410</b>
189.5	Race Rocks South Cautionary light buoy VF  <b>Racon - . 1B) X &amp; S Bands</b>	Traffic Lane Separator. 48 14 04.4 123 31 58.7	Fl	Y	4s	.....	.....	Yellow, marked "VF".	Year round.  <b>Chart:3461</b>
189.7	Ediz Hook light buoy 4 (U.S.)	48 09 47.7 123 28 24	Fl	R	4s	.....	.....	Red, marked "4".	Year round.  <b>Chart:3461</b>
190 G4768	<b>Ediz Hook (U.S.)</b>	48 08 24.5 123 24 08.1	Al Fl + Fl(2)	G- W	10s	15.2	16  18	Skeleton tower.	Flash green 0.1 s; eclipse 2.4 s; flash white 0.1s; eclipse 2.4 s; flash white 0.1s; eclipse 4.9 s. Year round.  <b>Horn</b> - Blast 3 s; sil. 27 s. Mariners requiring the operation of the horn will have to key the microphone five (5) consecutive times on VHF-FM Channel 83A (157.175 MHz) 1perates for 30 minutes.  <b>Chart:3461 Edn 10/12</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>JUAN DE FUCA STRAIT</b>								
190.2	Ediz Hook light buoy 2 (U.S.)	48 08 20.5 123 23 57.8	Fl R 2.5s	.....	.....	Red, marked "2".	Year round.  <b>Chart:3461</b>	
192	Race Rocks East Cautionary light buoy VG	Traffic Lane Separator. 48 16 04.4 123 27 49.7	Fl Y 4s	.....	.....	Yellow, marked "VG".	Year round.  <b>Chart:3461</b>	
196 G5307	Scroggs Rocks	S. side of rocks. 48 25 34.2 123 26 19.8	Fl R 4s	7.3	5	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3419 Edn 03/17 (P17-004)</b>	
<b>Esquimalt Harbour</b>								
197 G5306	Fisgard Sector	On Fisgard Island, W. side of entrance. 48 25 49.4 123 26 51.2	Iso W- R	2s	21.6	.....	White cylindrical tower. Red from 195° to 332°; white from 332° through W. to 195°. Floodlit below balcony. Operates 24 h. Year round.  <b>Chart:3419</b>	
198	Fisgard Island light buoy V17	E. of island. 48 25 49.8 123 26 40.7	Fl G 4s	.....	.....	Green, marked "V17".	Year round.  <b>Chart:3419</b>	
199 G5308	Inskip Island range	On island. 48 26 30.9 123 26 20.2	F Y	.....	5.8	10	White mast, white daymark, red vertical stripe.	Year round.
200 G5308.1		015° 91.4m from front.	F Y	.....	10.8	10	White tripod skeleton tower, white daymark, red vertical stripe.	Year round.  <b>Chart:3419</b>
202	Whale Rock bifurcation light buoy VC	S. of Whale Rock. 48 26 35.2 123 26 44.4	Fl R (2+1)	6s	.....	.....	Red, green and red marked "VC". Year round.  <b>Chart:3419</b>	
<b>Victoria Harbour</b>								
203	Victoria Harbour Cautionary light buoy VH  <b>Racon -- (K) X &amp; S Bands</b>	SW. of Brotchie Ledge. 48 22 31.3 123 23 33.7	Fl Y 4s	.....	.....	Yellow, marked "VH".	Year round.  <b>Chart:3440</b>	
204 G5312	Ogden Point Breakwater	On outer end of breakwater. 48 24 48.6 123 23 37.7	Q R 1s	13.2	9	White tower, red band at bottom.	Operates 24 h. Year round.  <b>Chart:3412 Edn 01/18 (P17-088)</b>	
204.5	Victoria Harbour Entrance light buoy V21	At entrance. 48 24 52.1 123 24 11.7	Fl G 4s	.....	.....	Green, marked, "V21".	Year round.  <b>Chart:3412</b>	

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>JUAN DE FUCA STRAIT</b>							
205 G5310	Brotchie Ledge	Off entrance to harbour. 48 24 23.2 123 23 16.8	Fl G 4s	12.0	7	White cylindrical tower, green band at top.	Year round.  <b>Chart:3412</b>
206 G5312.4	Berens Island  <b>Aeronautical beacon</b>	On SE. extremity of island, W. of harbour entrance. 48 25 26.7 123 23 34.7	Q G 1s  Q W 1s	6.1  .....	3  .....	White cylindrical tower, green band at top.	Radar reflector. Year round.  Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.  <b>Chart:3412</b>
207 G5320	Shoal Point  <b>Aeronautical beacon</b>	W. of point. 48 25 24.4 123 23 20.6	Q R 1s  Q W 1s	6.8  .....	3  9	White square tower, red band at top on braced steel pilings.	Radar reflector. Year round.  Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.  <b>Chart:3412 Edn 01/18 (P17-115)</b>
208 G5322	Pelly Island  <b>Aeronautical beacon</b>	On S. extremity of island. 48 25 32.1 123 23 03.1	Fl G 4s  Q W 1s	5.8  6.0	3  .....	White cylindrical tower, green band at top.	Year round.  Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.  <b>Chart:3412</b>
208.2	Victoria Harbour Traffic Scheme Cautionary light buoy #1	48 25 26.9 123 22 59.1	Fl Y 4s	.....	.....	Yellow.	Year round.  <b>Chart:3412</b>
208.4	Victoria Harbour Traffic Scheme Cautionary light buoy #2	48 25 26.3 123 22 51.7	Fl Y 4s	.....	.....	Yellow.	Year round.  <b>Chart:3412</b>
208.6	Victoria Harbou 1raffic Scheme Cautionary light buoy #3	48 25 27.2 123 22 44.7	Fl Y 4s	.....	.....	Yellow.	Year round.  <b>Chart:3412</b>
208.8	Victoria Harbour Traffic Scheme Cautionary light buoy #4	48 25 27.1 123 23 05.6	Fl Y 4s	.....	.....	Yellow.	Year round.  <b>Chart:3412</b>
208.9	Victoria Harbour Traffic Scheme Cautionary light buoy #5	48 25 27.1 123 23 13.1	Fl Y 4s	.....	.....	Yellow.	Year round.  <b>Chart:3412</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>JUAN DE FUCA STRAIT</b>							
209 G5324	Laurel Point	NW. extremity of point. 48 25 28.2 123 22 38.1	Q R 1s	6.9	3	White square tower, red band at top.	Radar reflector. Year round.
	<b>Aeronautical beacon</b>		Q W 1s	.....	9		Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.  <b>Chart:3412 Edn 01/18 (P17-114)</b>
210 G5325	Tuzo Rock	On rock. 48 25 32.0 123 22 29.8	Q G 1s	7.2	3	White square tower, green band at top.	Radar reflector. Year round.  <b>Chart:3412 Edn 12/17 (P17-110)</b>
212 G5328	Trial Islands	On S. side of southernmost island. 48 23 42.3 123 18 18.6	Fl G 5s	28.3	13	White cylindrical tower.	Flash 0.1 s; eclipse 4.9 s. Year round.  <b>Chart:3424</b>
213 G5330	Lewis Reef	On reef. 48 25 31.7 123 16 47.1	Q R 1s	6.7	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3424</b>
214 G5333	Mary Tod Island	SW. extremity of breakwater. 48 25 32.8 123 17 54.9	Fl R 4s	6.1	4	Mast.	Year round.  <b>Chart:3424</b>
215 G5332	Fiddle Reef Sector	On reef. 48 25 45.6 123 17 02.1	Q W- R 1s	7.1	7	White cylindrical tower.	Radar reflector. Red 170°30' through S. to 216°; white 216° through W. and N. to 013°20'; red 013°20' to 062°; white 062° through E. to 170°30'. Year round.  <b>Chart:3424</b>
215.5	<i>Fulford Reef North Cardinal light buoy VK</i>	<i>N. of Chatham Island Haro Strait. 48 26 52.5 123 14 22.7</i>	Q W 1s	.....	4	<i>Black and yellow, marked "VK".</i>	<i>Year round.</i>  <b>Chart:3424</b>
216 G5334	<b>Discovery Island</b>	On extremity of island, Haro Strait. 48 25 28.5 123 13 32.4	Fl W 5s	28.3	15	White cylindrical tower, with red top.	Flash 0.1 s; eclipse 4.9 s. Year round.  <b>Chart:3424 Edn 10/15 (P15-070)</b>
216.3 G5334.5	Baynes Channel North	SSE. of Cadboro Point. 48 27 00.9 123 15 50	Q G 1s	6.4	4	White cylindrical tower, green band on top.	Radar reflector. Year round.  <b>Chart:3424</b>
216.4	<i>Haro Strait South Cardinal light buoy VD</i>	<i>Beaumont Shoal. 48 27 05.3 123 10 50.7</i>	<i>Q(6) +LFl</i>	<i>W 15s</i>	<i>.....</i>	<i>Yellow and black, marked "VD".</i>	<i>Year round.</i>  <b>Chart:3440</b>