

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>HARO STRAIT</b>								
222.8	<i>Little Zero Rock light buoy V30</i>	<i>W. of Little zero rock, Cordova Bay. 48 31 54.3 123 19 44.7</i>	Q R 1s .....	3	<i>Red, marked "V30".</i>	<i>Year round.</i>	<b>Chart:3440</b>	
223 G5336	Zero Rock	48 31 25.3 123 17 30.7	Fl W 4s	8.5	7	White cylindrical tower, green band at top.	Radar reflector. Year round.	<b>Chart:3440</b>
224 G5337	Kelp Reefs	On the NE. reef. 48 32 51.3 123 14 12.7	Q W 1s	10.7	10	White cylindrical tower.	Year round.	<b>Chart:3440</b>
225 G5339	Tom Point Sector	On small islet E. of point. 48 39 44.4 123 16 25.6	Fl W G 4s	7.4	7	White cylindrical tower, green band at top.	Green from 181° to 171°, White from 171° to 181°.	<b>Chart:3479 Edn 08/15 (P15-062)</b>
225.1	<i>Mandarte Island East Cardinal light buoy UT</i>	<i>N. of Halibut Island. 48 37 33.3 123 15 59.7</i>	Q(3) W 10s .....	5	<i>Black, yellow and black, marked "UT".</i>	<i>Year round.</i>	<b>Chart:3479</b>	
225.2 G5339.4	Mandarte Island North	48 38 18 123 17 51.6	Fl G 4s	5.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round.	<b>Chart:3479</b>
225.3	<i>South Cod Reef South Cardinal light buoy US</i>	<i>Off Miners Channel. 48 38 59.4 123 18 04.7</i>	Q(6) +LFl W 15s .....	6	<i>Yellow and black, marked "US".</i>	<i>Year round.</i>	<b>Chart:3479</b>	
225.4 G5341	Forrest Island	48 39 17.8 123 19 24	Fl R 4s	8.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3479</b>
226 G5337.5	D'Arcy Island	On SW. side of island. 48 33 55.3 123 17 06.1	Fl R 4s	7.9	7	White cylindrical tower, red band at top.	Radar reflector. Year round.	<b>Chart:3441</b>
226.3	<i>D'Arcy Shoals light buoy U1</i>	<i>E. of D'arcy shoals, Sidney Channel. 48 34 14.5 123 18 05.6</i>	Fl G 4s .....	.....	<i>Green, marked "U1".</i>	<i>Year round.</i>	<b>Chart:3441 Edn 10/10 (P10-114)</b>	
227 G5345	James Island	Off NW. point of island. 48 37 02.9 123 22 47.2	Fl W 4s	5.5	4	Mast on a 3-pile dolphin.	Year round.	<b>Chart:3479 Edn 02/14 (P14-007) Edn 04/16 (P16-029)</b>
228	<i>Sidney Channel light buoy U2</i>	<i>SW. of Western Shoal, N. entrance to channel. 48 37 27.3 123 20 46.7</i>	Fl R 4s .....	4	<i>Red, marked "U2".</i>	<i>Year round.</i>	<b>Chart:3479</b>	

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HARO STRAIT</b>							
229 G5338	Kellett Bluff (U.S.)	On SW. of Henry Island. 48 35 18.8 123 12 07.2	Fl W 4s	24.4	7	On white building, white and black diamond daymark.	Year round.  <b>Chart:3441</b>
230 G5342	Dock Island	On E. end of NE. islet of Little Group. 48 40 17.2 123 21 24.6	Q G 1s	11.4	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3479</b>
230.3 G5341.4	Sidney Spit	On extreme NW. end of spit. 48 39 13.4 123 20 45.8	Fl(3) R 12s	6.9	4	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.  <b>Chart:3479</b>
230.5 G5342.4	Little Group Rock	Centre of passage between Coal and Ker Islands. 48 40 33.9 123 22 04.4	Fl W 4s	4.9	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3479</b>
230.6 G5344.56	Roberts Bay	Graham Rock off. Entr. to Roberts Bay, Tsehum Harbour. 48 39 57.4 123 23 31.8	Fl G 4s	8.8	4	Square skeleton tower, green, white and black square daymarks.	Year round.  <b>Chart:3479</b>
230.7 G5341.6	Sidney Breakwater	On S. extremity of breakwater extension. 48 39 09.2 123 23 31	Fl R 4s	6.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3479</b>
233 G5344.6	Tsehum Harbour	48 40 17.5 123 24 10.8	Fl R 4s	4.8	3	Light on platform attached to long pile of 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3479</b>
234.1 G5344.62	Tsehum Harbour Entrance	48 40 20 123 24 19.8	Q R 1s	3.8	3	1-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3479</b> <b>Edn 11/11 (P11-052)</b>
234.3 G5344.7	Blue Heron Basin Entrance	At channel entrance. 48 40 23.6 123 24 44.8	Fl W 4s	4.7	3	3-piles dolphin, green, white and black square daymark.	Year round.  <b>Chart:3479</b>
234.5 G5344.74	Blue Heron Basin	Boat basin entrance. 48 40 24.6 123 25 07.3	Q G 1s	3.7	2	3-piles dolphin, green, white and black square daymark.	Year round.  <b>Chart:3479</b>
235 G5343	Victoria Aero Beacon	48 38 43 123 25 16.8	Fl W 10s	.....	.....	.....	Flash every 10 s. Privately maintained. Year round.  <b>Chart:3479</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HARO STRAIT</b>							
236 G5343.5	Fernie Island	On island, SE. of island. 48 40 42.9 123 23 29.5	Fl G 4s	6.7	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3479</b>
237 G5345.3	Goudge Island	NW. of Goudge Island. 48 41 19.5 123 23 46.0	Fl W 4s	7.0	5	White square skeleton tower.	Radar reflector. Year round.  <b>Chart:3479 Edn 08/17 (P17-042)</b>
238 G5345.2	Coal Island	On Fir Cone Point. 48 41 28.2 123 23 17.2	Fl G 4s	7.2	4	White cylindrical tower, green band at top.	Year round.  <b>Chart:3479</b>
240	Coal Island light buoy U8	NE. of Fir Cone Point. E. entrance to Colburne Passage. 48 41 37.3 123 23 06.7	Fl R 4s	.....	.....	Red, marked "U8".	Year round.  <b>Chart:3479</b>
240.5	Celia Reef light buoy U14	S. of Portland Island, Shute Passage. 48 42 38.3 123 22 57.8	Fl R 4s	.....	.....	Red, marked "U14".	Year round.  <b>Chart:3479</b>
241 G5343	Kanaka Bluff	On W. point of Portland Island. 48 43 33.5 123 23 12.9	Fl W 4s	7.6	6	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3479</b>
242 G5351	Isabella Island	On SE. extremity of island. 48 43 43.4 123 25 49.3	Q W 1s	8.5	6	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3479</b>
243 G5351.6	Jackson Rock	W. of rock. 48 45 19.3 123 26 03.3	Q R 1s	5.8	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3478</b>
244 G5352	Fulford Harbour	On ferry landing slip. 48 46 10.8 123 27 06.7	Fl W 4s	.....	.....	.....	Privately maintained. Year round.  <b>Chart:3478</b>
244.1 G5352.5	Fulford Harbour Dolphin	Off end of ferries wharf. 48 46 11.1 123 27 08	Fl Y .....	.....	.....	On dolphin.	Privately maintained. Year round.  <b>Chart:3478</b>
245	Piers Island light buoy U12	N. of Knapp Island. N. entrance to Gosse Passage. 48 42 14.5 123 23 58.6	Fl R 4s	.....	3	Red, marked "U12".	Year round.  <b>Chart:3479</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HARO STRAIT</b>							
246 G5345.7	Clive Island	On rock SE. of Piers Island. 48 42 04.3 123 24 18.3	Q G 1s	5.3	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3479</b>
247	Knapp Island light buoy U10	Gosse Passage, W. of island. 48 41 56.4 123 24 16.8	Q R 1s	.....	3	Red, marked "U10".	Year round.  <b>Chart:3479</b>
247.3	Gosse Passage light buoy U9	SE. of Clive Island. 48 42 00.3 123 24 19.2	Fl G 4s	.....	4	Green, marked "U9".	Year round.  <b>Chart:3479</b>
248	Colburne Passage light buoy U18	S. of Piers Island. 48 41 53.3 123 25 18.8	Fl R 4s	.....	3	Red, marked "U18".	Year round.  <b>Chart:3479</b>
248.1 G5345.8	Colburne Passage South	48 41 50.7 123 25 33	Fl G 4s	4.5	3	White cylindrical tower, green band at top on 4-pile dolphin.	Year round.  <b>Chart:3479</b>
248.2	Patrol Islet light buoy U16	S. of Indian Point, Colburne Passage. 48 41 57.2 123 25 29.8	Q R 1s	.....	3	Red, marked "U16".	Year round.  <b>Chart:3479</b>
248.3 G5345.9	Shute Reef	On rock. 48 42 36.8 123 25 54.9	Q R 1s	7.0	4	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3479</b>
248.6 G5349	Wain Rock	48 41 14.4 123 29 22.7	Fl G 4s	7.0	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3441</b>
249 G5346	Patey Rock	On rock, entrance to Saanich Inlet. 48 42 02.7 123 31 15.2	Fl(3) W 12s	7.0	5	White cylindrical tower, green band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.  <b>Chart:3441</b>
249.1 G5346.2	Hatch Point NE	48 42 01.2 123 32 32	Fl Y 4s	.....	.....	.....	Privately maintained. Year round.  <b>Chart:3441</b>
249.2 G5346.22	Hatch Point SW	48 42 00.4 123 32 33.7	Fl Y 4s	.....	.....	.....	Privately maintained. Year round.  <b>Chart:3441</b>
249.7	Cowichan Bay East Breakwater	NE. end of floating breakwater. 48 44 30.8 123 37 00.3	Fl Y 4s	0.7	2	Mast.	Year round.  <b>Chart:3478</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HARO STRAIT</b>							
249.8 G5347.5	Cowichan Bay West Breakwater	W. end of floating breakwater. 48 44 31.4 123 37 06	Fl G 4s	0.7	3	Mast.	Year round.  <b>Chart:3478</b>
250 G5346.4	Separation Point	Outer extremity of point. 48 44 34.2 123 34 12.4	Fl W 4s	6.1	7	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3478</b>
251 G5348	Burial Islet	On NE. corner of islet. 48 46 09.9 123 33 49	Q R 1s	8.5	3	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3478</b>
251.3	<i>Pat Bay ODAS light buoy 46134</i>	48 38 57 123 29 36.8	<i>Fl(5) Y 20s</i>	.....	.....	<i>Yellow, marked "46134".</i>	<i>Year round.</i>  <b>Chart:3441</b>
251.5 G5349.5	Patricia Bay Breakwater	48 39 08.6 123 27 03.6	Fl R 4s	5.1	4	Mast, red and white triangular daymark.	Year round.  <b>Chart:3441</b>
252 G5350	Senanus Island	On NW. extremity of island. 48 35 34 123 29 12.8	Fl W 4s	8.5	6	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3441</b>
253 G5357.4	Gowland Point	S. of Pender Island. 48 44 09 123 10 57	Fl W 4s	10.7	7	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3477</b>
254 G5357	Hay Point	On point, Bedwell Harbour. 48 44 41.8 123 13 42.3	Q R 1s	6.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.  <b>Chart:3477</b>
254.3 G5340.4	Arachne Reef	On N. side of reef. 48 41 05.2 123 17 37.3	Fl G (2+1) 6s	5.8	6	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3479</b>
254.5 G5340.6	Point Fairfax	S. extremity of point. 48 41 57.1 123 17 55.2	Fl(3) W 12s	8.8	7	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.  <b>Chart:3479</b>
255 G5340	Turn Point (U.S.)	On NW. point of Stuart Island. 48 41 19.6 123 14 14.6	Fl W 2.5s	13.4	8	White tower.	Flash every 2.5 s. Obscured from 260°30' to 357°. Year round.  <b>Chart:3441</b>
255.1	<i>Danger Shoal lighted Junction buoy A (U.S.)</i>	<i>SW. of shoal. 48 38 18 123 10 56.6</i>	<i>Fl (2+1) G 6s</i>	.....	.....	<i>Green, red and green, marked "A".</i>	<i>Year round.</i>  <b>Chart:3441</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HARO STRAIT</b>							
256 G5354	Canoe Rock	On the rock. 48 44 00.7 123 20 24.2	Fl(3) W	12s	5.9	7	White cylindrical tower, red band at top.  Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.
							<b>Chart:3479 Edn 03/14 (P14-013)</b>
256.5	Pellow Islets light buoy U15	E. of Portlands Islands, Moresby Passage. 48 43 20.4 123 21 02.7	Fl G	4s	.....	4	Green, marked "U15".  Year round.
							<b>Chart:3479</b>
257 G5355	Beaver Point	On N. tip of point. 48 4 15.4 123 2 11.9	Fl G	4s	8.5	4	White cylindrical tower, green band at top.  Radar reflector. Year round.
							<b>Chart:3441</b>
257.5 G5355.4	Mouat Point	W. side of North Pender Island. 48 46 11.3 123 18 49.5	Fl R	4s	6.7	6	White cylindrical tower, red band at top.  Radar reflector. Year round.
							<b>Chart:3441</b>
257.9	Deep Ridge light buoy UN	SE. of Channel Islands. 48 47 48.5 123 22 10.9	Fl (2+1)	G 6s	.....	.....	Green, red and green, marked "UN".  Year round.
							<b>Chart:3478</b>
258 G5356	Channel Islands	On N. end of North Channel Islands. 48 48 06.6 123 22 55.7	Fl W	4s	8.8	7	White cylindrical tower.  Radar reflector. Year round.
							<b>Chart:3478</b>
258.2	Acland Islands light buoy U60	W. of the islands, Captain Passage. 48 48 35.8 123 22 55.3	Fl R	4s	.....	.....	Red, marked "U60".  Year round.
							<b>Chart:3478 Edn 05/11 (P11-007)</b>
258.4	Captain Passage light buoy U62	NW. of Owl Island. 48 49 42.3 123 24 22.8	Q R	1s	.....	.....	Red, marked "U62".  Year round.
							<b>Chart:3478</b>
258.5	Horda Shoals light buoy UD	S. of Nose Point. 48 49 51.2 123 25 01.9	Fl (2+1)	G 6s	.....	.....	Green, red and green horizontal bands, marked "UD".  Year round.
							<b>Chart:3478</b>
259 G5370	Nose Point	On extremity of point. 48 50 33.1 123 25 10.4	Q W	1s	8.5	6	White cylindrical tower.  Radar reflector. Year round.
							<b>Chart:3478</b>
260 G5370.4	Long Harbour	On rock. 48 51 05.6 123 26 31.1	Q R	1s	5.5	2	White cylindrical tower, red band at top.  Radar reflector. Year round.
							<b>Chart:3478</b>
261 G5371	Ganges Harbour	On Second Sister Island. 48 50 12.4 123 27 12.8	Fl R	4s	8.2	4	White cylindrical tower, red band at top.  Radar reflector. Year round.
							<b>Chart:3478</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

HARO STRAIT

262 G5372	Grace Islet	SE. extremity of islet. 48 51 05.4 123 29 34.9	Fl G 4s	8.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round.
--------------	-------------	---	---------	-----	---	--	---------------------------------

Chart:3478

Boundary Passage

263	Rosenfeld Rock light buoy U59	NE. of East Point. 48 48 11.4 123 01 38.7	Fl G 4s	.....	.....	Green, marked "U59".	Year round.
-----	----------------------------------	---	---------	-------	-------	----------------------	-------------

Chart:3462

264 G5358	Saturna Island Sector	On East Point. 48 46 58.8 123 02 45.0	Fl W 15s F R .....	36.9 31.1	17 8	Red square skeleton tower.	Flash 0.15 s; eclipse 14.85 s.  Red from 156° through S. to 211°30'. Operates 24 h. Year round.
--------------	--------------------------	---	-----------------------	--------------	---------	-------------------------------	--

Chart:3441  
Edn 04/17

264.3 G5140	Skipjack Island (U.S.)	On island. 48 43 57.7 123 02 21	Fl W 4s	5.9	6	Tower, black and white diamond daymark.	Obscured from 261° to 347°. Year round.
----------------	---------------------------	---------------------------------------	---------	-----	---	--	--

Chart:3441

264.5	Boundary Pass Shoal Isolated Danger light and bell buoy DB (U.S.)	48 45 53.4 123 00 52.7	Fl(2) W 5s	.....	.....	Black, red and black, marked "DB".	Year round.
-------	---	---------------------------	------------	-------	-------	---------------------------------------	-------------

Chart:3462

265 G5142	Patos Island Sector (U.S.)	On NW. extremity of island. 48 47 20.4 122 58 16.8	Fl W-R 6s	16.0	9	White square tower on building.	Flash every 6 s. Red 011°30' to 059°30' and red from 097° to 114°. Year round.
--------------	----------------------------------	---	-----------	------	---	------------------------------------	---

Chart:3462